

# RAPP Platform Tests - Testing Tools

v0.6.0

Generated by Doxygen 1.8.6

Tue Jul 19 2016 11:44:08



# Contents

<b>1</b>	<b>RAPP Testing Tools</b>	<b>1</b>
<b>2</b>	<b>Namespace Index</b>	<b>3</b>
2.1	Namespace List . . . . .	3
<b>3</b>	<b>Hierarchical Index</b>	<b>5</b>
3.1	Class Hierarchy . . . . .	5
<b>4</b>	<b>Class Index</b>	<b>7</b>
4.1	Class List . . . . .	7
<b>5</b>	<b>File Index</b>	<b>9</b>
5.1	File List . . . . .	9
<b>6</b>	<b>Namespace Documentation</b>	<b>13</b>
6.1	<a href="#">available_services_test Namespace Reference</a> . . . . .	13
6.1.1	Variable Documentation . . . . .	13
6.1.1.1	__path__ . . . . .	13
6.2	<a href="#">cognitive_record_performance_arithmetic Namespace Reference</a> . . . . .	13
6.2.1	Variable Documentation . . . . .	13
6.2.1.1	__path__ . . . . .	13
6.3	<a href="#">cognitive_test_chooser_tests Namespace Reference</a> . . . . .	13
6.3.1	Variable Documentation . . . . .	14
6.3.1.1	__path__ . . . . .	14
6.4	<a href="#">cognitive_test_record_tests Namespace Reference</a> . . . . .	14
6.4.1	Variable Documentation . . . . .	14
6.4.1.1	__path__ . . . . .	14
6.5	<a href="#">cognitive_test_user_history_tests Namespace Reference</a> . . . . .	14
6.5.1	Variable Documentation . . . . .	14
6.5.1.1	__path__ . . . . .	14
6.6	<a href="#">cognitive_test_user_scores_tests Namespace Reference</a> . . . . .	15
6.6.1	Variable Documentation . . . . .	15
6.6.1.1	__path__ . . . . .	15

6.7	<a href="#">denoise_profile_tests Namespace Reference</a>	15
6.7.1	Variable Documentation	15
6.7.1.1	<a href="#">__path__</a>	15
6.8	<a href="#">email_fetch Namespace Reference</a>	15
6.8.1	Variable Documentation	15
6.8.1.1	<a href="#">__path__</a>	15
6.9	<a href="#">email_send_single_attach Namespace Reference</a>	16
6.9.1	Variable Documentation	16
6.9.1.1	<a href="#">__path__</a>	16
6.10	<a href="#">email_send_zip Namespace Reference</a>	16
6.10.1	Variable Documentation	16
6.10.1.1	<a href="#">__path__</a>	16
6.11	<a href="#">face_detection_test_close_angle Namespace Reference</a>	16
6.11.1	Variable Documentation	16
6.11.1.1	<a href="#">__path__</a>	16
6.12	<a href="#">face_detection_test_far_angle Namespace Reference</a>	17
6.12.1	Variable Documentation	17
6.12.1.1	<a href="#">__path__</a>	17
6.13	<a href="#">face_detection_test_far_straight Namespace Reference</a>	17
6.13.1	Variable Documentation	17
6.13.1.1	<a href="#">__path__</a>	17
6.14	<a href="#">face_detection_test_medium_angle Namespace Reference</a>	17
6.14.1	Variable Documentation	17
6.14.1.1	<a href="#">__path__</a>	17
6.15	<a href="#">face_detection_test_medium_straight Namespace Reference</a>	18
6.15.1	Variable Documentation	18
6.15.1.1	<a href="#">__path__</a>	18
6.16	<a href="#">face_detection_test_two_faces_jpg Namespace Reference</a>	18
6.16.1	Variable Documentation	18
6.16.1.1	<a href="#">__path__</a>	18
6.17	<a href="#">face_detection_tests Namespace Reference</a>	18
6.17.1	Variable Documentation	18
6.17.1.1	<a href="#">__path__</a>	18
6.18	<a href="#">geolocation_pass_ipaddr Namespace Reference</a>	19
6.18.1	Variable Documentation	19
6.18.1.1	<a href="#">__path__</a>	19
6.19	<a href="#">hazard_detection_tests Namespace Reference</a>	19
6.19.1	Variable Documentation	19
6.19.1.1	<a href="#">__path__</a>	19
6.20	<a href="#">human_detection_test Namespace Reference</a>	19

6.20.1	Variable Documentation	19
6.20.1.1	__path__	19
6.21	human_detection_tests Namespace Reference	20
6.21.1	Variable Documentation	20
6.21.1.1	__path__	20
6.22	news_explore_general Namespace Reference	20
6.22.1	Variable Documentation	20
6.22.1.1	__path__	20
6.23	object_recognition_tests Namespace Reference	20
6.23.1	Variable Documentation	20
6.23.1.1	__path__	20
6.24	ontology_is_subsuperclass_of_SpatialThing Namespace Reference	21
6.24.1	Variable Documentation	21
6.24.1.1	__path__	21
6.25	ontology_tests Namespace Reference	21
6.25.1	Variable Documentation	21
6.25.1.1	__path__	21
6.26	path_planning_tests Namespace Reference	21
6.26.1	Variable Documentation	21
6.26.1.1	__path__	21
6.27	qr_detection_test_easy_far Namespace Reference	22
6.27.1	Variable Documentation	22
6.27.1.1	__path__	22
6.28	qr_detection_test_easy_medium Namespace Reference	22
6.28.1	Variable Documentation	22
6.28.1.1	__path__	22
6.29	qr_detection_test_easy_near Namespace Reference	22
6.29.1	Variable Documentation	22
6.29.1.1	__path__	22
6.30	qr_detection_test_hard_far Namespace Reference	23
6.30.1	Variable Documentation	23
6.30.1.1	__path__	23
6.31	qr_detection_test_hard_medium Namespace Reference	23
6.31.1	Variable Documentation	23
6.31.1.1	__path__	23
6.32	qr_detection_test_hard_near Namespace Reference	23
6.32.1	Variable Documentation	23
6.32.1.1	__path__	23
6.33	qr_detection_test_medium_far Namespace Reference	24
6.33.1	Variable Documentation	24

6.33.1.1	<a href="#">__path__</a>	24
6.34	<a href="#">qr_detection_test_medium_medium Namespace Reference</a>	24
6.34.1	Variable Documentation	24
6.34.1.1	<a href="#">__path__</a>	24
6.35	<a href="#">qr_detection_test_medium_near Namespace Reference</a>	24
6.35.1	Variable Documentation	24
6.35.1.1	<a href="#">__path__</a>	24
6.36	<a href="#">qr_detection_tests Namespace Reference</a>	25
6.36.1	Variable Documentation	25
6.36.1.1	<a href="#">__path__</a>	25
6.37	<a href="#">rapp_run_test Namespace Reference</a>	25
6.38	<a href="#">rapp_testing_tools Namespace Reference</a>	25
6.39	<a href="#">rapp_testing_tools.rapp_testing_core Namespace Reference</a>	25
6.39.1	Function Documentation	26
6.39.1.1	<a href="#">append_to_system_path</a>	26
6.39.1.2	<a href="#">execute_tests_all</a>	26
6.39.1.3	<a href="#">get_test_files</a>	26
6.39.1.4	<a href="#">load_tests_paths</a>	26
6.39.1.5	<a href="#">main</a>	26
6.39.1.6	<a href="#">parse_args</a>	27
6.39.2	Variable Documentation	27
6.39.2.1	<a href="#">__path__</a>	27
6.39.2.2	<a href="#">mutex</a>	27
6.39.2.3	<a href="#">results</a>	27
6.39.2.4	<a href="#">testClasses</a>	27
6.39.2.5	<a href="#">testClassMatch</a>	27
6.40	<a href="#">speech_detection_google_test_ogg_sentence2 Namespace Reference</a>	28
6.40.1	Variable Documentation	28
6.40.1.1	<a href="#">__path__</a>	28
6.41	<a href="#">speech_detection_google_tests Namespace Reference</a>	28
6.41.1	Variable Documentation	28
6.41.1.1	<a href="#">__path__</a>	28
6.42	<a href="#">speech_detection_sphinx_test_headset_deutera Namespace Reference</a>	28
6.42.1	Variable Documentation	29
6.42.1.1	<a href="#">__path__</a>	29
6.43	<a href="#">speech_detection_sphinx_test_headset_steile_mail Namespace Reference</a>	29
6.43.1	Variable Documentation	29
6.43.1.1	<a href="#">__path__</a>	29
6.44	<a href="#">speech_detection_sphinx_test_nao_wav_1_ch_email_robot Namespace Reference</a>	29
6.44.1	Variable Documentation	29

6.44.1.1	<a href="#">__path__</a>	29
6.45	<a href="#">speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia Namespace Reference</a>	29
6.45.1	Variable Documentation	30
6.45.1.1	<a href="#">__path__</a>	30
6.46	<a href="#">speech_detection_sphinx_test_ogg_deutera Namespace Reference</a>	30
6.46.1	Variable Documentation	30
6.46.1.1	<a href="#">__path__</a>	30
6.47	<a href="#">speech_detection_sphinx_test_ogg_monday Namespace Reference</a>	30
6.47.1	Variable Documentation	30
6.47.1.1	<a href="#">__path__</a>	30
6.48	<a href="#">speech_detection_sphinx_test_ogg_triti Namespace Reference</a>	30
6.48.1	Variable Documentation	31
6.48.1.1	<a href="#">__path__</a>	31
6.49	<a href="#">speech_detection_sphinx_test_ogg_tuesday Namespace Reference</a>	31
6.49.1	Variable Documentation	31
6.49.1.1	<a href="#">__path__</a>	31
6.50	<a href="#">speech_detection_sphinx_test_ogg_yes Namespace Reference</a>	31
6.50.1	Variable Documentation	31
6.50.1.1	<a href="#">__path__</a>	31
6.51	<a href="#">speech_detection_sphinx_tests Namespace Reference</a>	31
6.51.1	Variable Documentation	32
6.51.1.1	<a href="#">__path__</a>	32
6.52	<a href="#">template_test Namespace Reference</a>	32
6.52.1	Variable Documentation	32
6.52.1.1	<a href="#">__path__</a>	32
6.53	<a href="#">text_to_speech_tests Namespace Reference</a>	32
6.53.1	Variable Documentation	32
6.53.1.1	<a href="#">__path__</a>	32
6.54	<a href="#">user_personal_info Namespace Reference</a>	32
6.54.1	Variable Documentation	33
6.54.1.1	<a href="#">__path__</a>	33
6.55	<a href="#">weather_report_current_Athens Namespace Reference</a>	33
6.55.1	Variable Documentation	33
6.55.1.1	<a href="#">__path__</a>	33
6.56	<a href="#">weather_report_forecast_Athens Namespace Reference</a>	33
6.56.1	Variable Documentation	33
6.56.1.1	<a href="#">__path__</a>	33
<b>7</b>	<b>Class Documentation</b>	<b>35</b>
7.1	<a href="#">rapp_testing_tools.rapp_testing_core.bcolors Class Reference</a>	35

7.1.1	Detailed Description	35
7.1.2	Member Data Documentation	35
7.1.2.1	BOLD	35
7.1.2.2	ENDC	35
7.1.2.3	FAIL	35
7.1.2.4	HEADER	36
7.1.2.5	OKBLUE	36
7.1.2.6	OKGREEN	36
7.1.2.7	UNDERLINE	36
7.1.2.8	WARNING	36
7.2	cognitive_test_chooser_tests.CognitiveTestChooserTests Class Reference	36
7.2.1	Detailed Description	37
7.2.2	Member Function Documentation	37
7.2.2.1	setUp	37
7.2.2.2	test_selectArithmeticTest	37
7.2.2.3	test_selectArithmeticTest_default_params	37
7.2.2.4	test_selectAwarenessTest	38
7.2.2.5	test_selectNotExistentTest	38
7.2.2.6	test_selectReasoningTest	38
7.2.2.7	test_selectWrongType_TestDiff	38
7.2.2.8	test_selectWrongType_TestIndex	38
7.2.2.9	test_selectWrongType_TestSubtype	38
7.2.2.10	test_selectWrongType_TestType	38
7.2.3	Member Data Documentation	38
7.2.3.1	ch	38
7.3	cognitive_test_user_history_tests.CognitiveTestHistoryTests Class Reference	39
7.3.1	Detailed Description	40
7.3.2	Member Function Documentation	40
7.3.2.1	setUp	40
7.3.2.2	test_history_wrongFromType	40
7.3.2.3	test_history_wrongToType	40
7.3.2.4	test_history_wrongType	40
7.3.2.5	test_history_wrongTypeType	40
7.3.2.6	test_historyAll	40
7.3.2.7	test_historyArithmetic	40
7.3.2.8	test_historyAwareness	40
7.3.2.9	test_historyReasoning	40
7.3.3	Member Data Documentation	40
7.3.3.1	ch	40
7.4	cognitive_test_record_tests.CognitiveTestRecordTests Class Reference	41



7.4.1	Detailed Description	42
7.4.2	Member Function Documentation	42
7.4.2.1	setUp	42
7.4.2.2	test_recordArithmetic	42
7.4.2.3	test_recordAwareness	42
7.4.2.4	test_recordReasoning	42
7.4.2.5	test_recordWrongScoreType	42
7.4.2.6	test_recordWrongScoreValues	42
7.4.2.7	test_recordWrongType	42
7.4.3	Member Data Documentation	42
7.4.3.1	ch	42
7.5	cognitive_test_user_scores_tests.CognitiveTestScoresTests Class Reference	43
7.5.1	Detailed Description	44
7.5.2	Member Function Documentation	44
7.5.2.1	setUp	44
7.5.2.2	test_scoresAll	44
7.5.2.3	test_scoresArithmetic	44
7.5.2.4	test_scoresAwareness	44
7.5.2.5	test_scoresReasoning	44
7.5.2.6	test_scoresWrongType	44
7.5.2.7	test_scoresWrongType_to	44
7.5.2.8	test_scoresWrongTypeList	44
7.5.3	Member Data Documentation	44
7.5.3.1	ch	44
7.6	denoise_profile_tests.DenoiseProfileTests Class Reference	45
7.6.1	Detailed Description	45
7.6.2	Member Function Documentation	46
7.6.2.1	setUp	46
7.6.2.2	test_setNoiseProfile	46
7.6.2.3	test_setNoiseProfile_noExistentFile	46
7.6.2.4	test_setNoiseProfile_wrongAudioTypeInputType	46
7.6.2.5	test_setNoiseProfile_wrongFileInputType	46
7.6.3	Member Data Documentation	46
7.6.3.1	ch	46
7.6.3.2	pkgDir	46
7.7	face_detection_tests.FaceDetectionTests Class Reference	47
7.7.1	Detailed Description	47
7.7.2	Member Function Documentation	48
7.7.2.1	setUp	48
7.7.2.2	test_closeStraight	48

7.7.2.3	<a href="#">test_erroneousFileType</a>	48
7.7.2.4	<a href="#">test_lenna</a>	48
7.7.2.5	<a href="#">test_multipleFaces</a>	48
7.7.2.6	<a href="#">test_notExistentFile</a>	48
7.7.3	<a href="#">Member Data Documentation</a>	48
7.7.3.1	<a href="#">ch</a>	48
7.7.3.2	<a href="#">pkgDir</a>	48
7.8	<a href="#">hazard_detection_tests.HazardDetectionTests Class Reference</a>	49
7.8.1	<a href="#">Detailed Description</a>	49
7.8.2	<a href="#">Member Function Documentation</a>	50
7.8.2.1	<a href="#">setUp</a>	50
7.8.2.2	<a href="#">test_erroneousPath</a>	50
7.8.2.3	<a href="#">test_lightLeftOn</a>	50
7.8.2.4	<a href="#">test_wrongPathType</a>	50
7.8.3	<a href="#">Member Data Documentation</a>	50
7.8.3.1	<a href="#">ch</a>	50
7.8.3.2	<a href="#">pkgDir</a>	50
7.9	<a href="#">human_detection_tests.HumanDetectionTests Class Reference</a>	50
7.9.1	<a href="#">Detailed Description</a>	51
7.9.2	<a href="#">Member Function Documentation</a>	51
7.9.2.1	<a href="#">setUp</a>	51
7.9.2.2	<a href="#">test_humanDetectionTest</a>	51
7.9.2.3	<a href="#">test_humanDetectionTest_wrongPath</a>	51
7.9.2.4	<a href="#">test_humanDetectionTest_wrongPathType</a>	51
7.9.3	<a href="#">Member Data Documentation</a>	52
7.9.3.1	<a href="#">ch</a>	52
7.9.3.2	<a href="#">pkgDir</a>	52
7.10	<a href="#">object_recognition_tests.ObjectRecognitionTests Class Reference</a>	52
7.10.1	<a href="#">Detailed Description</a>	53
7.10.2	<a href="#">Member Function Documentation</a>	53
7.10.2.1	<a href="#">setUp</a>	53
7.10.2.2	<a href="#">test_cat_test</a>	53
7.10.2.3	<a href="#">test_wrongPath</a>	53
7.10.2.4	<a href="#">test_wrongPathType</a>	53
7.10.3	<a href="#">Member Data Documentation</a>	53
7.10.3.1	<a href="#">ch</a>	53
7.10.3.2	<a href="#">pkgDir</a>	53
7.11	<a href="#">ontology_tests.OntologyTests Class Reference</a>	54
7.11.1	<a href="#">Detailed Description</a>	54
7.11.2	<a href="#">Member Function Documentation</a>	55

7.11.2.1	setUp	55
7.11.2.2	test_is_subsuperclass_of	55
7.11.2.3	test_subclass_of	55
7.11.2.4	test_subclassOf_erroneous	55
7.11.2.5	test_subsuperclassOf_erroneous	55
7.11.2.6	test_superclass_of	55
7.11.2.7	test_superclassOf_erroneous	55
7.11.3	Member Data Documentation	55
7.11.3.1	ch	55
7.12	path_planning_tests.PathPlanningTests Class Reference	56
7.12.1	Detailed Description	56
7.12.2	Member Function Documentation	57
7.12.2.1	setUp	57
7.12.2.2	test_plan_2d	57
7.12.2.3	test_plan_2d_erroneous	57
7.12.2.4	test_upload_map	57
7.12.2.5	test_upload_map_erroneous	57
7.12.3	Member Data Documentation	57
7.12.3.1	ch	57
7.12.3.2	pkgDir	57
7.13	qr_detection_tests.QrDetectionTests Class Reference	58
7.13.1	Detailed Description	58
7.13.2	Member Function Documentation	59
7.13.2.1	setUp	59
7.13.2.2	test_detect_qr	59
7.13.2.3	test_detect_qr_erroneous	59
7.13.3	Member Data Documentation	59
7.13.3.1	ch	59
7.13.3.2	pkgDir	59
7.14	available_services_test.RappInterfaceTest Class Reference	59
7.14.1	Detailed Description	59
7.14.2	Constructor & Destructor Documentation	59
7.14.2.1	__init__	59
7.14.3	Member Function Documentation	60
7.14.3.1	execute	60
7.14.3.2	validate	60
7.14.4	Member Data Documentation	60
7.14.4.1	elapsed_time	60
7.14.4.2	rappCloud	60
7.14.4.3	valid_results	60

7.15	<a href="#">qr_detection_test_hard_medium.RappInterfaceTest Class Reference</a>	60
7.15.1	Detailed Description	60
7.15.2	Constructor & Destructor Documentation	61
7.15.2.1	<code>__init__</code>	61
7.15.3	Member Function Documentation	61
7.15.3.1	<code>execute</code>	61
7.15.3.2	<code>validate</code>	61
7.15.4	Member Data Documentation	61
7.15.4.1	<code>elapsed_time</code>	61
7.15.4.2	<code>msg</code>	61
7.15.4.3	<code>svc</code>	61
7.15.4.4	<code>valid_results</code>	61
7.16	<a href="#">email_send_zip.RappInterfaceTest Class Reference</a>	61
7.16.1	Detailed Description	62
7.16.2	Constructor & Destructor Documentation	62
7.16.2.1	<code>__init__</code>	62
7.16.3	Member Function Documentation	62
7.16.3.1	<code>execute</code>	62
7.16.3.2	<code>validate</code>	62
7.16.4	Member Data Documentation	62
7.16.4.1	<code>elapsed_time</code>	62
7.16.4.2	<code>msg</code>	62
7.16.4.3	<code>svc</code>	62
7.17	<a href="#">human_detection_test.RappInterfaceTest Class Reference</a>	62
7.17.1	Detailed Description	63
7.17.2	Constructor & Destructor Documentation	63
7.17.2.1	<code>__init__</code>	63
7.17.3	Member Function Documentation	63
7.17.3.1	<code>execute</code>	63
7.17.3.2	<code>validate</code>	63
7.17.4	Member Data Documentation	63
7.17.4.1	<code>elapsed_time</code>	63
7.17.4.2	<code>image</code>	63
7.17.4.3	<code>msg</code>	63
7.17.4.4	<code>svc</code>	63
7.17.4.5	<code>valid_humans</code>	63
7.18	<a href="#">weather_report_forecast_Athens.RappInterfaceTest Class Reference</a>	64
7.18.1	Detailed Description	64
7.18.2	Constructor & Destructor Documentation	64
7.18.2.1	<code>__init__</code>	64

7.18.3	Member Function Documentation	64
7.18.3.1	execute	64
7.18.3.2	validate	64
7.18.4	Member Data Documentation	64
7.18.4.1	elapsed_time	64
7.18.4.2	msg	64
7.18.4.3	svc	64
7.19	weather_report_current_Athens.RapplInterfaceTest Class Reference	65
7.19.1	Detailed Description	65
7.19.2	Constructor & Destructor Documentation	65
7.19.2.1	__init__	65
7.19.3	Member Function Documentation	65
7.19.3.1	execute	65
7.19.3.2	validate	65
7.19.4	Member Data Documentation	65
7.19.4.1	elapsed_time	65
7.19.4.2	msg	65
7.19.4.3	svc	65
7.20	speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest Class Reference	66
7.20.1	Detailed Description	66
7.20.2	Constructor & Destructor Documentation	66
7.20.2.1	__init__	66
7.20.3	Member Function Documentation	66
7.20.3.1	execute	66
7.20.3.2	validate	66
7.20.4	Member Data Documentation	66
7.20.4.1	elapsed_time	66
7.20.4.2	msg	66
7.20.4.3	svc	66
7.20.4.4	valid_words_found	67
7.21	speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest Class Reference	67
7.21.1	Detailed Description	67
7.21.2	Constructor & Destructor Documentation	67
7.21.2.1	__init__	67
7.21.3	Member Function Documentation	67
7.21.3.1	execute	67
7.21.3.2	validate	67
7.21.4	Member Data Documentation	67
7.21.4.1	elapsed_time	67
7.21.4.2	msg	68

7.21.4.3	svc	68
7.21.4.4	valid_words_found	68
7.22	speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest Class Reference	68
7.22.1	Detailed Description	68
7.22.2	Constructor & Destructor Documentation	68
7.22.2.1	__init__	68
7.22.3	Member Function Documentation	68
7.22.3.1	execute	68
7.22.3.2	validate	68
7.22.4	Member Data Documentation	69
7.22.4.1	elapsed_time	69
7.22.4.2	msg	69
7.22.4.3	svc	69
7.22.4.4	valid_words_found	69
7.23	speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest Class Reference	69
7.23.1	Detailed Description	69
7.23.2	Constructor & Destructor Documentation	69
7.23.2.1	__init__	69
7.23.3	Member Function Documentation	70
7.23.3.1	execute	70
7.23.3.2	validate	70
7.23.4	Member Data Documentation	70
7.23.4.1	elapsed_time	70
7.23.4.2	msg	70
7.23.4.3	svc	70
7.23.4.4	valid_words_found	70
7.24	speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest Class Reference	70
7.24.1	Detailed Description	70
7.24.2	Constructor & Destructor Documentation	71
7.24.2.1	__init__	71
7.24.3	Member Function Documentation	71
7.24.3.1	execute	71
7.24.3.2	validate	71
7.24.4	Member Data Documentation	71
7.24.4.1	elapsed_time	71
7.24.4.2	msg	71
7.24.4.3	svc	71
7.24.4.4	valid_words_found	71
7.25	news_explore_general.RapplInterfaceTest Class Reference	71
7.25.1	Detailed Description	72

7.25.2	Constructor & Destructor Documentation . . . . .	72
7.25.2.1	__init__ . . . . .	72
7.25.3	Member Function Documentation . . . . .	72
7.25.3.1	execute . . . . .	72
7.25.3.2	validate . . . . .	72
7.25.4	Member Data Documentation . . . . .	72
7.25.4.1	elapsed_time . . . . .	72
7.25.4.2	msg . . . . .	72
7.25.4.3	svc . . . . .	72
7.26	speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest Class Reference . . . . .	72
7.26.1	Detailed Description . . . . .	73
7.26.2	Constructor & Destructor Documentation . . . . .	73
7.26.2.1	__init__ . . . . .	73
7.26.3	Member Function Documentation . . . . .	73
7.26.3.1	execute . . . . .	73
7.26.3.2	validate . . . . .	73
7.26.4	Member Data Documentation . . . . .	73
7.26.4.1	elapsed_time . . . . .	73
7.26.4.2	msg . . . . .	73
7.26.4.3	svc . . . . .	73
7.26.4.4	valid_words_found . . . . .	73
7.27	speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest Class Reference . . . . .	74
7.27.1	Detailed Description . . . . .	74
7.27.2	Constructor & Destructor Documentation . . . . .	74
7.27.2.1	__init__ . . . . .	74
7.27.3	Member Function Documentation . . . . .	74
7.27.3.1	execute . . . . .	74
7.27.3.2	validate . . . . .	74
7.27.4	Member Data Documentation . . . . .	74
7.27.4.1	elapsed_time . . . . .	74
7.27.4.2	msg . . . . .	74
7.27.4.3	svc . . . . .	74
7.27.4.4	valid_words_found . . . . .	75
7.28	speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest Class Reference . . . . .	75
7.28.1	Detailed Description . . . . .	75
7.28.2	Constructor & Destructor Documentation . . . . .	75
7.28.2.1	__init__ . . . . .	75
7.28.3	Member Function Documentation . . . . .	75
7.28.3.1	execute . . . . .	75
7.28.3.2	validate . . . . .	75

7.28.4	Member Data Documentation . . . . .	75
7.28.4.1	elapsed_time . . . . .	75
7.28.4.2	msg . . . . .	76
7.28.4.3	svc . . . . .	76
7.28.4.4	valid_words_found . . . . .	76
7.29	speech_detection_google_test_ogg_sentence2.RappInterfaceTest Class Reference . . . . .	76
7.29.1	Detailed Description . . . . .	76
7.29.2	Constructor & Destructor Documentation . . . . .	76
7.29.2.1	__init__ . . . . .	76
7.29.3	Member Function Documentation . . . . .	76
7.29.3.1	execute . . . . .	76
7.29.3.2	validate . . . . .	76
7.29.4	Member Data Documentation . . . . .	77
7.29.4.1	elapsed_time . . . . .	77
7.29.4.2	msg . . . . .	77
7.29.4.3	svc . . . . .	77
7.29.4.4	valid_words_found . . . . .	77
7.30	face_detection_test_medium_straight.RappInterfaceTest Class Reference . . . . .	77
7.30.1	Detailed Description . . . . .	77
7.30.2	Constructor & Destructor Documentation . . . . .	77
7.30.2.1	__init__ . . . . .	77
7.30.3	Member Function Documentation . . . . .	78
7.30.3.1	execute . . . . .	78
7.30.3.2	validate . . . . .	78
7.30.4	Member Data Documentation . . . . .	78
7.30.4.1	elapsed_time . . . . .	78
7.30.4.2	msg . . . . .	78
7.30.4.3	svc . . . . .	78
7.30.4.4	valid_faces . . . . .	78
7.31	speech_detection_sphinx_test_ogg_monday.RappInterfaceTest Class Reference . . . . .	78
7.31.1	Detailed Description . . . . .	78
7.31.2	Constructor & Destructor Documentation . . . . .	79
7.31.2.1	__init__ . . . . .	79
7.31.3	Member Function Documentation . . . . .	79
7.31.3.1	execute . . . . .	79
7.31.3.2	validate . . . . .	79
7.31.4	Member Data Documentation . . . . .	79
7.31.4.1	elapsed_time . . . . .	79
7.31.4.2	msg . . . . .	79
7.31.4.3	svc . . . . .	79



7.31.4.4	valid_words_found . . . . .	79
7.32	qr_detection_test_medium_far.RappInterfaceTest Class Reference . . . . .	79
7.32.1	Detailed Description . . . . .	80
7.32.2	Constructor & Destructor Documentation . . . . .	80
7.32.2.1	__init__ . . . . .	80
7.32.3	Member Function Documentation . . . . .	80
7.32.3.1	execute . . . . .	80
7.32.3.2	validate . . . . .	80
7.32.4	Member Data Documentation . . . . .	80
7.32.4.1	elapsed_time . . . . .	80
7.32.4.2	msg . . . . .	80
7.32.4.3	svc . . . . .	80
7.32.4.4	valid_results . . . . .	80
7.33	email_fetch.RappInterfaceTest Class Reference . . . . .	81
7.33.1	Detailed Description . . . . .	81
7.33.2	Constructor & Destructor Documentation . . . . .	81
7.33.2.1	__init__ . . . . .	81
7.33.3	Member Function Documentation . . . . .	81
7.33.3.1	execute . . . . .	81
7.33.3.2	validate . . . . .	81
7.33.4	Member Data Documentation . . . . .	81
7.33.4.1	elapsed_time . . . . .	81
7.33.4.2	msg . . . . .	81
7.33.4.3	svc . . . . .	81
7.34	face_detection_test_medium_angle.RappInterfaceTest Class Reference . . . . .	82
7.34.1	Detailed Description . . . . .	82
7.34.2	Constructor & Destructor Documentation . . . . .	82
7.34.2.1	__init__ . . . . .	82
7.34.3	Member Function Documentation . . . . .	82
7.34.3.1	execute . . . . .	82
7.34.3.2	validate . . . . .	82
7.34.4	Member Data Documentation . . . . .	82
7.34.4.1	elapsed_time . . . . .	82
7.34.4.2	msg . . . . .	82
7.34.4.3	svc . . . . .	82
7.34.4.4	valid_faces . . . . .	83
7.35	qr_detection_test_hard_far.RappInterfaceTest Class Reference . . . . .	83
7.35.1	Detailed Description . . . . .	83
7.35.2	Constructor & Destructor Documentation . . . . .	83
7.35.2.1	__init__ . . . . .	83

7.35.3	Member Function Documentation	83
7.35.3.1	execute	83
7.35.3.2	validate	83
7.35.4	Member Data Documentation	83
7.35.4.1	elapsed_time	83
7.35.4.2	msg	84
7.35.4.3	svc	84
7.35.4.4	valid_results	84
7.36	qr_detection_test_easy_near.RappInterfaceTest Class Reference	84
7.36.1	Detailed Description	84
7.36.2	Constructor & Destructor Documentation	84
7.36.2.1	__init__	84
7.36.3	Member Function Documentation	84
7.36.3.1	execute	84
7.36.3.2	validate	84
7.36.4	Member Data Documentation	85
7.36.4.1	elapsed_time	85
7.36.4.2	msg	85
7.36.4.3	svc	85
7.36.4.4	valid_results	85
7.37	face_detection_test_far_angle.RappInterfaceTest Class Reference	85
7.37.1	Detailed Description	85
7.37.2	Constructor & Destructor Documentation	85
7.37.2.1	__init__	85
7.37.3	Member Function Documentation	86
7.37.3.1	execute	86
7.37.3.2	validate	86
7.37.4	Member Data Documentation	86
7.37.4.1	elapsed_time	86
7.37.4.2	msg	86
7.37.4.3	svc	86
7.37.4.4	valid_faces	86
7.38	face_detection_test_close_angle.RappInterfaceTest Class Reference	86
7.38.1	Detailed Description	86
7.38.2	Constructor & Destructor Documentation	87
7.38.2.1	__init__	87
7.38.3	Member Function Documentation	87
7.38.3.1	execute	87
7.38.3.2	validate	87
7.38.4	Member Data Documentation	87

7.38.4.1	<a href="#">elapsed_time</a>	87
7.38.4.2	<a href="#">msg</a>	87
7.38.4.3	<a href="#">svc</a>	87
7.38.4.4	<a href="#">valid_faces</a>	87
7.39	<a href="#">ontology_is_subsuperclass_of_SpatialThing.RappInterfaceTest Class Reference</a>	87
7.39.1	<a href="#">Detailed Description</a>	88
7.39.2	<a href="#">Constructor &amp; Destructor Documentation</a>	88
7.39.2.1	<a href="#">__init__</a>	88
7.39.3	<a href="#">Member Function Documentation</a>	88
7.39.3.1	<a href="#">execute</a>	88
7.39.3.2	<a href="#">validate</a>	88
7.39.4	<a href="#">Member Data Documentation</a>	88
7.39.4.1	<a href="#">elapsed_time</a>	88
7.39.4.2	<a href="#">msg</a>	88
7.39.4.3	<a href="#">svc</a>	88
7.39.4.4	<a href="#">valid_results</a>	88
7.40	<a href="#">qr_detection_test_easy_far.RappInterfaceTest Class Reference</a>	89
7.40.1	<a href="#">Detailed Description</a>	89
7.40.2	<a href="#">Constructor &amp; Destructor Documentation</a>	89
7.40.2.1	<a href="#">__init__</a>	89
7.40.3	<a href="#">Member Function Documentation</a>	89
7.40.3.1	<a href="#">execute</a>	89
7.40.3.2	<a href="#">validate</a>	89
7.40.4	<a href="#">Member Data Documentation</a>	89
7.40.4.1	<a href="#">elapsed_time</a>	89
7.40.4.2	<a href="#">msg</a>	89
7.40.4.3	<a href="#">svc</a>	89
7.40.4.4	<a href="#">valid_results</a>	90
7.41	<a href="#">face_detection_test_far_straight.RappInterfaceTest Class Reference</a>	90
7.41.1	<a href="#">Detailed Description</a>	90
7.41.2	<a href="#">Constructor &amp; Destructor Documentation</a>	90
7.41.2.1	<a href="#">__init__</a>	90
7.41.3	<a href="#">Member Function Documentation</a>	90
7.41.3.1	<a href="#">execute</a>	90
7.41.3.2	<a href="#">validate</a>	90
7.41.4	<a href="#">Member Data Documentation</a>	90
7.41.4.1	<a href="#">elapsed_time</a>	90
7.41.4.2	<a href="#">msg</a>	91
7.41.4.3	<a href="#">svc</a>	91
7.41.4.4	<a href="#">valid_faces</a>	91

7.42	<a href="#">geolocation_pass_ipaddr.RapplInterfaceTest Class Reference</a>	91
7.42.1	Detailed Description	91
7.42.2	Constructor & Destructor Documentation	91
7.42.2.1	<code>__init__</code>	91
7.42.3	Member Function Documentation	91
7.42.3.1	<code>execute</code>	91
7.42.3.2	<code>validate</code>	91
7.42.4	Member Data Documentation	92
7.42.4.1	<code>elapsed_time</code>	92
7.42.4.2	<code>msg</code>	92
7.42.4.3	<code>svc</code>	92
7.42.4.4	<code>validResults</code>	92
7.43	<a href="#">face_detection_test_two_faces_jpg.RapplInterfaceTest Class Reference</a>	92
7.43.1	Detailed Description	92
7.43.2	Constructor & Destructor Documentation	92
7.43.2.1	<code>__init__</code>	92
7.43.3	Member Function Documentation	93
7.43.3.1	<code>execute</code>	93
7.43.3.2	<code>validate</code>	93
7.43.4	Member Data Documentation	93
7.43.4.1	<code>elapsed_time</code>	93
7.43.4.2	<code>msg</code>	93
7.43.4.3	<code>svc</code>	93
7.43.4.4	<code>valid_numFaces</code>	93
7.44	<a href="#">qr_detection_test_medium_medium.RapplInterfaceTest Class Reference</a>	93
7.44.1	Detailed Description	93
7.44.2	Constructor & Destructor Documentation	94
7.44.2.1	<code>__init__</code>	94
7.44.3	Member Function Documentation	94
7.44.3.1	<code>execute</code>	94
7.44.3.2	<code>validate</code>	94
7.44.4	Member Data Documentation	94
7.44.4.1	<code>elapsed_time</code>	94
7.44.4.2	<code>msg</code>	94
7.44.4.3	<code>svc</code>	94
7.44.4.4	<code>valid_results</code>	94
7.45	<a href="#">qr_detection_test_medium_near.RapplInterfaceTest Class Reference</a>	94
7.45.1	Detailed Description	95
7.45.2	Constructor & Destructor Documentation	95
7.45.2.1	<code>__init__</code>	95

7.45.3	Member Function Documentation	95
7.45.3.1	execute	95
7.45.3.2	validate	95
7.45.4	Member Data Documentation	95
7.45.4.1	elapsed_time	95
7.45.4.2	msg	95
7.45.4.3	svc	95
7.45.4.4	valid_results	95
7.46	qr_detection_test_easy_medium.RappInterfaceTest Class Reference	96
7.46.1	Detailed Description	96
7.46.2	Constructor & Destructor Documentation	96
7.46.2.1	__init__	96
7.46.3	Member Function Documentation	96
7.46.3.1	execute	96
7.46.3.2	validate	96
7.46.4	Member Data Documentation	96
7.46.4.1	elapsed_time	96
7.46.4.2	msg	96
7.46.4.3	svc	96
7.46.4.4	valid_results	97
7.47	qr_detection_test_hard_near.RappInterfaceTest Class Reference	97
7.47.1	Detailed Description	97
7.47.2	Constructor & Destructor Documentation	97
7.47.2.1	__init__	97
7.47.3	Member Function Documentation	97
7.47.3.1	execute	97
7.47.3.2	validate	97
7.47.4	Member Data Documentation	97
7.47.4.1	elapsed_time	97
7.47.4.2	msg	98
7.47.4.3	svc	98
7.47.4.4	valid_results	98
7.48	cognitive_record_performance_arithmetic.RappInterfaceTest Class Reference	98
7.48.1	Detailed Description	98
7.48.2	Constructor & Destructor Documentation	98
7.48.2.1	__init__	98
7.48.3	Member Function Documentation	98
7.48.3.1	execute	98
7.48.3.2	validate	98
7.48.4	Member Data Documentation	99

7.48.4.1	<a href="#">elapsed_time</a>	99
7.48.4.2	<a href="#">svc</a>	99
7.48.4.3	<a href="#">valid_result_partial</a>	99
7.49	<a href="#">user_personal_info.RappInterfaceTest Class Reference</a>	99
7.49.1	<a href="#">Detailed Description</a>	99
7.49.2	<a href="#">Constructor &amp; Destructor Documentation</a>	99
7.49.2.1	<a href="#">__init__</a>	99
7.49.3	<a href="#">Member Function Documentation</a>	99
7.49.3.1	<a href="#">execute</a>	99
7.49.3.2	<a href="#">validate</a>	100
7.49.4	<a href="#">Member Data Documentation</a>	100
7.49.4.1	<a href="#">elapsed_time</a>	100
7.49.4.2	<a href="#">rappCloud</a>	100
7.49.4.3	<a href="#">valid_results</a>	100
7.50	<a href="#">email_send_single_attach.RappInterfaceTest Class Reference</a>	100
7.50.1	<a href="#">Detailed Description</a>	100
7.50.2	<a href="#">Constructor &amp; Destructor Documentation</a>	100
7.50.2.1	<a href="#">__init__</a>	100
7.50.3	<a href="#">Member Function Documentation</a>	101
7.50.3.1	<a href="#">execute</a>	101
7.50.3.2	<a href="#">validate</a>	101
7.50.4	<a href="#">Member Data Documentation</a>	101
7.50.4.1	<a href="#">attach</a>	101
7.50.4.2	<a href="#">elapsed_time</a>	101
7.50.4.3	<a href="#">msg</a>	101
7.50.4.4	<a href="#">svc</a>	101
7.51	<a href="#">speech_detection_sphinx_tests.SpeechDetectionSphinxTests Class Reference</a>	101
7.51.1	<a href="#">Detailed Description</a>	102
7.51.2	<a href="#">Member Function Documentation</a>	102
7.51.2.1	<a href="#">setUp</a>	102
7.51.2.2	<a href="#">test_headset_nai_oxi</a>	102
7.51.2.3	<a href="#">test_ogg_no</a>	102
7.51.2.4	<a href="#">test_ogg_oxi</a>	103
7.51.2.5	<a href="#">test_speech_erroneous</a>	103
7.51.2.6	<a href="#">test_wav_1_ch_nai_oxi</a>	103
7.51.2.7	<a href="#">test_wav_1_ch_yes_no</a>	103
7.51.3	<a href="#">Member Data Documentation</a>	103
7.51.3.1	<a href="#">ch</a>	103
7.51.3.2	<a href="#">pkgDir</a>	103
7.52	<a href="#">speech_detection_google_tests.SppechDetectionGoogleTests Class Reference</a>	103

7.52.1	Detailed Description	104
7.52.2	Member Function Documentation	104
7.52.2.1	setUp	104
7.52.2.2	test_erroneous	104
7.52.2.3	test_speechNormal	104
7.52.3	Member Data Documentation	104
7.52.3.1	ch	104
7.52.3.2	pkgDir	105
7.53	template_test.TemplateTests Class Reference	105
7.53.1	Detailed Description	106
7.53.2	Member Function Documentation	106
7.53.2.1	setUp	106
7.53.2.2	test_templateTest	106
7.53.3	Member Data Documentation	106
7.53.3.1	ch	106
7.53.3.2	pkgDir	106
7.54	text_to_speech_tests.TextToSpeechTests Class Reference	106
7.54.1	Detailed Description	107
7.54.2	Member Function Documentation	107
7.54.2.1	setUp	107
7.54.2.2	test_greek_test	107
7.54.2.3	test_tts_erroneous	107
7.54.3	Member Data Documentation	107
7.54.3.1	ch	107
<b>8</b>	<b>File Documentation</b>	<b>109</b>
8.1	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/README.md File Reference	109
8.2	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_tests.py File Reference	109
8.3	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_record_tests.py File Reference	109
8.4	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_user_history_tests.py File Reference	110
8.5	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_user_scores_tests.py File Reference	110
8.6	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/denoise_profile_tests.py File Reference	110
8.7	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_fetch.py File Reference	111
8.8	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_send_single_attach.py File Reference	111
8.9	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_send_zip.py File Reference	111

8.10	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_close_angle.py File Reference	112
8.11	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_far_angle.py File Reference	112
8.12	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_far_straight.py File Reference	112
8.13	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_medium_angle.py File Reference	113
8.14	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_medium_straight.py File Reference	113
8.15	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_two_faces_jpg.py File Reference	113
8.16	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/geolocation- _pass_ipaddr.py File Reference	114
8.17	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/human_- detection_test.py File Reference	114
8.18	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/news_- explore_general.py File Reference	114
8.19	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ontology_is- _subsuperclass_of_SpatialThing.py File Reference	115
8.20	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_easy_far.py File Reference	115
8.21	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_easy_medium.py File Reference	115
8.22	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_easy_near.py File Reference	116
8.23	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_hard_far.py File Reference	116
8.24	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_hard_medium.py File Reference	116
8.25	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_hard_near.py File Reference	117
8.26	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_medium_far.py File Reference	117
8.27	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_medium_medium.py File Reference	117
8.28	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_medium_near.py File Reference	118
8.29	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_google_test_ogg_sentence2.py File Reference	118
8.30	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_headset_deutera.py File Reference	118
8.31	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_headset_steile_mail.py File Reference	119
8.32	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_nao_wav_1_ch_email_robot.py File Reference	119



8.33	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py File Reference	119
8.34	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_ogg_deutera.py File Reference	120
8.35	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_ogg_monday.py File Reference	120
8.36	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_ogg_triti.py File Reference	120
8.37	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_ogg_tuesday.py File Reference	121
8.38	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_ogg_yes.py File Reference	121
8.39	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_- report_current_Athens.py File Reference	121
8.40	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_- report_forecast_Athens.py File Reference	122
8.41	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_- tests.py File Reference	122
8.42	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/hazard_detection_- tests.py File Reference	122
8.43	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/human_detection_- tests.py File Reference	123
8.44	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/available_- services_test.py File Reference	123
8.45	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/cognitive_- record_performance_arithmetic.py File Reference	123
8.46	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/user_personal- _info.py File Reference	124
8.47	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/object_recognition_- tests.py File Reference	124
8.48	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_tests.py File Reference	124
8.49	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/path_planning_- tests.py File Reference	125
8.50	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qrcode_detection_- tests.py File Reference	125
8.51	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_- google_tests.py File Reference	125
8.52	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_- sphinx_tests.py File Reference	126
8.53	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/template_test.py File Reference	126
8.54	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text_to_speech_- tests.py File Reference	126
8.55	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/rapp_run_test.py File Reference	127
8.56	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/__init__.py File Reference	127

8.57 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/rapp_testing_core.py File Reference . . . . .	127
<b>Index</b>	<b>129</b>

# Chapter 1

## RAPP Testing Tools

### Synopsis

Testing tools used for RAPP Platform integration tests.

All tests use the Python implementation of the RAPP Platform API, `rapp-platform-api/python`, to request for .

Test classes inherit from Python unit testing framework, `unittest`

### Tests Directory

By default, this package contains out-of-the-box, integration tests. These tests are located under:

```
“bash $ <rapp_testing_tools_package_path>/scripts/default_tests “
```

### Executing Tests

The `rapp_run_test.py` script is used in order to execute developed tests. The script accept the following arguments:

- [ `**-i**` ] : Test filepath, to execute. If empty, all tests under the **default\_tests** directory will be executed.

```
“bash $ ./rapp_run_test.py -i default_tests/face_detection_tests.py “
```

- [ `**-n**` ] : Number of times of test(s) execution.

```
“bash $ ./rapp_run_test.py -i default_tests/face_detection_tests.py -n 10 “
```

- [ `**-t**` ] : Run the test in threaded mode. Multiple invocations can be done, simultaneous. Each test execution is handled by a single thread.

```
“bash $ ./rapp_run_test.py -i default_tests/face_detection_tests.py -n 10 -t “
```

**Note:** If no test\_name is provided as argument, all tests are executed!!

### Developing Tests

A `template_test.py` is located under the `default_tests` directory of the `rapp_testing_tools` package.

```
“bash $ <path_to_rapp_testing_tools_package>/scripts/default_tests/ “
```

Also, several tests have already been developed, located under the `default_tests` directory. Those can be used as a reference/examples for developing new tests.

A Section in the [Wiki](#) exists that guides through developing integration tests for the RAPP Platform.

### Contributors

- Konstantinos Panayiotou, [[klpanagi@gmail.com](mailto:klpanagi@gmail.com)]
- Manos Tsardoulis. [[etsardou@gmail.com](mailto:etsardou@gmail.com)]

### Contact

- Konstantinos Panayiotou, [[klpanagi@gmail.com](mailto:klpanagi@gmail.com)]

## Chapter 2

# Namespace Index

### 2.1 Namespace List

Here is a list of all namespaces with brief descriptions:

<a href="#">available_services_test</a>	13
<a href="#">cognitive_record_performance_arithmetic</a>	13
<a href="#">cognitive_test_chooser_tests</a>	13
<a href="#">cognitive_test_record_tests</a>	14
<a href="#">cognitive_test_user_history_tests</a>	14
<a href="#">cognitive_test_user_scores_tests</a>	15
<a href="#">denoise_profile_tests</a>	15
<a href="#">email_fetch</a>	15
<a href="#">email_send_single_attach</a>	16
<a href="#">email_send_zip</a>	16
<a href="#">face_detection_test_close_angle</a>	16
<a href="#">face_detection_test_far_angle</a>	17
<a href="#">face_detection_test_far_straight</a>	17
<a href="#">face_detection_test_medium_angle</a>	17
<a href="#">face_detection_test_medium_straight</a>	18
<a href="#">face_detection_test_two_faces_jpg</a>	18
<a href="#">face_detection_tests</a>	18
<a href="#">geolocation_pass_ipaddr</a>	19
<a href="#">hazard_detection_tests</a>	19
<a href="#">human_detection_test</a>	19
<a href="#">human_detection_tests</a>	20
<a href="#">news_explore_general</a>	20
<a href="#">object_recognition_tests</a>	20
<a href="#">ontology_is_subsuperclass_of_SpatialThing</a>	21
<a href="#">ontology_tests</a>	21
<a href="#">path_planning_tests</a>	21
<a href="#">qr_detection_test_easy_far</a>	22
<a href="#">qr_detection_test_easy_medium</a>	22
<a href="#">qr_detection_test_easy_near</a>	22
<a href="#">qr_detection_test_hard_far</a>	23
<a href="#">qr_detection_test_hard_medium</a>	23
<a href="#">qr_detection_test_hard_near</a>	23
<a href="#">qr_detection_test_medium_far</a>	24
<a href="#">qr_detection_test_medium_medium</a>	24
<a href="#">qr_detection_test_medium_near</a>	24
<a href="#">qr_detection_tests</a>	25
<a href="#">rapp_run_test</a>	25
<a href="#">rapp_testing_tools</a>	25

<a href="#">rapp_testing_tools.rapp_testing_core</a>	25
<a href="#">speech_detection_google_test_ogg_sentence2</a>	28
<a href="#">speech_detection_google_tests</a>	28
<a href="#">speech_detection_sphinx_test_headset_deutera</a>	28
<a href="#">speech_detection_sphinx_test_headset_steile_mail</a>	29
<a href="#">speech_detection_sphinx_test_nao_wav_1_ch_email_robot</a>	29
<a href="#">speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia</a>	29
<a href="#">speech_detection_sphinx_test_ogg_deutera</a>	30
<a href="#">speech_detection_sphinx_test_ogg_monday</a>	30
<a href="#">speech_detection_sphinx_test_ogg_triti</a>	30
<a href="#">speech_detection_sphinx_test_ogg_tuesday</a>	31
<a href="#">speech_detection_sphinx_test_ogg_yes</a>	31
<a href="#">speech_detection_sphinx_tests</a>	31
<a href="#">template_test</a>	32
<a href="#">text_to_speech_tests</a>	32
<a href="#">user_personal_info</a>	32
<a href="#">weather_report_current_Athens</a>	33
<a href="#">weather_report_forecast_Athens</a>	33

## Chapter 3

# Hierarchical Index

### 3.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

rapp_testing_tools.rapp_testing_core.bcolors . . . . .	35
available_services_test.RapplInterfaceTest . . . . .	59
qr_detection_test_hard_medium.RapplInterfaceTest . . . . .	60
email_send_zip.RapplInterfaceTest . . . . .	61
human_detection_test.RapplInterfaceTest . . . . .	62
weather_report_forecast_Athens.RapplInterfaceTest . . . . .	64
weather_report_current_Athens.RapplInterfaceTest . . . . .	65
speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest . . . . .	66
speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest . . . . .	67
speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest . . . . .	68
speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest . . . . .	69
speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest . . . . .	70
news_explore_general.RapplInterfaceTest . . . . .	71
speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest . . . . .	72
speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest . . . . .	74
speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest . . . . .	75
speech_detection_google_test_ogg_sentence2.RapplInterfaceTest . . . . .	76
face_detection_test_medium_straight.RapplInterfaceTest . . . . .	77
speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest . . . . .	78
qr_detection_test_medium_far.RapplInterfaceTest . . . . .	79
email_fetch.RapplInterfaceTest . . . . .	81
face_detection_test_medium_angle.RapplInterfaceTest . . . . .	82
qr_detection_test_hard_far.RapplInterfaceTest . . . . .	83
qr_detection_test_easy_near.RapplInterfaceTest . . . . .	84
face_detection_test_far_angle.RapplInterfaceTest . . . . .	85
face_detection_test_close_angle.RapplInterfaceTest . . . . .	86
ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest . . . . .	87
qr_detection_test_easy_far.RapplInterfaceTest . . . . .	89
face_detection_test_far_straight.RapplInterfaceTest . . . . .	90
geolocation_pass_ipaddr.RapplInterfaceTest . . . . .	91
face_detection_test_two_faces_jpg.RapplInterfaceTest . . . . .	92
qr_detection_test_medium_medium.RapplInterfaceTest . . . . .	93
qr_detection_test_medium_near.RapplInterfaceTest . . . . .	94
qr_detection_test_easy_medium.RapplInterfaceTest . . . . .	96
qr_detection_test_hard_near.RapplInterfaceTest . . . . .	97
cognitive_record_performance_arithmetic.RapplInterfaceTest . . . . .	98
user_personal_info.RapplInterfaceTest . . . . .	99
email_send_single_attach.RapplInterfaceTest . . . . .	100

## TestCase

cognitive_test_chooser_tests.CognitiveTestChooserTests . . . . .	36
cognitive_test_record_tests.CognitiveTestRecordTests . . . . .	41
cognitive_test_user_history_tests.CognitiveTestHistoryTests . . . . .	39
cognitive_test_user_scores_tests.CognitiveTestScoresTests . . . . .	43
denoise_profile_tests.DenoiseProfileTests . . . . .	45
face_detection_tests.FaceDetectionTests . . . . .	47
hazard_detection_tests.HazardDetectionTests . . . . .	49
human_detection_tests.HumanDetectionTests . . . . .	50
object_recognition_tests.ObjectRecognitionTests . . . . .	52
ontology_tests.OntologyTests . . . . .	54
path_planning_tests.PathPlanningTests . . . . .	56
qr_detection_tests.QrDetectionTests . . . . .	58
speech_detection_google_tests.SpeechDetectionGoogleTests . . . . .	103
speech_detection_sphinx_tests.SpeechDetectionSphinxTests . . . . .	101
template_test.TemplateTests . . . . .	105
text_to_speech_tests.TextToSpeechTests . . . . .	106



## Chapter 4

# Class Index

### 4.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">rapp_testing_tools.rapp_testing_core.bcolors</a>	
----- Console colors ----- ##	35
<a href="#">cognitive_test_chooser_tests.CognitiveTestChooserTests</a>	36
<a href="#">cognitive_test_user_history_tests.CognitiveTestHistoryTests</a>	39
<a href="#">cognitive_test_record_tests.CognitiveTestRecordTests</a>	41
<a href="#">cognitive_test_user_scores_tests.CognitiveTestScoresTests</a>	43
<a href="#">denoise_profile_tests.DenoiseProfileTests</a>	45
<a href="#">face_detection_tests.FaceDetectionTests</a>	47
<a href="#">hazard_detection_tests.HazardDetectionTests</a>	49
<a href="#">human_detection_tests.HumanDetectionTests</a>	50
<a href="#">object_recognition_tests.ObjectRecognitionTests</a>	52
<a href="#">ontology_tests.OntologyTests</a>	54
<a href="#">path_planning_tests.PathPlanningTests</a>	56
<a href="#">qr_detection_tests.QrDetectionTests</a>	58
<a href="#">available_services_test.RapplInterfaceTest</a>	59
<a href="#">qr_detection_test_hard_medium.RapplInterfaceTest</a>	60
<a href="#">email_send_zip.RapplInterfaceTest</a>	61
<a href="#">human_detection_test.RapplInterfaceTest</a>	62
<a href="#">weather_report_forecast_Athens.RapplInterfaceTest</a>	64
<a href="#">weather_report_current_Athens.RapplInterfaceTest</a>	65
<a href="#">speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest</a>	66
<a href="#">speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest</a>	67
<a href="#">speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest</a>	68
<a href="#">speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest</a>	69
<a href="#">speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest</a>	70
<a href="#">news_explore_general.RapplInterfaceTest</a>	71
<a href="#">speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest</a>	72
<a href="#">speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest</a>	74
<a href="#">speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest</a>	75
<a href="#">speech_detection_google_test_ogg_sentence2.RapplInterfaceTest</a>	76
<a href="#">face_detection_test_medium_straight.RapplInterfaceTest</a>	77
<a href="#">speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest</a>	78
<a href="#">qr_detection_test_medium_far.RapplInterfaceTest</a>	79
<a href="#">email_fetch.RapplInterfaceTest</a>	81
<a href="#">face_detection_test_medium_angle.RapplInterfaceTest</a>	82
<a href="#">qr_detection_test_hard_far.RapplInterfaceTest</a>	83
<a href="#">qr_detection_test_easy_near.RapplInterfaceTest</a>	84
<a href="#">face_detection_test_far_angle.RapplInterfaceTest</a>	85

<a href="#">face_detection_test_close_angle.RapplInterfaceTest</a>	86
<a href="#">ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest</a>	87
<a href="#">qr_detection_test_easy_far.RapplInterfaceTest</a>	89
<a href="#">face_detection_test_far_straight.RapplInterfaceTest</a>	90
<a href="#">geolocation_pass_ipaddr.RapplInterfaceTest</a>	91
<a href="#">face_detection_test_two_faces_jpg.RapplInterfaceTest</a>	92
<a href="#">qr_detection_test_medium_medium.RapplInterfaceTest</a>	93
<a href="#">qr_detection_test_medium_near.RapplInterfaceTest</a>	94
<a href="#">qr_detection_test_easy_medium.RapplInterfaceTest</a>	96
<a href="#">qr_detection_test_hard_near.RapplInterfaceTest</a>	97
<a href="#">cognitive_record_performance_arithmetic.RapplInterfaceTest</a>	98
<a href="#">user_personal_info.RapplInterfaceTest</a>	99
<a href="#">email_send_single_attach.RapplInterfaceTest</a>	100
<a href="#">speech_detection_sphinx_tests.SpeechDetectionSphinxTests</a>	101
<a href="#">speech_detection_google_tests.SpeechDetectionGoogleTests</a>	103
<a href="#">template_test.TemplateTests</a>	105
<a href="#">text_to_speech_tests.TextToSpeechTests</a>	106

## Chapter 5

# File Index

### 5.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/ <a href="#">rapp_run_test.py</a> . . . . .	127
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">cognitive_test_chooser_</a> - <a href="#">tests.py</a> . . . . .	109
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">cognitive_test_record_</a> - <a href="#">tests.py</a> . . . . .	109
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">cognitive_test_user_</a> - <a href="#">history_tests.py</a> . . . . .	110
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">cognitive_test_user_</a> - <a href="#">scores_tests.py</a> . . . . .	110
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">denoise_profile_tests.py</a> .	110
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">face_detection_tests.py</a> .	122
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">hazard_detection_tests.py</a>	122
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">human_detection_tests.py</a>	123
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">object_recognition_tests_</a> - <a href="#">py</a> . . . . .	124
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">ontology_tests.py</a> . . . . .	124
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">path_planning_tests.py</a> . .	125
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">qr_detection_tests.py</a> . .	125
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">speech_detection_google_</a> - <a href="#">tests.py</a> . . . . .	125
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">speech_detection_sphinx_</a> - <a href="#">tests.py</a> . . . . .	126
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">template_test.py</a> . . . . .	126
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ <a href="#">text_to_speech_tests.py</a> .	126
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ <a href="#">email_fetch.py</a> . .	111
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ <a href="#">email_send_</a> - <a href="#">single_attach.py</a> . . . . .	111
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ <a href="#">email_send_zip.py</a>	111
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ <a href="#">face_detection_</a> - <a href="#">test_close_angle.py</a> . . . . .	112
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ <a href="#">face_detection_</a> - <a href="#">test_far_angle.py</a> . . . . .	112
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ <a href="#">face_detection_</a> - <a href="#">test_far_straight.py</a> . . . . .	112
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ <a href="#">face_detection_</a> - <a href="#">test_medium_angle.py</a> . . . . .	113
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ <a href="#">face_detection_</a> - <a href="#">test_medium_straight.py</a> . . . . .	113

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_two_faces.jpg.py	113
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/geolocation_pass_ipaddr.py	114
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/human_detection_test.py	114
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/news_explore_general.py	114
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ontology_is_subsuperclass_of_SpatialThing.py	115
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_far.py	115
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_medium.py	115
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_near.py	116
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_far.py	116
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_medium.py	116
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_near.py	117
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_far.py	117
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_medium.py	117
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_near.py	118
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_google_test_ogg_sentence2.py	118
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_headset_deutera.py	118
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_headset_steile_mail.py	119
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py	119
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py	119
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_deutera.py	120
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_monday.py	120
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_triti.py	120
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_tuesday.py	121
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_yes.py	121
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_report_current_Athens.py	121
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_report_forecast_Athens.py	122
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/available_services_test.py	123
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/cognitive_record_performance_arithmetic.py	123
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/user_personal_info.py	124

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/___init___py . . . . .	127
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/rapp_testing_core.py . .	127



## Chapter 6

# Namespace Documentation

### 6.1 available\_services\_test Namespace Reference

#### Classes

- class [RapplInterfaceTest](#)

#### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

#### 6.1.1 Variable Documentation

6.1.1.1 tuple available\_services\_test.\_\_path\_\_ = os.path.dirname(os.path.realpath(\_\_file\_\_))

Definition at line 26 of file available\_services\_test.py.

### 6.2 cognitive\_record\_performance\_arithmetic Namespace Reference

#### Classes

- class [RapplInterfaceTest](#)

#### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

#### 6.2.1 Variable Documentation

6.2.1.1 tuple cognitive\_record\_performance\_arithmetic.\_\_path\_\_ = os.path.dirname(os.path.realpath(\_\_file\_\_))

Definition at line 25 of file cognitive\_record\_performance\_arithmetic.py.

### 6.3 cognitive\_test\_chooser\_tests Namespace Reference

## Classes

- class [CognitiveTestChooserTests](#)

## Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.3.1 Variable Documentation

6.3.1.1 tuple `cognitive_test_chooser_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `cognitive_test_chooser_tests.py`.

## 6.4 `cognitive_test_record_tests` Namespace Reference

### Classes

- class [CognitiveTestRecordTests](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.4.1 Variable Documentation

6.4.1.1 tuple `cognitive_test_record_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `cognitive_test_record_tests.py`.

## 6.5 `cognitive_test_user_history_tests` Namespace Reference

### Classes

- class [CognitiveTestHistoryTests](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.5.1 Variable Documentation

6.5.1.1 tuple `cognitive_test_user_history_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `cognitive_test_user_history_tests.py`.



## 6.6 cognitive\_test\_user\_scores\_tests Namespace Reference

### Classes

- class [CognitiveTestScoresTests](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.6.1 Variable Documentation

6.6.1.1 tuple `cognitive_test_user_scores_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `cognitive_test_user_scores_tests.py`.

## 6.7 denoise\_profile\_tests Namespace Reference

### Classes

- class [DenoiseProfileTests](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.7.1 Variable Documentation

6.7.1.1 tuple `denoise_profile_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `denoise_profile_tests.py`.

## 6.8 email\_fetch Namespace Reference

### Classes

- class [RappInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.8.1 Variable Documentation

6.8.1.1 tuple `email_fetch.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `email_fetch.py`.

## 6.9 email\_send\_single\_attach Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.9.1 Variable Documentation

6.9.1.1 tuple `email_send_single_attach.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `email_send_single_attach.py`.

## 6.10 email\_send\_zip Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.10.1 Variable Documentation

6.10.1.1 tuple `email_send_zip.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `email_send_zip.py`.

## 6.11 face\_detection\_test\_close\_angle Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.11.1 Variable Documentation

6.11.1.1 tuple `face_detection_test_close_angle.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_close_angle.py`.

## 6.12 face\_detection\_test\_far\_angle Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.12.1 Variable Documentation

6.12.1.1 tuple `face_detection_test_far_angle.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_far_angle.py`.

## 6.13 face\_detection\_test\_far\_straight Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.13.1 Variable Documentation

6.13.1.1 tuple `face_detection_test_far_straight.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_far_straight.py`.

## 6.14 face\_detection\_test\_medium\_angle Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.14.1 Variable Documentation

6.14.1.1 tuple `face_detection_test_medium_angle.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_medium_angle.py`.

## 6.15 face\_detection\_test\_medium\_straight Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

#### 6.15.1 Variable Documentation

6.15.1.1 tuple `face_detection_test_medium_straight.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_medium_straight.py`.

## 6.16 face\_detection\_test\_two\_faces\_jpg Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

#### 6.16.1 Variable Documentation

6.16.1.1 tuple `face_detection_test_two_faces_jpg.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_two_faces_jpg.py`.

## 6.17 face\_detection\_tests Namespace Reference

### Classes

- class [FaceDetectionTests](#)

### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

#### 6.17.1 Variable Documentation

6.17.1.1 tuple `face_detection_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `face_detection_tests.py`.

## 6.18 geolocation\_pass\_ipaddr Namespace Reference

### Classes

- class [RapInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.18.1 Variable Documentation

6.18.1.1 tuple `geolocation_pass_ipaddr.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `geolocation_pass_ipaddr.py`.

## 6.19 hazard\_detection\_tests Namespace Reference

### Classes

- class [HazardDetectionTests](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.19.1 Variable Documentation

6.19.1.1 tuple `hazard_detection_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `hazard_detection_tests.py`.

## 6.20 human\_detection\_test Namespace Reference

### Classes

- class [RapInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.20.1 Variable Documentation

6.20.1.1 tuple `human_detection_test.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `human_detection_test.py`.

## 6.21 human\_detection\_tests Namespace Reference

### Classes

- class [HumanDetectionTests](#)

### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

### 6.21.1 Variable Documentation

6.21.1.1 tuple human\_detection\_tests.[\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

Definition at line 27 of file human\_detection\_tests.py.

## 6.22 news\_explore\_general Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

### 6.22.1 Variable Documentation

6.22.1.1 tuple news\_explore\_general.[\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

Definition at line 26 of file news\_explore\_general.py.

## 6.23 object\_recognition\_tests Namespace Reference

### Classes

- class [ObjectRecognitionTests](#)

### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

### 6.23.1 Variable Documentation

6.23.1.1 tuple object\_recognition\_tests.[\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

Definition at line 27 of file object\_recognition\_tests.py.

## 6.24 ontology\_is\_subsuperclass\_of\_SpatialThing Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.24.1 Variable Documentation

6.24.1.1 tuple `ontology_is_subsuperclass_of_SpatialThing.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

## 6.25 ontology\_tests Namespace Reference

### Classes

- class [OntologyTests](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.25.1 Variable Documentation

6.25.1.1 tuple `ontology_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `ontology_tests.py`.

## 6.26 path\_planning\_tests Namespace Reference

### Classes

- class [PathPlanningTests](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.26.1 Variable Documentation

6.26.1.1 tuple `path_planning_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `path_planning_tests.py`.

## 6.27 qr\_detection\_test\_easy\_far Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.27.1 Variable Documentation

6.27.1.1 tuple `qr_detection_test_easy_far.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_easy_far.py`.

## 6.28 qr\_detection\_test\_easy\_medium Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.28.1 Variable Documentation

6.28.1.1 tuple `qr_detection_test_easy_medium.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_easy_medium.py`.

## 6.29 qr\_detection\_test\_easy\_near Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.29.1 Variable Documentation

6.29.1.1 tuple `qr_detection_test_easy_near.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_easy_near.py`.



## 6.30 qr\_detection\_test\_hard\_far Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.30.1 Variable Documentation

6.30.1.1 tuple `qr_detection_test_hard_far.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_hard_far.py`.

## 6.31 qr\_detection\_test\_hard\_medium Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.31.1 Variable Documentation

6.31.1.1 tuple `qr_detection_test_hard_medium.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_hard_medium.py`.

## 6.32 qr\_detection\_test\_hard\_near Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.32.1 Variable Documentation

6.32.1.1 tuple `qr_detection_test_hard_near.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_hard_near.py`.

## 6.33 qr\_detection\_test\_medium\_far Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.33.1 Variable Documentation

6.33.1.1 tuple `qr_detection_test_medium_far.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_medium_far.py`.

## 6.34 qr\_detection\_test\_medium\_medium Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.34.1 Variable Documentation

6.34.1.1 tuple `qr_detection_test_medium_medium.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_medium_medium.py`.

## 6.35 qr\_detection\_test\_medium\_near Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

#### 6.35.1 Variable Documentation

6.35.1.1 tuple `qr_detection_test_medium_near.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_medium_near.py`.

## 6.36 qr\_detection\_tests Namespace Reference

### Classes

- class [QrDetectionTests](#)

### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

### 6.36.1 Variable Documentation

6.36.1.1 tuple [qr\\_detection\\_tests.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

Definition at line 27 of file qr\_detection\_tests.py.

## 6.37 rapp\_run\_test Namespace Reference

## 6.38 rapp\_testing\_tools Namespace Reference

### Namespaces

- [rapp\\_testing\\_core](#)

## 6.39 rapp\_testing\_tools.rapp\_testing\_core Namespace Reference

### Classes

- class [bcolors](#)  
 ----- Console colors ----- ##

### Functions

- def [append\\_to\\_system\\_path](#)  
 Append directory paths, given as input into the global system path.
- def [execute\\_tests\\_all](#)  
 Load and execute input given tests.
- def [get\\_test\\_files](#)  
 Parse input paths and export found test files.
- def [load\\_tests\\_paths](#)  
 Parse and get all given tests path directories, plus the default ones.
- def [main](#)  
 Main.
- def [parse\\_args](#)  
 ----- ##

## Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`
- tuple `mutex` = `Lock()`
- dictionary `results`
- list `testClasses`  

```
----- Test Classess ----- ##
```
- dictionary `testClassMatch`  

```
----- ##
```

### 6.39.1 Function Documentation

#### 6.39.1.1 `def rapp_testing_tools.rapp_testing_core.append_to_system_path ( paths )`

Append directory paths, given as input into the global system path.

This is usefull in order to load test files under those directories.

Definition at line 140 of file `rapp_testing_core.py`.

#### 6.39.1.2 `def rapp_testing_tools.rapp_testing_core.execute_tests_all ( tests, numCalls, threaded )`

Load and execute input given tests.

##### Parameters

<i>tests</i>	List of tests to execute.
<i>numCalls</i>	Number of executions.
<i>threaded</i>	If true the execution is handled by threads.

Definition at line 187 of file `rapp_testing_core.py`.

#### 6.39.1.3 `def rapp_testing_tools.rapp_testing_core.get_test_files ( args, paths )`

Parse input paths and export found test files.

##### Parameters

<i>args</i>	Arguments.
<i>paths</i>	Path directories to look for test files.

Definition at line 151 of file `rapp_testing_core.py`.

#### 6.39.1.4 `def rapp_testing_tools.rapp_testing_core.load_tests_paths ( )`

Parse and get all given tests path directories, plus the default ones.

##### Returns

Array of tests paths.

Definition at line 113 of file `rapp_testing_core.py`.

#### 6.39.1.5 `def rapp_testing_tools.rapp_testing_core.main ( )`

Main.

Definition at line 254 of file `rapp_testing_core.py`.

## 6.39.1.6 def rapp\_testing\_tools.rapp\_testing\_core.parse\_args ( )

```
----- ##
```

Parse input arguments.

Definition at line 87 of file rapp\_testing\_core.py.

## 6.39.2 Variable Documentation

## 6.39.2.1 tuple rapp\_testing\_tools.rapp\_testing\_core.\_\_path\_\_ = os.path.dirname(os.path.realpath(\_\_file\_\_))

Definition at line 35 of file rapp\_testing\_core.py.

## 6.39.2.2 tuple rapp\_testing\_tools.rapp\_testing\_core.mutex = Lock()

Definition at line 38 of file rapp\_testing\_core.py.

## 6.39.2.3 dictionary rapp\_testing\_tools.rapp\_testing\_core.results

**Initial value:**

```
1 = {
2     'success' : [],
3     'failed' : [],
4     'num_tests': 0
5 }
```

Definition at line 64 of file rapp\_testing\_core.py.

## 6.39.2.4 list rapp\_testing\_tools.rapp\_testing\_core.testClasses

**Initial value:**

```
1 = [
2     'face-detection',
3     'qr-detection',
4     'speech-detection',
5     'speech-detection-sphinx4',
6     'speech-detection-google',
7     'ontology',
8     'cognitive',
9     'tts'
10 ]
```

```
----- Test Classess ----- ##
```

Definition at line 41 of file rapp\_testing\_core.py.

## 6.39.2.5 dictionary rapp\_testing\_tools.rapp\_testing\_core.testClassMatch

**Initial value:**

```
1 = {
2     'face-detection' : 'face',
3     'qr-detection' : 'qr',
4     'speech-detection' : 'speech',
5     'speech-detection-sphinx4' : 'sphinx4',
6     'speech-detection-google' : 'google',
7     'ontology' : 'ontology',
8     'cognitive' : 'cognitive',
9     'tts' : 'text_to_speech'
10 }
```

----- ##

Definition at line 53 of file rapp\_testing\_core.py.

## 6.40 speech\_detection\_google\_test\_ogg\_sentence2 Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

#### 6.40.1 Variable Documentation

6.40.1.1 tuple [speech\\_detection\\_google\\_test\\_ogg\\_sentence2.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

Definition at line 27 of file speech\_detection\_google\_test\_ogg\_sentence2.py.

## 6.41 speech\_detection\_google\_tests Namespace Reference

### Classes

- class [SppechDetectionGoogleTests](#)

### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

#### 6.41.1 Variable Documentation

6.41.1.1 tuple [speech\\_detection\\_google\\_tests.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

Definition at line 27 of file speech\_detection\_google\_tests.py.

## 6.42 speech\_detection\_sphinx\_test\_headset\_deutera Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple [\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

### 6.42.1 Variable Documentation

6.42.1.1 tuple `speech_detection_sphinx_test_headset_deutera.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_headset_deutera.py`.

## 6.43 speech\_detection\_sphinx\_test\_headset\_steile\_mail Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.43.1 Variable Documentation

6.43.1.1 tuple `speech_detection_sphinx_test_headset_steile_mail.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

## 6.44 speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_email\_robot Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(path.realpath(__file__))`

### 6.44.1 Variable Documentation

6.44.1.1 tuple `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.__path__` = `os.path.dirname(path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

## 6.45 speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.45.1 Variable Documentation

6.45.1.1 tuple `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

## 6.46 `speech_detection_sphinx_test_ogg_deutera` Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.46.1 Variable Documentation

6.46.1.1 tuple `speech_detection_sphinx_test_ogg_deutera.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_deutera.py`.

## 6.47 `speech_detection_sphinx_test_ogg_monday` Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.47.1 Variable Documentation

6.47.1.1 tuple `speech_detection_sphinx_test_ogg_monday.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_monday.py`.

## 6.48 `speech_detection_sphinx_test_ogg_triti` Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`



### 6.48.1 Variable Documentation

6.48.1.1 tuple `speech_detection_sphinx_test_ogg_triti.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_triti.py`.

## 6.49 speech\_detection\_sphinx\_test\_ogg\_tuesday Namespace Reference

### Classes

- class [RapInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.49.1 Variable Documentation

6.49.1.1 tuple `speech_detection_sphinx_test_ogg_tuesday.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

## 6.50 speech\_detection\_sphinx\_test\_ogg\_yes Namespace Reference

### Classes

- class [RapInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.50.1 Variable Documentation

6.50.1.1 tuple `speech_detection_sphinx_test_ogg_yes.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_yes.py`.

## 6.51 speech\_detection\_sphinx\_tests Namespace Reference

### Classes

- class [SpeechDetectionSphinxTests](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.51.1 Variable Documentation

6.51.1.1 tuple `speech_detection_sphinx_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_tests.py`.

## 6.52 `template_test` Namespace Reference

### Classes

- class [TemplateTests](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.52.1 Variable Documentation

6.52.1.1 tuple `template_test.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `template_test.py`.

## 6.53 `text_to_speech_tests` Namespace Reference

### Classes

- class [TextToSpeechTests](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.53.1 Variable Documentation

6.53.1.1 tuple `text_to_speech_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `text_to_speech_tests.py`.

## 6.54 `user_personal_info` Namespace Reference

### Classes

- class [RappInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.54.1 Variable Documentation

6.54.1.1 tuple `user_personal_info.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `user_personal_info.py`.

## 6.55 weather\_report\_current\_Athens Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.55.1 Variable Documentation

6.55.1.1 tuple `weather_report_current_Athens.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `weather_report_current_Athens.py`.

## 6.56 weather\_report\_forecast\_Athens Namespace Reference

### Classes

- class [RapplInterfaceTest](#)

### Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

### 6.56.1 Variable Documentation

6.56.1.1 tuple `weather_report_forecast_Athens.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `weather_report_forecast_Athens.py`.



## Chapter 7

# Class Documentation

### 7.1 rapp\_testing\_tools.rapp\_testing\_core.bcolors Class Reference

----- Console colors ----- ##

#### Static Public Attributes

- string **BOLD** = '\033[1m'
- string **ENDC** = '\033[0m'
- string **FAIL** = '\033[91m'
- string **HEADER** = '\033[95m'
- string **OKBLUE** = '\033[94m'
- string **OKGREEN** = '\033[92m'
- string **UNDERLINE** = '\033[4m'
- string **WARNING** = '\033[93m'

#### 7.1.1 Detailed Description

----- Console colors ----- ##

Definition at line 72 of file rapp\_testing\_core.py.

#### 7.1.2 Member Data Documentation

7.1.2.1 string rapp\_testing\_tools.rapp\_testing\_core.bcolors.BOLD = '\033[1m' [static]

Definition at line 79 of file rapp\_testing\_core.py.

7.1.2.2 string rapp\_testing\_tools.rapp\_testing\_core.bcolors.ENDC = '\033[0m' [static]

Definition at line 78 of file rapp\_testing\_core.py.

7.1.2.3 string rapp\_testing\_tools.rapp\_testing\_core.bcolors.FAIL = '\033[91m' [static]

Definition at line 77 of file rapp\_testing\_core.py.

7.1.2.4 `string rapp_testing_tools.rapp_testing_core.bcolors.HEADER = '\033[95m'` `[static]`

Definition at line 73 of file `rapp_testing_core.py`.

7.1.2.5 `string rapp_testing_tools.rapp_testing_core.bcolors.OKBLUE = '\033[94m'` `[static]`

Definition at line 74 of file `rapp_testing_core.py`.

7.1.2.6 `string rapp_testing_tools.rapp_testing_core.bcolors.OKGREEN = '\033[92m'` `[static]`

Definition at line 75 of file `rapp_testing_core.py`.

7.1.2.7 `string rapp_testing_tools.rapp_testing_core.bcolors.UNDERLINE = '\033[4m'` `[static]`

Definition at line 80 of file `rapp_testing_core.py`.

7.1.2.8 `string rapp_testing_tools.rapp_testing_core.bcolors.WARNING = '\033[93m'` `[static]`


Definition at line 76 of file `rapp_testing_core.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/rapp_testing_core.py`

## 7.2 `cognitive_test_chooser_tests.CognitiveTestChooserTests` Class Reference

Inheritance diagram for `cognitive_test_chooser_tests.CognitiveTestChooserTests`:



Collaboration diagram for cognitive\_test\_chooser\_tests.CognitiveTestChooserTests:



## Public Member Functions

- def [setUp](#)
- def [test\\_selectArithmeticTest](#)
- def [test\\_selectArithmeticTest\\_default\\_params](#)
- def [test\\_selectAwarenessTest](#)
- def [test\\_selectNotExistentTest](#)
- def [test\\_selectReasoningTest](#)
- def [test\\_selectWrongType\\_TestDiff](#)
- def [test\\_selectWrongType\\_TestIndex](#)
- def [test\\_selectWrongType\\_TestSubtype](#)
- def [test\\_selectWrongType\\_TestType](#)

## Public Attributes

- [ch](#)

### 7.2.1 Detailed Description

Definition at line 31 of file `cognitive_test_chooser_tests.py`.

### 7.2.2 Member Function Documentation

**7.2.2.1** `def cognitive_test_chooser_tests.CognitiveTestChooserTests.setUp ( self )`

Definition at line 33 of file `cognitive_test_chooser_tests.py`.

**7.2.2.2** `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectArithmeticTest ( self )`

Definition at line 49 of file `cognitive_test_chooser_tests.py`.

**7.2.2.3** `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectArithmeticTest_default_params ( self )`

Definition at line 59 of file `cognitive_test_chooser_tests.py`.

7.2.2.4 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectAwarenessTest ( self )`

Definition at line 69 of file `cognitive_test_chooser_tests.py`.

7.2.2.5 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectNotExistentTest ( self )`

Definition at line 89 of file `cognitive_test_chooser_tests.py`.

7.2.2.6 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectReasoningTest ( self )`

Definition at line 79 of file `cognitive_test_chooser_tests.py`.

7.2.2.7 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectWrongType_TestDiff ( self )`

Definition at line 101 of file `cognitive_test_chooser_tests.py`.

7.2.2.8 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectWrongType_TestIndex ( self )`

Definition at line 105 of file `cognitive_test_chooser_tests.py`.

7.2.2.9 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectWrongType_TestSubtype ( self )`

Definition at line 97 of file `cognitive_test_chooser_tests.py`.

7.2.2.10 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectWrongType_TestType ( self )`

Definition at line 93 of file `cognitive_test_chooser_tests.py`.

## 7.2.3 Member Data Documentation

7.2.3.1 `cognitive_test_chooser_tests.CognitiveTestChooserTests.ch`

Definition at line 34 of file `cognitive_test_chooser_tests.py`.


The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_tests.py`




## 7.3 cognitive\_test\_user\_history\_tests.CognitiveTestHistoryTests Class Reference

Inheritance diagram for cognitive\_test\_user\_history\_tests.CognitiveTestHistoryTests:



Collaboration diagram for cognitive\_test\_user\_history\_tests.CognitiveTestHistoryTests:



### Public Member Functions

- def [setUp](#)
- def [test\\_history\\_wrongFromType](#)
- def [test\\_history\\_wrongToType](#)
- def [test\\_history\\_wrongType](#)
- def [test\\_history\\_wrongTypeType](#)
- def [test\\_historyAll](#)
- def [test\\_historyArithmetic](#)
- def [test\\_historyAwareness](#)
- def [test\\_historyReasoning](#)

### Public Attributes

- [ch](#)

### 7.3.1 Detailed Description

Definition at line 29 of file `cognitive_test_user_history_tests.py`.

### 7.3.2 Member Function Documentation

#### 7.3.2.1 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.setUp ( self )`

Definition at line 31 of file `cognitive_test_user_history_tests.py`.

#### 7.3.2.2 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_history_wrongFromType ( self )`

Definition at line 62 of file `cognitive_test_user_history_tests.py`.

#### 7.3.2.3 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_history_wrongToType ( self )`

Definition at line 66 of file `cognitive_test_user_history_tests.py`.

#### 7.3.2.4 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_history_wrongType ( self )`

Definition at line 54 of file `cognitive_test_user_history_tests.py`.

#### 7.3.2.5 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_history_wrongTypeType ( self )`

Definition at line 58 of file `cognitive_test_user_history_tests.py`.

#### 7.3.2.6 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_historyAll ( self )`

Definition at line 49 of file `cognitive_test_user_history_tests.py`.

#### 7.3.2.7 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_historyArithmetic ( self )`

Definition at line 34 of file `cognitive_test_user_history_tests.py`.

#### 7.3.2.8 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_historyAwareness ( self )`

Definition at line 44 of file `cognitive_test_user_history_tests.py`.

#### 7.3.2.9 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_historyReasoning ( self )`

Definition at line 39 of file `cognitive_test_user_history_tests.py`.

### 7.3.3 Member Data Documentation

#### 7.3.3.1 `cognitive_test_user_history_tests.CognitiveTestHistoryTests.ch`


Definition at line 32 of file `cognitive_test_user_history_tests.py`.

The documentation for this class was generated from the following file:


- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/cognitive\\_test\\_user\\_history\\_tests.py](#)

## 7.4 cognitive\_test\_record\_tests.CognitiveTestRecordTests Class Reference

Inheritance diagram for cognitive\_test\_record\_tests.CognitiveTestRecordTests:



Collaboration diagram for cognitive\_test\_record\_tests.CognitiveTestRecordTests:



### Public Member Functions

- def [setUp](#)
- def [test\\_recordArithmetic](#)
- def [test\\_recordAwareness](#)
- def [test\\_recordReasoning](#)
- def [test\\_recordWrongScoreType](#)
- def [test\\_recordWrongScoreValues](#)
- def [test\\_recordWrongType](#)

### Public Attributes

- [ch](#)

### 7.4.1 Detailed Description

Definition at line 30 of file `cognitive_test_record_tests.py`.

### 7.4.2 Member Function Documentation

#### 7.4.2.1 `def cognitive_test_record_tests.CognitiveTestRecordTests.setUp ( self )`

Definition at line 32 of file `cognitive_test_record_tests.py`.

#### 7.4.2.2 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordArithmetic ( self )`

Definition at line 53 of file `cognitive_test_record_tests.py`.

#### 7.4.2.3 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordAwareness ( self )`

Definition at line 44 of file `cognitive_test_record_tests.py`.

#### 7.4.2.4 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordReasoning ( self )`

Definition at line 35 of file `cognitive_test_record_tests.py`.

#### 7.4.2.5 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordWrongScoreType ( self )`

Definition at line 71 of file `cognitive_test_record_tests.py`.

#### 7.4.2.6 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordWrongScoreValues ( self )`

Definition at line 80 of file `cognitive_test_record_tests.py`.

#### 7.4.2.7 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordWrongType ( self )`

Definition at line 62 of file `cognitive_test_record_tests.py`.

### 7.4.3 Member Data Documentation

#### 7.4.3.1 `cognitive_test_record_tests.CognitiveTestRecordTests.ch`


Definition at line 33 of file `cognitive_test_record_tests.py`.

The documentation for this class was generated from the following file:


- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/cognitive\\_test\\_record\\_tests.py](#)

## 7.5 cognitive\_test\_user\_scores\_tests.CognitiveTestScoresTests Class Reference

Inheritance diagram for cognitive\_test\_user\_scores\_tests.CognitiveTestScoresTests:



Collaboration diagram for cognitive\_test\_user\_scores\_tests.CognitiveTestScoresTests:



### Public Member Functions

- def [setUp](#)
- def [test\\_scoresAll](#)
- def [test\\_scoresArithmetic](#)
- def [test\\_scoresAwareness](#)
- def [test\\_scoresReasoning](#)
- def [test\\_scoresWrongType](#)
- def [test\\_scoresWrongType\\_to](#)
- def [test\\_scoresWrongTypeList](#)

### Public Attributes

- [ch](#)

### 7.5.1 Detailed Description

Definition at line 29 of file `cognitive_test_user_scores_tests.py`.

### 7.5.2 Member Function Documentation

#### 7.5.2.1 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.setUp ( self )`

Definition at line 31 of file `cognitive_test_user_scores_tests.py`.

#### 7.5.2.2 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresAll ( self )`

Definition at line 52 of file `cognitive_test_user_scores_tests.py`.

#### 7.5.2.3 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresArithmetic ( self )`

Definition at line 34 of file `cognitive_test_user_scores_tests.py`.

#### 7.5.2.4 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresAwareness ( self )`

Definition at line 40 of file `cognitive_test_user_scores_tests.py`.

#### 7.5.2.5 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresReasoning ( self )`

Definition at line 46 of file `cognitive_test_user_scores_tests.py`.

#### 7.5.2.6 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresWrongType ( self )`

Definition at line 58 of file `cognitive_test_user_scores_tests.py`.

#### 7.5.2.7 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresWrongType_to ( self )`

Definition at line 66 of file `cognitive_test_user_scores_tests.py`.

#### 7.5.2.8 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresWrongTypeList ( self )`

Definition at line 62 of file `cognitive_test_user_scores_tests.py`.

### 7.5.3 Member Data Documentation

#### 7.5.3.1 `cognitive_test_user_scores_tests.CognitiveTestScoresTests.ch`


Definition at line 32 of file `cognitive_test_user_scores_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_user_scores_tests.py`

## 7.6 denoise\_profile\_tests.DenoiseProfileTests Class Reference

Inheritance diagram for denoise\_profile\_tests.DenoiseProfileTests:



Collaboration diagram for denoise\_profile\_tests.DenoiseProfileTests:



### Public Member Functions

- def [setUp](#)
- def [test\\_setNoiseProfile](#)
- def [test\\_setNoiseProfile\\_noExistentFile](#)
- def [test\\_setNoiseProfile\\_wrongAudioTypeInputType](#)
- def [test\\_setNoiseProfile\\_wrongFileInputType](#)

### Public Attributes

- [ch](#)
- [pkgDir](#)

#### 7.6.1 Detailed Description

Definition at line 30 of file denoise\_profile\_tests.py.

## 7.6.2 Member Function Documentation

### 7.6.2.1 `def denoise_profile_tests.DenoiseProfileTests.setUp ( self )`

Definition at line 32 of file `denoise_profile_tests.py`.

### 7.6.2.2 `def denoise_profile_tests.DenoiseProfileTests.test_setNoiseProfile ( self )`

Definition at line 37 of file `denoise_profile_tests.py`.

### 7.6.2.3 `def denoise_profile_tests.DenoiseProfileTests.test_setNoiseProfile_noExistentFile ( self )`

Definition at line 44 of file `denoise_profile_tests.py`.

### 7.6.2.4 `def denoise_profile_tests.DenoiseProfileTests.test_setNoiseProfile_wrongAudioTypeInputType ( self )`

Definition at line 52 of file `denoise_profile_tests.py`.

### 7.6.2.5 `def denoise_profile_tests.DenoiseProfileTests.test_setNoiseProfile_wrongFileInputType ( self )`

Definition at line 48 of file `denoise_profile_tests.py`.

## 7.6.3 Member Data Documentation

### 7.6.3.1 `denoise_profile_tests.DenoiseProfileTests.ch`

Definition at line 33 of file `denoise_profile_tests.py`.

### 7.6.3.2 `denoise_profile_tests.DenoiseProfileTests.pkgDir`

Definition at line 35 of file `denoise_profile_tests.py`.


The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/denoise\_profile\_tests.py`




## 7.7 face\_detection\_tests.FaceDetectionTests Class Reference

Inheritance diagram for face\_detection\_tests.FaceDetectionTests:



Collaboration diagram for face\_detection\_tests.FaceDetectionTests:



### Public Member Functions

- def [setUp](#)
- def [test\\_closeStraight](#)
- def [test\\_erroneousFileType](#)
- def [test\\_lenna](#)
- def [test\\_multipleFaces](#)
- def [test\\_notExistentFile](#)

### Public Attributes

- [ch](#)
- [pkgDir](#)

#### 7.7.1 Detailed Description

Definition at line 31 of file face\_detection\_tests.py.

## 7.7.2 Member Function Documentation

### 7.7.2.1 `def face_detection_tests.FaceDetectionTests.setUp ( self )`

Definition at line 33 of file `face_detection_tests.py`.

### 7.7.2.2 `def face_detection_tests.FaceDetectionTests.test_closeStraight ( self )`

Definition at line 39 of file `face_detection_tests.py`.

### 7.7.2.3 `def face_detection_tests.FaceDetectionTests.test_erroneousFileType ( self )`

Definition at line 79 of file `face_detection_tests.py`.

### 7.7.2.4 `def face_detection_tests.FaceDetectionTests.test_lenna ( self )`

Definition at line 52 of file `face_detection_tests.py`.

### 7.7.2.5 `def face_detection_tests.FaceDetectionTests.test_multipleFaces ( self )`

Definition at line 64 of file `face_detection_tests.py`.

### 7.7.2.6 `def face_detection_tests.FaceDetectionTests.test_notExistentFile ( self )`

Definition at line 72 of file `face_detection_tests.py`.

## 7.7.3 Member Data Documentation

### 7.7.3.1 `face_detection_tests.FaceDetectionTests.ch`

Definition at line 34 of file `face_detection_tests.py`.

### 7.7.3.2 `face_detection_tests.FaceDetectionTests.pkgDir`


Definition at line 37 of file `face_detection_tests.py`.

The documentation for this class was generated from the following file:


- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/face\\_detection\\_tests.py](/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_tests.py)

## 7.8 hazard\_detection\_tests.HazardDetectionTests Class Reference

Inheritance diagram for hazard\_detection\_tests.HazardDetectionTests:



Collaboration diagram for hazard\_detection\_tests.HazardDetectionTests:



### Public Member Functions

- def [setUp](#)
- def [test\\_erroneousPath](#)
- def [test\\_lightLeftOn](#)
- def [test\\_wrongPathType](#)

### Public Attributes

- [ch](#)
- [pkgDir](#)

### 7.8.1 Detailed Description

Definition at line 31 of file hazard\_detection\_tests.py.

## 7.8.2 Member Function Documentation

### 7.8.2.1 `def hazard_detection_tests.HazardDetectionTests.setUp ( self )`

Definition at line 33 of file `hazard_detection_tests.py`.

### 7.8.2.2 `def hazard_detection_tests.HazardDetectionTests.test_erroneousPath ( self )`

Definition at line 48 of file `hazard_detection_tests.py`.

### 7.8.2.3 `def hazard_detection_tests.HazardDetectionTests.test_lightLeftOn ( self )`

Definition at line 39 of file `hazard_detection_tests.py`.

### 7.8.2.4 `def hazard_detection_tests.HazardDetectionTests.test_wrongPathType ( self )`

Definition at line 55 of file `hazard_detection_tests.py`.

## 7.8.3 Member Data Documentation

### 7.8.3.1 `hazard_detection_tests.HazardDetectionTests.ch`

Definition at line 37 of file `hazard_detection_tests.py`.

### 7.8.3.2 `hazard_detection_tests.HazardDetectionTests.pkgDir`


Definition at line 35 of file `hazard_detection_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/hazard\_detection\_tests.py`

## 7.9 `human_detection_tests.HumanDetectionTests` Class Reference

Inheritance diagram for `human_detection_tests.HumanDetectionTests`:



Collaboration diagram for human\_detection\_tests.HumanDetectionTests:



### Public Member Functions

- def [setUp](#)
- def [test\\_humanDetectionTest](#)
- def [test\\_humanDetectionTest\\_wrongPath](#)
- def [test\\_humanDetectionTest\\_wrongPathType](#)

### Public Attributes

- [ch](#)
- [pkgDir](#)

#### 7.9.1 Detailed Description

Definition at line 31 of file `human_detection_tests.py`.

#### 7.9.2 Member Function Documentation

##### 7.9.2.1 def human\_detection\_tests.HumanDetectionTests.setUp ( self )

Definition at line 33 of file `human_detection_tests.py`.

##### 7.9.2.2 def human\_detection\_tests.HumanDetectionTests.test\_humanDetectionTest ( self )

Definition at line 39 of file `human_detection_tests.py`.

##### 7.9.2.3 def human\_detection\_tests.HumanDetectionTests.test\_humanDetectionTest\_wrongPath ( self )

Definition at line 53 of file `human_detection_tests.py`.

##### 7.9.2.4 def human\_detection\_tests.HumanDetectionTests.test\_humanDetectionTest\_wrongPathType ( self )

Definition at line 60 of file `human_detection_tests.py`.

### 7.9.3 Member Data Documentation

#### 7.9.3.1 `human_detection_tests.HumanDetectionTests.ch`

Definition at line 37 of file `human_detection_tests.py`.

#### 7.9.3.2 `human_detection_tests.HumanDetectionTests.pkgDir`


Definition at line 35 of file `human_detection_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/human\_detection\_tests.py`

## 7.10 `object_recognition_tests.ObjectRecognitionTests` Class Reference

Inheritance diagram for `object_recognition_tests.ObjectRecognitionTests`:



Collaboration diagram for `object_recognition_tests.ObjectRecognitionTests`:



### Public Member Functions

- `def setUp`

- def [test\\_cat\\_test](#)
- def [test\\_wrongPath](#)
- def [test\\_wrongPathType](#)

## Public Attributes

- [ch](#)
- [pkgDir](#)

### 7.10.1 Detailed Description

Definition at line 31 of file object\_recognition\_tests.py.

### 7.10.2 Member Function Documentation

#### 7.10.2.1 def object\_recognition\_tests.ObjectRecognitionTests.setUp ( self )

Definition at line 33 of file object\_recognition\_tests.py.

#### 7.10.2.2 def object\_recognition\_tests.ObjectRecognitionTests.test\_cat\_test ( self )

Definition at line 39 of file object\_recognition\_tests.py.

#### 7.10.2.3 def object\_recognition\_tests.ObjectRecognitionTests.test\_wrongPath ( self )

Definition at line 51 of file object\_recognition\_tests.py.

#### 7.10.2.4 def object\_recognition\_tests.ObjectRecognitionTests.test\_wrongPathType ( self )

Definition at line 56 of file object\_recognition\_tests.py.

### 7.10.3 Member Data Documentation

#### 7.10.3.1 object\_recognition\_tests.ObjectRecognitionTests.ch

Definition at line 34 of file object\_recognition\_tests.py.

#### 7.10.3.2 object\_recognition\_tests.ObjectRecognitionTests.pkgDir


Definition at line 37 of file object\_recognition\_tests.py.

The documentation for this class was generated from the following file:


- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/object\\_recognition\\_tests.py](#)

## 7.11 ontology\_tests.OntologyTests Class Reference

Inheritance diagram for ontology\_tests.OntologyTests:



Collaboration diagram for ontology\_tests.OntologyTests:



### Public Member Functions

- def [setUp](#)
- def [test\\_is\\_subsuperclass\\_of](#)
- def [test\\_subclass\\_of](#)
- def [test\\_subclassOf\\_erroneous](#)
- def [test\\_subsuperclassOf\\_erroneous](#)
- def [test\\_superclass\\_of](#)
- def [test\\_superclassOf\\_erroneous](#)

### Public Attributes

- [ch](#)

#### 7.11.1 Detailed Description

Definition at line 30 of file `ontology_tests.py`.



## 7.11.2 Member Function Documentation

### 7.11.2.1 `def ontology_tests.OntologyTests.setUp ( self )`

Definition at line 32 of file ontology\_tests.py.

### 7.11.2.2 `def ontology_tests.OntologyTests.test_is_subsuperclass_of ( self )`

Definition at line 58 of file ontology\_tests.py.

### 7.11.2.3 `def ontology_tests.OntologyTests.test_subclass_of ( self )`

Definition at line 46 of file ontology\_tests.py.

### 7.11.2.4 `def ontology_tests.OntologyTests.test_subclassOf_erroneous ( self )`

Definition at line 64 of file ontology\_tests.py.

### 7.11.2.5 `def ontology_tests.OntologyTests.test_subsuperclassOf_erroneous ( self )`

Definition at line 80 of file ontology\_tests.py.

### 7.11.2.6 `def ontology_tests.OntologyTests.test_superclass_of ( self )`

Definition at line 35 of file ontology\_tests.py.

### 7.11.2.7 `def ontology_tests.OntologyTests.test_superclassOf_erroneous ( self )`

Definition at line 72 of file ontology\_tests.py.

## 7.11.3 Member Data Documentation

### 7.11.3.1 `ontology_tests.OntologyTests.ch`


Definition at line 33 of file ontology\_tests.py.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_tests.py`

## 7.12 path\_planning\_tests.PathPlanningTests Class Reference

Inheritance diagram for path\_planning\_tests.PathPlanningTests:



Collaboration diagram for path\_planning\_tests.PathPlanningTests:



### Public Member Functions

- def [setUp](#)
- def [test\\_plan\\_2d](#)
- def [test\\_plan\\_2d\\_erroneous](#)
- def [test\\_upload\\_map](#)
- def [test\\_upload\\_map\\_erroneous](#)

### Public Attributes

- [ch](#)
- [pkgDir](#)

### 7.12.1 Detailed Description

Definition at line 31 of file `path_planning_tests.py`.

## 7.12.2 Member Function Documentation

### 7.12.2.1 def path\_planning\_tests.PathPlanningTests.setUp ( self )

Definition at line 33 of file path\_planning\_tests.py.

### 7.12.2.2 def path\_planning\_tests.PathPlanningTests.test\_plan\_2d ( self )

Definition at line 39 of file path\_planning\_tests.py.

### 7.12.2.3 def path\_planning\_tests.PathPlanningTests.test\_plan\_2d\_erroneous ( self )

Definition at line 74 of file path\_planning\_tests.py.

### 7.12.2.4 def path\_planning\_tests.PathPlanningTests.test\_upload\_map ( self )

Definition at line 114 of file path\_planning\_tests.py.

### 7.12.2.5 def path\_planning\_tests.PathPlanningTests.test\_upload\_map\_erroneous ( self )

Definition at line 123 of file path\_planning\_tests.py.

## 7.12.3 Member Data Documentation

### 7.12.3.1 path\_planning\_tests.PathPlanningTests.ch

Definition at line 34 of file path\_planning\_tests.py.

### 7.12.3.2 path\_planning\_tests.PathPlanningTests.pkgDir


Definition at line 37 of file path\_planning\_tests.py.

The documentation for this class was generated from the following file:


- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/[path\\_planning\\_tests.py](#)

## 7.13 qr\_detection\_tests.QrDetectionTests Class Reference

Inheritance diagram for qr\_detection\_tests.QrDetectionTests:



Collaboration diagram for qr\_detection\_tests.QrDetectionTests:



### Public Member Functions

- def [setUp](#)
- def [test\\_detect\\_qr](#)
- def [test\\_detect\\_qr\\_erroneous](#)

### Public Attributes

- [ch](#)
- [pkgDir](#)

#### 7.13.1 Detailed Description

Definition at line 31 of file qr\_detection\_tests.py.

### 7.13.2 Member Function Documentation

#### 7.13.2.1 `def qr_detection_tests.QrDetectionTests.setUp ( self )`

Definition at line 33 of file `qr_detection_tests.py`.

#### 7.13.2.2 `def qr_detection_tests.QrDetectionTests.test_detect_qr ( self )`

Definition at line 39 of file `qr_detection_tests.py`.

#### 7.13.2.3 `def qr_detection_tests.QrDetectionTests.test_detect_qr_erroneous ( self )`

Definition at line 51 of file `qr_detection_tests.py`.

### 7.13.3 Member Data Documentation

#### 7.13.3.1 `qr_detection_tests.QrDetectionTests.ch`

Definition at line 37 of file `qr_detection_tests.py`.

#### 7.13.3.2 `qr_detection_tests.QrDetectionTests.pkgDir`

Definition at line 35 of file `qr_detection_tests.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr\_detection\_tests.py`

## 7.14 available\_services\_test.RappInterfaceTest Class Reference

### Public Member Functions

- `def \_\_init\_\_`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed\_time`
- `rappCloud`
- `valid\_results`

### 7.14.1 Detailed Description

Definition at line 31 of file `available_services_test.py`.

### 7.14.2 Constructor & Destructor Documentation

#### 7.14.2.1 `def available_services_test.RappInterfaceTest.__init__ ( self )`

Definition at line 33 of file `available_services_test.py`.

### 7.14.3 Member Function Documentation

#### 7.14.3.1 `def available_services_test.RappInterfaceTest.execute ( self )`

Definition at line 52 of file `available_services_test.py`.

#### 7.14.3.2 `def available_services_test.RappInterfaceTest.validate ( self, response )`

Definition at line 61 of file `available_services_test.py`.

### 7.14.4 Member Data Documentation

#### 7.14.4.1 `available_services_test.RappInterfaceTest.elapsed_time`

Definition at line 57 of file `available_services_test.py`.

#### 7.14.4.2 `available_services_test.RappInterfaceTest.rappCloud`

Definition at line 34 of file `available_services_test.py`.

#### 7.14.4.3 `available_services_test.RappInterfaceTest.valid_results`

Definition at line 36 of file `available_services_test.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/issues/available\\_services\\_test.py](#)

## 7.15 `qr_detection_test_hard_medium.RappInterfaceTest` Class Reference

### Public Member Functions

- `def \_\_init\_\_`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed\_time`
- `msg`
- `svc`
- `valid\_results`

### 7.15.1 Detailed Description

Definition at line 33 of file `qr_detection_test_hard_medium.py`.

## 7.15.2 Constructor & Destructor Documentation

### 7.15.2.1 `def qr_detection_test_hard_medium.RapplInterfaceTest.__init__( self )`

Definition at line 35 of file `qr_detection_test_hard_medium.py`.

## 7.15.3 Member Function Documentation

### 7.15.3.1 `def qr_detection_test_hard_medium.RapplInterfaceTest.execute( self )`

Definition at line 50 of file `qr_detection_test_hard_medium.py`.

### 7.15.3.2 `def qr_detection_test_hard_medium.RapplInterfaceTest.validate( self, response )`

Definition at line 58 of file `qr_detection_test_hard_medium.py`.

## 7.15.4 Member Data Documentation

### 7.15.4.1 `qr_detection_test_hard_medium.RapplInterfaceTest.elapsed_time`

Definition at line 54 of file `qr_detection_test_hard_medium.py`.

### 7.15.4.2 `qr_detection_test_hard_medium.RapplInterfaceTest.msg`

Definition at line 40 of file `qr_detection_test_hard_medium.py`.

### 7.15.4.3 `qr_detection_test_hard_medium.RapplInterfaceTest.svc`

Definition at line 41 of file `qr_detection_test_hard_medium.py`.

### 7.15.4.4 `qr_detection_test_hard_medium.RapplInterfaceTest.valid_results`

Definition at line 43 of file `qr_detection_test_hard_medium.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/qr\\_detection\\_test\\_hard\\_medium.py](#)

## 7.16 email\_send\_zip.RapplInterfaceTest Class Reference

### Public Member Functions

- [def `\_\_init\_\_`](#)
- [def `execute`](#)
- [def `validate`](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)

### 7.16.1 Detailed Description

Definition at line 31 of file email\_send\_zip.py.

### 7.16.2 Constructor & Destructor Documentation

#### 7.16.2.1 `def email_send_zip.RapplInterfaceTest.__init__( self )`

Definition at line 33 of file email\_send\_zip.py.

### 7.16.3 Member Function Documentation

#### 7.16.3.1 `def email_send_zip.RapplInterfaceTest.execute( self )`

Definition at line 52 of file email\_send\_zip.py.

#### 7.16.3.2 `def email_send_zip.RapplInterfaceTest.validate( self, response )`

Definition at line 61 of file email\_send\_zip.py.

### 7.16.4 Member Data Documentation

#### 7.16.4.1 `email_send_zip.RapplInterfaceTest.elapsed_time`

Definition at line 57 of file email\_send\_zip.py.

#### 7.16.4.2 `email_send_zip.RapplInterfaceTest.msg`

Definition at line 39 of file email\_send\_zip.py.

#### 7.16.4.3 `email_send_zip.RapplInterfaceTest.svc`

Definition at line 49 of file email\_send\_zip.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/email\\_send\\_zip.py](#)

## 7.17 human\_detection\_test.RapplInterfaceTest Class Reference

### Public Member Functions

- `def \_\_init\_\_`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed\_time`
- `image`



- [msg](#)
- [svc](#)
- [valid\\_humans](#)

### 7.17.1 Detailed Description

Definition at line 32 of file human\_detection\_test.py.

### 7.17.2 Constructor & Destructor Documentation

#### 7.17.2.1 `def human_detection_test.RappInterfaceTest.__init__( self )`

Definition at line 34 of file human\_detection\_test.py.

### 7.17.3 Member Function Documentation

#### 7.17.3.1 `def human_detection_test.RappInterfaceTest.execute( self )`

Definition at line 48 of file human\_detection\_test.py.

#### 7.17.3.2 `def human_detection_test.RappInterfaceTest.validate( self, response )`

Definition at line 57 of file human\_detection\_test.py.

### 7.17.4 Member Data Documentation

#### 7.17.4.1 `human_detection_test.RappInterfaceTest.elapsed_time`

Definition at line 53 of file human\_detection\_test.py.

#### 7.17.4.2 `human_detection_test.RappInterfaceTest.image`

Definition at line 37 of file human\_detection\_test.py.

#### 7.17.4.3 `human_detection_test.RappInterfaceTest.msg`

Definition at line 44 of file human\_detection\_test.py.

#### 7.17.4.4 `human_detection_test.RappInterfaceTest.svc`

Definition at line 45 of file human\_detection\_test.py.

#### 7.17.4.5 `human_detection_test.RappInterfaceTest.valid_humans`

Definition at line 40 of file human\_detection\_test.py.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/human_detection_test.py`

## 7.18 weather\_report\_forecast\_Athens.RappInterfaceTest Class Reference

### Public Member Functions

- [def \\_\\_init\\_\\_](#)
- [def execute](#)
- [def validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)

### 7.18.1 Detailed Description

Definition at line 30 of file weather\_report\_forecast\_Athens.py.

### 7.18.2 Constructor & Destructor Documentation

#### 7.18.2.1 `def weather_report_forecast_Athens.RappInterfaceTest.__init__( self )`

Definition at line 32 of file weather\_report\_forecast\_Athens.py.

### 7.18.3 Member Function Documentation

#### 7.18.3.1 `def weather_report_forecast_Athens.RappInterfaceTest.execute( self )`

Definition at line 41 of file weather\_report\_forecast\_Athens.py.

#### 7.18.3.2 `def weather_report_forecast_Athens.RappInterfaceTest.validate( self, response )`

Definition at line 49 of file weather\_report\_forecast\_Athens.py.

### 7.18.4 Member Data Documentation

#### 7.18.4.1 `weather_report_forecast_Athens.RappInterfaceTest.elapsed_time`

Definition at line 45 of file weather\_report\_forecast\_Athens.py.

#### 7.18.4.2 `weather_report_forecast_Athens.RappInterfaceTest.msg`

Definition at line 33 of file weather\_report\_forecast\_Athens.py.

#### 7.18.4.3 `weather_report_forecast_Athens.RappInterfaceTest.svc`

Definition at line 38 of file weather\_report\_forecast\_Athens.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/weather\\_report\\_forecast\\_Athens.py](#)

## 7.19 weather\_report\_current\_Athens.RappInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)

#### 7.19.1 Detailed Description

Definition at line 30 of file weather\_report\_current\_Athens.py.

#### 7.19.2 Constructor & Destructor Documentation

7.19.2.1 `def weather_report_current_Athens.RappInterfaceTest.__init__( self )`

Definition at line 32 of file weather\_report\_current\_Athens.py.

#### 7.19.3 Member Function Documentation

7.19.3.1 `def weather_report_current_Athens.RappInterfaceTest.execute( self )`

Definition at line 41 of file weather\_report\_current\_Athens.py.

7.19.3.2 `def weather_report_current_Athens.RappInterfaceTest.validate( self, response )`

Definition at line 49 of file weather\_report\_current\_Athens.py.

#### 7.19.4 Member Data Documentation

7.19.4.1 `weather_report_current_Athens.RappInterfaceTest.elapsed_time`

Definition at line 45 of file weather\_report\_current\_Athens.py.

7.19.4.2 `weather_report_current_Athens.RappInterfaceTest.msg`

Definition at line 33 of file weather\_report\_current\_Athens.py.

7.19.4.3 `weather_report_current_Athens.RappInterfaceTest.svc`

Definition at line 38 of file weather\_report\_current\_Athens.py.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather\_report\_current\_Athens.py`

## 7.20 speech\_detection\_sphinx\_test\_ogg\_yes.RapplInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_words\\_found](#)

### 7.20.1 Detailed Description

Definition at line 33 of file `speech_detection_sphinx_test_ogg_yes.py`.

### 7.20.2 Constructor & Destructor Documentation

7.20.2.1 `def speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.__init__( self )`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_yes.py`.

### 7.20.3 Member Function Documentation

7.20.3.1 `def speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.execute( self )`

Definition at line 54 of file `speech_detection_sphinx_test_ogg_yes.py`.

7.20.3.2 `def speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.validate( self, response )`

Definition at line 62 of file `speech_detection_sphinx_test_ogg_yes.py`.

### 7.20.4 Member Data Documentation

7.20.4.1 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.elapsed_time`

Definition at line 58 of file `speech_detection_sphinx_test_ogg_yes.py`.

7.20.4.2 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.msg`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_yes.py`.

7.20.4.3 `speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.svc`

Definition at line 49 of file `speech_detection_sphinx_test_ogg_yes.py`.

#### 7.20.4.4 speech\_detection\_sphinx\_test\_ogg\_yes.RapplInterfaceTest.valid\_words\_found

Definition at line 51 of file speech\_detection\_sphinx\_test\_ogg\_yes.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech\_detection\_sphinx\_test\_ogg\_yes.py

## 7.21 speech\_detection\_sphinx\_test\_ogg\_tuesday.RapplInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_words\\_found](#)

#### 7.21.1 Detailed Description

Definition at line 33 of file speech\_detection\_sphinx\_test\_ogg\_tuesday.py.

#### 7.21.2 Constructor & Destructor Documentation

##### 7.21.2.1 def speech\_detection\_sphinx\_test\_ogg\_tuesday.RapplInterfaceTest.\_\_init\_\_( self )

Definition at line 35 of file speech\_detection\_sphinx\_test\_ogg\_tuesday.py.

#### 7.21.3 Member Function Documentation

##### 7.21.3.1 def speech\_detection\_sphinx\_test\_ogg\_tuesday.RapplInterfaceTest.execute( self )

Definition at line 54 of file speech\_detection\_sphinx\_test\_ogg\_tuesday.py.

##### 7.21.3.2 def speech\_detection\_sphinx\_test\_ogg\_tuesday.RapplInterfaceTest.validate( self, response )

Definition at line 62 of file speech\_detection\_sphinx\_test\_ogg\_tuesday.py.

#### 7.21.4 Member Data Documentation

##### 7.21.4.1 speech\_detection\_sphinx\_test\_ogg\_tuesday.RapplInterfaceTest.elapsed\_time

Definition at line 58 of file speech\_detection\_sphinx\_test\_ogg\_tuesday.py.

#### 7.21.4.2 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.msg`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

#### 7.21.4.3 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.svc`

Definition at line 49 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

#### 7.21.4.4 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.valid_words_found`

Definition at line 51 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_tuesday.py`

## 7.22 `speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest` Class Reference

### Public Member Functions

- def `__init__`
- def `execute`
- def `validate`

### Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_words_found`

### 7.22.1 Detailed Description

Definition at line 33 of file `speech_detection_sphinx_test_ogg_triti.py`.

### 7.22.2 Constructor & Destructor Documentation

#### 7.22.2.1 `def speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest.__init__( self )`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_triti.py`.

### 7.22.3 Member Function Documentation

#### 7.22.3.1 `def speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest.execute( self )`

Definition at line 54 of file `speech_detection_sphinx_test_ogg_triti.py`.

#### 7.22.3.2 `def speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest.validate( self, response )`

Definition at line 62 of file `speech_detection_sphinx_test_ogg_triti.py`.

#### 7.22.4 Member Data Documentation

##### 7.22.4.1 speech\_detection\_sphinx\_test\_ogg\_triti.RapplInterfaceTest.elapsed\_time

Definition at line 58 of file speech\_detection\_sphinx\_test\_ogg\_triti.py.

##### 7.22.4.2 speech\_detection\_sphinx\_test\_ogg\_triti.RapplInterfaceTest.msg

Definition at line 41 of file speech\_detection\_sphinx\_test\_ogg\_triti.py.

##### 7.22.4.3 speech\_detection\_sphinx\_test\_ogg\_triti.RapplInterfaceTest.svc

Definition at line 49 of file speech\_detection\_sphinx\_test\_ogg\_triti.py.

##### 7.22.4.4 speech\_detection\_sphinx\_test\_ogg\_triti.RapplInterfaceTest.valid\_words\_found

Definition at line 51 of file speech\_detection\_sphinx\_test\_ogg\_triti.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech\_detection\_sphinx\_test\_ogg\_triti.py

## 7.23 speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia.RapplInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_words\\_found](#)

#### 7.23.1 Detailed Description

Definition at line 33 of file speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia.py.

#### 7.23.2 Constructor & Destructor Documentation

##### 7.23.2.1 def speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia.RapplInterfaceTest.\_\_init\_\_( self )

Definition at line 35 of file speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia.py.

### 7.23.3 Member Function Documentation

7.23.3.1 `def speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.execute ( self )`

Definition at line 53 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

7.23.3.2 `def speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.validate ( self, response )`

Definition at line 61 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

### 7.23.4 Member Data Documentation

7.23.4.1 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.elapsed_time`

Definition at line 57 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

7.23.4.2 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.msg`

Definition at line 40 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

7.23.4.3 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.svc`

Definition at line 48 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

7.23.4.4 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.valid_words_found`

Definition at line 50 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/speech\\_detection\\_sphinx\\_test\\_nao\\_wav\\_1\\_ch\\_thelw\\_voithia.py](#)

## 7.24 `speech_detection_sphinx_test_ogg_deutera.RapInterfaceTest` Class Reference

### Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_words_found`

### 7.24.1 Detailed Description

Definition at line 33 of file `speech_detection_sphinx_test_ogg_deutera.py`.



## 7.24.2 Constructor & Destructor Documentation

### 7.24.2.1 `def speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.__init__( self )`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_deutera.py`.

## 7.24.3 Member Function Documentation

### 7.24.3.1 `def speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.execute( self )`

Definition at line 54 of file `speech_detection_sphinx_test_ogg_deutera.py`.

### 7.24.3.2 `def speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.validate( self, response )`

Definition at line 62 of file `speech_detection_sphinx_test_ogg_deutera.py`.

## 7.24.4 Member Data Documentation

### 7.24.4.1 `speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.elapsed_time`

Definition at line 58 of file `speech_detection_sphinx_test_ogg_deutera.py`.

### 7.24.4.2 `speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.msg`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_deutera.py`.

### 7.24.4.3 `speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.svc`

Definition at line 49 of file `speech_detection_sphinx_test_ogg_deutera.py`.

### 7.24.4.4 `speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.valid_words_found`

Definition at line 51 of file `speech_detection_sphinx_test_ogg_deutera.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_deutera.py`

## 7.25 news\_explore\_general.RapplInterfaceTest Class Reference

### Public Member Functions

- `def \_\_init\_\_`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed\_time`
- `msg`
- `svc`

### 7.25.1 Detailed Description

Definition at line 32 of file news\_explore\_general.py.

### 7.25.2 Constructor & Destructor Documentation

#### 7.25.2.1 `def news_explore_general.RappInterfaceTest.__init__( self )`

Definition at line 34 of file news\_explore\_general.py.

### 7.25.3 Member Function Documentation

#### 7.25.3.1 `def news_explore_general.RappInterfaceTest.execute( self )`

Definition at line 49 of file news\_explore\_general.py.

#### 7.25.3.2 `def news_explore_general.RappInterfaceTest.validate( self, response )`

Definition at line 57 of file news\_explore\_general.py.

### 7.25.4 Member Data Documentation

#### 7.25.4.1 `news_explore_general.RappInterfaceTest.elapsed_time`

Definition at line 53 of file news\_explore\_general.py.

#### 7.25.4.2 `news_explore_general.RappInterfaceTest.msg`

Definition at line 38 of file news\_explore\_general.py.

#### 7.25.4.3 `news_explore_general.RappInterfaceTest.svc`

Definition at line 46 of file news\_explore\_general.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/news\\_explore\\_general.py](#)

## 7.26 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RappInterfaceTest` Class Reference

### Public Member Functions

- `def \_\_init\_\_`
- `def execute`
- `def validate`

## Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_words\\_found](#)

### 7.26.1 Detailed Description

Definition at line 33 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

### 7.26.2 Constructor & Destructor Documentation

7.26.2.1 `def speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.__init__( self )`

Definition at line 35 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

### 7.26.3 Member Function Documentation

7.26.3.1 `def speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.execute( self )`

Definition at line 53 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

7.26.3.2 `def speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.validate( self, response )`

Definition at line 61 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

### 7.26.4 Member Data Documentation

7.26.4.1 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.elapsed_time`

Definition at line 57 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

7.26.4.2 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.msg`

Definition at line 40 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

7.26.4.3 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.svc`

Definition at line 48 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

7.26.4.4 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.valid_words_found`

Definition at line 50 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`

## 7.27 speech\_detection\_sphinx\_test\_headset\_steile\_mail.RapplInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_words\\_found](#)

#### 7.27.1 Detailed Description

Definition at line 33 of file speech\_detection\_sphinx\_test\_headset\_steile\_mail.py.

#### 7.27.2 Constructor & Destructor Documentation

7.27.2.1 `def speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.__init__( self )`

Definition at line 35 of file speech\_detection\_sphinx\_test\_headset\_steile\_mail.py.

#### 7.27.3 Member Function Documentation

7.27.3.1 `def speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.execute( self )`

Definition at line 53 of file speech\_detection\_sphinx\_test\_headset\_steile\_mail.py.

7.27.3.2 `def speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.validate( self, response )`

Definition at line 62 of file speech\_detection\_sphinx\_test\_headset\_steile\_mail.py.

#### 7.27.4 Member Data Documentation

7.27.4.1 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.elapsed_time`

Definition at line 58 of file speech\_detection\_sphinx\_test\_headset\_steile\_mail.py.

7.27.4.2 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.msg`

Definition at line 40 of file speech\_detection\_sphinx\_test\_headset\_steile\_mail.py.

7.27.4.3 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.svc`

Definition at line 48 of file speech\_detection\_sphinx\_test\_headset\_steile\_mail.py.

## 7.27.4.4 speech\_detection\_sphinx\_test\_headset\_steile\_mail.RappInterfaceTest.valid\_words\_found

Definition at line 50 of file speech\_detection\_sphinx\_test\_headset\_steile\_mail.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech\_detection\_sphinx\_test\_headset\_steile\_mail.py

## 7.28 speech\_detection\_sphinx\_test\_headset\_deutera.RappInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_words\\_found](#)

### 7.28.1 Detailed Description

Definition at line 33 of file speech\_detection\_sphinx\_test\_headset\_deutera.py.

### 7.28.2 Constructor & Destructor Documentation

#### 7.28.2.1 def speech\_detection\_sphinx\_test\_headset\_deutera.RappInterfaceTest.\_\_init\_\_( self )

Definition at line 35 of file speech\_detection\_sphinx\_test\_headset\_deutera.py.

### 7.28.3 Member Function Documentation

#### 7.28.3.1 def speech\_detection\_sphinx\_test\_headset\_deutera.RappInterfaceTest.execute( self )

Definition at line 53 of file speech\_detection\_sphinx\_test\_headset\_deutera.py.

#### 7.28.3.2 def speech\_detection\_sphinx\_test\_headset\_deutera.RappInterfaceTest.validate( self, response )

Definition at line 62 of file speech\_detection\_sphinx\_test\_headset\_deutera.py.

### 7.28.4 Member Data Documentation

#### 7.28.4.1 speech\_detection\_sphinx\_test\_headset\_deutera.RappInterfaceTest.elapsed\_time

Definition at line 58 of file speech\_detection\_sphinx\_test\_headset\_deutera.py.

#### 7.28.4.2 `speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.msg`

Definition at line 40 of file `speech_detection_sphinx_test_headset_deutera.py`.

#### 7.28.4.3 `speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.svc`

Definition at line 48 of file `speech_detection_sphinx_test_headset_deutera.py`.

#### 7.28.4.4 `speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.valid_words_found`

Definition at line 50 of file `speech_detection_sphinx_test_headset_deutera.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_headset_deutera.py`

## 7.29 `speech_detection_google_test_ogg_sentence2.RappInterfaceTest` Class Reference

### Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_words_found`

### 7.29.1 Detailed Description

Definition at line 33 of file `speech_detection_google_test_ogg_sentence2.py`.

### 7.29.2 Constructor & Destructor Documentation

#### 7.29.2.1 `def speech_detection_google_test_ogg_sentence2.RappInterfaceTest.__init__( self )`

Definition at line 35 of file `speech_detection_google_test_ogg_sentence2.py`.

### 7.29.3 Member Function Documentation

#### 7.29.3.1 `def speech_detection_google_test_ogg_sentence2.RappInterfaceTest.execute( self )`

Definition at line 51 of file `speech_detection_google_test_ogg_sentence2.py`.

#### 7.29.3.2 `def speech_detection_google_test_ogg_sentence2.RappInterfaceTest.validate( self, response )`

Definition at line 59 of file `speech_detection_google_test_ogg_sentence2.py`.

## 7.29.4 Member Data Documentation

### 7.29.4.1 speech\_detection\_google\_test\_ogg\_sentence2.RapplInterfaceTest.elapsed\_time

Definition at line 55 of file speech\_detection\_google\_test\_ogg\_sentence2.py.

### 7.29.4.2 speech\_detection\_google\_test\_ogg\_sentence2.RapplInterfaceTest.msg

Definition at line 41 of file speech\_detection\_google\_test\_ogg\_sentence2.py.

### 7.29.4.3 speech\_detection\_google\_test\_ogg\_sentence2.RapplInterfaceTest.svc

Definition at line 46 of file speech\_detection\_google\_test\_ogg\_sentence2.py.

### 7.29.4.4 speech\_detection\_google\_test\_ogg\_sentence2.RapplInterfaceTest.valid\_words\_found

Definition at line 48 of file speech\_detection\_google\_test\_ogg\_sentence2.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech\_detection\_google\_test\_ogg\_sentence2.py

## 7.30 face\_detection\_test\_medium\_straight.RapplInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_faces](#)

### 7.30.1 Detailed Description

Definition at line 32 of file face\_detection\_test\_medium\_straight.py.

### 7.30.2 Constructor & Destructor Documentation

#### 7.30.2.1 def face\_detection\_test\_medium\_straight.RapplInterfaceTest.\_\_init\_\_( self )

Definition at line 34 of file face\_detection\_test\_medium\_straight.py.

### 7.30.3 Member Function Documentation

#### 7.30.3.1 `def face_detection_test_medium_straight.RapplInterfaceTest.execute ( self )`

Definition at line 49 of file `face_detection_test_medium_straight.py`.

#### 7.30.3.2 `def face_detection_test_medium_straight.RapplInterfaceTest.validate ( self, response )`

Definition at line 57 of file `face_detection_test_medium_straight.py`.

### 7.30.4 Member Data Documentation

#### 7.30.4.1 `face_detection_test_medium_straight.RapplInterfaceTest.elapsed_time`

Definition at line 53 of file `face_detection_test_medium_straight.py`.

#### 7.30.4.2 `face_detection_test_medium_straight.RapplInterfaceTest.msg`

Definition at line 40 of file `face_detection_test_medium_straight.py`.

#### 7.30.4.3 `face_detection_test_medium_straight.RapplInterfaceTest.svc`

Definition at line 41 of file `face_detection_test_medium_straight.py`.

#### 7.30.4.4 `face_detection_test_medium_straight.RapplInterfaceTest.valid_faces`

Definition at line 43 of file `face_detection_test_medium_straight.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/face\\_detection\\_test\\_medium\\_straight.py](#)

## 7.31 `speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest` Class Reference

### Public Member Functions

- `def \_\_init\_\_`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed\_time`
- `msg`
- `svc`
- `valid\_words\_found`

### 7.31.1 Detailed Description

Definition at line 33 of file `speech_detection_sphinx_test_ogg_monday.py`.



### 7.31.2 Constructor & Destructor Documentation

7.31.2.1 `def speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.__init__( self )`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_monday.py`.

### 7.31.3 Member Function Documentation

7.31.3.1 `def speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.execute( self )`

Definition at line 54 of file `speech_detection_sphinx_test_ogg_monday.py`.

7.31.3.2 `def speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.validate( self, response )`

Definition at line 62 of file `speech_detection_sphinx_test_ogg_monday.py`.

### 7.31.4 Member Data Documentation

7.31.4.1 `speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.elapsed_time`

Definition at line 58 of file `speech_detection_sphinx_test_ogg_monday.py`.

7.31.4.2 `speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.msg`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_monday.py`.

7.31.4.3 `speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.svc`

Definition at line 49 of file `speech_detection_sphinx_test_ogg_monday.py`.

7.31.4.4 `speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.valid_words_found`

Definition at line 51 of file `speech_detection_sphinx_test_ogg_monday.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_monday.py`

## 7.32 qr\_detection\_test\_medium\_far.RapplInterfaceTest Class Reference

### Public Member Functions

- `def \_\_init\_\_`
- `def execute`
- `def validate`

## Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_results](#)

### 7.32.1 Detailed Description

Definition at line 33 of file `qr_detection_test_medium_far.py`.

### 7.32.2 Constructor & Destructor Documentation

7.32.2.1 `def qr_detection_test_medium_far.RaplInterfaceTest.__init__( self )`

Definition at line 35 of file `qr_detection_test_medium_far.py`.

### 7.32.3 Member Function Documentation

7.32.3.1 `def qr_detection_test_medium_far.RaplInterfaceTest.execute( self )`

Definition at line 50 of file `qr_detection_test_medium_far.py`.

7.32.3.2 `def qr_detection_test_medium_far.RaplInterfaceTest.validate( self, response )`

Definition at line 58 of file `qr_detection_test_medium_far.py`.

### 7.32.4 Member Data Documentation

7.32.4.1 `qr_detection_test_medium_far.RaplInterfaceTest.elapsed_time`

Definition at line 54 of file `qr_detection_test_medium_far.py`.

7.32.4.2 `qr_detection_test_medium_far.RaplInterfaceTest.msg`

Definition at line 40 of file `qr_detection_test_medium_far.py`.

7.32.4.3 `qr_detection_test_medium_far.RaplInterfaceTest.svc`

Definition at line 41 of file `qr_detection_test_medium_far.py`.

7.32.4.4 `qr_detection_test_medium_far.RaplInterfaceTest.valid_results`

Definition at line 43 of file `qr_detection_test_medium_far.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_far.py`

## 7.33 email\_fetch.RappInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)

#### 7.33.1 Detailed Description

Definition at line 32 of file email\_fetch.py.

#### 7.33.2 Constructor & Destructor Documentation

##### 7.33.2.1 def email\_fetch.RappInterfaceTest.\_\_init\_\_( self )

Definition at line 34 of file email\_fetch.py.

#### 7.33.3 Member Function Documentation

##### 7.33.3.1 def email\_fetch.RappInterfaceTest.execute( self )

Definition at line 48 of file email\_fetch.py.

##### 7.33.3.2 def email\_fetch.RappInterfaceTest.validate( self, response )

Definition at line 56 of file email\_fetch.py.

#### 7.33.4 Member Data Documentation

##### 7.33.4.1 email\_fetch.RappInterfaceTest.elapsed\_time

Definition at line 52 of file email\_fetch.py.

##### 7.33.4.2 email\_fetch.RappInterfaceTest.msg

Definition at line 35 of file email\_fetch.py.

##### 7.33.4.3 email\_fetch.RappInterfaceTest.svc

Definition at line 45 of file email\_fetch.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/[email\\_fetch.py](#)

## 7.34 face\_detection\_test\_medium\_angle.RapplInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_faces](#)

#### 7.34.1 Detailed Description

Definition at line 32 of file face\_detection\_test\_medium\_angle.py.

#### 7.34.2 Constructor & Destructor Documentation

7.34.2.1 def face\_detection\_test\_medium\_angle.RapplInterfaceTest.\_\_init\_\_( self )

Definition at line 34 of file face\_detection\_test\_medium\_angle.py.

#### 7.34.3 Member Function Documentation

7.34.3.1 def face\_detection\_test\_medium\_angle.RapplInterfaceTest.execute( self )

Definition at line 49 of file face\_detection\_test\_medium\_angle.py.

7.34.3.2 def face\_detection\_test\_medium\_angle.RapplInterfaceTest.validate( self, response )

Definition at line 57 of file face\_detection\_test\_medium\_angle.py.

#### 7.34.4 Member Data Documentation

7.34.4.1 face\_detection\_test\_medium\_angle.RapplInterfaceTest.elapsed\_time

Definition at line 53 of file face\_detection\_test\_medium\_angle.py.

7.34.4.2 face\_detection\_test\_medium\_angle.RapplInterfaceTest.msg

Definition at line 40 of file face\_detection\_test\_medium\_angle.py.

7.34.4.3 face\_detection\_test\_medium\_angle.RapplInterfaceTest.svc

Definition at line 41 of file face\_detection\_test\_medium\_angle.py.

#### 7.34.4.4 face\_detection\_test\_medium\_angle.RappInterfaceTest.valid\_faces

Definition at line 43 of file face\_detection\_test\_medium\_angle.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/face\_detection\_test\_medium\_angle.py

## 7.35 qr\_detection\_test\_hard\_far.RappInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_results](#)

### 7.35.1 Detailed Description

Definition at line 33 of file qr\_detection\_test\_hard\_far.py.

### 7.35.2 Constructor & Destructor Documentation

#### 7.35.2.1 def qr\_detection\_test\_hard\_far.RappInterfaceTest.\_\_init\_\_( self )

Definition at line 35 of file qr\_detection\_test\_hard\_far.py.

### 7.35.3 Member Function Documentation

#### 7.35.3.1 def qr\_detection\_test\_hard\_far.RappInterfaceTest.execute( self )

Definition at line 50 of file qr\_detection\_test\_hard\_far.py.

#### 7.35.3.2 def qr\_detection\_test\_hard\_far.RappInterfaceTest.validate( self, response )

Definition at line 57 of file qr\_detection\_test\_hard\_far.py.

### 7.35.4 Member Data Documentation

#### 7.35.4.1 qr\_detection\_test\_hard\_far.RappInterfaceTest.elapsed\_time

Definition at line 54 of file qr\_detection\_test\_hard\_far.py.

#### 7.35.4.2 `qr_detection_test_hard_far.RapplInterfaceTest.msg`

Definition at line 40 of file `qr_detection_test_hard_far.py`.

#### 7.35.4.3 `qr_detection_test_hard_far.RapplInterfaceTest.svc`

Definition at line 41 of file `qr_detection_test_hard_far.py`.

#### 7.35.4.4 `qr_detection_test_hard_far.RapplInterfaceTest.valid_results`

Definition at line 43 of file `qr_detection_test_hard_far.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/qr\\_detection\\_test\\_hard\\_far.py](#)

## 7.36 `qr_detection_test_easy_near.RapplInterfaceTest` Class Reference

### Public Member Functions

- `def \_\_init\_\_`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed\_time`
- `msg`
- `svc`
- `valid\_results`

### 7.36.1 Detailed Description

Definition at line 33 of file `qr_detection_test_easy_near.py`.

### 7.36.2 Constructor & Destructor Documentation

#### 7.36.2.1 `def qr_detection_test_easy_near.RapplInterfaceTest.__init__( self )`

Definition at line 35 of file `qr_detection_test_easy_near.py`.

### 7.36.3 Member Function Documentation

#### 7.36.3.1 `def qr_detection_test_easy_near.RapplInterfaceTest.execute( self )`

Definition at line 50 of file `qr_detection_test_easy_near.py`.

#### 7.36.3.2 `def qr_detection_test_easy_near.RapplInterfaceTest.validate( self, response )`

Definition at line 58 of file `qr_detection_test_easy_near.py`.

### 7.36.4 Member Data Documentation

#### 7.36.4.1 qr\_detection\_test\_easy\_near.RappInterfaceTest.elapsed\_time

Definition at line 54 of file qr\_detection\_test\_easy\_near.py.

#### 7.36.4.2 qr\_detection\_test\_easy\_near.RappInterfaceTest.msg

Definition at line 40 of file qr\_detection\_test\_easy\_near.py.

#### 7.36.4.3 qr\_detection\_test\_easy\_near.RappInterfaceTest.svc

Definition at line 41 of file qr\_detection\_test\_easy\_near.py.

#### 7.36.4.4 qr\_detection\_test\_easy\_near.RappInterfaceTest.valid\_results

Definition at line 43 of file qr\_detection\_test\_easy\_near.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/qr\\_detection\\_test\\_easy\\_near.py](#)

## 7.37 face\_detection\_test\_far\_angle.RappInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_faces](#)

### 7.37.1 Detailed Description

Definition at line 32 of file face\_detection\_test\_far\_angle.py.

### 7.37.2 Constructor & Destructor Documentation

#### 7.37.2.1 def face\_detection\_test\_far\_angle.RappInterfaceTest.\_\_init\_\_( self )

Definition at line 34 of file face\_detection\_test\_far\_angle.py.

### 7.37.3 Member Function Documentation

#### 7.37.3.1 `def face_detection_test_far_angle.RapplInterfaceTest.execute ( self )`

Definition at line 49 of file `face_detection_test_far_angle.py`.

#### 7.37.3.2 `def face_detection_test_far_angle.RapplInterfaceTest.validate ( self, response )`

Definition at line 56 of file `face_detection_test_far_angle.py`.

### 7.37.4 Member Data Documentation

#### 7.37.4.1 `face_detection_test_far_angle.RapplInterfaceTest.elapsed_time`

Definition at line 53 of file `face_detection_test_far_angle.py`.

#### 7.37.4.2 `face_detection_test_far_angle.RapplInterfaceTest.msg`

Definition at line 40 of file `face_detection_test_far_angle.py`.

#### 7.37.4.3 `face_detection_test_far_angle.RapplInterfaceTest.svc`

Definition at line 41 of file `face_detection_test_far_angle.py`.

#### 7.37.4.4 `face_detection_test_far_angle.RapplInterfaceTest.valid_faces`

Definition at line 43 of file `face_detection_test_far_angle.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/face\\_detection\\_test\\_far\\_angle.py](#)

## 7.38 `face_detection_test_close_angle.RapplInterfaceTest` Class Reference

### Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_faces`

### 7.38.1 Detailed Description

Definition at line 32 of file `face_detection_test_close_angle.py`.



## 7.38.2 Constructor & Destructor Documentation

### 7.38.2.1 `def face_detection_test_close_angle.RapplInterfaceTest.__init__( self )`

Definition at line 34 of file `face_detection_test_close_angle.py`.

## 7.38.3 Member Function Documentation

### 7.38.3.1 `def face_detection_test_close_angle.RapplInterfaceTest.execute( self )`

Definition at line 49 of file `face_detection_test_close_angle.py`.

### 7.38.3.2 `def face_detection_test_close_angle.RapplInterfaceTest.validate( self, response )`

Definition at line 58 of file `face_detection_test_close_angle.py`.

## 7.38.4 Member Data Documentation

### 7.38.4.1 `face_detection_test_close_angle.RapplInterfaceTest.elapsed_time`

Definition at line 54 of file `face_detection_test_close_angle.py`.

### 7.38.4.2 `face_detection_test_close_angle.RapplInterfaceTest.msg`

Definition at line 40 of file `face_detection_test_close_angle.py`.

### 7.38.4.3 `face_detection_test_close_angle.RapplInterfaceTest.svc`

Definition at line 41 of file `face_detection_test_close_angle.py`.

### 7.38.4.4 `face_detection_test_close_angle.RapplInterfaceTest.valid_faces`

Definition at line 43 of file `face_detection_test_close_angle.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/face\\_detection\\_test\\_close\\_angle.py](#)

## 7.39 ontology\_is\_subsuperclass\_of\_SpatialThing.RapplInterfaceTest Class Reference

### Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

## Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_results](#)

### 7.39.1 Detailed Description

Definition at line 33 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

### 7.39.2 Constructor & Destructor Documentation

7.39.2.1 `def ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.__init__( self )`

Definition at line 35 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

### 7.39.3 Member Function Documentation

7.39.3.1 `def ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.execute( self )`

Definition at line 46 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

7.39.3.2 `def ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.validate( self, response )`

Definition at line 55 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

### 7.39.4 Member Data Documentation

7.39.4.1 `ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.elapsed_time`

Definition at line 51 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

7.39.4.2 `ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.msg`

Definition at line 38 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

7.39.4.3 `ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.svc`

Definition at line 42 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

7.39.4.4 `ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.valid_results`

Definition at line 37 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/ontology\\_is\\_subsuperclass\\_of\\_SpatialThing.py](#)

## 7.40 qr\_detection\_test\_easy\_far.RapplInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_results](#)

#### 7.40.1 Detailed Description

Definition at line 33 of file qr\_detection\_test\_easy\_far.py.

#### 7.40.2 Constructor & Destructor Documentation

7.40.2.1 `def qr_detection_test_easy_far.RapplInterfaceTest.__init__( self )`

Definition at line 35 of file qr\_detection\_test\_easy\_far.py.

#### 7.40.3 Member Function Documentation

7.40.3.1 `def qr_detection_test_easy_far.RapplInterfaceTest.execute( self )`

Definition at line 50 of file qr\_detection\_test\_easy\_far.py.

7.40.3.2 `def qr_detection_test_easy_far.RapplInterfaceTest.validate( self, response )`

Definition at line 58 of file qr\_detection\_test\_easy\_far.py.

#### 7.40.4 Member Data Documentation

7.40.4.1 `qr_detection_test_easy_far.RapplInterfaceTest.elapsed_time`

Definition at line 54 of file qr\_detection\_test\_easy\_far.py.

7.40.4.2 `qr_detection_test_easy_far.RapplInterfaceTest.msg`

Definition at line 40 of file qr\_detection\_test\_easy\_far.py.

7.40.4.3 `qr_detection_test_easy_far.RapplInterfaceTest.svc`

Definition at line 41 of file qr\_detection\_test\_easy\_far.py.

#### 7.40.4.4 qr\_detection\_test\_easy\_far.RapplInterfaceTest.valid\_results

Definition at line 43 of file qr\_detection\_test\_easy\_far.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_easy\_far.py

### 7.41 face\_detection\_test\_far\_straight.RapplInterfaceTest Class Reference

#### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

#### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_faces](#)

#### 7.41.1 Detailed Description

Definition at line 32 of file face\_detection\_test\_far\_straight.py.

#### 7.41.2 Constructor & Destructor Documentation

##### 7.41.2.1 def face\_detection\_test\_far\_straight.RapplInterfaceTest.\_\_init\_\_ ( self )

Definition at line 34 of file face\_detection\_test\_far\_straight.py.

#### 7.41.3 Member Function Documentation

##### 7.41.3.1 def face\_detection\_test\_far\_straight.RapplInterfaceTest.execute ( self )

Definition at line 49 of file face\_detection\_test\_far\_straight.py.

##### 7.41.3.2 def face\_detection\_test\_far\_straight.RapplInterfaceTest.validate ( self, response )

Definition at line 57 of file face\_detection\_test\_far\_straight.py.

#### 7.41.4 Member Data Documentation

##### 7.41.4.1 face\_detection\_test\_far\_straight.RapplInterfaceTest.elapsed\_time

Definition at line 53 of file face\_detection\_test\_far\_straight.py.

#### 7.41.4.2 face\_detection\_test\_far\_straight.RapInterfaceTest.msg

Definition at line 40 of file face\_detection\_test\_far\_straight.py.

#### 7.41.4.3 face\_detection\_test\_far\_straight.RapInterfaceTest.svc

Definition at line 41 of file face\_detection\_test\_far\_straight.py.

#### 7.41.4.4 face\_detection\_test\_far\_straight.RapInterfaceTest.valid\_faces

Definition at line 43 of file face\_detection\_test\_far\_straight.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/face\\_detection\\_test\\_far\\_straight.py](#)

## 7.42 geolocation\_pass\_ipaddr.RapInterfaceTest Class Reference

### Public Member Functions

- [def \\_\\_init\\_\\_](#)
- [def execute](#)
- [def validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [validResults](#)

### 7.42.1 Detailed Description

Definition at line 31 of file geolocation\_pass\_ipaddr.py.

### 7.42.2 Constructor & Destructor Documentation

#### 7.42.2.1 def geolocation\_pass\_ipaddr.RapInterfaceTest.\_\_init\_\_( self )

Definition at line 33 of file geolocation\_pass\_ipaddr.py.

### 7.42.3 Member Function Documentation

#### 7.42.3.1 def geolocation\_pass\_ipaddr.RapInterfaceTest.execute( self )

Definition at line 50 of file geolocation\_pass\_ipaddr.py.

#### 7.42.3.2 def geolocation\_pass\_ipaddr.RapInterfaceTest.validate( self, response )

Definition at line 59 of file geolocation\_pass\_ipaddr.py.

### 7.42.4 Member Data Documentation

#### 7.42.4.1 `geolocation_pass_ipaddr.RappInterfaceTest.elapsed_time`

Definition at line 55 of file `geolocation_pass_ipaddr.py`.

#### 7.42.4.2 `geolocation_pass_ipaddr.RappInterfaceTest.msg`

Definition at line 46 of file `geolocation_pass_ipaddr.py`.

#### 7.42.4.3 `geolocation_pass_ipaddr.RappInterfaceTest.svc`

Definition at line 47 of file `geolocation_pass_ipaddr.py`.

#### 7.42.4.4 `geolocation_pass_ipaddr.RappInterfaceTest.validResults`

Definition at line 34 of file `geolocation_pass_ipaddr.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/geolocation_pass_ipaddr.py`

## 7.43 `face_detection_test_two_faces_jpg.RappInterfaceTest` Class Reference

### Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_numFaces`

### 7.43.1 Detailed Description

Definition at line 32 of file `face_detection_test_two_faces_jpg.py`.

### 7.43.2 Constructor & Destructor Documentation

#### 7.43.2.1 `def face_detection_test_two_faces_jpg.RappInterfaceTest.__init__( self )`

Definition at line 34 of file `face_detection_test_two_faces_jpg.py`.

### 7.43.3 Member Function Documentation

#### 7.43.3.1 `def face_detection_test_two_faces_jpg.RappInterfaceTest.execute ( self )`

Definition at line 46 of file `face_detection_test_two_faces_jpg.py`.

#### 7.43.3.2 `def face_detection_test_two_faces_jpg.RappInterfaceTest.validate ( self, response )`

Definition at line 54 of file `face_detection_test_two_faces_jpg.py`.

### 7.43.4 Member Data Documentation

#### 7.43.4.1 `face_detection_test_two_faces_jpg.RappInterfaceTest.elapsed_time`

Definition at line 50 of file `face_detection_test_two_faces_jpg.py`.

#### 7.43.4.2 `face_detection_test_two_faces_jpg.RappInterfaceTest.msg`

Definition at line 40 of file `face_detection_test_two_faces_jpg.py`.

#### 7.43.4.3 `face_detection_test_two_faces_jpg.RappInterfaceTest.svc`

Definition at line 41 of file `face_detection_test_two_faces_jpg.py`.

#### 7.43.4.4 `face_detection_test_two_faces_jpg.RappInterfaceTest.valid_numFaces`

Definition at line 43 of file `face_detection_test_two_faces_jpg.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_two_faces_jpg.py`

## 7.44 qr\_detection\_test\_medium\_medium.RappInterfaceTest Class Reference

### Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_results`

### 7.44.1 Detailed Description

Definition at line 33 of file `qr_detection_test_medium_medium.py`.

### 7.44.2 Constructor & Destructor Documentation

#### 7.44.2.1 `def qr_detection_test_medium_medium.RapplInterfaceTest.__init__( self )`

Definition at line 35 of file `qr_detection_test_medium_medium.py`.

### 7.44.3 Member Function Documentation

#### 7.44.3.1 `def qr_detection_test_medium_medium.RapplInterfaceTest.execute( self )`

Definition at line 50 of file `qr_detection_test_medium_medium.py`.

#### 7.44.3.2 `def qr_detection_test_medium_medium.RapplInterfaceTest.validate( self, response )`

Definition at line 58 of file `qr_detection_test_medium_medium.py`.

### 7.44.4 Member Data Documentation

#### 7.44.4.1 `qr_detection_test_medium_medium.RapplInterfaceTest.elapsed_time`

Definition at line 54 of file `qr_detection_test_medium_medium.py`.

#### 7.44.4.2 `qr_detection_test_medium_medium.RapplInterfaceTest.msg`

Definition at line 40 of file `qr_detection_test_medium_medium.py`.

#### 7.44.4.3 `qr_detection_test_medium_medium.RapplInterfaceTest.svc`

Definition at line 41 of file `qr_detection_test_medium_medium.py`.

#### 7.44.4.4 `qr_detection_test_medium_medium.RapplInterfaceTest.valid_results`

Definition at line 43 of file `qr_detection_test_medium_medium.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_medium.py`

## 7.45 `qr_detection_test_medium_near.RapplInterfaceTest` Class Reference

### Public Member Functions

- `def __init__`
- `def execute`
- `def validate`



## Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_results](#)

### 7.45.1 Detailed Description

Definition at line 33 of file qr\_detection\_test\_medium\_near.py.

### 7.45.2 Constructor & Destructor Documentation

7.45.2.1 `def qr_detection_test_medium_near.RappInterfaceTest.__init__( self )`

Definition at line 35 of file qr\_detection\_test\_medium\_near.py.

### 7.45.3 Member Function Documentation

7.45.3.1 `def qr_detection_test_medium_near.RappInterfaceTest.execute( self )`

Definition at line 50 of file qr\_detection\_test\_medium\_near.py.

7.45.3.2 `def qr_detection_test_medium_near.RappInterfaceTest.validate( self, response )`

Definition at line 58 of file qr\_detection\_test\_medium\_near.py.

### 7.45.4 Member Data Documentation

7.45.4.1 `qr_detection_test_medium_near.RappInterfaceTest.elapsed_time`

Definition at line 54 of file qr\_detection\_test\_medium\_near.py.

7.45.4.2 `qr_detection_test_medium_near.RappInterfaceTest.msg`

Definition at line 40 of file qr\_detection\_test\_medium\_near.py.

7.45.4.3 `qr_detection_test_medium_near.RappInterfaceTest.svc`

Definition at line 41 of file qr\_detection\_test\_medium\_near.py.

7.45.4.4 `qr_detection_test_medium_near.RappInterfaceTest.valid_results`

Definition at line 43 of file qr\_detection\_test\_medium\_near.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/qr\\_detection\\_test\\_medium\\_near.py](#)

## 7.46 qr\_detection\_test\_easy\_medium.RapplInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_results](#)

### 7.46.1 Detailed Description

Definition at line 33 of file qr\_detection\_test\_easy\_medium.py.

### 7.46.2 Constructor & Destructor Documentation

7.46.2.1 `def qr_detection_test_easy_medium.RapplInterfaceTest.__init__( self )`

Definition at line 35 of file qr\_detection\_test\_easy\_medium.py.

### 7.46.3 Member Function Documentation

7.46.3.1 `def qr_detection_test_easy_medium.RapplInterfaceTest.execute( self )`

Definition at line 50 of file qr\_detection\_test\_easy\_medium.py.

7.46.3.2 `def qr_detection_test_easy_medium.RapplInterfaceTest.validate( self, response )`

Definition at line 58 of file qr\_detection\_test\_easy\_medium.py.

### 7.46.4 Member Data Documentation

7.46.4.1 `qr_detection_test_easy_medium.RapplInterfaceTest.elapsed_time`

Definition at line 54 of file qr\_detection\_test\_easy\_medium.py.

7.46.4.2 `qr_detection_test_easy_medium.RapplInterfaceTest.msg`

Definition at line 40 of file qr\_detection\_test\_easy\_medium.py.

7.46.4.3 `qr_detection_test_easy_medium.RapplInterfaceTest.svc`

Definition at line 41 of file qr\_detection\_test\_easy\_medium.py.

#### 7.46.4.4 qr\_detection\_test\_easy\_medium.RapplInterfaceTest.valid\_results

Definition at line 43 of file qr\_detection\_test\_easy\_medium.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_easy\_medium.py

## 7.47 qr\_detection\_test\_hard\_near.RapplInterfaceTest Class Reference

### Public Member Functions

- def [\\_\\_init\\_\\_](#)
- def [execute](#)
- def [validate](#)

### Public Attributes

- [elapsed\\_time](#)
- [msg](#)
- [svc](#)
- [valid\\_results](#)

### 7.47.1 Detailed Description

Definition at line 33 of file qr\_detection\_test\_hard\_near.py.

### 7.47.2 Constructor & Destructor Documentation

#### 7.47.2.1 def qr\_detection\_test\_hard\_near.RapplInterfaceTest.\_\_init\_\_( self )

Definition at line 35 of file qr\_detection\_test\_hard\_near.py.

### 7.47.3 Member Function Documentation

#### 7.47.3.1 def qr\_detection\_test\_hard\_near.RapplInterfaceTest.execute( self )

Definition at line 50 of file qr\_detection\_test\_hard\_near.py.

#### 7.47.3.2 def qr\_detection\_test\_hard\_near.RapplInterfaceTest.validate( self, response )

Definition at line 58 of file qr\_detection\_test\_hard\_near.py.

### 7.47.4 Member Data Documentation

#### 7.47.4.1 qr\_detection\_test\_hard\_near.RapplInterfaceTest.elapsed\_time

Definition at line 54 of file qr\_detection\_test\_hard\_near.py.

#### 7.47.4.2 `qr_detection_test_hard_near.RappInterfaceTest.msg`

Definition at line 40 of file `qr_detection_test_hard_near.py`.

#### 7.47.4.3 `qr_detection_test_hard_near.RappInterfaceTest.svc`

Definition at line 41 of file `qr_detection_test_hard_near.py`.

#### 7.47.4.4 `qr_detection_test_hard_near.RappInterfaceTest.valid_results`

Definition at line 43 of file `qr_detection_test_hard_near.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/exclude/qr\\_detection\\_test\\_hard\\_near.py](#)

## 7.48 `cognitive_record_performance_arithmetic.RappInterfaceTest` Class Reference

### Public Member Functions

- `def \_\_init\_\_`
- `def execute`
- `def validate`

### Public Attributes

- `elapsed\_time`
- `svc`
- `valid\_result\_partial`

#### 7.48.1 Detailed Description

Definition at line 30 of file `cognitive_record_performance_arithmetic.py`.

#### 7.48.2 Constructor & Destructor Documentation

##### 7.48.2.1 `def cognitive_record_performance_arithmetic.RappInterfaceTest.__init__( self )`

Definition at line 32 of file `cognitive_record_performance_arithmetic.py`.

#### 7.48.3 Member Function Documentation

##### 7.48.3.1 `def cognitive_record_performance_arithmetic.RappInterfaceTest.execute( self )`

Definition at line 40 of file `cognitive_record_performance_arithmetic.py`.

##### 7.48.3.2 `def cognitive_record_performance_arithmetic.RappInterfaceTest.validate( self, response )`

Definition at line 48 of file `cognitive_record_performance_arithmetic.py`.

#### 7.48.4 Member Data Documentation

##### 7.48.4.1 cognitive\_record\_performance\_arithmetic.RappInterfaceTest.elapsed\_time

Definition at line 45 of file cognitive\_record\_performance\_arithmetic.py.

##### 7.48.4.2 cognitive\_record\_performance\_arithmetic.RappInterfaceTest.svc

Definition at line 33 of file cognitive\_record\_performance\_arithmetic.py.

##### 7.48.4.3 cognitive\_record\_performance\_arithmetic.RappInterfaceTest.valid\_result\_partial

Definition at line 38 of file cognitive\_record\_performance\_arithmetic.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/issues/cognitive\\_record\\_performance\\_arithmetic.py](#)

### 7.49 user\_personal\_info.RappInterfaceTest Class Reference

#### Public Member Functions

- [def \\_\\_init\\_\\_](#)
- [def execute](#)
- [def validate](#)

#### Public Attributes

- [elapsed\\_time](#)
- [rappCloud](#)
- [valid\\_results](#)

#### 7.49.1 Detailed Description

Definition at line 30 of file user\_personal\_info.py.

#### 7.49.2 Constructor & Destructor Documentation

##### 7.49.2.1 `def user_personal_info.RappInterfaceTest.__init__( self )`

Definition at line 32 of file user\_personal\_info.py.

#### 7.49.3 Member Function Documentation

##### 7.49.3.1 `def user_personal_info.RappInterfaceTest.execute( self )`

Definition at line 49 of file user\_personal\_info.py.

7.49.3.2 `def user_personal_info.RappInterfaceTest.validate ( self, response )`

Definition at line 59 of file `user_personal_info.py`.

#### 7.49.4 Member Data Documentation

7.49.4.1 `user_personal_info.RappInterfaceTest.elapsed_time`

Definition at line 55 of file `user_personal_info.py`.

7.49.4.2 `user_personal_info.RappInterfaceTest.rappCloud`

Definition at line 33 of file `user_personal_info.py`.

7.49.4.3 `user_personal_info.RappInterfaceTest.valid_results`

Definition at line 34 of file `user_personal_info.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/issues/user\\_personal\\_info.py](#)

## 7.50 email\_send\_single\_attach.RappInterfaceTest Class Reference

### Public Member Functions

- `def \_\_init\_\_`
- `def execute`
- `def validate`

### Public Attributes

- `attach`
- `elapsed\_time`
- `msg`
- `svc`

#### 7.50.1 Detailed Description

Definition at line 32 of file `email_send_single_attach.py`.

#### 7.50.2 Constructor & Destructor Documentation

7.50.2.1 `def email_send_single_attach.RappInterfaceTest.__init__ ( self )`

Definition at line 34 of file `email_send_single_attach.py`.

### 7.50.3 Member Function Documentation

#### 7.50.3.1 `def email_send_single_attach.RappInterfaceTest.execute ( self )`

Definition at line 52 of file `email_send_single_attach.py`.

#### 7.50.3.2 `def email_send_single_attach.RappInterfaceTest.validate ( self, response )`

Definition at line 60 of file `email_send_single_attach.py`.

### 7.50.4 Member Data Documentation

#### 7.50.4.1 `email_send_single_attach.RappInterfaceTest.attach`

Definition at line 37 of file `email_send_single_attach.py`.

#### 7.50.4.2 `email_send_single_attach.RappInterfaceTest.elapsed_time`

Definition at line 57 of file `email_send_single_attach.py`.

#### 7.50.4.3 `email_send_single_attach.RappInterfaceTest.msg`

Definition at line 39 of file `email_send_single_attach.py`.

#### 7.50.4.4 `email_send_single_attach.RappInterfaceTest.svc`


Definition at line 49 of file `email_send_single_attach.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email\_send\_single\_attach.py`

## 7.51 speech\_detection\_sphinx\_tests.SpeechDetectionSphinxTests Class Reference

Inheritance diagram for `speech_detection_sphinx_tests.SpeechDetectionSphinxTests`:



Collaboration diagram for `speech_detection_sphinx_tests.SpeechDetectionSphinxTests`:



### Public Member Functions

- def `setUp`
- def `test_headset_nai_oxi`
- def `test_ogg_no`
- def `test_ogg_oxi`
- def `test_speech_erroneous`
- def `test_wav_1_ch_nai_oxi`
- def `test_wav_1_ch_yes_no`

### Public Attributes

- `ch`
- `pkgDir`

#### 7.51.1 Detailed Description

Definition at line 31 of file `speech_detection_sphinx_tests.py`.

#### 7.51.2 Member Function Documentation

7.51.2.1 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.setUp ( self )`

Definition at line 33 of file `speech_detection_sphinx_tests.py`.

7.51.2.2 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_headset_nai_oxi ( self )`

Definition at line 87 of file `speech_detection_sphinx_tests.py`.

7.51.2.3 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_ogg_no ( self )`

Definition at line 51 of file `speech_detection_sphinx_tests.py`.



7.51.2.4 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_ogg_oxi ( self )`

Definition at line 39 of file `speech_detection_sphinx_tests.py`.

7.51.2.5 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_speech_erroneous ( self )`

Definition at line 99 of file `speech_detection_sphinx_tests.py`.

7.51.2.6 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_wav_1_ch_nai_oxi ( self )`

Definition at line 75 of file `speech_detection_sphinx_tests.py`.

7.51.2.7 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_wav_1_ch_yes_no ( self )`

Definition at line 63 of file `speech_detection_sphinx_tests.py`.

### 7.51.3 Member Data Documentation

7.51.3.1 `speech_detection_sphinx_tests.SpeechDetectionSphinxTests.ch`

Definition at line 37 of file `speech_detection_sphinx_tests.py`.

7.51.3.2 `speech_detection_sphinx_tests.SpeechDetectionSphinxTests.pkgDir`


Definition at line 35 of file `speech_detection_sphinx_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_tests.py`

## 7.52 speech\_detection\_google\_tests.SpeechDetectionGoogleTests Class Reference

Inheritance diagram for `speech_detection_google_tests.SpeechDetectionGoogleTests`:



Collaboration diagram for `speech_detection_google_tests.SpeechDetectionGoogleTests`:



### Public Member Functions

- def `setUp`
- def `test_erroneous`
- def `test_speechNormal`

### Public Attributes

- `ch`
- `pkgDir`

#### 7.52.1 Detailed Description

Definition at line 31 of file `speech_detection_google_tests.py`.

#### 7.52.2 Member Function Documentation

7.52.2.1 `def speech_detection_google_tests.SpeechDetectionGoogleTests.setUp ( self )`

Definition at line 33 of file `speech_detection_google_tests.py`.

7.52.2.2 `def speech_detection_google_tests.SpeechDetectionGoogleTests.test_erroneous ( self )`

Definition at line 50 of file `speech_detection_google_tests.py`.

7.52.2.3 `def speech_detection_google_tests.SpeechDetectionGoogleTests.test_speechNormal ( self )`

Definition at line 39 of file `speech_detection_google_tests.py`.

#### 7.52.3 Member Data Documentation

7.52.3.1 `speech_detection_google_tests.SpeechDetectionGoogleTests.ch`

Definition at line 34 of file `speech_detection_google_tests.py`.

7.52.3.2 `speech_detection_google_tests.SpeechDetectionGoogleTests.pkgDir`


Definition at line 37 of file `speech_detection_google_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_google_tests.py`

7.53 `template_test.TemplateTests` Class Reference

Inheritance diagram for `template_test.TemplateTests`:



Collaboration diagram for `template_test.TemplateTests`:

**Public Member Functions**

- def `setUp`
- def `test_templateTest`

**Public Attributes**

- `ch`
- `pkgDir`

### 7.53.1 Detailed Description

Definition at line 31 of file `template_test.py`.

### 7.53.2 Member Function Documentation

#### 7.53.2.1 `def template_test.TemplateTests.setUp ( self )`

Definition at line 33 of file `template_test.py`.

#### 7.53.2.2 `def template_test.TemplateTests.test_templateTest ( self )`

Definition at line 39 of file `template_test.py`.

### 7.53.3 Member Data Documentation

#### 7.53.3.1 `template_test.TemplateTests.ch`

Definition at line 34 of file `template_test.py`.

#### 7.53.3.2 `template_test.TemplateTests.pkgDir`


Definition at line 37 of file `template_test.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/template\_test.py`

## 7.54 `text_to_speech_tests.TextToSpeechTests` Class Reference

Inheritance diagram for `text_to_speech_tests.TextToSpeechTests`:



Collaboration diagram for text\_to\_speech\_tests.TextToSpeechTests:



### Public Member Functions

- def [setUp](#)
- def [test\\_greek\\_test](#)
- def [test\\_tts\\_erroneous](#)

### Public Attributes

- [ch](#)

#### 7.54.1 Detailed Description

Definition at line 30 of file text\_to\_speech\_tests.py.

#### 7.54.2 Member Function Documentation

7.54.2.1 `def text_to_speech_tests.TextToSpeechTests.setUp ( self )`

Definition at line 32 of file text\_to\_speech\_tests.py.

7.54.2.2 `def text_to_speech_tests.TextToSpeechTests.test_greek_test ( self )`

Definition at line 35 of file text\_to\_speech\_tests.py.

7.54.2.3 `def text_to_speech_tests.TextToSpeechTests.test_tts_erroneous ( self )`

Definition at line 43 of file text\_to\_speech\_tests.py.

#### 7.54.3 Member Data Documentation

7.54.3.1 `text_to_speech_tests.TextToSpeechTests.ch`

Definition at line 33 of file text\_to\_speech\_tests.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_testing\\_tools/scripts/default\\_tests/text\\_to\\_speech\\_tests.py](#)

## Chapter 8

# File Documentation

### 8.1 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/README.md File Reference

### 8.2 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/cognitive\_test\_chooser\_tests.py File Reference

#### Classes

- class [cognitive\\_test\\_chooser\\_tests.CognitiveTestChooserTests](#)

#### Namespaces

- [cognitive\\_test\\_chooser\\_tests](#)

#### Variables

- tuple [cognitive\\_test\\_chooser\\_tests.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

### 8.3 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/cognitive\_test\_record\_tests.py File Reference

#### Classes

- class [cognitive\\_test\\_record\\_tests.CognitiveTestRecordTests](#)

#### Namespaces

- [cognitive\\_test\\_record\\_tests](#)

#### Variables

- tuple [cognitive\\_test\\_record\\_tests.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

## 8.4 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/cognitive-\_test\_user\_history\_tests.py File Reference

### Classes

- class [cognitive\\_test\\_user\\_history\\_tests.CognitiveTestHistoryTests](#)

### Namespaces

- [cognitive\\_test\\_user\\_history\\_tests](#)

### Variables

- tuple [cognitive\\_test\\_user\\_history\\_tests.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

## 8.5 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/cognitive-\_test\_user\_scores\_tests.py File Reference

### Classes

- class [cognitive\\_test\\_user\\_scores\\_tests.CognitiveTestScoresTests](#)

### Namespaces

- [cognitive\\_test\\_user\\_scores\\_tests](#)

### Variables

- tuple [cognitive\\_test\\_user\\_scores\\_tests.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

## 8.6 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/denoise-\_profile\_tests.py File Reference

### Classes

- class [denoise\\_profile\\_tests.DenoiseProfileTests](#)

### Namespaces

- [denoise\\_profile\\_tests](#)

### Variables

- tuple [denoise\\_profile\\_tests.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`



## 8.7 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/email\_fetch.py File Reference

### Classes

- class [email\\_fetch.RappInterfaceTest](#)

### Namespaces

- [email\\_fetch](#)

### Variables

- tuple [email\\_fetch.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.8 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/email\_send\_single\_attach.py File Reference

### Classes

- class [email\\_send\\_single\\_attach.RappInterfaceTest](#)

### Namespaces

- [email\\_send\\_single\\_attach](#)

### Variables

- tuple [email\\_send\\_single\\_attach.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.9 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/email\_send\_zip.py File Reference

### Classes

- class [email\\_send\\_zip.RappInterfaceTest](#)

### Namespaces

- [email\\_send\\_zip](#)

### Variables

- tuple [email\\_send\\_zip.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.10 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/face-detection\_test\_close\_angle.py File Reference

### Classes

- class [face\\_detection\\_test\\_close\\_angle.RappInterfaceTest](#)

### Namespaces

- [face\\_detection\\_test\\_close\\_angle](#)

### Variables

- tuple [face\\_detection\\_test\\_close\\_angle.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.11 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/face-detection\_test\_far\_angle.py File Reference

### Classes

- class [face\\_detection\\_test\\_far\\_angle.RappInterfaceTest](#)

### Namespaces

- [face\\_detection\\_test\\_far\\_angle](#)

### Variables

- tuple [face\\_detection\\_test\\_far\\_angle.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.12 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/face-detection\_test\_far\_straight.py File Reference

### Classes

- class [face\\_detection\\_test\\_far\\_straight.RappInterfaceTest](#)

### Namespaces

- [face\\_detection\\_test\\_far\\_straight](#)

### Variables

- tuple [face\\_detection\\_test\\_far\\_straight.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.13 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/face- \_detection\_test\_medium\_angle.py File Reference

### Classes

- class [face\\_detection\\_test\\_medium\\_angle.RaplInterfaceTest](#)

### Namespaces

- [face\\_detection\\_test\\_medium\\_angle](#)

### Variables

- tuple [face\\_detection\\_test\\_medium\\_angle.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.14 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/face- \_detection\_test\_medium\_straight.py File Reference

### Classes

- class [face\\_detection\\_test\\_medium\\_straight.RaplInterfaceTest](#)

### Namespaces

- [face\\_detection\\_test\\_medium\\_straight](#)

### Variables

- tuple [face\\_detection\\_test\\_medium\\_straight.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.15 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/face- \_detection\_test\_two\_faces\_jpg.py File Reference

### Classes

- class [face\\_detection\\_test\\_two\\_faces\\_jpg.RaplInterfaceTest](#)

### Namespaces

- [face\\_detection\\_test\\_two\\_faces\\_jpg](#)

### Variables

- tuple [face\\_detection\\_test\\_two\\_faces\\_jpg.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.16 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/geolocation\_pass\_ipaddr.py File Reference

### Classes

- class [geolocation\\_pass\\_ipaddr.RappInterfaceTest](#)

### Namespaces

- [geolocation\\_pass\\_ipaddr](#)

### Variables

- tuple [geolocation\\_pass\\_ipaddr.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

## 8.17 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/human\_detection\_test.py File Reference

### Classes

- class [human\\_detection\\_test.RappInterfaceTest](#)

### Namespaces

- [human\\_detection\\_test](#)

### Variables

- tuple [human\\_detection\\_test.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

## 8.18 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/news\_explore\_general.py File Reference

### Classes

- class [news\\_explore\\_general.RappInterfaceTest](#)

### Namespaces

- [news\\_explore\\_general](#)

### Variables

- tuple [news\\_explore\\_general.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

8.19 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/ontology\_is\_subsuperclass\_of\_SpatialThing.py File

Reference

115

8.19 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/ontology\_is\_subsuperclass\_of\_SpatialThing.py File Reference

## Classes

- class [ontology\\_is\\_subsuperclass\\_of\\_SpatialThing.RapplInterfaceTest](#)

## Namespaces

- [ontology\\_is\\_subsuperclass\\_of\\_SpatialThing](#)

## Variables

- tuple [ontology\\_is\\_subsuperclass\\_of\\_SpatialThing.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

8.20 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_easy\_far.py File Reference

## Classes

- class [qr\\_detection\\_test\\_easy\\_far.RapplInterfaceTest](#)

## Namespaces

- [qr\\_detection\\_test\\_easy\\_far](#)

## Variables

- tuple [qr\\_detection\\_test\\_easy\\_far.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

8.21 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_easy\_medium.py File Reference

## Classes

- class [qr\\_detection\\_test\\_easy\\_medium.RapplInterfaceTest](#)

## Namespaces

- [qr\\_detection\\_test\\_easy\\_medium](#)

## Variables

- tuple [qr\\_detection\\_test\\_easy\\_medium.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.22 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_near.py` File Reference

### Classes

- class `qr_detection_test_easy_near.RappInterfaceTest`

### Namespaces

- `qr_detection_test_easy_near`

### Variables

- tuple `qr_detection_test_easy_near.__path__` = `os.path.dirname(os.path.realpath(__file__))`

## 8.23 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_far.py` File Reference

### Classes

- class `qr_detection_test_hard_far.RappInterfaceTest`

### Namespaces

- `qr_detection_test_hard_far`

### Variables

- tuple `qr_detection_test_hard_far.__path__` = `os.path.dirname(os.path.realpath(__file__))`

## 8.24 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_medium.py` File Reference

### Classes

- class `qr_detection_test_hard_medium.RappInterfaceTest`

### Namespaces

- `qr_detection_test_hard_medium`

### Variables

- tuple `qr_detection_test_hard_medium.__path__` = `os.path.dirname(os.path.realpath(__file__))`

## 8.25 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr- \_detection\_test\_hard\_near.py File Reference

### Classes

- class [qr\\_detection\\_test\\_hard\\_near.RappInterfaceTest](#)

### Namespaces

- [qr\\_detection\\_test\\_hard\\_near](#)

### Variables

- tuple [qr\\_detection\\_test\\_hard\\_near.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.26 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr- \_detection\_test\_medium\_far.py File Reference

### Classes

- class [qr\\_detection\\_test\\_medium\\_far.RappInterfaceTest](#)

### Namespaces

- [qr\\_detection\\_test\\_medium\\_far](#)

### Variables

- tuple [qr\\_detection\\_test\\_medium\\_far.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.27 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr- \_detection\_test\_medium\_medium.py File Reference

### Classes

- class [qr\\_detection\\_test\\_medium\\_medium.RappInterfaceTest](#)

### Namespaces

- [qr\\_detection\\_test\\_medium\\_medium](#)

### Variables

- tuple [qr\\_detection\\_test\\_medium\\_medium.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.28 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr-detection\_test\_medium\_near.py File Reference

### Classes

- class [qr\\_detection\\_test\\_medium\\_near.RappInterfaceTest](#)

### Namespaces

- [qr\\_detection\\_test\\_medium\\_near](#)

### Variables

- tuple [qr\\_detection\\_test\\_medium\\_near.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.29 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech-detection\_google\_test\_ogg\_sentence2.py File Reference

### Classes

- class [speech\\_detection\\_google\\_test\\_ogg\\_sentence2.RappInterfaceTest](#)

### Namespaces

- [speech\\_detection\\_google\\_test\\_ogg\\_sentence2](#)

### Variables

- tuple [speech\\_detection\\_google\\_test\\_ogg\\_sentence2.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_ -  
))

## 8.30 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech-detection\_sphinx\_test\_headset\_deutera.py File Reference

### Classes

- class [speech\\_detection\\_sphinx\\_test\\_headset\\_deutera.RappInterfaceTest](#)

### Namespaces

- [speech\\_detection\\_sphinx\\_test\\_headset\\_deutera](#)

### Variables

- tuple [speech\\_detection\\_sphinx\\_test\\_headset\\_deutera.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_ -  
\_))



8.31 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech\_detection\_sphinx\_test\_headset\_steile\_mail.py File

Reference

119

## 8.31 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech\_detection\_sphinx\_test\_headset\_steile\_mail.py File Reference

### Classes

- class [speech\\_detection\\_sphinx\\_test\\_headset\\_steile\\_mail.RapplInterfaceTest](#)

### Namespaces

- [speech\\_detection\\_sphinx\\_test\\_headset\\_steile\\_mail](#)

### Variables

- tuple [speech\\_detection\\_sphinx\\_test\\_headset\\_steile\\_mail.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.32 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_email\_robot.py File Reference

### Classes

- class [speech\\_detection\\_sphinx\\_test\\_nao\\_wav\\_1\\_ch\\_email\\_robot.RapplInterfaceTest](#)

### Namespaces

- [speech\\_detection\\_sphinx\\_test\\_nao\\_wav\\_1\\_ch\\_email\\_robot](#)

### Variables

- tuple [speech\\_detection\\_sphinx\\_test\\_nao\\_wav\\_1\\_ch\\_email\\_robot.\\_\\_path\\_\\_](#) = os.path.dirname(path.realpath(\_\_file\_\_))

## 8.33 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia.py File Reference

### Classes

- class [speech\\_detection\\_sphinx\\_test\\_nao\\_wav\\_1\\_ch\\_thelw\\_voithia.RapplInterfaceTest](#)

### Namespaces

- [speech\\_detection\\_sphinx\\_test\\_nao\\_wav\\_1\\_ch\\_thelw\\_voithia](#)

### Variables

- tuple [speech\\_detection\\_sphinx\\_test\\_nao\\_wav\\_1\\_ch\\_thelw\\_voithia.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

### 8.34 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech-detection\_sphinx\_test\_ogg\_deutera.py File Reference

#### Classes

- class [speech\\_detection\\_sphinx\\_test\\_ogg\\_deutera.RappInterfaceTest](#)

#### Namespaces

- [speech\\_detection\\_sphinx\\_test\\_ogg\\_deutera](#)

#### Variables

- tuple [speech\\_detection\\_sphinx\\_test\\_ogg\\_deutera.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

### 8.35 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech-detection\_sphinx\_test\_ogg\_monday.py File Reference

#### Classes

- class [speech\\_detection\\_sphinx\\_test\\_ogg\\_monday.RappInterfaceTest](#)

#### Namespaces

- [speech\\_detection\\_sphinx\\_test\\_ogg\\_monday](#)

#### Variables

- tuple [speech\\_detection\\_sphinx\\_test\\_ogg\\_monday.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

### 8.36 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech-detection\_sphinx\_test\_ogg\_triti.py File Reference

#### Classes

- class [speech\\_detection\\_sphinx\\_test\\_ogg\\_triti.RappInterfaceTest](#)

#### Namespaces

- [speech\\_detection\\_sphinx\\_test\\_ogg\\_triti](#)

#### Variables

- tuple [speech\\_detection\\_sphinx\\_test\\_ogg\\_triti.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

8.37 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech\_-  
detection\_sphinx\_test\_ogg\_tuesday.py File

Reference

121

8.37 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech-  
\_detection\_sphinx\_test\_ogg\_tuesday.py File Reference

## Classes

- class [speech\\_detection\\_sphinx\\_test\\_ogg\\_tuesday.RappInterfaceTest](#)

## Namespaces

- [speech\\_detection\\_sphinx\\_test\\_ogg\\_tuesday](#)

## Variables

- tuple [speech\\_detection\\_sphinx\\_test\\_ogg\\_tuesday.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

8.38 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/speech-  
\_detection\_sphinx\_test\_ogg\_yes.py File Reference

## Classes

- class [speech\\_detection\\_sphinx\\_test\\_ogg\\_yes.RappInterfaceTest](#)

## Namespaces

- [speech\\_detection\\_sphinx\\_test\\_ogg\\_yes](#)

## Variables

- tuple [speech\\_detection\\_sphinx\\_test\\_ogg\\_yes.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

8.39 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/weather-  
\_report\_current\_Athens.py File Reference

## Classes

- class [weather\\_report\\_current\\_Athens.RappInterfaceTest](#)

## Namespaces

- [weather\\_report\\_current\\_Athens](#)

## Variables

- tuple [weather\\_report\\_current\\_Athens.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.40 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/weather\_report\_forecast\_Athens.py File Reference

### Classes

- class [weather\\_report\\_forecast\\_Athens.RappInterfaceTest](#)

### Namespaces

- [weather\\_report\\_forecast\\_Athens](#)

### Variables

- tuple [weather\\_report\\_forecast\\_Athens.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

## 8.41 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/face\_detection\_tests.py File Reference

### Classes

- class [face\\_detection\\_tests.FaceDetectionTests](#)

### Namespaces

- [face\\_detection\\_tests](#)

### Variables

- tuple [face\\_detection\\_tests.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

## 8.42 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/hazard\_detection\_tests.py File Reference

### Classes

- class [hazard\\_detection\\_tests.HazardDetectionTests](#)

### Namespaces

- [hazard\\_detection\\_tests](#)

### Variables

- tuple [hazard\\_detection\\_tests.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

8.43

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/human\_detection\_tests.py

File Reference

123

## 8.43 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/human- \_detection\_tests.py File Reference

### Classes

- class [human\\_detection\\_tests.HumanDetectionTests](#)

### Namespaces

- [human\\_detection\\_tests](#)

### Variables

- tuple [human\\_detection\\_tests.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.44 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/issues/available- \_services\_test.py File Reference

### Classes

- class [available\\_services\\_test.RappInterfaceTest](#)

### Namespaces

- [available\\_services\\_test](#)

### Variables

- tuple [available\\_services\\_test.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.45 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/issues/cognitive- \_record\_performance\_arithmetic.py File Reference

### Classes

- class [cognitive\\_record\\_performance\\_arithmetic.RappInterfaceTest](#)

### Namespaces

- [cognitive\\_record\\_performance\\_arithmetic](#)

### Variables

- tuple [cognitive\\_record\\_performance\\_arithmetic.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.46 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/issues/user-\_personal\_info.py File Reference

### Classes

- class [user\\_personal\\_info.RappInterfaceTest](#)

### Namespaces

- [user\\_personal\\_info](#)

### Variables

- tuple [user\\_personal\\_info.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

## 8.47 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/object-\_recognition\_tests.py File Reference

### Classes

- class [object\\_recognition\\_tests.ObjectRecognitionTests](#)

### Namespaces

- [object\\_recognition\\_tests](#)

### Variables

- tuple [object\\_recognition\\_tests.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

## 8.48 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/ontology-\_tests.py File Reference

### Classes

- class [ontology\\_tests.OntologyTests](#)

### Namespaces

- [ontology\\_tests](#)

### Variables

- tuple [ontology\\_tests.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

8.49

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/path\_planning\_tests.py

File Reference

125

## 8.49 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/path-planning\_tests.py File Reference

### Classes

- class [path\\_planning\\_tests.PathPlanningTests](#)

### Namespaces

- [path\\_planning\\_tests](#)

### Variables

- tuple [path\\_planning\\_tests.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.50 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/qr-detection\_tests.py File Reference

### Classes

- class [qr\\_detection\\_tests.QrDetectionTests](#)

### Namespaces

- [qr\\_detection\\_tests](#)

### Variables

- tuple [qr\\_detection\\_tests.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.51 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/speech-detection\_google\_tests.py File Reference

### Classes

- class [speech\\_detection\\_google\\_tests.SpeechDetectionGoogleTests](#)

### Namespaces

- [speech\\_detection\\_google\\_tests](#)

### Variables

- tuple [speech\\_detection\\_google\\_tests.\\_\\_path\\_\\_](#) = os.path.dirname(os.path.realpath(\_\_file\_\_))

## 8.52 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/speech-detection\_sphinx\_tests.py File Reference

### Classes

- class [speech\\_detection\\_sphinx\\_tests.SpeechDetectionSphinxTests](#)

### Namespaces

- [speech\\_detection\\_sphinx\\_tests](#)

### Variables

- tuple [speech\\_detection\\_sphinx\\_tests.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

## 8.53 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/template\_test.py File Reference

### Classes

- class [template\\_test.TemplateTests](#)

### Namespaces

- [template\\_test](#)

### Variables

- tuple [template\\_test.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`

## 8.54 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/text-to\_speech\_tests.py File Reference

### Classes

- class [text\\_to\\_speech\\_tests.TextToSpeechTests](#)

### Namespaces

- [text\\_to\\_speech\\_tests](#)

### Variables

- tuple [text\\_to\\_speech\\_tests.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`



## 8.55 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/rapp\_run\_test.py File Reference

### Namespaces

- [rapp\\_run\\_test](#)

## 8.56 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/src/rapp\_testing\_tools/\_init\_.py File Reference

### Namespaces

- [rapp\\_testing\\_tools](#)

## 8.57 /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/src/rapp\_testing\_tools/rapp\_testing\_core.py File Reference

### Classes

- class [rapp\\_testing\\_tools.rapp\\_testing\\_core.bcolors](#)  
*----- Console colors ----- ##*

### Namespaces

- [rapp\\_testing\\_tools.rapp\\_testing\\_core](#)

### Functions

- def [rapp\\_testing\\_tools.rapp\\_testing\\_core.append\\_to\\_system\\_path](#)  
*Append directory paths, given as input into the global system path.*
- def [rapp\\_testing\\_tools.rapp\\_testing\\_core.execute\\_tests\\_all](#)  
*Load and execute input given tests.*
- def [rapp\\_testing\\_tools.rapp\\_testing\\_core.get\\_test\\_files](#)  
*Parse input paths and export found test files.*
- def [rapp\\_testing\\_tools.rapp\\_testing\\_core.load\\_tests\\_paths](#)  
*Parse and get all given tests path directories, plus the default ones.*
- def [rapp\\_testing\\_tools.rapp\\_testing\\_core.main](#)  
*Main.*
- def [rapp\\_testing\\_tools.rapp\\_testing\\_core.parse\\_args](#)  
*----- ##*

### Variables

- tuple [rapp\\_testing\\_tools.rapp\\_testing\\_core.\\_\\_path\\_\\_](#) = `os.path.dirname(os.path.realpath(__file__))`
- tuple [rapp\\_testing\\_tools.rapp\\_testing\\_core.mutex](#) = `Lock()`
- dictionary [rapp\\_testing\\_tools.rapp\\_testing\\_core.results](#)
- list [rapp\\_testing\\_tools.rapp\\_testing\\_core.testClasses](#)  
*----- Test Classess ----- ##*

- dictionary [rapp\\_testing\\_tools.rapp\\_testing\\_core.testClassMatch](#)  
-----##

# Index

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/README.md, [109](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/cognitive\_test\_chooser\_tests.py, [109](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/cognitive\_test\_record\_tests.py, [109](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/cognitive\_test\_user\_history\_tests.py, [110](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/cognitive\_test\_user\_scores\_tests.py, [110](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/denoise\_profile\_tests.py, [110](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/email\_fetch.py, [111](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/email\_send\_single\_attach.py, [111](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/email\_send\_zip.py, [111](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/face\_detection\_test\_close\_angle.py, [112](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/face\_detection\_test\_far\_angle.py, [112](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/face\_detection\_test\_far\_straight.py, [112](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/face\_detection\_test\_medium\_angle.py, [113](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/geolocation\_pass\_ipaddr.py, [114](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/human\_detection\_test.py, [114](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/news\_explore\_general.py, [114](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_easy\_far.py, [115](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_easy\_medium.py, [115](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_easy\_near.py, [116](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_hard\_far.py, [116](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_hard\_medium.py, [116](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_hard\_near.py, [117](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_medium\_far.py, [117](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_medium\_medium.py, [117](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/qr\_detection\_test\_medium\_near.py, [118](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/weather\_report\_current\_Athens.py, [121](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/exclude/weather\_report\_forecast\_Athens.py, [122](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/face\_detection\_tests.py, [122](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/hazard\_detection\_tests.py, [122](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/human\_detection\_tests.py, [123](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/issues/available\_services\_test.py, [123](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/issues/cognitive\_record\_performance\_arithmetic.py, [123](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_testing\_tools/scripts/default\_tests/issues/user\_personal\_info.py, [124](#)

- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_ -  
tools/scripts/default\_tests/object\_recognition\_ -  
tests.py, [124](#)
- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_ -  
tools/scripts/default\_tests/ontology\_tests.py,  
[124](#)
- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_ -  
tools/scripts/default\_tests/path\_planning\_ -  
tests.py, [125](#)
- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_ -  
tools/scripts/default\_tests/qr\_detection\_tests\_ -  
py, [125](#)
- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_ -  
tools/scripts/default\_tests/speech\_detection\_ -  
google\_tests.py, [125](#)
- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_ -  
tools/scripts/default\_tests/speech\_detection\_ -  
sphinx\_tests.py, [126](#)
- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_ -  
tools/scripts/default\_tests/template\_test.py,  
[126](#)
- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_ -  
tools/scripts/default\_tests/text\_to\_speech\_ -  
tests.py, [126](#)
- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_ -  
tools/scripts/rapp\_run\_test.py, [127](#)
- /home/travis/rapp\_temp/rapp-platform/rapp\_testing\_ -  
tools/src/rapp\_testing\_tools/rapp\_testing\_ -  
core.py, [127](#)
- `__init__`
  - `available_services_test::RapplInterfaceTest`, [59](#)
  - `cognitive_record_performance_arithmetic::Rapp-`  
`InterfaceTest`, [98](#)
  - `email_fetch::RapplInterfaceTest`, [81](#)
  - `email_send_single_attach::RapplInterfaceTest`, [100](#)
  - `email_send_zip::RapplInterfaceTest`, [62](#)
  - `face_detection_test_close_angle::RapplInterface-`  
`Test`, [87](#)
  - `face_detection_test_far_angle::RapplInterfaceTest`,  
[85](#)
  - `face_detection_test_far_straight::RapplInterface-`  
`Test`, [90](#)
  - `face_detection_test_medium_angle::RapplInterface-`  
`Test`, [82](#)
  - `face_detection_test_medium_straight::Rapp-`  
`InterfaceTest`, [77](#)
  - `face_detection_test_two_faces_jpg::RapplInterface-`  
`Test`, [92](#)
  - `geolocation_pass_ipaddr::RapplInterfaceTest`, [91](#)
  - `human_detection_test::RapplInterfaceTest`, [63](#)
  - `news_explore_general::RapplInterfaceTest`, [72](#)
  - `ontology_is_subsuperclass_of_SpatialThing::-`  
`RapplInterfaceTest`, [88](#)
  - `qr_detection_test_easy_far::RapplInterfaceTest`, [89](#)
  - `qr_detection_test_easy_medium::RapplInterface-`  
`Test`, [96](#)
  - `qr_detection_test_easy_near::RapplInterfaceTest`,  
[84](#)
  - `qr_detection_test_hard_far::RapplInterfaceTest`, [83](#)
  - `qr_detection_test_hard_medium::RapplInterface-`  
`Test`, [61](#)
  - `qr_detection_test_hard_near::RapplInterfaceTest`,  
[97](#)
  - `qr_detection_test_medium_far::RapplInterfaceTest`,  
[80](#)
  - `qr_detection_test_medium_medium::RapplInterface-`  
`Test`, [94](#)
  - `qr_detection_test_medium_near::RapplInterface-`  
`Test`, [95](#)
  - `speech_detection_google_test_ogg_sentence2::-`  
`RapplInterfaceTest`, [76](#)
  - `speech_detection_sphinx_test_headset_deutera::-`  
`RapplInterfaceTest`, [75](#)
  - `speech_detection_sphinx_test_headset_steile_ -`  
`mail::RapplInterfaceTest`, [74](#)
  - `speech_detection_sphinx_test_ogg_deutera::-`  
`RapplInterfaceTest`, [71](#)
  - `speech_detection_sphinx_test_ogg_monday::-`  
`RapplInterfaceTest`, [79](#)
  - `speech_detection_sphinx_test_ogg_triti::Rapp-`  
`InterfaceTest`, [68](#)
  - `speech_detection_sphinx_test_ogg_tuesday::-`  
`RapplInterfaceTest`, [67](#)
  - `speech_detection_sphinx_test_ogg_yes::Rapp-`  
`InterfaceTest`, [66](#)
  - `user_personal_info::RapplInterfaceTest`, [99](#)
  - `weather_report_current_Athens::RapplInterface-`  
`Test`, [65](#)
  - `weather_report_forecast_Athens::RapplInterface-`  
`Test`, [64](#)
- `__path__`
  - `available_services_test`, [13](#)
  - `cognitive_record_performance_arithmetic`, [13](#)
  - `cognitive_test_chooser_tests`, [14](#)
  - `cognitive_test_record_tests`, [14](#)
  - `cognitive_test_user_history_tests`, [14](#)
  - `cognitive_test_user_scores_tests`, [15](#)
  - `denoise_profile_tests`, [15](#)
  - `email_fetch`, [15](#)
  - `email_send_single_attach`, [16](#)
  - `email_send_zip`, [16](#)
  - `face_detection_test_close_angle`, [16](#)
  - `face_detection_test_far_angle`, [17](#)
  - `face_detection_test_far_straight`, [17](#)
  - `face_detection_test_medium_angle`, [17](#)
  - `face_detection_test_medium_straight`, [18](#)
  - `face_detection_test_two_faces_jpg`, [18](#)
  - `face_detection_tests`, [18](#)
  - `geolocation_pass_ipaddr`, [19](#)
  - `hazard_detection_tests`, [19](#)
  - `human_detection_test`, [19](#)
  - `human_detection_tests`, [20](#)
  - `news_explore_general`, [20](#)
  - `object_recognition_tests`, [20](#)
  - `ontology_is_subsuperclass_of_SpatialThing`, [21](#)
  - `ontology_tests`, [21](#)

- path\_planning\_tests, 21
- qr\_detection\_test\_easy\_far, 22
- qr\_detection\_test\_easy\_medium, 22
- qr\_detection\_test\_easy\_near, 22
- qr\_detection\_test\_hard\_far, 23
- qr\_detection\_test\_hard\_medium, 23
- qr\_detection\_test\_hard\_near, 23
- qr\_detection\_test\_medium\_far, 24
- qr\_detection\_test\_medium\_medium, 24
- qr\_detection\_test\_medium\_near, 24
- qr\_detection\_tests, 25
- rapp\_testing\_tools::rapp\_testing\_core, 27
- speech\_detection\_google\_test\_ogg\_sentence2, 28
- speech\_detection\_google\_tests, 28
- speech\_detection\_sphinx\_test\_headset\_deutera, 29
- speech\_detection\_sphinx\_test\_headset\_steile\_mail, 29
- speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_email\_robot, 29
- speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia, 30
- speech\_detection\_sphinx\_test\_ogg\_deutera, 30
- speech\_detection\_sphinx\_test\_ogg\_monday, 30
- speech\_detection\_sphinx\_test\_ogg\_triti, 31
- speech\_detection\_sphinx\_test\_ogg\_tuesday, 31
- speech\_detection\_sphinx\_test\_ogg\_yes, 31
- speech\_detection\_sphinx\_tests, 32
- template\_test, 32
- text\_to\_speech\_tests, 32
- user\_personal\_info, 33
- weather\_report\_current\_Athens, 33
- weather\_report\_forecast\_Athens, 33
- append\_to\_system\_path
  - rapp\_testing\_tools::rapp\_testing\_core, 26
- attach
  - email\_send\_single\_attach::RappInterfaceTest, 101
- available\_services\_test, 13
  - \_\_path\_\_, 13
- available\_services\_test.RappInterfaceTest, 59
- available\_services\_test::RappInterfaceTest
  - \_\_init\_\_, 59
  - elapsed\_time, 60
  - execute, 60
  - rappCloud, 60
  - valid\_results, 60
  - validate, 60
- BOLD
  - rapp\_testing\_tools::rapp\_testing\_core::bcolors, 35
- ch
  - cognitive\_test\_chooser\_tests::CognitiveTestChooserTests, 38
  - cognitive\_test\_record\_tests::CognitiveTestRecordTests, 42
  - cognitive\_test\_user\_history\_tests::CognitiveTestHistoryTests, 40
  - cognitive\_test\_user\_scores\_tests::CognitiveTestScoresTests, 44
  - denoise\_profile\_tests::DenoiseProfileTests, 46
  - face\_detection\_tests::FaceDetectionTests, 48
  - hazard\_detection\_tests::HazardDetectionTests, 50
  - human\_detection\_tests::HumanDetectionTests, 52
  - object\_recognition\_tests::ObjectRecognitionTests, 53
  - ontology\_tests::OntologyTests, 55
  - path\_planning\_tests::PathPlanningTests, 57
  - qr\_detection\_tests::QrDetectionTests, 59
  - speech\_detection\_google\_tests::SpeechDetectionGoogleTests, 104
  - speech\_detection\_sphinx\_tests::SpeechDetectionSphinxTests, 103
  - template\_test::TemplateTests, 106
  - text\_to\_speech\_tests::TextToSpeechTests, 107
  - cognitive\_record\_performance\_arithmetic, 13
    - \_\_path\_\_, 13
  - cognitive\_record\_performance\_arithmetic.RappInterfaceTest, 98
  - cognitive\_record\_performance\_arithmetic::RappInterfaceTest
    - \_\_init\_\_, 98
    - elapsed\_time, 99
    - execute, 98
    - svc, 99
    - valid\_result\_partial, 99
    - validate, 98
  - cognitive\_test\_chooser\_tests, 13
    - \_\_path\_\_, 14
  - cognitive\_test\_chooser\_tests.CognitiveTestChooserTests, 36
  - cognitive\_test\_chooser\_tests::CognitiveTestChooserTests
    - ch, 38
    - setUp, 37
    - test\_selectArithmeticTest, 37
    - test\_selectAwarenessTest, 37
    - test\_selectNotExistentTest, 38
    - test\_selectReasoningTest, 38
  - cognitive\_test\_record\_tests, 14
    - \_\_path\_\_, 14
  - cognitive\_test\_record\_tests.CognitiveTestRecordTests, 41
  - cognitive\_test\_record\_tests::CognitiveTestRecordTests
    - ch, 42
    - setUp, 42
    - test\_recordArithmetic, 42
    - test\_recordAwareness, 42
    - test\_recordReasoning, 42
    - test\_recordWrongScoreType, 42
    - test\_recordWrongScoreValues, 42
    - test\_recordWrongType, 42
  - cognitive\_test\_user\_history\_tests, 14
    - \_\_path\_\_, 14

- cognitive\_test\_user\_history\_tests.CognitiveTestHistory-Tests, 39
- cognitive\_test\_user\_history\_tests::CognitiveTestHistoryTests
  - ch, 40
  - setUp, 40
  - test\_history\_wrongType, 40
  - test\_historyAll, 40
  - test\_historyArithmetic, 40
  - test\_historyAwareness, 40
  - test\_historyReasoning, 40
- cognitive\_test\_user\_scores\_tests, 15
  - \_\_path\_\_, 15
- cognitive\_test\_user\_scores\_tests.CognitiveTestScores-Tests, 43
- cognitive\_test\_user\_scores\_tests::CognitiveTestScores-Tests
  - ch, 44
  - setUp, 44
  - test\_scoresAll, 44
  - test\_scoresArithmetic, 44
  - test\_scoresAwareness, 44
  - test\_scoresReasoning, 44
  - test\_scoresWrongType, 44
  - test\_scoresWrongTypeList, 44
- denoise\_profile\_tests, 15
  - \_\_path\_\_, 15
- denoise\_profile\_tests.DenoiseProfileTests, 45
- denoise\_profile\_tests::DenoiseProfileTests
  - ch, 46
  - pkgDir, 46
  - setUp, 46
  - test\_setNoiseProfile, 46
  - test\_setNoiseProfile\_noExistentFile, 46
  - test\_setNoiseProfile\_wrongAudioTypeInputType, 46
  - test\_setNoiseProfile\_wrongFileInputType, 46
- ENDC
  - rapp\_testing\_tools::rapp\_testing\_core::bcolors, 35
- elapsed\_time
  - available\_services\_test::RapplInterfaceTest, 60
  - cognitive\_record\_performance\_arithmetic::RapplInterfaceTest, 99
  - email\_fetch::RapplInterfaceTest, 81
  - email\_send\_single\_attach::RapplInterfaceTest, 101
  - email\_send\_zip::RapplInterfaceTest, 62
  - face\_detection\_test\_close\_angle::RapplInterface-Test, 87
  - face\_detection\_test\_far\_angle::RapplInterfaceTest, 86
  - face\_detection\_test\_far\_straight::RapplInterface-Test, 90
  - face\_detection\_test\_medium\_angle::RapplInterface-Test, 82
  - face\_detection\_test\_medium\_straight::RapplInterfaceTest, 78
  - face\_detection\_test\_two\_faces\_jpg::RapplInterface-Test, 93
  - geolocation\_pass\_ipaddr::RapplInterfaceTest, 92
  - human\_detection\_test::RapplInterfaceTest, 63
  - news\_explore\_general::RapplInterfaceTest, 72
  - ontology\_is\_subsuperclass\_of\_SpatialThing::RapplInterfaceTest, 88
  - qr\_detection\_test\_easy\_far::RapplInterfaceTest, 89
  - qr\_detection\_test\_easy\_medium::RapplInterface-Test, 96
  - qr\_detection\_test\_easy\_near::RapplInterfaceTest, 85
  - qr\_detection\_test\_hard\_far::RapplInterfaceTest, 83
  - qr\_detection\_test\_hard\_medium::RapplInterface-Test, 61
  - qr\_detection\_test\_hard\_near::RapplInterfaceTest, 97
  - qr\_detection\_test\_medium\_far::RapplInterfaceTest, 80
  - qr\_detection\_test\_medium\_medium::RapplInterface-Test, 94
  - qr\_detection\_test\_medium\_near::RapplInterface-Test, 95
  - speech\_detection\_google\_test\_ogg\_sentence2::RapplInterfaceTest, 77
  - speech\_detection\_sphinx\_test\_headset\_deutera::RapplInterfaceTest, 75
  - speech\_detection\_sphinx\_test\_headset\_steile\_mail::RapplInterfaceTest, 74
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_email\_robot::RapplInterfaceTest, 73
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia::RapplInterfaceTest, 70
  - speech\_detection\_sphinx\_test\_ogg\_deutera::RapplInterfaceTest, 71
  - speech\_detection\_sphinx\_test\_ogg\_monday::RapplInterfaceTest, 79
  - speech\_detection\_sphinx\_test\_ogg\_triti::RapplInterfaceTest, 69
  - speech\_detection\_sphinx\_test\_ogg\_tuesday::RapplInterfaceTest, 67
  - speech\_detection\_sphinx\_test\_ogg\_yes::RapplInterfaceTest, 66
  - user\_personal\_info::RapplInterfaceTest, 100
  - weather\_report\_current\_Athens::RapplInterface-Test, 65
  - weather\_report\_forecast\_Athens::RapplInterface-Test, 64
- email\_fetch, 15
  - \_\_path\_\_, 15
- email\_fetch.RapplInterfaceTest, 81
- email\_fetch::RapplInterfaceTest
  - \_\_init\_\_, 81
  - elapsed\_time, 81
  - execute, 81
  - msg, 81
  - svc, 81
  - validate, 81

- email\_send\_single\_attach, 16
  - \_\_path\_\_, 16
- email\_send\_single\_attach.RapplInterfaceTest, 100
- email\_send\_single\_attach::RapplInterfaceTest
  - \_\_init\_\_, 100
  - attach, 101
  - elapsed\_time, 101
  - execute, 101
  - msg, 101
  - svc, 101
  - validate, 101
- email\_send\_zip, 16
  - \_\_path\_\_, 16
- email\_send\_zip.RapplInterfaceTest, 61
- email\_send\_zip::RapplInterfaceTest
  - \_\_init\_\_, 62
  - elapsed\_time, 62
  - execute, 62
  - msg, 62
  - svc, 62
  - validate, 62
- execute
  - available\_services\_test::RapplInterfaceTest, 60
  - cognitive\_record\_performance\_arithmetic::RapplInterfaceTest, 98
  - email\_fetch::RapplInterfaceTest, 81
  - email\_send\_single\_attach::RapplInterfaceTest, 101
  - email\_send\_zip::RapplInterfaceTest, 62
  - face\_detection\_test\_close\_angle::RapplInterfaceTest, 87
  - face\_detection\_test\_far\_angle::RapplInterfaceTest, 86
  - face\_detection\_test\_far\_straight::RapplInterfaceTest, 90
  - face\_detection\_test\_medium\_angle::RapplInterfaceTest, 82
  - face\_detection\_test\_medium\_straight::RapplInterfaceTest, 78
  - face\_detection\_test\_two\_faces\_jpg::RapplInterfaceTest, 93
  - geolocation\_pass\_ipaddr::RapplInterfaceTest, 91
  - human\_detection\_test::RapplInterfaceTest, 63
  - news\_explore\_general::RapplInterfaceTest, 72
  - ontology\_is\_subsuperclass\_of\_SpatialThing::RapplInterfaceTest, 88
  - qr\_detection\_test\_easy\_far::RapplInterfaceTest, 89
  - qr\_detection\_test\_easy\_medium::RapplInterfaceTest, 96
  - qr\_detection\_test\_easy\_near::RapplInterfaceTest, 84
  - qr\_detection\_test\_hard\_far::RapplInterfaceTest, 83
  - qr\_detection\_test\_hard\_medium::RapplInterfaceTest, 61
  - qr\_detection\_test\_hard\_near::RapplInterfaceTest, 97
  - qr\_detection\_test\_medium\_far::RapplInterfaceTest, 80
  - qr\_detection\_test\_medium\_medium::RapplInterfaceTest, 94
  - qr\_detection\_test\_medium\_near::RapplInterfaceTest, 95
  - speech\_detection\_google\_test\_ogg\_sentence2::RapplInterfaceTest, 76
  - speech\_detection\_sphinx\_test\_headset\_deutera::RapplInterfaceTest, 75
  - speech\_detection\_sphinx\_test\_headset\_steile\_mail::RapplInterfaceTest, 74
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_email\_robot::RapplInterfaceTest, 73
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia::RapplInterfaceTest, 70
  - speech\_detection\_sphinx\_test\_ogg\_deutera::RapplInterfaceTest, 71
  - speech\_detection\_sphinx\_test\_ogg\_monday::RapplInterfaceTest, 79
  - speech\_detection\_sphinx\_test\_ogg\_triti::RapplInterfaceTest, 68
  - speech\_detection\_sphinx\_test\_ogg\_tuesday::RapplInterfaceTest, 67
  - speech\_detection\_sphinx\_test\_ogg\_yes::RapplInterfaceTest, 66
  - user\_personal\_info::RapplInterfaceTest, 99
  - weather\_report\_current\_Athens::RapplInterfaceTest, 65
  - weather\_report\_forecast\_Athens::RapplInterfaceTest, 64
- execute\_tests\_all
  - rapp\_testing\_tools::rapp\_testing\_core, 26
- FAIL
  - rapp\_testing\_tools::rapp\_testing\_core::bcolors, 35
- face\_detection\_test\_close\_angle, 16
  - \_\_path\_\_, 16
- face\_detection\_test\_close\_angle.RapplInterfaceTest, 86
- face\_detection\_test\_close\_angle::RapplInterfaceTest
  - elapsed\_time, 87
  - execute, 87
  - msg, 87
  - svc, 87
  - valid\_faces, 87
  - validate, 87
- face\_detection\_test\_far\_angle, 17
  - \_\_path\_\_, 17
- face\_detection\_test\_far\_angle.RapplInterfaceTest, 85
- face\_detection\_test\_far\_angle::RapplInterfaceTest
  - elapsed\_time, 86
  - execute, 86
  - msg, 86
  - svc, 86
  - valid\_faces, 86
  - validate, 86
- face\_detection\_test\_far\_straight, 17
  - \_\_path\_\_, 17
- face\_detection\_test\_far\_straight.RapplInterfaceTest, 90
- face\_detection\_test\_far\_straight::RapplInterfaceTest
  - elapsed\_time, 90

- execute, 90
- msg, 90
- svc, 91
- valid\_faces, 91
- validate, 90
- face\_detection\_test\_medium\_angle, 17
  - \_\_path\_\_, 17
- face\_detection\_test\_medium\_angle.RappInterfaceTest, 82
- face\_detection\_test\_medium\_angle::RappInterfaceTest
  - elapsed\_time, 82
  - execute, 82
  - msg, 82
  - svc, 82
  - valid\_faces, 82
  - validate, 82
- face\_detection\_test\_medium\_straight, 18
  - \_\_path\_\_, 18
- face\_detection\_test\_medium\_straight.RappInterfaceTest, 77
- face\_detection\_test\_medium\_straight::RappInterfaceTest
  - elapsed\_time, 78
  - execute, 78
  - msg, 78
  - svc, 78
  - valid\_faces, 78
  - validate, 78
- face\_detection\_test\_two\_faces\_jpg, 18
  - \_\_path\_\_, 18
- face\_detection\_test\_two\_faces\_jpg.RappInterfaceTest, 92
- face\_detection\_test\_two\_faces\_jpg::RappInterfaceTest
  - elapsed\_time, 93
  - execute, 93
  - msg, 93
  - svc, 93
  - valid\_numFaces, 93
  - validate, 93
- face\_detection\_tests, 18
  - \_\_path\_\_, 18
- face\_detection\_tests.FaceDetectionTests, 47
- face\_detection\_tests::FaceDetectionTests
  - ch, 48
  - pkgDir, 48
  - setUp, 48
  - test\_closeStraight, 48
  - test\_erroneousFileType, 48
  - test\_lenna, 48
  - test\_multipleFaces, 48
  - test\_notExistentFile, 48
- geolocation\_pass\_ipaddr, 19
  - \_\_path\_\_, 19
- geolocation\_pass\_ipaddr.RappInterfaceTest, 91
- geolocation\_pass\_ipaddr::RappInterfaceTest
  - \_\_init\_\_, 91
  - elapsed\_time, 92
  - execute, 91
  - msg, 92
  - svc, 92
  - validResults, 92
  - validate, 91
- get\_test\_files
  - rapp\_testing\_tools::rapp\_testing\_core, 26
- HEADER
  - rapp\_testing\_tools::rapp\_testing\_core::bcolors, 35
- hazard\_detection\_tests, 19
  - \_\_path\_\_, 19
- hazard\_detection\_tests.HazardDetectionTests, 49
- hazard\_detection\_tests::HazardDetectionTests
  - ch, 50
  - pkgDir, 50
  - setUp, 50
  - test\_erroneousPath, 50
  - test\_lightLeftOn, 50
  - test\_wrongPathType, 50
- human\_detection\_test, 19
  - \_\_path\_\_, 19
- human\_detection\_test.RappInterfaceTest, 62
- human\_detection\_test::RappInterfaceTest
  - \_\_init\_\_, 63
  - elapsed\_time, 63
  - execute, 63
  - image, 63
  - msg, 63
  - svc, 63
  - valid\_humans, 63
  - validate, 63
- human\_detection\_tests, 20
  - \_\_path\_\_, 20
- human\_detection\_tests.HumanDetectionTests, 50
- human\_detection\_tests::HumanDetectionTests
  - ch, 52
  - pkgDir, 52
  - setUp, 51
  - test\_humanDetectionTest, 51
  - test\_humanDetectionTest\_wrongPath, 51
  - test\_humanDetectionTest\_wrongPathType, 51
- image
  - human\_detection\_test::RappInterfaceTest, 63
- load\_tests\_paths
  - rapp\_testing\_tools::rapp\_testing\_core, 26
- main
  - rapp\_testing\_tools::rapp\_testing\_core, 26
- msg
  - email\_fetch::RappInterfaceTest, 81
  - email\_send\_single\_attach::RappInterfaceTest, 101
  - email\_send\_zip::RappInterfaceTest, 62
  - face\_detection\_test\_close\_angle::RappInterfaceTest, 87
  - face\_detection\_test\_far\_angle::RappInterfaceTest, 86



- face\_detection\_test\_far\_straight::RapInterface-Test, [90](#)
- face\_detection\_test\_medium\_angle::RapInterface-Test, [82](#)
- face\_detection\_test\_medium\_straight::RapInterfaceTest, [78](#)
- face\_detection\_test\_two\_faces\_jpg::RapInterface-Test, [93](#)
- geolocation\_pass\_ipaddr::RapInterfaceTest, [92](#)
- human\_detection\_test::RapInterfaceTest, [63](#)
- news\_explore\_general::RapInterfaceTest, [72](#)
- ontology\_is\_subsuperclass\_of\_SpatialThing::RapInterfaceTest, [88](#)
- qr\_detection\_test\_easy\_far::RapInterfaceTest, [89](#)
- qr\_detection\_test\_easy\_medium::RapInterface-Test, [96](#)
- qr\_detection\_test\_easy\_near::RapInterfaceTest, [85](#)
- qr\_detection\_test\_hard\_far::RapInterfaceTest, [83](#)
- qr\_detection\_test\_hard\_medium::RapInterface-Test, [61](#)
- qr\_detection\_test\_hard\_near::RapInterfaceTest, [97](#)
- qr\_detection\_test\_medium\_far::RapInterfaceTest, [80](#)
- qr\_detection\_test\_medium\_medium::RapInterface-Test, [94](#)
- qr\_detection\_test\_medium\_near::RapInterface-Test, [95](#)
- speech\_detection\_google\_test\_ogg\_sentence2::RapInterfaceTest, [77](#)
- speech\_detection\_sphinx\_test\_headset\_deutera::RapInterfaceTest, [75](#)
- speech\_detection\_sphinx\_test\_headset\_steile\_mail::RapInterfaceTest, [74](#)
- speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_email\_robot::RapInterfaceTest, [73](#)
- speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia::RapInterfaceTest, [70](#)
- speech\_detection\_sphinx\_test\_ogg\_deutera::RapInterfaceTest, [71](#)
- speech\_detection\_sphinx\_test\_ogg\_monday::RapInterfaceTest, [79](#)
- speech\_detection\_sphinx\_test\_ogg\_triti::RapInterfaceTest, [69](#)
- speech\_detection\_sphinx\_test\_ogg\_tuesday::RapInterfaceTest, [67](#)
- speech\_detection\_sphinx\_test\_ogg\_yes::RapInterfaceTest, [66](#)
- weather\_report\_current\_Athens::RapInterface-Test, [65](#)
- weather\_report\_forecast\_Athens::RapInterface-Test, [64](#)
- mutex
  - rapp\_testing\_tools::rapp\_testing\_core, [27](#)
- news\_explore\_general, [20](#)
  - \_\_path\_\_, [20](#)
- news\_explore\_general.RapInterfaceTest, [71](#)
- news\_explore\_general::RapInterfaceTest
  - \_\_init\_\_, [72](#)
  - elapsed\_time, [72](#)
  - execute, [72](#)
  - msg, [72](#)
  - svc, [72](#)
  - validate, [72](#)
- OKBLUE
  - rapp\_testing\_tools::rapp\_testing\_core::bcolors, [36](#)
- OKGREEN
  - rapp\_testing\_tools::rapp\_testing\_core::bcolors, [36](#)
- object\_recognition\_tests, [20](#)
  - \_\_path\_\_, [20](#)
- object\_recognition\_tests.ObjectRecognitionTests, [52](#)
- object\_recognition\_tests::ObjectRecognitionTests
  - ch, [53](#)
  - pkgDir, [53](#)
  - setUp, [53](#)
  - test\_cat\_test, [53](#)
  - test\_wrongPath, [53](#)
  - test\_wrongPathType, [53](#)
- ontology\_is\_subsuperclass\_of\_SpatialThing, [21](#)
  - \_\_path\_\_, [21](#)
- ontology\_is\_subsuperclass\_of\_SpatialThing.RapInterfaceTest, [87](#)
- ontology\_is\_subsuperclass\_of\_SpatialThing::RapInterfaceTest
  - elapsed\_time, [88](#)
  - execute, [88](#)
  - msg, [88](#)
  - svc, [88](#)
  - valid\_results, [88](#)
  - validate, [88](#)
- ontology\_tests, [21](#)
  - \_\_path\_\_, [21](#)
- ontology\_tests.OntologyTests, [54](#)
- ontology\_tests::OntologyTests
  - ch, [55](#)
  - setUp, [55](#)
  - test\_is\_subsuperclass\_of, [55](#)
  - test\_subclass\_of, [55](#)
  - test\_subclassOf\_erroneous, [55](#)
  - test\_subsuperclassOf\_erroneous, [55](#)
  - test\_superclass\_of, [55](#)
  - test\_superclassOf\_erroneous, [55](#)
- parse\_args
  - rapp\_testing\_tools::rapp\_testing\_core, [26](#)
- path\_planning\_tests, [21](#)
  - \_\_path\_\_, [21](#)
- path\_planning\_tests.PathPlanningTests, [56](#)
- path\_planning\_tests::PathPlanningTests
  - ch, [57](#)
  - pkgDir, [57](#)
  - setUp, [57](#)
  - test\_plan\_2d, [57](#)
  - test\_plan\_2d\_erroneous, [57](#)
  - test\_upload\_map, [57](#)

- test\_upload\_map\_erroneous, 57
- pkgDir
  - denoise\_profile\_tests::DenoiseProfileTests, 46
  - face\_detection\_tests::FaceDetectionTests, 48
  - hazard\_detection\_tests::HazardDetectionTests, 50
  - human\_detection\_tests::HumanDetectionTests, 52
  - object\_recognition\_tests::ObjectRecognitionTests, 53
  - path\_planning\_tests::PathPlanningTests, 57
  - qr\_detection\_tests::QrDetectionTests, 59
  - speech\_detection\_google\_tests::SpeechDetection-GoogleTests, 104
  - speech\_detection\_sphinx\_tests::SpeechDetection-SphinxTests, 103
  - template\_test::TemplateTests, 106
- qr\_detection\_test\_easy\_far, 22
  - \_\_path\_\_, 22
- qr\_detection\_test\_easy\_far.RapplInterfaceTest, 89
- qr\_detection\_test\_easy\_far::RapplInterfaceTest
  - \_\_init\_\_, 89
  - elapsed\_time, 89
  - execute, 89
  - msg, 89
  - svc, 89
  - valid\_results, 89
  - validate, 89
- qr\_detection\_test\_easy\_medium, 22
  - \_\_path\_\_, 22
- qr\_detection\_test\_easy\_medium.RapplInterfaceTest, 96
- qr\_detection\_test\_easy\_medium::RapplInterfaceTest
  - elapsed\_time, 96
  - execute, 96
  - msg, 96
  - svc, 96
  - valid\_results, 96
  - validate, 96
- qr\_detection\_test\_easy\_near, 22
  - \_\_path\_\_, 22
- qr\_detection\_test\_easy\_near.RapplInterfaceTest, 84
- qr\_detection\_test\_easy\_near::RapplInterfaceTest
  - \_\_init\_\_, 84
  - elapsed\_time, 85
  - execute, 84
  - msg, 85
  - svc, 85
  - valid\_results, 85
  - validate, 84
- qr\_detection\_test\_hard\_far, 23
  - \_\_path\_\_, 23
- qr\_detection\_test\_hard\_far.RapplInterfaceTest, 83
- qr\_detection\_test\_hard\_far::RapplInterfaceTest
  - \_\_init\_\_, 83
  - elapsed\_time, 83
  - execute, 83
  - msg, 83
  - svc, 84
  - valid\_results, 84
  - validate, 83
- qr\_detection\_test\_hard\_medium, 23
  - \_\_path\_\_, 23
- qr\_detection\_test\_hard\_medium.RapplInterfaceTest, 60
- qr\_detection\_test\_hard\_medium::RapplInterfaceTest
  - elapsed\_time, 61
  - execute, 61
  - msg, 61
  - svc, 61
  - valid\_results, 61
  - validate, 61
- qr\_detection\_test\_hard\_near, 23
  - \_\_path\_\_, 23
- qr\_detection\_test\_hard\_near.RapplInterfaceTest, 97
- qr\_detection\_test\_hard\_near::RapplInterfaceTest
  - \_\_init\_\_, 97
  - elapsed\_time, 97
  - execute, 97
  - msg, 97
  - svc, 98
  - valid\_results, 98
  - validate, 97
- qr\_detection\_test\_medium\_far, 24
  - \_\_path\_\_, 24
- qr\_detection\_test\_medium\_far.RapplInterfaceTest, 79
- qr\_detection\_test\_medium\_far::RapplInterfaceTest
  - \_\_init\_\_, 80
  - elapsed\_time, 80
  - execute, 80
  - msg, 80
  - svc, 80
  - valid\_results, 80
  - validate, 80
- qr\_detection\_test\_medium\_medium, 24
  - \_\_path\_\_, 24
- qr\_detection\_test\_medium\_medium.RapplInterfaceTest, 93
- qr\_detection\_test\_medium\_medium::RapplInterfaceTest
  - elapsed\_time, 94
  - execute, 94
  - msg, 94
  - svc, 94
  - valid\_results, 94
  - validate, 94
- qr\_detection\_test\_medium\_near, 24
  - \_\_path\_\_, 24
- qr\_detection\_test\_medium\_near.RapplInterfaceTest, 94
- qr\_detection\_test\_medium\_near::RapplInterfaceTest
  - elapsed\_time, 95
  - execute, 95
  - msg, 95
  - svc, 95
  - valid\_results, 95
  - validate, 95
- qr\_detection\_tests, 25
  - \_\_path\_\_, 25
- qr\_detection\_tests.QrDetectionTests, 58
- qr\_detection\_tests::QrDetectionTests
  - ch, 59

- pkgDir, [59](#)
- setUp, [59](#)
- test\_detect\_qr, [59](#)
- test\_detect\_qr\_erroneous, [59](#)
- rapp\_run\_test, [25](#)
- rapp\_testing\_tools, [25](#)
- rapp\_testing\_tools.rapp\_testing\_core, [25](#)
- rapp\_testing\_tools.rapp\_testing\_core.bcolors, [35](#)
- rapp\_testing\_tools::rapp\_testing\_core
  - \_\_path\_\_, [27](#)
  - append\_to\_system\_path, [26](#)
  - execute\_tests\_all, [26](#)
  - get\_test\_files, [26](#)
  - load\_tests\_paths, [26](#)
  - main, [26](#)
  - mutex, [27](#)
  - parse\_args, [26](#)
  - results, [27](#)
  - testClassMatch, [27](#)
  - testClasses, [27](#)
- rapp\_testing\_tools::rapp\_testing\_core::bcolors
  - BOLD, [35](#)
  - ENDC, [35](#)
  - FAIL, [35](#)
  - HEADER, [35](#)
  - OKBLUE, [36](#)
  - OKGREEN, [36](#)
  - UNDERLINE, [36](#)
  - WARNING, [36](#)
- rappCloud
  - available\_services\_test::RappInterfaceTest, [60](#)
  - user\_personal\_info::RappInterfaceTest, [100](#)
- results
  - rapp\_testing\_tools::rapp\_testing\_core, [27](#)
- setUp
  - cognitive\_test\_chooser\_tests::CognitiveTest-ChooserTests, [37](#)
  - cognitive\_test\_record\_tests::CognitiveTestRecord-Tests, [42](#)
  - cognitive\_test\_user\_history\_tests::CognitiveTest-HistoryTests, [40](#)
  - cognitive\_test\_user\_scores\_tests::CognitiveTest-ScoresTests, [44](#)
  - denoise\_profile\_tests::DenoiseProfileTests, [46](#)
  - face\_detection\_tests::FaceDetectionTests, [48](#)
  - hazard\_detection\_tests::HazardDetectionTests, [50](#)
  - human\_detection\_tests::HumanDetectionTests, [51](#)
  - object\_recognition\_tests::ObjectRecognitionTests, [53](#)
  - ontology\_tests::OntologyTests, [55](#)
  - path\_planning\_tests::PathPlanningTests, [57](#)
  - qr\_detection\_tests::QrDetectionTests, [59](#)
  - speech\_detection\_google\_tests::SpechDetection-GoogleTests, [104](#)
  - speech\_detection\_sphinx\_tests::SpeechDetection-SphinxTests, [102](#)
  - template\_test::TemplateTests, [106](#)
  - text\_to\_speech\_tests::TextToSpeechTests, [107](#)
  - speech\_detection\_google\_test\_ogg\_sentence2, [28](#)
    - \_\_path\_\_, [28](#)
  - speech\_detection\_google\_test\_ogg\_sentence2.Rapp-InterfaceTest, [76](#)
  - speech\_detection\_google\_test\_ogg\_sentence2::Rapp-InterfaceTest
    - elapsed\_time, [77](#)
    - execute, [76](#)
    - msg, [77](#)
    - svc, [77](#)
    - valid\_words\_found, [77](#)
    - validate, [76](#)
  - speech\_detection\_google\_tests, [28](#)
    - \_\_path\_\_, [28](#)
  - speech\_detection\_google\_tests.SpechDetection-GoogleTests, [103](#)
  - speech\_detection\_google\_tests::SpechDetection-GoogleTests
    - ch, [104](#)
    - pkgDir, [104](#)
    - setUp, [104](#)
    - test\_erroneous, [104](#)
    - test\_speechNormal, [104](#)
  - speech\_detection\_sphinx\_test\_headset\_deutera, [28](#)
    - \_\_path\_\_, [29](#)
  - speech\_detection\_sphinx\_test\_headset\_deutera.Rapp-InterfaceTest, [75](#)
  - speech\_detection\_sphinx\_test\_headset\_deutera::RappInterfaceTest
    - elapsed\_time, [75](#)
    - execute, [75](#)
    - msg, [75](#)
    - svc, [76](#)
    - valid\_words\_found, [76](#)
    - validate, [75](#)
  - speech\_detection\_sphinx\_test\_headset\_steile\_mail, [29](#)
  - speech\_detection\_sphinx\_test\_headset\_steile\_mail.-RappInterfaceTest, [74](#)
  - speech\_detection\_sphinx\_test\_headset\_steile\_mail::RappInterfaceTest
    - elapsed\_time, [74](#)
    - execute, [74](#)
    - msg, [74](#)
    - svc, [74](#)
    - validate, [74](#)
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_email -robot, [29](#)
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw -voithia, [29](#)
  - speech\_detection\_sphinx\_test\_ogg\_deutera, [30](#)
    - \_\_path\_\_, [30](#)
  - speech\_detection\_sphinx\_test\_ogg\_deutera.Rapp-InterfaceTest, [70](#)
  - speech\_detection\_sphinx\_test\_ogg\_deutera::Rapp-InterfaceTest
    - elapsed\_time, [71](#)
    - execute, [71](#)

- msg, 71
- svc, 71
- valid\_words\_found, 71
- validate, 71
- speech\_detection\_sphinx\_test\_ogg\_monday, 30
  - \_\_path\_\_, 30
- speech\_detection\_sphinx\_test\_ogg\_monday.RappInterfaceTest, 78
- speech\_detection\_sphinx\_test\_ogg\_monday::RappInterfaceTest
  - elapsed\_time, 79
  - execute, 79
  - msg, 79
  - svc, 79
  - valid\_words\_found, 79
  - validate, 79
- speech\_detection\_sphinx\_test\_ogg\_triti, 30
  - \_\_path\_\_, 31
- speech\_detection\_sphinx\_test\_ogg\_triti.RappInterfaceTest, 68
- speech\_detection\_sphinx\_test\_ogg\_triti::RappInterfaceTest
  - elapsed\_time, 69
  - execute, 68
  - msg, 69
  - svc, 69
  - valid\_words\_found, 69
  - validate, 68
- speech\_detection\_sphinx\_test\_ogg\_tuesday, 31
  - \_\_path\_\_, 31
- speech\_detection\_sphinx\_test\_ogg\_tuesday.RappInterfaceTest, 67
- speech\_detection\_sphinx\_test\_ogg\_tuesday::RappInterfaceTest
  - elapsed\_time, 67
  - execute, 67
  - msg, 67
  - svc, 68
  - valid\_words\_found, 68
  - validate, 67
- speech\_detection\_sphinx\_test\_ogg\_yes, 31
  - \_\_path\_\_, 31
- speech\_detection\_sphinx\_test\_ogg\_yes.RappInterfaceTest, 66
- speech\_detection\_sphinx\_test\_ogg\_yes::RappInterfaceTest
  - elapsed\_time, 66
  - execute, 66
  - msg, 66
  - svc, 66
  - valid\_words\_found, 66
  - validate, 66
- speech\_detection\_sphinx\_tests, 31
  - \_\_path\_\_, 32
- speech\_detection\_sphinx\_tests.SpeechDetectionSphinxTests, 101
- speech\_detection\_sphinx\_tests::SpeechDetectionSphinxTests
  - ch, 103
  - pkgDir, 103
  - setUp, 102
  - test\_headset\_nai\_oxi, 102
  - test\_ogg\_no, 102
  - test\_ogg\_oxi, 102
  - test\_speech\_erroneous, 103
- svc
  - cognitive\_record\_performance\_arithmetic::RappInterfaceTest, 99
  - email\_fetch::RappInterfaceTest, 81
  - email\_send\_single\_attach::RappInterfaceTest, 101
  - email\_send\_zip::RappInterfaceTest, 62
  - face\_detection\_test\_close\_angle::RappInterfaceTest, 87
  - face\_detection\_test\_far\_angle::RappInterfaceTest, 86
  - face\_detection\_test\_far\_straight::RappInterfaceTest, 91
  - face\_detection\_test\_medium\_angle::RappInterfaceTest, 82
  - face\_detection\_test\_medium\_straight::RappInterfaceTest, 78
  - face\_detection\_test\_two\_faces\_jpg::RappInterfaceTest, 93
  - geolocation\_pass\_ipaddr::RappInterfaceTest, 92
  - human\_detection\_test::RappInterfaceTest, 63
  - news\_explore\_general::RappInterfaceTest, 72
  - ontology\_is\_subsuperclass\_of\_SpatialThing::RappInterfaceTest, 88
  - qr\_detection\_test\_easy\_far::RappInterfaceTest, 89
  - qr\_detection\_test\_easy\_medium::RappInterfaceTest, 96
  - qr\_detection\_test\_easy\_near::RappInterfaceTest, 85
  - qr\_detection\_test\_hard\_far::RappInterfaceTest, 84
  - qr\_detection\_test\_hard\_medium::RappInterfaceTest, 61
  - qr\_detection\_test\_hard\_near::RappInterfaceTest, 98
  - qr\_detection\_test\_medium\_far::RappInterfaceTest, 80
  - qr\_detection\_test\_medium\_medium::RappInterfaceTest, 94
  - qr\_detection\_test\_medium\_near::RappInterfaceTest, 95
  - speech\_detection\_google\_test\_ogg\_sentence2::RappInterfaceTest, 77
  - speech\_detection\_sphinx\_test\_headset\_deutera::RappInterfaceTest, 76
  - speech\_detection\_sphinx\_test\_headset\_steile\_mail::RappInterfaceTest, 74
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_email\_robot::RappInterfaceTest, 73
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia::RappInterfaceTest, 70
  - speech\_detection\_sphinx\_test\_ogg\_deutera::RappInterfaceTest, 71

- speech\_detection\_sphinx\_test\_ogg\_monday::RappInterfaceTest, 79
- speech\_detection\_sphinx\_test\_ogg\_triti::RappInterfaceTest, 69
- speech\_detection\_sphinx\_test\_ogg\_tuesday::RappInterfaceTest, 68
- speech\_detection\_sphinx\_test\_ogg\_yes::RappInterfaceTest, 66
- weather\_report\_current\_Athens::RappInterfaceTest, 65
- weather\_report\_forecast\_Athens::RappInterfaceTest, 64
- template\_test, 32
  - \_\_path\_\_, 32
- template\_test.TemplateTests, 105
- template\_test::TemplateTests
  - ch, 106
  - pkgDir, 106
  - setUp, 106
  - test\_templateTest, 106
- test\_cat\_test
  - object\_recognition\_tests::ObjectRecognitionTests, 53
- test\_closeStraight
  - face\_detection\_tests::FaceDetectionTests, 48
- test\_detect\_qr
  - qr\_detection\_tests::QrDetectionTests, 59
- test\_detect\_qr\_erroneous
  - qr\_detection\_tests::QrDetectionTests, 59
- test\_erroneous
  - speech\_detection\_google\_tests::SpeechDetectionGoogleTests, 104
- test\_erroneousFileType
  - face\_detection\_tests::FaceDetectionTests, 48
- test\_erroneousPath
  - hazard\_detection\_tests::HazardDetectionTests, 50
- test\_greek\_test
  - text\_to\_speech\_tests::TextToSpeechTests, 107
- test\_headset\_nai\_oxi
  - speech\_detection\_sphinx\_tests::SpeechDetectionSphinxTests, 102
- test\_history\_wrongFromType
  - cognitive\_test\_user\_history\_tests::CognitiveTestHistoryTests, 40
- test\_history\_wrongToType
  - cognitive\_test\_user\_history\_tests::CognitiveTestHistoryTests, 40
- test\_history\_wrongType
  - cognitive\_test\_user\_history\_tests::CognitiveTestHistoryTests, 40
- test\_history\_wrongTypeType
  - cognitive\_test\_user\_history\_tests::CognitiveTestHistoryTests, 40
- test\_historyAll
  - cognitive\_test\_user\_history\_tests::CognitiveTestHistoryTests, 40
- test\_historyArithmetic
  - cognitive\_test\_user\_history\_tests::CognitiveTestHistoryTests, 40
- test\_historyAwareness
  - cognitive\_test\_user\_history\_tests::CognitiveTestHistoryTests, 40
- test\_historyReasoning
  - cognitive\_test\_user\_history\_tests::CognitiveTestHistoryTests, 40
- test\_humanDetectionTest
  - human\_detection\_tests::HumanDetectionTests, 51
- test\_humanDetectionTest\_wrongPath
  - human\_detection\_tests::HumanDetectionTests, 51
- test\_humanDetectionTest\_wrongPathType
  - human\_detection\_tests::HumanDetectionTests, 51
- test\_is\_subsuperclass\_of
  - ontology\_tests::OntologyTests, 55
- test\_lenna
  - face\_detection\_tests::FaceDetectionTests, 48
- test\_lightLeftOn
  - hazard\_detection\_tests::HazardDetectionTests, 50
- test\_multipleFaces
  - face\_detection\_tests::FaceDetectionTests, 48
- test\_notExistentFile
  - face\_detection\_tests::FaceDetectionTests, 48
- test\_ogg\_no
  - speech\_detection\_sphinx\_tests::SpeechDetectionSphinxTests, 102
- test\_ogg\_oxi
  - speech\_detection\_sphinx\_tests::SpeechDetectionSphinxTests, 102
- test\_plan\_2d
  - path\_planning\_tests::PathPlanningTests, 57
- test\_plan\_2d\_erroneous
  - path\_planning\_tests::PathPlanningTests, 57
- test\_recordArithmetic
  - cognitive\_test\_record\_tests::CognitiveTestRecordTests, 42
- test\_recordAwareness
  - cognitive\_test\_record\_tests::CognitiveTestRecordTests, 42
- test\_recordReasoning
  - cognitive\_test\_record\_tests::CognitiveTestRecordTests, 42
- test\_recordWrongScoreType
  - cognitive\_test\_record\_tests::CognitiveTestRecordTests, 42
- test\_recordWrongScoreValues
  - cognitive\_test\_record\_tests::CognitiveTestRecordTests, 42
- test\_recordWrongType
  - cognitive\_test\_record\_tests::CognitiveTestRecordTests, 42
- test\_scoresAll
  - cognitive\_test\_user\_scores\_tests::CognitiveTestScoresTests, 44
- test\_scoresArithmetic
  - cognitive\_test\_user\_scores\_tests::CognitiveTestScoresTests, 44

- test\_scoresAwareness
  - cognitive\_test\_user\_scores\_tests::CognitiveTestScoresTests, [44](#)
- test\_scoresReasoning
  - cognitive\_test\_user\_scores\_tests::CognitiveTestScoresTests, [44](#)
- test\_scoresWrongType
  - cognitive\_test\_user\_scores\_tests::CognitiveTestScoresTests, [44](#)
- test\_scoresWrongType\_to
  - cognitive\_test\_user\_scores\_tests::CognitiveTestScoresTests, [44](#)
- test\_scoresWrongTypeList
  - cognitive\_test\_user\_scores\_tests::CognitiveTestScoresTests, [44](#)
- test\_selectArithmeticTest
  - cognitive\_test\_chooser\_tests::CognitiveTestChooserTests, [37](#)
- test\_selectArithmeticTest\_default\_params
  - cognitive\_test\_chooser\_tests::CognitiveTestChooserTests, [37](#)
- test\_selectAwarenessTest
  - cognitive\_test\_chooser\_tests::CognitiveTestChooserTests, [37](#)
- test\_selectNotExistentTest
  - cognitive\_test\_chooser\_tests::CognitiveTestChooserTests, [38](#)
- test\_selectReasoningTest
  - cognitive\_test\_chooser\_tests::CognitiveTestChooserTests, [38](#)
- test\_selectWrongType\_TestDiff
  - cognitive\_test\_chooser\_tests::CognitiveTestChooserTests, [38](#)
- test\_selectWrongType\_TestIndex
  - cognitive\_test\_chooser\_tests::CognitiveTestChooserTests, [38](#)
- test\_selectWrongType\_TestSubtype
  - cognitive\_test\_chooser\_tests::CognitiveTestChooserTests, [38](#)
- test\_selectWrongType\_TestType
  - cognitive\_test\_chooser\_tests::CognitiveTestChooserTests, [38](#)
- test\_setNoiseProfile
  - denoise\_profile\_tests::DenoiseProfileTests, [46](#)
- test\_setNoiseProfile\_noExistentFile
  - denoise\_profile\_tests::DenoiseProfileTests, [46](#)
- test\_setNoiseProfile\_wrongAudioTypeInputType
  - denoise\_profile\_tests::DenoiseProfileTests, [46](#)
- test\_setNoiseProfile\_wrongFileInputType
  - denoise\_profile\_tests::DenoiseProfileTests, [46](#)
- test\_speech\_erroneous
  - speech\_detection\_sphinx\_tests::SpeechDetectionSphinxTests, [103](#)
- test\_speechNormal
  - speech\_detection\_google\_tests::SpeechDetectionGoogleTests, [104](#)
- test\_subclass\_of
  - ontology\_tests::OntologyTests, [55](#)
- test\_subclassOf\_erroneous
  - ontology\_tests::OntologyTests, [55](#)
- test\_subsuperclassOf\_erroneous
  - ontology\_tests::OntologyTests, [55](#)
- test\_superclass\_of
  - ontology\_tests::OntologyTests, [55](#)
- test\_superclassOf\_erroneous
  - ontology\_tests::OntologyTests, [55](#)
- test\_templateTest
  - template\_test::TemplateTests, [106](#)
- test\_tts\_erroneous
  - text\_to\_speech\_tests::TextToSpeechTests, [107](#)
- test\_upload\_map
  - path\_planning\_tests::PathPlanningTests, [57](#)
- test\_upload\_map\_erroneous
  - path\_planning\_tests::PathPlanningTests, [57](#)
- test\_wav\_1\_ch\_nai\_oxi
  - speech\_detection\_sphinx\_tests::SpeechDetectionSphinxTests, [103](#)
- test\_wav\_1\_ch\_yes\_no
  - speech\_detection\_sphinx\_tests::SpeechDetectionSphinxTests, [103](#)
- test\_wrongPath
  - object\_recognition\_tests::ObjectRecognitionTests, [53](#)
- test\_wrongPathType
  - hazard\_detection\_tests::HazardDetectionTests, [50](#)
  - object\_recognition\_tests::ObjectRecognitionTests, [53](#)
- testClassMatch
  - rapp\_testing\_tools::rapp\_testing\_core, [27](#)
- testClasses
  - rapp\_testing\_tools::rapp\_testing\_core, [27](#)
- text\_to\_speech\_tests, [32](#)
  - \_\_path\_\_, [32](#)
- text\_to\_speech\_tests.TextToSpeechTests, [106](#)
  - ch, [107](#)
  - setUp, [107](#)
  - test\_greek\_test, [107](#)
  - test\_tts\_erroneous, [107](#)
- UNDERLINE
  - rapp\_testing\_tools::rapp\_testing\_core::bcolors, [36](#)
- user\_personal\_info, [32](#)
  - \_\_path\_\_, [33](#)
- user\_personal\_info.RappInterfaceTest, [99](#)
  - \_\_init\_\_, [99](#)
  - elapsed\_time, [100](#)
  - execute, [99](#)
  - rappCloud, [100](#)
  - valid\_results, [100](#)
  - validate, [99](#)
- valid\_faces
  - face\_detection\_test\_close\_angle::RappInterfaceTest, [87](#)



- face\_detection\_test\_far\_angle::RapInterfaceTest, [86](#)
- face\_detection\_test\_far\_straight::RapInterface-Test, [91](#)
- face\_detection\_test\_medium\_angle::RapInterface-Test, [82](#)
- face\_detection\_test\_medium\_straight::Rap-InterfaceTest, [78](#)
- valid\_humans
  - human\_detection\_test::RapInterfaceTest, [63](#)
- valid\_numFaces
  - face\_detection\_test\_two\_faces\_jpg::RapInterface-Test, [93](#)
- valid\_result\_partial
  - cognitive\_record\_performance\_arithmetic::Rap-InterfaceTest, [99](#)
- valid\_results
  - available\_services\_test::RapInterfaceTest, [60](#)
  - ontology\_is\_subsuperclass\_of\_SpatialThing::RapInterfaceTest, [88](#)
  - qr\_detection\_test\_easy\_far::RapInterfaceTest, [89](#)
  - qr\_detection\_test\_easy\_medium::RapInterface-Test, [96](#)
  - qr\_detection\_test\_easy\_near::RapInterfaceTest, [85](#)
  - qr\_detection\_test\_hard\_far::RapInterfaceTest, [84](#)
  - qr\_detection\_test\_hard\_medium::RapInterface-Test, [61](#)
  - qr\_detection\_test\_hard\_near::RapInterfaceTest, [98](#)
  - qr\_detection\_test\_medium\_far::RapInterfaceTest, [80](#)
  - qr\_detection\_test\_medium\_medium::RapInterface-Test, [94](#)
  - qr\_detection\_test\_medium\_near::RapInterface-Test, [95](#)
  - user\_personal\_info::RapInterfaceTest, [100](#)
- valid\_words\_found
  - speech\_detection\_google\_test\_ogg\_sentence2::RapInterfaceTest, [77](#)
  - speech\_detection\_sphinx\_test\_headset\_deutera::RapInterfaceTest, [76](#)
  - speech\_detection\_sphinx\_test\_headset\_steile\_mail::RapInterfaceTest, [74](#)
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_email\_robot::RapInterfaceTest, [73](#)
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia::RapInterfaceTest, [70](#)
  - speech\_detection\_sphinx\_test\_ogg\_deutera::RapInterfaceTest, [71](#)
  - speech\_detection\_sphinx\_test\_ogg\_monday::RapInterfaceTest, [79](#)
  - speech\_detection\_sphinx\_test\_ogg\_triti::Rap-InterfaceTest, [69](#)
  - speech\_detection\_sphinx\_test\_ogg\_tuesday::RapInterfaceTest, [68](#)
  - speech\_detection\_sphinx\_test\_ogg\_yes::Rap-InterfaceTest, [66](#)
- validResults
  - geolocation\_pass\_ipaddr::RapInterfaceTest, [92](#)
- validate
  - available\_services\_test::RapInterfaceTest, [60](#)
  - cognitive\_record\_performance\_arithmetic::Rap-InterfaceTest, [98](#)
  - email\_fetch::RapInterfaceTest, [81](#)
  - email\_send\_single\_attach::RapInterfaceTest, [101](#)
  - email\_send\_zip::RapInterfaceTest, [62](#)
  - face\_detection\_test\_close\_angle::RapInterface-Test, [87](#)
  - face\_detection\_test\_far\_angle::RapInterfaceTest, [86](#)
  - face\_detection\_test\_far\_straight::RapInterface-Test, [90](#)
  - face\_detection\_test\_medium\_angle::RapInterface-Test, [82](#)
  - face\_detection\_test\_medium\_straight::Rap-InterfaceTest, [78](#)
  - face\_detection\_test\_two\_faces\_jpg::RapInterface-Test, [93](#)
  - geolocation\_pass\_ipaddr::RapInterfaceTest, [91](#)
  - human\_detection\_test::RapInterfaceTest, [63](#)
  - news\_explore\_general::RapInterfaceTest, [72](#)
  - ontology\_is\_subsuperclass\_of\_SpatialThing::RapInterfaceTest, [88](#)
  - qr\_detection\_test\_easy\_far::RapInterfaceTest, [89](#)
  - qr\_detection\_test\_easy\_medium::RapInterface-Test, [96](#)
  - qr\_detection\_test\_easy\_near::RapInterfaceTest, [84](#)
  - qr\_detection\_test\_hard\_far::RapInterfaceTest, [83](#)
  - qr\_detection\_test\_hard\_medium::RapInterface-Test, [61](#)
  - qr\_detection\_test\_hard\_near::RapInterfaceTest, [97](#)
  - qr\_detection\_test\_medium\_far::RapInterfaceTest, [80](#)
  - qr\_detection\_test\_medium\_medium::RapInterface-Test, [94](#)
  - qr\_detection\_test\_medium\_near::RapInterface-Test, [95](#)
  - speech\_detection\_google\_test\_ogg\_sentence2::RapInterfaceTest, [76](#)
  - speech\_detection\_sphinx\_test\_headset\_deutera::RapInterfaceTest, [75](#)
  - speech\_detection\_sphinx\_test\_headset\_steile\_mail::RapInterfaceTest, [74](#)
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_email\_robot::RapInterfaceTest, [73](#)
  - speech\_detection\_sphinx\_test\_nao\_wav\_1\_ch\_thelw\_voithia::RapInterfaceTest, [70](#)
  - speech\_detection\_sphinx\_test\_ogg\_deutera::RapInterfaceTest, [71](#)
  - speech\_detection\_sphinx\_test\_ogg\_monday::RapInterfaceTest, [79](#)
  - speech\_detection\_sphinx\_test\_ogg\_triti::Rap-InterfaceTest, [68](#)

speech\_detection\_sphinx\_test\_ogg\_tuesday::-  
    RappInterfaceTest, [67](#)  
speech\_detection\_sphinx\_test\_ogg\_yes::Rapp-  
    InterfaceTest, [66](#)  
user\_personal\_info::RappInterfaceTest, [99](#)  
weather\_report\_current\_Athens::RappInterface-  
    Test, [65](#)  
weather\_report\_forecast\_Athens::RappInterface-  
    Test, [64](#)

#### WARNING

    rapp\_testing\_tools::rapp\_testing\_core::bcolors, [36](#)  
weather\_report\_current\_Athens, [33](#)  
    \_\_path\_\_, [33](#)  
weather\_report\_current\_Athens.RappInterfaceTest, [65](#)  
weather\_report\_current\_Athens::RappInterfaceTest  
    \_\_init\_\_, [65](#)  
    elapsed\_time, [65](#)  
    execute, [65](#)  
    msg, [65](#)  
    svc, [65](#)  
    validate, [65](#)  
weather\_report\_forecast\_Athens, [33](#)  
    \_\_path\_\_, [33](#)  
weather\_report\_forecast\_Athens.RappInterfaceTest, [64](#)  
weather\_report\_forecast\_Athens::RappInterfaceTest  
    \_\_init\_\_, [64](#)  
    elapsed\_time, [64](#)  
    execute, [64](#)  
    msg, [64](#)  
    svc, [64](#)  
    validate, [64](#)