

RAPP Platform Tests - Testing Tools

v0.6.0

Generated by Doxygen 1.8.6

Fri Jul 22 2016 10:11:56

Contents

1	RAPP Testing Tools	1
2	Namespace Index	3
2.1	Namespace List	3
3	Hierarchical Index	5
3.1	Class Hierarchy	5
4	Class Index	7
4.1	Class List	7
5	File Index	9
5.1	File List	9
6	Namespace Documentation	13
6.1	available_services_test Namespace Reference	13
6.1.1	Variable Documentation	13
6.1.1.1	__path__	13
6.2	cognitive_record_performance_arithmetic Namespace Reference	13
6.2.1	Variable Documentation	13
6.2.1.1	__path__	13
6.3	cognitive_test_chooser_tests Namespace Reference	13
6.3.1	Variable Documentation	14
6.3.1.1	__path__	14
6.4	cognitive_test_record_tests Namespace Reference	14
6.4.1	Variable Documentation	14
6.4.1.1	__path__	14
6.5	cognitive_test_user_history_tests Namespace Reference	14
6.5.1	Variable Documentation	14
6.5.1.1	__path__	14
6.6	cognitive_test_user_scores_tests Namespace Reference	15
6.6.1	Variable Documentation	15
6.6.1.1	__path__	15

6.7	denoise_profile_tests Namespace Reference	15
6.7.1	Variable Documentation	15
6.7.1.1	__path__	15
6.8	email_fetch Namespace Reference	15
6.8.1	Variable Documentation	15
6.8.1.1	__path__	15
6.9	email_send_single_attach Namespace Reference	16
6.9.1	Variable Documentation	16
6.9.1.1	__path__	16
6.10	email_send_zip Namespace Reference	16
6.10.1	Variable Documentation	16
6.10.1.1	__path__	16
6.11	face_detection_test_close_angle Namespace Reference	16
6.11.1	Variable Documentation	16
6.11.1.1	__path__	16
6.12	face_detection_test_far_angle Namespace Reference	17
6.12.1	Variable Documentation	17
6.12.1.1	__path__	17
6.13	face_detection_test_far_straight Namespace Reference	17
6.13.1	Variable Documentation	17
6.13.1.1	__path__	17
6.14	face_detection_test_medium_angle Namespace Reference	17
6.14.1	Variable Documentation	17
6.14.1.1	__path__	17
6.15	face_detection_test_medium_straight Namespace Reference	18
6.15.1	Variable Documentation	18
6.15.1.1	__path__	18
6.16	face_detection_test_two_faces_jpg Namespace Reference	18
6.16.1	Variable Documentation	18
6.16.1.1	__path__	18
6.17	face_detection_tests Namespace Reference	18
6.17.1	Variable Documentation	18
6.17.1.1	__path__	18
6.18	geolocation_pass_ipaddr Namespace Reference	19
6.18.1	Variable Documentation	19
6.18.1.1	__path__	19
6.19	hazard_detection_tests Namespace Reference	19
6.19.1	Variable Documentation	19
6.19.1.1	__path__	19
6.20	human_detection_test Namespace Reference	19

6.20.1	Variable Documentation	19
6.20.1.1	__path__	19
6.21	human_detection_tests Namespace Reference	20
6.21.1	Variable Documentation	20
6.21.1.1	__path__	20
6.22	news_explore_general Namespace Reference	20
6.22.1	Variable Documentation	20
6.22.1.1	__path__	20
6.23	object_recognition_tests Namespace Reference	20
6.23.1	Variable Documentation	20
6.23.1.1	__path__	20
6.24	ontology_is_subsuperclass_of_SpatialThing Namespace Reference	21
6.24.1	Variable Documentation	21
6.24.1.1	__path__	21
6.25	ontology_tests Namespace Reference	21
6.25.1	Variable Documentation	21
6.25.1.1	__path__	21
6.26	path_planning_tests Namespace Reference	21
6.26.1	Variable Documentation	21
6.26.1.1	__path__	21
6.27	qr_detection_test_easy_far Namespace Reference	22
6.27.1	Variable Documentation	22
6.27.1.1	__path__	22
6.28	qr_detection_test_easy_medium Namespace Reference	22
6.28.1	Variable Documentation	22
6.28.1.1	__path__	22
6.29	qr_detection_test_easy_near Namespace Reference	22
6.29.1	Variable Documentation	22
6.29.1.1	__path__	22
6.30	qr_detection_test_hard_far Namespace Reference	23
6.30.1	Variable Documentation	23
6.30.1.1	__path__	23
6.31	qr_detection_test_hard_medium Namespace Reference	23
6.31.1	Variable Documentation	23
6.31.1.1	__path__	23
6.32	qr_detection_test_hard_near Namespace Reference	23
6.32.1	Variable Documentation	23
6.32.1.1	__path__	23
6.33	qr_detection_test_medium_far Namespace Reference	24
6.33.1	Variable Documentation	24

6.33.1.1	__path__	24
6.34	qr_detection_test_medium_medium Namespace Reference	24
6.34.1	Variable Documentation	24
6.34.1.1	__path__	24
6.35	qr_detection_test_medium_near Namespace Reference	24
6.35.1	Variable Documentation	24
6.35.1.1	__path__	24
6.36	qr_detection_tests Namespace Reference	25
6.36.1	Variable Documentation	25
6.36.1.1	__path__	25
6.37	rapp_run_test Namespace Reference	25
6.38	rapp_testing_tools Namespace Reference	25
6.39	rapp_testing_tools.rapp_testing_core Namespace Reference	25
6.39.1	Function Documentation	26
6.39.1.1	append_to_system_path	26
6.39.1.2	execute_tests_all	26
6.39.1.3	get_test_files	26
6.39.1.4	load_tests_paths	26
6.39.1.5	main	26
6.39.1.6	parse_args	27
6.39.2	Variable Documentation	27
6.39.2.1	__path__	27
6.39.2.2	mutex	27
6.39.2.3	results	27
6.39.2.4	testClasses	27
6.39.2.5	testClassMatch	27
6.40	speech_detection_google_test_ogg_sentence2 Namespace Reference	28
6.40.1	Variable Documentation	28
6.40.1.1	__path__	28
6.41	speech_detection_google_tests Namespace Reference	28
6.41.1	Variable Documentation	28
6.41.1.1	__path__	28
6.42	speech_detection_sphinx_test_headset_deutera Namespace Reference	28
6.42.1	Variable Documentation	29
6.42.1.1	__path__	29
6.43	speech_detection_sphinx_test_headset_steile_mail Namespace Reference	29
6.43.1	Variable Documentation	29
6.43.1.1	__path__	29
6.44	speech_detection_sphinx_test_nao_wav_1_ch_email_robot Namespace Reference	29
6.44.1	Variable Documentation	29

6.44.1.1	__path__	29
6.45	speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia Namespace Reference	29
6.45.1	Variable Documentation	30
6.45.1.1	__path__	30
6.46	speech_detection_sphinx_test_ogg_deutera Namespace Reference	30
6.46.1	Variable Documentation	30
6.46.1.1	__path__	30
6.47	speech_detection_sphinx_test_ogg_monday Namespace Reference	30
6.47.1	Variable Documentation	30
6.47.1.1	__path__	30
6.48	speech_detection_sphinx_test_ogg_triti Namespace Reference	30
6.48.1	Variable Documentation	31
6.48.1.1	__path__	31
6.49	speech_detection_sphinx_test_ogg_tuesday Namespace Reference	31
6.49.1	Variable Documentation	31
6.49.1.1	__path__	31
6.50	speech_detection_sphinx_test_ogg_yes Namespace Reference	31
6.50.1	Variable Documentation	31
6.50.1.1	__path__	31
6.51	speech_detection_sphinx_tests Namespace Reference	31
6.51.1	Variable Documentation	32
6.51.1.1	__path__	32
6.52	template_test Namespace Reference	32
6.52.1	Variable Documentation	32
6.52.1.1	__path__	32
6.53	text_to_speech_tests Namespace Reference	32
6.53.1	Variable Documentation	32
6.53.1.1	__path__	32
6.54	user_personal_info Namespace Reference	32
6.54.1	Variable Documentation	33
6.54.1.1	__path__	33
6.55	weather_report_current_Athens Namespace Reference	33
6.55.1	Variable Documentation	33
6.55.1.1	__path__	33
6.56	weather_report_forecast_Athens Namespace Reference	33
6.56.1	Variable Documentation	33
6.56.1.1	__path__	33
7	Class Documentation	35
7.1	rapp_testing_tools.rapp_testing_core.bcolors Class Reference	35

7.1.1	Detailed Description	35
7.1.2	Member Data Documentation	35
7.1.2.1	BOLD	35
7.1.2.2	ENDC	35
7.1.2.3	FAIL	35
7.1.2.4	HEADER	36
7.1.2.5	OKBLUE	36
7.1.2.6	OKGREEN	36
7.1.2.7	UNDERLINE	36
7.1.2.8	WARNING	36
7.2	cognitive_test_chooser_tests.CognitiveTestChooserTests Class Reference	36
7.2.1	Detailed Description	37
7.2.2	Member Function Documentation	37
7.2.2.1	setUp	37
7.2.2.2	test_selectArithmeticTest	37
7.2.2.3	test_selectArithmeticTest_default_params	37
7.2.2.4	test_selectAwarenessTest	38
7.2.2.5	test_selectNotExistentTest	38
7.2.2.6	test_selectReasoningTest	38
7.2.2.7	test_selectWrongType_TestDiff	38
7.2.2.8	test_selectWrongType_TestIndex	38
7.2.2.9	test_selectWrongType_TestSubtype	38
7.2.2.10	test_selectWrongType_TestType	38
7.2.3	Member Data Documentation	38
7.2.3.1	ch	38
7.3	cognitive_test_user_history_tests.CognitiveTestHistoryTests Class Reference	39
7.3.1	Detailed Description	40
7.3.2	Member Function Documentation	40
7.3.2.1	setUp	40
7.3.2.2	test_history_wrongFromType	40
7.3.2.3	test_history_wrongToType	40
7.3.2.4	test_history_wrongType	40
7.3.2.5	test_history_wrongTypeType	40
7.3.2.6	test_historyAll	40
7.3.2.7	test_historyArithmetic	40
7.3.2.8	test_historyAwareness	40
7.3.2.9	test_historyReasoning	40
7.3.3	Member Data Documentation	40
7.3.3.1	ch	40
7.4	cognitive_test_record_tests.CognitiveTestRecordTests Class Reference	41

7.4.1	Detailed Description	42
7.4.2	Member Function Documentation	42
7.4.2.1	setUp	42
7.4.2.2	test_recordArithmetic	42
7.4.2.3	test_recordAwareness	42
7.4.2.4	test_recordReasoning	42
7.4.2.5	test_recordWrongScoreType	42
7.4.2.6	test_recordWrongScoreValues	42
7.4.2.7	test_recordWrongType	42
7.4.3	Member Data Documentation	42
7.4.3.1	ch	42
7.5	cognitive_test_user_scores_tests.CognitiveTestScoresTests Class Reference	43
7.5.1	Detailed Description	44
7.5.2	Member Function Documentation	44
7.5.2.1	setUp	44
7.5.2.2	test_scoresAll	44
7.5.2.3	test_scoresArithmetic	44
7.5.2.4	test_scoresAwareness	44
7.5.2.5	test_scoresReasoning	44
7.5.2.6	test_scoresWrongType	44
7.5.2.7	test_scoresWrongType_to	44
7.5.2.8	test_scoresWrongTypeList	44
7.5.3	Member Data Documentation	44
7.5.3.1	ch	44
7.6	denoise_profile_tests.DenoiseProfileTests Class Reference	45
7.6.1	Detailed Description	45
7.6.2	Member Function Documentation	46
7.6.2.1	setUp	46
7.6.2.2	test_setNoiseProfile	46
7.6.2.3	test_setNoiseProfile_noExistentFile	46
7.6.2.4	test_setNoiseProfile_wrongAudioTypeInputType	46
7.6.2.5	test_setNoiseProfile_wrongFileInputType	46
7.6.3	Member Data Documentation	46
7.6.3.1	ch	46
7.6.3.2	pkgDir	46
7.7	face_detection_tests.FaceDetectionTests Class Reference	47
7.7.1	Detailed Description	47
7.7.2	Member Function Documentation	48
7.7.2.1	setUp	48
7.7.2.2	test_closeStraight	48

7.7.2.3	test_erroneousFileType	48
7.7.2.4	test_lenna	48
7.7.2.5	test_multipleFaces	48
7.7.2.6	test_notExistentFile	48
7.7.3	Member Data Documentation	48
7.7.3.1	ch	48
7.7.3.2	pkgDir	48
7.8	hazard_detection_tests.HazardDetectionTests Class Reference	49
7.8.1	Detailed Description	49
7.8.2	Member Function Documentation	50
7.8.2.1	setUp	50
7.8.2.2	test_erroneousPath	50
7.8.2.3	test_lightLeftOn	50
7.8.2.4	test_wrongPathType	50
7.8.3	Member Data Documentation	50
7.8.3.1	ch	50
7.8.3.2	pkgDir	50
7.9	human_detection_tests.HumanDetectionTests Class Reference	50
7.9.1	Detailed Description	51
7.9.2	Member Function Documentation	51
7.9.2.1	setUp	51
7.9.2.2	test_humanDetectionTest	51
7.9.2.3	test_humanDetectionTest_wrongPath	51
7.9.2.4	test_humanDetectionTest_wrongPathType	51
7.9.3	Member Data Documentation	52
7.9.3.1	ch	52
7.9.3.2	pkgDir	52
7.10	object_recognition_tests.ObjectRecognitionTests Class Reference	52
7.10.1	Detailed Description	53
7.10.2	Member Function Documentation	53
7.10.2.1	setUp	53
7.10.2.2	test_cat_test	53
7.10.2.3	test_wrongPath	53
7.10.2.4	test_wrongPathType	53
7.10.3	Member Data Documentation	53
7.10.3.1	ch	53
7.10.3.2	pkgDir	53
7.11	ontology_tests.OntologyTests Class Reference	54
7.11.1	Detailed Description	54
7.11.2	Member Function Documentation	55

7.11.2.1	setUp	55
7.11.2.2	test_is_subsuperclass_of	55
7.11.2.3	test_subclass_of	55
7.11.2.4	test_subclassOf_erroneous	55
7.11.2.5	test_subsuperclassOf_erroneous	55
7.11.2.6	test_superclass_of	55
7.11.2.7	test_superclassOf_erroneous	55
7.11.3	Member Data Documentation	55
7.11.3.1	ch	55
7.12	path_planning_tests.PathPlanningTests Class Reference	56
7.12.1	Detailed Description	56
7.12.2	Member Function Documentation	57
7.12.2.1	setUp	57
7.12.2.2	test_plan_2d	57
7.12.2.3	test_plan_2d_erroneous	57
7.12.2.4	test_upload_map	57
7.12.2.5	test_upload_map_erroneous	57
7.12.3	Member Data Documentation	57
7.12.3.1	ch	57
7.12.3.2	pkgDir	57
7.13	qr_detection_tests.QrDetectionTests Class Reference	58
7.13.1	Detailed Description	58
7.13.2	Member Function Documentation	59
7.13.2.1	setUp	59
7.13.2.2	test_detect_qr	59
7.13.2.3	test_detect_qr_erroneous	59
7.13.3	Member Data Documentation	59
7.13.3.1	ch	59
7.13.3.2	pkgDir	59
7.14	available_services_test.RappInterfaceTest Class Reference	59
7.14.1	Detailed Description	59
7.14.2	Constructor & Destructor Documentation	59
7.14.2.1	__init__	59
7.14.3	Member Function Documentation	60
7.14.3.1	execute	60
7.14.3.2	validate	60
7.14.4	Member Data Documentation	60
7.14.4.1	elapsed_time	60
7.14.4.2	rappCloud	60
7.14.4.3	valid_results	60

7.15	qr_detection_test_hard_medium.RappInterfaceTest Class Reference	60
7.15.1	Detailed Description	60
7.15.2	Constructor & Destructor Documentation	61
7.15.2.1	<code>__init__</code>	61
7.15.3	Member Function Documentation	61
7.15.3.1	<code>execute</code>	61
7.15.3.2	<code>validate</code>	61
7.15.4	Member Data Documentation	61
7.15.4.1	<code>elapsed_time</code>	61
7.15.4.2	<code>msg</code>	61
7.15.4.3	<code>svc</code>	61
7.15.4.4	<code>valid_results</code>	61
7.16	email_send_zip.RappInterfaceTest Class Reference	61
7.16.1	Detailed Description	62
7.16.2	Constructor & Destructor Documentation	62
7.16.2.1	<code>__init__</code>	62
7.16.3	Member Function Documentation	62
7.16.3.1	<code>execute</code>	62
7.16.3.2	<code>validate</code>	62
7.16.4	Member Data Documentation	62
7.16.4.1	<code>elapsed_time</code>	62
7.16.4.2	<code>msg</code>	62
7.16.4.3	<code>svc</code>	62
7.17	human_detection_test.RappInterfaceTest Class Reference	62
7.17.1	Detailed Description	63
7.17.2	Constructor & Destructor Documentation	63
7.17.2.1	<code>__init__</code>	63
7.17.3	Member Function Documentation	63
7.17.3.1	<code>execute</code>	63
7.17.3.2	<code>validate</code>	63
7.17.4	Member Data Documentation	63
7.17.4.1	<code>elapsed_time</code>	63
7.17.4.2	<code>image</code>	63
7.17.4.3	<code>msg</code>	63
7.17.4.4	<code>svc</code>	63
7.17.4.5	<code>valid_humans</code>	63
7.18	weather_report_forecast_Athens.RappInterfaceTest Class Reference	64
7.18.1	Detailed Description	64
7.18.2	Constructor & Destructor Documentation	64
7.18.2.1	<code>__init__</code>	64

7.18.3	Member Function Documentation	64
7.18.3.1	execute	64
7.18.3.2	validate	64
7.18.4	Member Data Documentation	64
7.18.4.1	elapsed_time	64
7.18.4.2	msg	64
7.18.4.3	svc	64
7.19	weather_report_current_Athens.RapplInterfaceTest Class Reference	65
7.19.1	Detailed Description	65
7.19.2	Constructor & Destructor Documentation	65
7.19.2.1	__init__	65
7.19.3	Member Function Documentation	65
7.19.3.1	execute	65
7.19.3.2	validate	65
7.19.4	Member Data Documentation	65
7.19.4.1	elapsed_time	65
7.19.4.2	msg	65
7.19.4.3	svc	65
7.20	speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest Class Reference	66
7.20.1	Detailed Description	66
7.20.2	Constructor & Destructor Documentation	66
7.20.2.1	__init__	66
7.20.3	Member Function Documentation	66
7.20.3.1	execute	66
7.20.3.2	validate	66
7.20.4	Member Data Documentation	66
7.20.4.1	elapsed_time	66
7.20.4.2	msg	66
7.20.4.3	svc	66
7.20.4.4	valid_words_found	67
7.21	speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest Class Reference	67
7.21.1	Detailed Description	67
7.21.2	Constructor & Destructor Documentation	67
7.21.2.1	__init__	67
7.21.3	Member Function Documentation	67
7.21.3.1	execute	67
7.21.3.2	validate	67
7.21.4	Member Data Documentation	67
7.21.4.1	elapsed_time	67
7.21.4.2	msg	68

7.21.4.3	svc	68
7.21.4.4	valid_words_found	68
7.22	speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest Class Reference	68
7.22.1	Detailed Description	68
7.22.2	Constructor & Destructor Documentation	68
7.22.2.1	__init__	68
7.22.3	Member Function Documentation	68
7.22.3.1	execute	68
7.22.3.2	validate	68
7.22.4	Member Data Documentation	69
7.22.4.1	elapsed_time	69
7.22.4.2	msg	69
7.22.4.3	svc	69
7.22.4.4	valid_words_found	69
7.23	speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest Class Reference	69
7.23.1	Detailed Description	69
7.23.2	Constructor & Destructor Documentation	69
7.23.2.1	__init__	69
7.23.3	Member Function Documentation	70
7.23.3.1	execute	70
7.23.3.2	validate	70
7.23.4	Member Data Documentation	70
7.23.4.1	elapsed_time	70
7.23.4.2	msg	70
7.23.4.3	svc	70
7.23.4.4	valid_words_found	70
7.24	speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest Class Reference	70
7.24.1	Detailed Description	70
7.24.2	Constructor & Destructor Documentation	71
7.24.2.1	__init__	71
7.24.3	Member Function Documentation	71
7.24.3.1	execute	71
7.24.3.2	validate	71
7.24.4	Member Data Documentation	71
7.24.4.1	elapsed_time	71
7.24.4.2	msg	71
7.24.4.3	svc	71
7.24.4.4	valid_words_found	71
7.25	news_explore_general.RapplInterfaceTest Class Reference	71
7.25.1	Detailed Description	72

7.25.2	Constructor & Destructor Documentation	72
7.25.2.1	__init__	72
7.25.3	Member Function Documentation	72
7.25.3.1	execute	72
7.25.3.2	validate	72
7.25.4	Member Data Documentation	72
7.25.4.1	elapsed_time	72
7.25.4.2	msg	72
7.25.4.3	svc	72
7.26	speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest Class Reference	72
7.26.1	Detailed Description	73
7.26.2	Constructor & Destructor Documentation	73
7.26.2.1	__init__	73
7.26.3	Member Function Documentation	73
7.26.3.1	execute	73
7.26.3.2	validate	73
7.26.4	Member Data Documentation	73
7.26.4.1	elapsed_time	73
7.26.4.2	msg	73
7.26.4.3	svc	73
7.26.4.4	valid_words_found	73
7.27	speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest Class Reference	74
7.27.1	Detailed Description	74
7.27.2	Constructor & Destructor Documentation	74
7.27.2.1	__init__	74
7.27.3	Member Function Documentation	74
7.27.3.1	execute	74
7.27.3.2	validate	74
7.27.4	Member Data Documentation	74
7.27.4.1	elapsed_time	74
7.27.4.2	msg	74
7.27.4.3	svc	74
7.27.4.4	valid_words_found	75
7.28	speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest Class Reference	75
7.28.1	Detailed Description	75
7.28.2	Constructor & Destructor Documentation	75
7.28.2.1	__init__	75
7.28.3	Member Function Documentation	75
7.28.3.1	execute	75
7.28.3.2	validate	75

7.28.4	Member Data Documentation	75
7.28.4.1	elapsed_time	75
7.28.4.2	msg	76
7.28.4.3	svc	76
7.28.4.4	valid_words_found	76
7.29	speech_detection_google_test_ogg_sentence2.RappInterfaceTest Class Reference	76
7.29.1	Detailed Description	76
7.29.2	Constructor & Destructor Documentation	76
7.29.2.1	__init__	76
7.29.3	Member Function Documentation	76
7.29.3.1	execute	76
7.29.3.2	validate	76
7.29.4	Member Data Documentation	77
7.29.4.1	elapsed_time	77
7.29.4.2	msg	77
7.29.4.3	svc	77
7.29.4.4	valid_words_found	77
7.30	face_detection_test_medium_straight.RappInterfaceTest Class Reference	77
7.30.1	Detailed Description	77
7.30.2	Constructor & Destructor Documentation	77
7.30.2.1	__init__	77
7.30.3	Member Function Documentation	78
7.30.3.1	execute	78
7.30.3.2	validate	78
7.30.4	Member Data Documentation	78
7.30.4.1	elapsed_time	78
7.30.4.2	msg	78
7.30.4.3	svc	78
7.30.4.4	valid_faces	78
7.31	speech_detection_sphinx_test_ogg_monday.RappInterfaceTest Class Reference	78
7.31.1	Detailed Description	78
7.31.2	Constructor & Destructor Documentation	79
7.31.2.1	__init__	79
7.31.3	Member Function Documentation	79
7.31.3.1	execute	79
7.31.3.2	validate	79
7.31.4	Member Data Documentation	79
7.31.4.1	elapsed_time	79
7.31.4.2	msg	79
7.31.4.3	svc	79

7.31.4.4	valid_words_found	79
7.32	qr_detection_test_medium_far.RappInterfaceTest Class Reference	79
7.32.1	Detailed Description	80
7.32.2	Constructor & Destructor Documentation	80
7.32.2.1	__init__	80
7.32.3	Member Function Documentation	80
7.32.3.1	execute	80
7.32.3.2	validate	80
7.32.4	Member Data Documentation	80
7.32.4.1	elapsed_time	80
7.32.4.2	msg	80
7.32.4.3	svc	80
7.32.4.4	valid_results	80
7.33	email_fetch.RappInterfaceTest Class Reference	81
7.33.1	Detailed Description	81
7.33.2	Constructor & Destructor Documentation	81
7.33.2.1	__init__	81
7.33.3	Member Function Documentation	81
7.33.3.1	execute	81
7.33.3.2	validate	81
7.33.4	Member Data Documentation	81
7.33.4.1	elapsed_time	81
7.33.4.2	msg	81
7.33.4.3	svc	81
7.34	face_detection_test_medium_angle.RappInterfaceTest Class Reference	82
7.34.1	Detailed Description	82
7.34.2	Constructor & Destructor Documentation	82
7.34.2.1	__init__	82
7.34.3	Member Function Documentation	82
7.34.3.1	execute	82
7.34.3.2	validate	82
7.34.4	Member Data Documentation	82
7.34.4.1	elapsed_time	82
7.34.4.2	msg	82
7.34.4.3	svc	82
7.34.4.4	valid_faces	83
7.35	qr_detection_test_hard_far.RappInterfaceTest Class Reference	83
7.35.1	Detailed Description	83
7.35.2	Constructor & Destructor Documentation	83
7.35.2.1	__init__	83

7.35.3	Member Function Documentation	83
7.35.3.1	execute	83
7.35.3.2	validate	83
7.35.4	Member Data Documentation	83
7.35.4.1	elapsed_time	83
7.35.4.2	msg	84
7.35.4.3	svc	84
7.35.4.4	valid_results	84
7.36	qr_detection_test_easy_near.RappInterfaceTest Class Reference	84
7.36.1	Detailed Description	84
7.36.2	Constructor & Destructor Documentation	84
7.36.2.1	__init__	84
7.36.3	Member Function Documentation	84
7.36.3.1	execute	84
7.36.3.2	validate	84
7.36.4	Member Data Documentation	85
7.36.4.1	elapsed_time	85
7.36.4.2	msg	85
7.36.4.3	svc	85
7.36.4.4	valid_results	85
7.37	face_detection_test_far_angle.RappInterfaceTest Class Reference	85
7.37.1	Detailed Description	85
7.37.2	Constructor & Destructor Documentation	85
7.37.2.1	__init__	85
7.37.3	Member Function Documentation	86
7.37.3.1	execute	86
7.37.3.2	validate	86
7.37.4	Member Data Documentation	86
7.37.4.1	elapsed_time	86
7.37.4.2	msg	86
7.37.4.3	svc	86
7.37.4.4	valid_faces	86
7.38	face_detection_test_close_angle.RappInterfaceTest Class Reference	86
7.38.1	Detailed Description	86
7.38.2	Constructor & Destructor Documentation	87
7.38.2.1	__init__	87
7.38.3	Member Function Documentation	87
7.38.3.1	execute	87
7.38.3.2	validate	87
7.38.4	Member Data Documentation	87

7.38.4.1	elapsed_time	87
7.38.4.2	msg	87
7.38.4.3	svc	87
7.38.4.4	valid_faces	87
7.39	ontology_is_subsuperclass_of_SpatialThing.RappInterfaceTest Class Reference	87
7.39.1	Detailed Description	88
7.39.2	Constructor & Destructor Documentation	88
7.39.2.1	__init__	88
7.39.3	Member Function Documentation	88
7.39.3.1	execute	88
7.39.3.2	validate	88
7.39.4	Member Data Documentation	88
7.39.4.1	elapsed_time	88
7.39.4.2	msg	88
7.39.4.3	svc	88
7.39.4.4	valid_results	88
7.40	qr_detection_test_easy_far.RappInterfaceTest Class Reference	89
7.40.1	Detailed Description	89
7.40.2	Constructor & Destructor Documentation	89
7.40.2.1	__init__	89
7.40.3	Member Function Documentation	89
7.40.3.1	execute	89
7.40.3.2	validate	89
7.40.4	Member Data Documentation	89
7.40.4.1	elapsed_time	89
7.40.4.2	msg	89
7.40.4.3	svc	89
7.40.4.4	valid_results	90
7.41	face_detection_test_far_straight.RappInterfaceTest Class Reference	90
7.41.1	Detailed Description	90
7.41.2	Constructor & Destructor Documentation	90
7.41.2.1	__init__	90
7.41.3	Member Function Documentation	90
7.41.3.1	execute	90
7.41.3.2	validate	90
7.41.4	Member Data Documentation	90
7.41.4.1	elapsed_time	90
7.41.4.2	msg	91
7.41.4.3	svc	91
7.41.4.4	valid_faces	91

7.42	geolocation_pass_ipaddr.RapplInterfaceTest Class Reference	91
7.42.1	Detailed Description	91
7.42.2	Constructor & Destructor Documentation	91
7.42.2.1	<code>__init__</code>	91
7.42.3	Member Function Documentation	91
7.42.3.1	<code>execute</code>	91
7.42.3.2	<code>validate</code>	91
7.42.4	Member Data Documentation	92
7.42.4.1	<code>elapsed_time</code>	92
7.42.4.2	<code>msg</code>	92
7.42.4.3	<code>svc</code>	92
7.42.4.4	<code>validResults</code>	92
7.43	face_detection_test_two_faces_jpg.RapplInterfaceTest Class Reference	92
7.43.1	Detailed Description	92
7.43.2	Constructor & Destructor Documentation	92
7.43.2.1	<code>__init__</code>	92
7.43.3	Member Function Documentation	93
7.43.3.1	<code>execute</code>	93
7.43.3.2	<code>validate</code>	93
7.43.4	Member Data Documentation	93
7.43.4.1	<code>elapsed_time</code>	93
7.43.4.2	<code>msg</code>	93
7.43.4.3	<code>svc</code>	93
7.43.4.4	<code>valid_numFaces</code>	93
7.44	qr_detection_test_medium_medium.RapplInterfaceTest Class Reference	93
7.44.1	Detailed Description	93
7.44.2	Constructor & Destructor Documentation	94
7.44.2.1	<code>__init__</code>	94
7.44.3	Member Function Documentation	94
7.44.3.1	<code>execute</code>	94
7.44.3.2	<code>validate</code>	94
7.44.4	Member Data Documentation	94
7.44.4.1	<code>elapsed_time</code>	94
7.44.4.2	<code>msg</code>	94
7.44.4.3	<code>svc</code>	94
7.44.4.4	<code>valid_results</code>	94
7.45	qr_detection_test_medium_near.RapplInterfaceTest Class Reference	94
7.45.1	Detailed Description	95
7.45.2	Constructor & Destructor Documentation	95
7.45.2.1	<code>__init__</code>	95

7.45.3	Member Function Documentation	95
7.45.3.1	execute	95
7.45.3.2	validate	95
7.45.4	Member Data Documentation	95
7.45.4.1	elapsed_time	95
7.45.4.2	msg	95
7.45.4.3	svc	95
7.45.4.4	valid_results	95
7.46	qr_detection_test_easy_medium.RappInterfaceTest Class Reference	96
7.46.1	Detailed Description	96
7.46.2	Constructor & Destructor Documentation	96
7.46.2.1	__init__	96
7.46.3	Member Function Documentation	96
7.46.3.1	execute	96
7.46.3.2	validate	96
7.46.4	Member Data Documentation	96
7.46.4.1	elapsed_time	96
7.46.4.2	msg	96
7.46.4.3	svc	96
7.46.4.4	valid_results	97
7.47	qr_detection_test_hard_near.RappInterfaceTest Class Reference	97
7.47.1	Detailed Description	97
7.47.2	Constructor & Destructor Documentation	97
7.47.2.1	__init__	97
7.47.3	Member Function Documentation	97
7.47.3.1	execute	97
7.47.3.2	validate	97
7.47.4	Member Data Documentation	97
7.47.4.1	elapsed_time	97
7.47.4.2	msg	98
7.47.4.3	svc	98
7.47.4.4	valid_results	98
7.48	cognitive_record_performance_arithmetic.RappInterfaceTest Class Reference	98
7.48.1	Detailed Description	98
7.48.2	Constructor & Destructor Documentation	98
7.48.2.1	__init__	98
7.48.3	Member Function Documentation	98
7.48.3.1	execute	98
7.48.3.2	validate	98
7.48.4	Member Data Documentation	99

7.48.4.1	elapsed_time	99
7.48.4.2	svc	99
7.48.4.3	valid_result_partial	99
7.49	user_personal_info.RappInterfaceTest Class Reference	99
7.49.1	Detailed Description	99
7.49.2	Constructor & Destructor Documentation	99
7.49.2.1	__init__	99
7.49.3	Member Function Documentation	99
7.49.3.1	execute	99
7.49.3.2	validate	100
7.49.4	Member Data Documentation	100
7.49.4.1	elapsed_time	100
7.49.4.2	rappCloud	100
7.49.4.3	valid_results	100
7.50	email_send_single_attach.RappInterfaceTest Class Reference	100
7.50.1	Detailed Description	100
7.50.2	Constructor & Destructor Documentation	100
7.50.2.1	__init__	100
7.50.3	Member Function Documentation	101
7.50.3.1	execute	101
7.50.3.2	validate	101
7.50.4	Member Data Documentation	101
7.50.4.1	attach	101
7.50.4.2	elapsed_time	101
7.50.4.3	msg	101
7.50.4.4	svc	101
7.51	speech_detection_sphinx_tests.SpeechDetectionSphinxTests Class Reference	101
7.51.1	Detailed Description	102
7.51.2	Member Function Documentation	102
7.51.2.1	setUp	102
7.51.2.2	test_headset_nai_oxi	102
7.51.2.3	test_ogg_no	102
7.51.2.4	test_ogg_oxi	103
7.51.2.5	test_speech_erroneous	103
7.51.2.6	test_wav_1_ch_nai_oxi	103
7.51.2.7	test_wav_1_ch_yes_no	103
7.51.3	Member Data Documentation	103
7.51.3.1	ch	103
7.51.3.2	pkgDir	103
7.52	speech_detection_google_tests.SppechDetectionGoogleTests Class Reference	103

7.52.1	Detailed Description	104
7.52.2	Member Function Documentation	104
7.52.2.1	setUp	104
7.52.2.2	test_erroneous	104
7.52.2.3	test_speechNormal	104
7.52.3	Member Data Documentation	104
7.52.3.1	ch	104
7.52.3.2	pkgDir	105
7.53	template_test.TemplateTests Class Reference	105
7.53.1	Detailed Description	106
7.53.2	Member Function Documentation	106
7.53.2.1	setUp	106
7.53.2.2	test_templateTest	106
7.53.3	Member Data Documentation	106
7.53.3.1	ch	106
7.53.3.2	pkgDir	106
7.54	text_to_speech_tests.TextToSpeechTests Class Reference	106
7.54.1	Detailed Description	107
7.54.2	Member Function Documentation	107
7.54.2.1	setUp	107
7.54.2.2	test_greek_test	107
7.54.2.3	test_tts_erroneous	107
7.54.3	Member Data Documentation	107
7.54.3.1	ch	107
8	File Documentation	109
8.1	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/README.md File Reference	109
8.2	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_tests.py File Reference	109
8.3	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_record_tests.py File Reference	109
8.4	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_user_history_tests.py File Reference	110
8.5	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_user_scores_tests.py File Reference	110
8.6	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/denoise_profile_tests.py File Reference	110
8.7	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_fetch.py File Reference	111
8.8	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_send_single_attach.py File Reference	111
8.9	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_send_zip.py File Reference	111

8.10	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_close_angle.py File Reference	112
8.11	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_far_angle.py File Reference	112
8.12	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_far_straight.py File Reference	112
8.13	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_medium_angle.py File Reference	113
8.14	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_medium_straight.py File Reference	113
8.15	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_- detection_test_two_faces_jpg.py File Reference	113
8.16	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/geolocation- _pass_ipaddr.py File Reference	114
8.17	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/human_- detection_test.py File Reference	114
8.18	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/news_- explore_general.py File Reference	114
8.19	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ontology_is- _subsuperclass_of_SpatialThing.py File Reference	115
8.20	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_easy_far.py File Reference	115
8.21	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_easy_medium.py File Reference	115
8.22	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_easy_near.py File Reference	116
8.23	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_hard_far.py File Reference	116
8.24	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_hard_medium.py File Reference	116
8.25	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_hard_near.py File Reference	117
8.26	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_medium_far.py File Reference	117
8.27	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_medium_medium.py File Reference	117
8.28	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection- _test_medium_near.py File Reference	118
8.29	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_google_test_ogg_sentence2.py File Reference	118
8.30	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_headset_deutera.py File Reference	118
8.31	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_headset_steile_mail.py File Reference	119
8.32	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_nao_wav_1_ch_email_robot.py File Reference	119

8.33	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py File Reference	119
8.34	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_ogg_deutera.py File Reference	120
8.35	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_ogg_monday.py File Reference	120
8.36	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_ogg_triti.py File Reference	120
8.37	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_ogg_tuesday.py File Reference	121
8.38	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_- detection_sphinx_test_ogg_yes.py File Reference	121
8.39	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_- report_current_Athens.py File Reference	121
8.40	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_- report_forecast_Athens.py File Reference	122
8.41	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_- tests.py File Reference	122
8.42	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/hazard_detection_- tests.py File Reference	122
8.43	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/human_detection_- tests.py File Reference	123
8.44	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/available_- services_test.py File Reference	123
8.45	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/cognitive_- record_performance_arithmetic.py File Reference	123
8.46	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/user_personal- _info.py File Reference	124
8.47	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/object_recognition_- tests.py File Reference	124
8.48	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_tests.py File Reference	124
8.49	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/path_planning_- tests.py File Reference	125
8.50	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qrcode_detection_- tests.py File Reference	125
8.51	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_- google_tests.py File Reference	125
8.52	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_- sphinx_tests.py File Reference	126
8.53	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/template_test.py File Reference	126
8.54	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text_to_speech_- tests.py File Reference	126
8.55	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/rapp_run_test.py File Reference	127
8.56	/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/__init__.py File Reference	127

8.57 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/rapp_testing_core.py File Reference	127
Index	129

Chapter 1

RAPP Testing Tools

Synopsis

Testing tools used for RAPP Platform integration tests.

All tests use the Python implementation of the RAPP Platform API, `rapp-platform-api/python`, to request for .

Test classes inherit from Python unit testing framework, `unittest`

Tests Directory

By default, this package contains out-of-the-box, integration tests. These tests are located under:

```
“bash $ <rapp_testing_tools_package_path>/scripts/default_tests “
```

Executing Tests

The `rapp_run_test.py` script is used in order to execute developed tests. The script accept the following arguments:

- [`**-i**`] : Test filepath, to execute. If empty, all tests under the **default_tests** directory will be executed.

```
“bash $ ./rapp_run_test.py -i default_tests/face_detection_tests.py “
```

- [`**-n**`] : Number of times of test(s) execution.

```
“bash $ ./rapp_run_test.py -i default_tests/face_detection_tests.py -n 10 “
```

- [`**-t**`] : Run the test in threaded mode. Multiple invocations can be done, simultaneous. Each test execution is handled by a single thread.

```
“bash $ ./rapp_run_test.py -i default_tests/face_detection_tests.py -n 10 -t “
```

Note: If no test_name is provided as argument, all tests are executed!!

Developing Tests

A `template_test.py` is located under the `default_tests` directory of the `rapp_testing_tools` package.

```
“bash $ <path_to_rapp_testing_tools_package>/scripts/default_tests/ “
```

Also, several tests have already been developed, located under the `default_tests` directory. Those can be used as a reference/examples for developing new tests.

A Section in the [Wiki](#) exists that guides through developing integration tests for the RAPP Platform.

Contributors

- Konstantinos Panayiotou, [klpanagi@gmail.com]
- Manos Tsardoulas. [etsardou@gmail.com]

Contact

- Konstantinos Panayiotou, [klpanagi@gmail.com]

Chapter 2

Namespace Index

2.1 Namespace List

Here is a list of all namespaces with brief descriptions:

available_services_test	13
cognitive_record_performance_arithmetic	13
cognitive_test_chooser_tests	13
cognitive_test_record_tests	14
cognitive_test_user_history_tests	14
cognitive_test_user_scores_tests	15
denoise_profile_tests	15
email_fetch	15
email_send_single_attach	16
email_send_zip	16
face_detection_test_close_angle	16
face_detection_test_far_angle	17
face_detection_test_far_straight	17
face_detection_test_medium_angle	17
face_detection_test_medium_straight	18
face_detection_test_two_faces_jpg	18
face_detection_tests	18
geolocation_pass_ipaddr	19
hazard_detection_tests	19
human_detection_test	19
human_detection_tests	20
news_explore_general	20
object_recognition_tests	20
ontology_is_subsuperclass_of_SpatialThing	21
ontology_tests	21
path_planning_tests	21
qr_detection_test_easy_far	22
qr_detection_test_easy_medium	22
qr_detection_test_easy_near	22
qr_detection_test_hard_far	23
qr_detection_test_hard_medium	23
qr_detection_test_hard_near	23
qr_detection_test_medium_far	24
qr_detection_test_medium_medium	24
qr_detection_test_medium_near	24
qr_detection_tests	25
rapp_run_test	25
rapp_testing_tools	25

rapp_testing_tools.rapp_testing_core	25
speech_detection_google_test_ogg_sentence2	28
speech_detection_google_tests	28
speech_detection_sphinx_test_headset_deutera	28
speech_detection_sphinx_test_headset_steile_mail	29
speech_detection_sphinx_test_nao_wav_1_ch_email_robot	29
speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia	29
speech_detection_sphinx_test_ogg_deutera	30
speech_detection_sphinx_test_ogg_monday	30
speech_detection_sphinx_test_ogg_triti	30
speech_detection_sphinx_test_ogg_tuesday	31
speech_detection_sphinx_test_ogg_yes	31
speech_detection_sphinx_tests	31
template_test	32
text_to_speech_tests	32
user_personal_info	32
weather_report_current_Athens	33
weather_report_forecast_Athens	33

Chapter 3

Hierarchical Index

3.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

rapp_testing_tools.rapp_testing_core.bcolors	35
available_services_test.RapplInterfaceTest	59
qr_detection_test_hard_medium.RapplInterfaceTest	60
email_send_zip.RapplInterfaceTest	61
human_detection_test.RapplInterfaceTest	62
weather_report_forecast_Athens.RapplInterfaceTest	64
weather_report_current_Athens.RapplInterfaceTest	65
speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest	66
speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest	67
speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest	68
speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest	69
speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest	70
news_explore_general.RapplInterfaceTest	71
speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest	72
speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest	74
speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest	75
speech_detection_google_test_ogg_sentence2.RapplInterfaceTest	76
face_detection_test_medium_straight.RapplInterfaceTest	77
speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest	78
qr_detection_test_medium_far.RapplInterfaceTest	79
email_fetch.RapplInterfaceTest	81
face_detection_test_medium_angle.RapplInterfaceTest	82
qr_detection_test_hard_far.RapplInterfaceTest	83
qr_detection_test_easy_near.RapplInterfaceTest	84
face_detection_test_far_angle.RapplInterfaceTest	85
face_detection_test_close_angle.RapplInterfaceTest	86
ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest	87
qr_detection_test_easy_far.RapplInterfaceTest	89
face_detection_test_far_straight.RapplInterfaceTest	90
geolocation_pass_ipaddr.RapplInterfaceTest	91
face_detection_test_two_faces_jpg.RapplInterfaceTest	92
qr_detection_test_medium_medium.RapplInterfaceTest	93
qr_detection_test_medium_near.RapplInterfaceTest	94
qr_detection_test_easy_medium.RapplInterfaceTest	96
qr_detection_test_hard_near.RapplInterfaceTest	97
cognitive_record_performance_arithmetic.RapplInterfaceTest	98
user_personal_info.RapplInterfaceTest	99
email_send_single_attach.RapplInterfaceTest	100

TestCase

cognitive_test_chooser_tests.CognitiveTestChooserTests	36
cognitive_test_record_tests.CognitiveTestRecordTests	41
cognitive_test_user_history_tests.CognitiveTestHistoryTests	39
cognitive_test_user_scores_tests.CognitiveTestScoresTests	43
denoise_profile_tests.DenoiseProfileTests	45
face_detection_tests.FaceDetectionTests	47
hazard_detection_tests.HazardDetectionTests	49
human_detection_tests.HumanDetectionTests	50
object_recognition_tests.ObjectRecognitionTests	52
ontology_tests.OntologyTests	54
path_planning_tests.PathPlanningTests	56
qr_detection_tests.QrDetectionTests	58
speech_detection_google_tests.SpeechDetectionGoogleTests	103
speech_detection_sphinx_tests.SpeechDetectionSphinxTests	101
template_test.TemplateTests	105
text_to_speech_tests.TextToSpeechTests	106

Chapter 4

Class Index

4.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

rapp_testing_tools.rapp_testing_core.bcolors	
----- Console colors ----- ##	35
cognitive_test_chooser_tests.CognitiveTestChooserTests	36
cognitive_test_user_history_tests.CognitiveTestHistoryTests	39
cognitive_test_record_tests.CognitiveTestRecordTests	41
cognitive_test_user_scores_tests.CognitiveTestScoresTests	43
denoise_profile_tests.DenoiseProfileTests	45
face_detection_tests.FaceDetectionTests	47
hazard_detection_tests.HazardDetectionTests	49
human_detection_tests.HumanDetectionTests	50
object_recognition_tests.ObjectRecognitionTests	52
ontology_tests.OntologyTests	54
path_planning_tests.PathPlanningTests	56
qr_detection_tests.QrDetectionTests	58
available_services_test.RapplInterfaceTest	59
qr_detection_test_hard_medium.RapplInterfaceTest	60
email_send_zip.RapplInterfaceTest	61
human_detection_test.RapplInterfaceTest	62
weather_report_forecast_Athens.RapplInterfaceTest	64
weather_report_current_Athens.RapplInterfaceTest	65
speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest	66
speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest	67
speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest	68
speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest	69
speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest	70
news_explore_general.RapplInterfaceTest	71
speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest	72
speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest	74
speech_detection_sphinx_test_headset_deutera.RapplInterfaceTest	75
speech_detection_google_test_ogg_sentence2.RapplInterfaceTest	76
face_detection_test_medium_straight.RapplInterfaceTest	77
speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest	78
qr_detection_test_medium_far.RapplInterfaceTest	79
email_fetch.RapplInterfaceTest	81
face_detection_test_medium_angle.RapplInterfaceTest	82
qr_detection_test_hard_far.RapplInterfaceTest	83
qr_detection_test_easy_near.RapplInterfaceTest	84
face_detection_test_far_angle.RapplInterfaceTest	85

face_detection_test_close_angle.RapplInterfaceTest	86
ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest	87
qr_detection_test_easy_far.RapplInterfaceTest	89
face_detection_test_far_straight.RapplInterfaceTest	90
geolocation_pass_ipaddr.RapplInterfaceTest	91
face_detection_test_two_faces_jpg.RapplInterfaceTest	92
qr_detection_test_medium_medium.RapplInterfaceTest	93
qr_detection_test_medium_near.RapplInterfaceTest	94
qr_detection_test_easy_medium.RapplInterfaceTest	96
qr_detection_test_hard_near.RapplInterfaceTest	97
cognitive_record_performance_arithmetic.RapplInterfaceTest	98
user_personal_info.RapplInterfaceTest	99
email_send_single_attach.RapplInterfaceTest	100
speech_detection_sphinx_tests.SpeechDetectionSphinxTests	101
speech_detection_google_tests.SpeechDetectionGoogleTests	103
template_test.TemplateTests	105
text_to_speech_tests.TextToSpeechTests	106

Chapter 5

File Index

5.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/ rapp_run_test.py	127
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ cognitive_test_chooser_ - tests.py	109
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ cognitive_test_record_ - tests.py	109
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ cognitive_test_user_ - history_tests.py	110
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ cognitive_test_user_ - scores_tests.py	110
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ denoise_profile_tests.py .	110
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ face_detection_tests.py .	122
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ hazard_detection_tests.py	122
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ human_detection_tests.py	123
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ object_recognition_tests_ - py	124
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ ontology_tests.py	124
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ path_planning_tests.py . .	125
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ qr_detection_tests.py . .	125
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ speech_detection_google_ - tests.py	125
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ speech_detection_sphinx_ - tests.py	126
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ template_test.py	126
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ text_to_speech_tests.py .	126
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ email_fetch.py . .	111
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ email_send_ - single_attach.py	111
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ email_send_zip.py	111
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ face_detection_ - test_close_angle.py	112
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ face_detection_ - test_far_angle.py	112
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ face_detection_ - test_far_straight.py	112
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ face_detection_ - test_medium_angle.py	113
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ face_detection_ - test_medium_straight.py	113

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_two_faces.jpg.py	113
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/geolocation_pass_ipaddr.py	114
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/human_detection_test.py	114
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/news_explore_general.py	114
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ontology_is_subsuperclass_of_SpatialThing.py	115
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_far.py	115
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_medium.py	115
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_near.py	116
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_far.py	116
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_medium.py	116
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_near.py	117
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_far.py	117
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_medium.py	117
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_near.py	118
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_google_test_ogg_sentence2.py	118
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_headset_deutera.py	118
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_headset_steile_mail.py	119
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py	119
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py	119
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_deutera.py	120
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_monday.py	120
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_triti.py	120
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_tuesday.py	121
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_yes.py	121
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_report_current_Athens.py	121
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_report_forecast_Athens.py	122
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/available_services_test.py	123
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/cognitive_record_performance_arithmetic.py	123
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/user_personal_info.py	124

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/___init___py	127
/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/rapp_testing_core.py . .	127

Chapter 6

Namespace Documentation

6.1 available_services_test Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

6.1.1 Variable Documentation

6.1.1.1 tuple available_services_test.__path__ = os.path.dirname(os.path.realpath(__file__))

Definition at line 26 of file available_services_test.py.

6.2 cognitive_record_performance_arithmetic Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

6.2.1 Variable Documentation

6.2.1.1 tuple cognitive_record_performance_arithmetic.__path__ = os.path.dirname(os.path.realpath(__file__))

Definition at line 25 of file cognitive_record_performance_arithmetic.py.

6.3 cognitive_test_chooser_tests Namespace Reference

Classes

- class [CognitiveTestChooserTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.3.1 Variable Documentation

6.3.1.1 tuple `cognitive_test_chooser_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `cognitive_test_chooser_tests.py`.

6.4 `cognitive_test_record_tests` Namespace Reference

Classes

- class [CognitiveTestRecordTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.4.1 Variable Documentation

6.4.1.1 tuple `cognitive_test_record_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `cognitive_test_record_tests.py`.

6.5 `cognitive_test_user_history_tests` Namespace Reference

Classes

- class [CognitiveTestHistoryTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.5.1 Variable Documentation

6.5.1.1 tuple `cognitive_test_user_history_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `cognitive_test_user_history_tests.py`.

6.6 cognitive_test_user_scores_tests Namespace Reference

Classes

- class [CognitiveTestScoresTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.6.1 Variable Documentation

6.6.1.1 tuple `cognitive_test_user_scores_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `cognitive_test_user_scores_tests.py`.

6.7 denoise_profile_tests Namespace Reference

Classes

- class [DenoiseProfileTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.7.1 Variable Documentation

6.7.1.1 tuple `denoise_profile_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `denoise_profile_tests.py`.

6.8 email_fetch Namespace Reference

Classes

- class [RappInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.8.1 Variable Documentation

6.8.1.1 tuple `email_fetch.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `email_fetch.py`.

6.9 email_send_single_attach Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.9.1 Variable Documentation

6.9.1.1 tuple `email_send_single_attach.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `email_send_single_attach.py`.

6.10 email_send_zip Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.10.1 Variable Documentation

6.10.1.1 tuple `email_send_zip.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `email_send_zip.py`.

6.11 face_detection_test_close_angle Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.11.1 Variable Documentation

6.11.1.1 tuple `face_detection_test_close_angle.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_close_angle.py`.

6.12 face_detection_test_far_angle Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.12.1 Variable Documentation

6.12.1.1 tuple `face_detection_test_far_angle.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_far_angle.py`.

6.13 face_detection_test_far_straight Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.13.1 Variable Documentation

6.13.1.1 tuple `face_detection_test_far_straight.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_far_straight.py`.

6.14 face_detection_test_medium_angle Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.14.1 Variable Documentation

6.14.1.1 tuple `face_detection_test_medium_angle.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_medium_angle.py`.

6.15 face_detection_test_medium_straight Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.15.1 Variable Documentation

6.15.1.1 tuple `face_detection_test_medium_straight.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_medium_straight.py`.

6.16 face_detection_test_two_faces_jpg Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.16.1 Variable Documentation

6.16.1.1 tuple `face_detection_test_two_faces_jpg.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `face_detection_test_two_faces_jpg.py`.

6.17 face_detection_tests Namespace Reference

Classes

- class [FaceDetectionTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.17.1 Variable Documentation

6.17.1.1 tuple `face_detection_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `face_detection_tests.py`.

6.18 geolocation_pass_ipaddr Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.18.1 Variable Documentation

6.18.1.1 tuple `geolocation_pass_ipaddr.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `geolocation_pass_ipaddr.py`.

6.19 hazard_detection_tests Namespace Reference

Classes

- class [HazardDetectionTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.19.1 Variable Documentation

6.19.1.1 tuple `hazard_detection_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `hazard_detection_tests.py`.

6.20 human_detection_test Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.20.1 Variable Documentation

6.20.1.1 tuple `human_detection_test.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `human_detection_test.py`.

6.21 human_detection_tests Namespace Reference

Classes

- class [HumanDetectionTests](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

6.21.1 Variable Documentation

6.21.1.1 tuple human_detection_tests.[__path__](#) = os.path.dirname(os.path.realpath(__file__))

Definition at line 27 of file human_detection_tests.py.

6.22 news_explore_general Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

6.22.1 Variable Documentation

6.22.1.1 tuple news_explore_general.[__path__](#) = os.path.dirname(os.path.realpath(__file__))

Definition at line 26 of file news_explore_general.py.

6.23 object_recognition_tests Namespace Reference

Classes

- class [ObjectRecognitionTests](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

6.23.1 Variable Documentation

6.23.1.1 tuple object_recognition_tests.[__path__](#) = os.path.dirname(os.path.realpath(__file__))

Definition at line 27 of file object_recognition_tests.py.

6.24 ontology_is_subsuperclass_of_SpatialThing Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.24.1 Variable Documentation

6.24.1.1 tuple `ontology_is_subsuperclass_of_SpatialThing.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

6.25 ontology_tests Namespace Reference

Classes

- class [OntologyTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.25.1 Variable Documentation

6.25.1.1 tuple `ontology_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `ontology_tests.py`.

6.26 path_planning_tests Namespace Reference

Classes

- class [PathPlanningTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.26.1 Variable Documentation

6.26.1.1 tuple `path_planning_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `path_planning_tests.py`.

6.27 qr_detection_test_easy_far Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.27.1 Variable Documentation

6.27.1.1 tuple `qr_detection_test_easy_far.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_easy_far.py`.

6.28 qr_detection_test_easy_medium Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.28.1 Variable Documentation

6.28.1.1 tuple `qr_detection_test_easy_medium.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_easy_medium.py`.

6.29 qr_detection_test_easy_near Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.29.1 Variable Documentation

6.29.1.1 tuple `qr_detection_test_easy_near.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_easy_near.py`.

6.30 qr_detection_test_hard_far Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.30.1 Variable Documentation

6.30.1.1 tuple `qr_detection_test_hard_far.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_hard_far.py`.

6.31 qr_detection_test_hard_medium Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.31.1 Variable Documentation

6.31.1.1 tuple `qr_detection_test_hard_medium.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_hard_medium.py`.

6.32 qr_detection_test_hard_near Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.32.1 Variable Documentation

6.32.1.1 tuple `qr_detection_test_hard_near.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_hard_near.py`.

6.33 qr_detection_test_medium_far Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.33.1 Variable Documentation

6.33.1.1 tuple `qr_detection_test_medium_far.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_medium_far.py`.

6.34 qr_detection_test_medium_medium Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.34.1 Variable Documentation

6.34.1.1 tuple `qr_detection_test_medium_medium.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_medium_medium.py`.

6.35 qr_detection_test_medium_near Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.35.1 Variable Documentation

6.35.1.1 tuple `qr_detection_test_medium_near.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `qr_detection_test_medium_near.py`.

6.36 qr_detection_tests Namespace Reference

Classes

- class [QrDetectionTests](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

6.36.1 Variable Documentation

6.36.1.1 tuple [qr_detection_tests.__path__](#) = os.path.dirname(os.path.realpath(__file__))

Definition at line 27 of file qr_detection_tests.py.

6.37 rapp_run_test Namespace Reference

6.38 rapp_testing_tools Namespace Reference

Namespaces

- [rapp_testing_core](#)

6.39 rapp_testing_tools.rapp_testing_core Namespace Reference

Classes

- class [bcolors](#)
 ----- Console colors ----- ##

Functions

- def [append_to_system_path](#)
 Append directory paths, given as input into the global system path.
- def [execute_tests_all](#)
 Load and execute input given tests.
- def [get_test_files](#)
 Parse input paths and export found test files.
- def [load_tests_paths](#)
 Parse and get all given tests path directories, plus the default ones.
- def [main](#)
 Main.
- def [parse_args](#)
 ----- ##

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`
- tuple `mutex` = `Lock()`
- dictionary `results`
- list `testClasses`

```
----- Test Classess ----- ##
```
- dictionary `testClassMatch`

```
----- ##
```

6.39.1 Function Documentation

6.39.1.1 `def rapp_testing_tools.rapp_testing_core.append_to_system_path (paths)`

Append directory paths, given as input into the global system path.

This is usefull in order to load test files under those directories.

Definition at line 140 of file `rapp_testing_core.py`.

6.39.1.2 `def rapp_testing_tools.rapp_testing_core.execute_tests_all (tests, numCalls, threaded)`

Load and execute input given tests.

Parameters

<i>tests</i>	List of tests to execute.
<i>numCalls</i>	Number of executions.
<i>threaded</i>	If true the execution is handled by threads.

Definition at line 187 of file `rapp_testing_core.py`.

6.39.1.3 `def rapp_testing_tools.rapp_testing_core.get_test_files (args, paths)`

Parse input paths and export found test files.

Parameters

<i>args</i>	Arguments.
<i>paths</i>	Path directories to look for test files.

Definition at line 151 of file `rapp_testing_core.py`.

6.39.1.4 `def rapp_testing_tools.rapp_testing_core.load_tests_paths ()`

Parse and get all given tests path directories, plus the default ones.

Returns

Array of tests paths.

Definition at line 113 of file `rapp_testing_core.py`.

6.39.1.5 `def rapp_testing_tools.rapp_testing_core.main ()`

Main.

Definition at line 254 of file `rapp_testing_core.py`.

6.39.1.6 def rapp_testing_tools.rapp_testing_core.parse_args ()

```
----- ##
```

Parse input arguments.

Definition at line 87 of file rapp_testing_core.py.

6.39.2 Variable Documentation

6.39.2.1 tuple rapp_testing_tools.rapp_testing_core.__path__ = os.path.dirname(os.path.realpath(__file__))

Definition at line 35 of file rapp_testing_core.py.

6.39.2.2 tuple rapp_testing_tools.rapp_testing_core.mutex = Lock()

Definition at line 38 of file rapp_testing_core.py.

6.39.2.3 dictionary rapp_testing_tools.rapp_testing_core.results

Initial value:

```
1 = {
2     'success' : [],
3     'failed' : [],
4     'num_tests': 0
5 }
```

Definition at line 64 of file rapp_testing_core.py.

6.39.2.4 list rapp_testing_tools.rapp_testing_core.testClasses

Initial value:

```
1 = [
2     'face-detection',
3     'qr-detection',
4     'speech-detection',
5     'speech-detection-sphinx4',
6     'speech-detection-google',
7     'ontology',
8     'cognitive',
9     'tts'
10 ]
```

```
----- Test Classess ----- ##
```

Definition at line 41 of file rapp_testing_core.py.

6.39.2.5 dictionary rapp_testing_tools.rapp_testing_core.testClassMatch

Initial value:

```
1 = {
2     'face-detection' : 'face',
3     'qr-detection' : 'qr',
4     'speech-detection' : 'speech',
5     'speech-detection-sphinx4' : 'sphinx4',
6     'speech-detection-google' : 'google',
7     'ontology' : 'ontology',
8     'cognitive' : 'cognitive',
9     'tts' : 'text_to_speech'
10 }
```

----- ##

Definition at line 53 of file rapp_testing_core.py.

6.40 speech_detection_google_test_ogg_sentence2 Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

6.40.1 Variable Documentation

6.40.1.1 tuple [speech_detection_google_test_ogg_sentence2.__path__](#) = os.path.dirname(os.path.realpath(__file__))

Definition at line 27 of file speech_detection_google_test_ogg_sentence2.py.

6.41 speech_detection_google_tests Namespace Reference

Classes

- class [SppechDetectionGoogleTests](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

6.41.1 Variable Documentation

6.41.1.1 tuple [speech_detection_google_tests.__path__](#) = os.path.dirname(os.path.realpath(__file__))

Definition at line 27 of file speech_detection_google_tests.py.

6.42 speech_detection_sphinx_test_headset_deutera Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple [__path__](#) = os.path.dirname(os.path.realpath(__file__))

6.42.1 Variable Documentation

6.42.1.1 tuple `speech_detection_sphinx_test_headset_deutera.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_headset_deutera.py`.

6.43 speech_detection_sphinx_test_headset_steile_mail Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.43.1 Variable Documentation

6.43.1.1 tuple `speech_detection_sphinx_test_headset_steile_mail.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_headset_steile_mail.py`.

6.44 speech_detection_sphinx_test_nao_wav_1_ch_email_robot Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(path.realpath(__file__))`

6.44.1 Variable Documentation

6.44.1.1 tuple `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.__path__` = `os.path.dirname(path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

6.45 speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.45.1 Variable Documentation

6.45.1.1 tuple `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

6.46 `speech_detection_sphinx_test_ogg_deutera` Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.46.1 Variable Documentation

6.46.1.1 tuple `speech_detection_sphinx_test_ogg_deutera.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_deutera.py`.

6.47 `speech_detection_sphinx_test_ogg_monday` Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.47.1 Variable Documentation

6.47.1.1 tuple `speech_detection_sphinx_test_ogg_monday.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_monday.py`.

6.48 `speech_detection_sphinx_test_ogg_triti` Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.48.1 Variable Documentation

6.48.1.1 tuple `speech_detection_sphinx_test_ogg_triti.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_triti.py`.

6.49 speech_detection_sphinx_test_ogg_tuesday Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.49.1 Variable Documentation

6.49.1.1 tuple `speech_detection_sphinx_test_ogg_tuesday.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

6.50 speech_detection_sphinx_test_ogg_yes Namespace Reference

Classes

- class [RapInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.50.1 Variable Documentation

6.50.1.1 tuple `speech_detection_sphinx_test_ogg_yes.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_test_ogg_yes.py`.

6.51 speech_detection_sphinx_tests Namespace Reference

Classes

- class [SpeechDetectionSphinxTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.51.1 Variable Documentation

6.51.1.1 tuple `speech_detection_sphinx_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `speech_detection_sphinx_tests.py`.

6.52 `template_test` Namespace Reference

Classes

- class [TemplateTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.52.1 Variable Documentation

6.52.1.1 tuple `template_test.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 27 of file `template_test.py`.

6.53 `text_to_speech_tests` Namespace Reference

Classes

- class [TextToSpeechTests](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.53.1 Variable Documentation

6.53.1.1 tuple `text_to_speech_tests.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 26 of file `text_to_speech_tests.py`.

6.54 `user_personal_info` Namespace Reference

Classes

- class [RappInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.54.1 Variable Documentation

6.54.1.1 tuple `user_personal_info.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `user_personal_info.py`.

6.55 weather_report_current_Athens Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.55.1 Variable Documentation

6.55.1.1 tuple `weather_report_current_Athens.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `weather_report_current_Athens.py`.

6.56 weather_report_forecast_Athens Namespace Reference

Classes

- class [RapplInterfaceTest](#)

Variables

- tuple `__path__` = `os.path.dirname(os.path.realpath(__file__))`

6.56.1 Variable Documentation

6.56.1.1 tuple `weather_report_forecast_Athens.__path__` = `os.path.dirname(os.path.realpath(__file__))`

Definition at line 25 of file `weather_report_forecast_Athens.py`.

Chapter 7

Class Documentation

7.1 rapp_testing_tools.rapp_testing_core.bcolors Class Reference

----- Console colors ----- ##

Static Public Attributes

- string **BOLD** = '\033[1m'
- string **ENDC** = '\033[0m'
- string **FAIL** = '\033[91m'
- string **HEADER** = '\033[95m'
- string **OKBLUE** = '\033[94m'
- string **OKGREEN** = '\033[92m'
- string **UNDERLINE** = '\033[4m'
- string **WARNING** = '\033[93m'

7.1.1 Detailed Description

----- Console colors ----- ##

Definition at line 72 of file rapp_testing_core.py.

7.1.2 Member Data Documentation

7.1.2.1 string rapp_testing_tools.rapp_testing_core.bcolors.BOLD = '\033[1m' [static]

Definition at line 79 of file rapp_testing_core.py.

7.1.2.2 string rapp_testing_tools.rapp_testing_core.bcolors.ENDC = '\033[0m' [static]

Definition at line 78 of file rapp_testing_core.py.

7.1.2.3 string rapp_testing_tools.rapp_testing_core.bcolors.FAIL = '\033[91m' [static]

Definition at line 77 of file rapp_testing_core.py.

7.1.2.4 `string rapp_testing_tools.rapp_testing_core.bcolors.HEADER = '\033[95m'` `[static]`

Definition at line 73 of file `rapp_testing_core.py`.

7.1.2.5 `string rapp_testing_tools.rapp_testing_core.bcolors.OKBLUE = '\033[94m'` `[static]`

Definition at line 74 of file `rapp_testing_core.py`.

7.1.2.6 `string rapp_testing_tools.rapp_testing_core.bcolors.OKGREEN = '\033[92m'` `[static]`

Definition at line 75 of file `rapp_testing_core.py`.

7.1.2.7 `string rapp_testing_tools.rapp_testing_core.bcolors.UNDERLINE = '\033[4m'` `[static]`

Definition at line 80 of file `rapp_testing_core.py`.

7.1.2.8 `string rapp_testing_tools.rapp_testing_core.bcolors.WARNING = '\033[93m'` `[static]`


Definition at line 76 of file `rapp_testing_core.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/rapp_testing_core.py`

7.2 `cognitive_test_chooser_tests.CognitiveTestChooserTests` Class Reference

Inheritance diagram for `cognitive_test_chooser_tests.CognitiveTestChooserTests`:



Collaboration diagram for cognitive_test_chooser_tests.CognitiveTestChooserTests:



Public Member Functions

- def [setUp](#)
- def [test_selectArithmeticTest](#)
- def [test_selectArithmeticTest_default_params](#)
- def [test_selectAwarenessTest](#)
- def [test_selectNotExistentTest](#)
- def [test_selectReasoningTest](#)
- def [test_selectWrongType_TestDiff](#)
- def [test_selectWrongType_TestIndex](#)
- def [test_selectWrongType_TestSubtype](#)
- def [test_selectWrongType_TestType](#)

Public Attributes

- [ch](#)

7.2.1 Detailed Description

Definition at line 31 of file `cognitive_test_chooser_tests.py`.

7.2.2 Member Function Documentation

7.2.2.1 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.setUp (self)`

Definition at line 33 of file `cognitive_test_chooser_tests.py`.

7.2.2.2 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectArithmeticTest (self)`

Definition at line 49 of file `cognitive_test_chooser_tests.py`.

7.2.2.3 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectArithmeticTest_default_params (self)`

Definition at line 59 of file `cognitive_test_chooser_tests.py`.

7.2.2.4 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectAwarenessTest (self)`

Definition at line 69 of file `cognitive_test_chooser_tests.py`.

7.2.2.5 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectNotExistentTest (self)`

Definition at line 89 of file `cognitive_test_chooser_tests.py`.

7.2.2.6 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectReasoningTest (self)`

Definition at line 79 of file `cognitive_test_chooser_tests.py`.

7.2.2.7 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectWrongType_TestDiff (self)`

Definition at line 101 of file `cognitive_test_chooser_tests.py`.

7.2.2.8 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectWrongType_TestIndex (self)`

Definition at line 105 of file `cognitive_test_chooser_tests.py`.

7.2.2.9 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectWrongType_TestSubtype (self)`

Definition at line 97 of file `cognitive_test_chooser_tests.py`.

7.2.2.10 `def cognitive_test_chooser_tests.CognitiveTestChooserTests.test_selectWrongType_TestType (self)`

Definition at line 93 of file `cognitive_test_chooser_tests.py`.

7.2.3 Member Data Documentation

7.2.3.1 `cognitive_test_chooser_tests.CognitiveTestChooserTests.ch`


Definition at line 34 of file `cognitive_test_chooser_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_tests.py`

7.3 cognitive_test_user_history_tests.CognitiveTestHistoryTests Class Reference

Inheritance diagram for cognitive_test_user_history_tests.CognitiveTestHistoryTests:



Collaboration diagram for cognitive_test_user_history_tests.CognitiveTestHistoryTests:



Public Member Functions

- def [setUp](#)
- def [test_history_wrongFromType](#)
- def [test_history_wrongToType](#)
- def [test_history_wrongType](#)
- def [test_history_wrongTypeType](#)
- def [test_historyAll](#)
- def [test_historyArithmetic](#)
- def [test_historyAwareness](#)
- def [test_historyReasoning](#)

Public Attributes

- [ch](#)

7.3.1 Detailed Description

Definition at line 29 of file cognitive_test_user_history_tests.py.

7.3.2 Member Function Documentation

7.3.2.1 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.setUp (self)`

Definition at line 31 of file cognitive_test_user_history_tests.py.

7.3.2.2 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_history_wrongFromType (self)`

Definition at line 62 of file cognitive_test_user_history_tests.py.

7.3.2.3 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_history_wrongToType (self)`

Definition at line 66 of file cognitive_test_user_history_tests.py.

7.3.2.4 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_history_wrongType (self)`

Definition at line 54 of file cognitive_test_user_history_tests.py.

7.3.2.5 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_history_wrongTypeType (self)`

Definition at line 58 of file cognitive_test_user_history_tests.py.

7.3.2.6 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_historyAll (self)`

Definition at line 49 of file cognitive_test_user_history_tests.py.

7.3.2.7 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_historyArithmetic (self)`

Definition at line 34 of file cognitive_test_user_history_tests.py.

7.3.2.8 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_historyAwareness (self)`

Definition at line 44 of file cognitive_test_user_history_tests.py.

7.3.2.9 `def cognitive_test_user_history_tests.CognitiveTestHistoryTests.test_historyReasoning (self)`

Definition at line 39 of file cognitive_test_user_history_tests.py.

7.3.3 Member Data Documentation

7.3.3.1 `cognitive_test_user_history_tests.CognitiveTestHistoryTests.ch`


Definition at line 32 of file cognitive_test_user_history_tests.py.

The documentation for this class was generated from the following file:


- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_user_history_tests.py](#)

7.4 cognitive_test_record_tests.CognitiveTestRecordTests Class Reference

Inheritance diagram for cognitive_test_record_tests.CognitiveTestRecordTests:



Collaboration diagram for cognitive_test_record_tests.CognitiveTestRecordTests:



Public Member Functions

- def [setUp](#)
- def [test_recordArithmetic](#)
- def [test_recordAwareness](#)
- def [test_recordReasoning](#)
- def [test_recordWrongScoreType](#)
- def [test_recordWrongScoreValues](#)
- def [test_recordWrongType](#)

Public Attributes

- [ch](#)

7.4.1 Detailed Description

Definition at line 30 of file `cognitive_test_record_tests.py`.

7.4.2 Member Function Documentation

7.4.2.1 `def cognitive_test_record_tests.CognitiveTestRecordTests.setUp (self)`

Definition at line 32 of file `cognitive_test_record_tests.py`.

7.4.2.2 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordArithmetic (self)`

Definition at line 53 of file `cognitive_test_record_tests.py`.

7.4.2.3 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordAwareness (self)`

Definition at line 44 of file `cognitive_test_record_tests.py`.

7.4.2.4 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordReasoning (self)`

Definition at line 35 of file `cognitive_test_record_tests.py`.

7.4.2.5 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordWrongScoreType (self)`

Definition at line 71 of file `cognitive_test_record_tests.py`.

7.4.2.6 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordWrongScoreValues (self)`

Definition at line 80 of file `cognitive_test_record_tests.py`.

7.4.2.7 `def cognitive_test_record_tests.CognitiveTestRecordTests.test_recordWrongType (self)`

Definition at line 62 of file `cognitive_test_record_tests.py`.

7.4.3 Member Data Documentation

7.4.3.1 `cognitive_test_record_tests.CognitiveTestRecordTests.ch`


Definition at line 33 of file `cognitive_test_record_tests.py`.

The documentation for this class was generated from the following file:


- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_record_tests.py](#)

7.5 cognitive_test_user_scores_tests.CognitiveTestScoresTests Class Reference

Inheritance diagram for cognitive_test_user_scores_tests.CognitiveTestScoresTests:



Collaboration diagram for cognitive_test_user_scores_tests.CognitiveTestScoresTests:



Public Member Functions

- def [setUp](#)
- def [test_scoresAll](#)
- def [test_scoresArithmetic](#)
- def [test_scoresAwareness](#)
- def [test_scoresReasoning](#)
- def [test_scoresWrongType](#)
- def [test_scoresWrongType_to](#)
- def [test_scoresWrongTypeList](#)

Public Attributes

- [ch](#)

7.5.1 Detailed Description

Definition at line 29 of file `cognitive_test_user_scores_tests.py`.

7.5.2 Member Function Documentation

7.5.2.1 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.setUp (self)`

Definition at line 31 of file `cognitive_test_user_scores_tests.py`.

7.5.2.2 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresAll (self)`

Definition at line 52 of file `cognitive_test_user_scores_tests.py`.

7.5.2.3 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresArithmetic (self)`

Definition at line 34 of file `cognitive_test_user_scores_tests.py`.

7.5.2.4 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresAwareness (self)`

Definition at line 40 of file `cognitive_test_user_scores_tests.py`.

7.5.2.5 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresReasoning (self)`

Definition at line 46 of file `cognitive_test_user_scores_tests.py`.

7.5.2.6 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresWrongType (self)`

Definition at line 58 of file `cognitive_test_user_scores_tests.py`.

7.5.2.7 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresWrongType_to (self)`

Definition at line 66 of file `cognitive_test_user_scores_tests.py`.

7.5.2.8 `def cognitive_test_user_scores_tests.CognitiveTestScoresTests.test_scoresWrongTypeList (self)`

Definition at line 62 of file `cognitive_test_user_scores_tests.py`.

7.5.3 Member Data Documentation

7.5.3.1 `cognitive_test_user_scores_tests.CognitiveTestScoresTests.ch`


Definition at line 32 of file `cognitive_test_user_scores_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_user_scores_tests.py`

7.6 denoise_profile_tests.DenoiseProfileTests Class Reference

Inheritance diagram for denoise_profile_tests.DenoiseProfileTests:



Collaboration diagram for denoise_profile_tests.DenoiseProfileTests:



Public Member Functions

- def [setUp](#)
- def [test_setNoiseProfile](#)
- def [test_setNoiseProfile_noExistentFile](#)
- def [test_setNoiseProfile_wrongAudioTypeInputType](#)
- def [test_setNoiseProfile_wrongFileInputType](#)

Public Attributes

- [ch](#)
- [pkgDir](#)

7.6.1 Detailed Description

Definition at line 30 of file `denoise_profile_tests.py`.

7.6.2 Member Function Documentation

7.6.2.1 `def denoise_profile_tests.DenoiseProfileTests.setUp (self)`

Definition at line 32 of file `denoise_profile_tests.py`.

7.6.2.2 `def denoise_profile_tests.DenoiseProfileTests.test_setNoiseProfile (self)`

Definition at line 37 of file `denoise_profile_tests.py`.

7.6.2.3 `def denoise_profile_tests.DenoiseProfileTests.test_setNoiseProfile_noExistentFile (self)`

Definition at line 44 of file `denoise_profile_tests.py`.

7.6.2.4 `def denoise_profile_tests.DenoiseProfileTests.test_setNoiseProfile_wrongAudioTypeInputType (self)`

Definition at line 52 of file `denoise_profile_tests.py`.

7.6.2.5 `def denoise_profile_tests.DenoiseProfileTests.test_setNoiseProfile_wrongFileInputType (self)`

Definition at line 48 of file `denoise_profile_tests.py`.

7.6.3 Member Data Documentation

7.6.3.1 `denoise_profile_tests.DenoiseProfileTests.ch`

Definition at line 33 of file `denoise_profile_tests.py`.

7.6.3.2 `denoise_profile_tests.DenoiseProfileTests.pkgDir`


Definition at line 35 of file `denoise_profile_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/denoise_profile_tests.py`

7.7 face_detection_tests.FaceDetectionTests Class Reference

Inheritance diagram for face_detection_tests.FaceDetectionTests:



Collaboration diagram for face_detection_tests.FaceDetectionTests:



Public Member Functions

- def [setUp](#)
- def [test_closeStraight](#)
- def [test_erroneousFileType](#)
- def [test_lenna](#)
- def [test_multipleFaces](#)
- def [test_notExistentFile](#)

Public Attributes

- [ch](#)
- [pkgDir](#)

7.7.1 Detailed Description

Definition at line 31 of file face_detection_tests.py.

7.7.2 Member Function Documentation

7.7.2.1 `def face_detection_tests.FaceDetectionTests.setUp (self)`

Definition at line 33 of file `face_detection_tests.py`.

7.7.2.2 `def face_detection_tests.FaceDetectionTests.test_closeStraight (self)`

Definition at line 39 of file `face_detection_tests.py`.

7.7.2.3 `def face_detection_tests.FaceDetectionTests.test_erroneousFileType (self)`

Definition at line 79 of file `face_detection_tests.py`.

7.7.2.4 `def face_detection_tests.FaceDetectionTests.test_lenna (self)`

Definition at line 52 of file `face_detection_tests.py`.

7.7.2.5 `def face_detection_tests.FaceDetectionTests.test_multipleFaces (self)`

Definition at line 64 of file `face_detection_tests.py`.

7.7.2.6 `def face_detection_tests.FaceDetectionTests.test_notExistentFile (self)`

Definition at line 72 of file `face_detection_tests.py`.

7.7.3 Member Data Documentation

7.7.3.1 `face_detection_tests.FaceDetectionTests.ch`

Definition at line 34 of file `face_detection_tests.py`.

7.7.3.2 `face_detection_tests.FaceDetectionTests.pkgDir`


Definition at line 37 of file `face_detection_tests.py`.

The documentation for this class was generated from the following file:


- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_tests.py

7.8 hazard_detection_tests.HazardDetectionTests Class Reference

Inheritance diagram for hazard_detection_tests.HazardDetectionTests:



Collaboration diagram for hazard_detection_tests.HazardDetectionTests:



Public Member Functions

- def [setUp](#)
- def [test_erroneousPath](#)
- def [test_lightLeftOn](#)
- def [test_wrongPathType](#)

Public Attributes

- [ch](#)
- [pkgDir](#)

7.8.1 Detailed Description

Definition at line 31 of file hazard_detection_tests.py.

7.8.2 Member Function Documentation

7.8.2.1 `def hazard_detection_tests.HazardDetectionTests.setUp (self)`

Definition at line 33 of file `hazard_detection_tests.py`.

7.8.2.2 `def hazard_detection_tests.HazardDetectionTests.test_erroneousPath (self)`

Definition at line 48 of file `hazard_detection_tests.py`.

7.8.2.3 `def hazard_detection_tests.HazardDetectionTests.test_lightLeftOn (self)`

Definition at line 39 of file `hazard_detection_tests.py`.

7.8.2.4 `def hazard_detection_tests.HazardDetectionTests.test_wrongPathType (self)`

Definition at line 55 of file `hazard_detection_tests.py`.

7.8.3 Member Data Documentation

7.8.3.1 `hazard_detection_tests.HazardDetectionTests.ch`

Definition at line 37 of file `hazard_detection_tests.py`.

7.8.3.2 `hazard_detection_tests.HazardDetectionTests.pkgDir`


Definition at line 35 of file `hazard_detection_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/hazard_detection_tests.py`

7.9 `human_detection_tests.HumanDetectionTests` Class Reference

Inheritance diagram for `human_detection_tests.HumanDetectionTests`:



Collaboration diagram for human_detection_tests.HumanDetectionTests:



Public Member Functions

- def [setUp](#)
- def [test_humanDetectionTest](#)
- def [test_humanDetectionTest_wrongPath](#)
- def [test_humanDetectionTest_wrongPathType](#)

Public Attributes

- [ch](#)
- [pkgDir](#)

7.9.1 Detailed Description

Definition at line 31 of file `human_detection_tests.py`.

7.9.2 Member Function Documentation

7.9.2.1 def human_detection_tests.HumanDetectionTests.setUp (self)

Definition at line 33 of file `human_detection_tests.py`.

7.9.2.2 def human_detection_tests.HumanDetectionTests.test_humanDetectionTest (self)

Definition at line 39 of file `human_detection_tests.py`.

7.9.2.3 def human_detection_tests.HumanDetectionTests.test_humanDetectionTest_wrongPath (self)

Definition at line 53 of file `human_detection_tests.py`.

7.9.2.4 def human_detection_tests.HumanDetectionTests.test_humanDetectionTest_wrongPathType (self)

Definition at line 60 of file `human_detection_tests.py`.

7.9.3 Member Data Documentation

7.9.3.1 `human_detection_tests.HumanDetectionTests.ch`

Definition at line 37 of file `human_detection_tests.py`.

7.9.3.2 `human_detection_tests.HumanDetectionTests.pkgDir`


Definition at line 35 of file `human_detection_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/human_detection_tests.py`

7.10 `object_recognition_tests.ObjectRecognitionTests` Class Reference

Inheritance diagram for `object_recognition_tests.ObjectRecognitionTests`:



Collaboration diagram for `object_recognition_tests.ObjectRecognitionTests`:



Public Member Functions

- def [setUp](#)

- def [test_cat_test](#)
- def [test_wrongPath](#)
- def [test_wrongPathType](#)

Public Attributes

- [ch](#)
- [pkgDir](#)

7.10.1 Detailed Description

Definition at line 31 of file object_recognition_tests.py.

7.10.2 Member Function Documentation

7.10.2.1 def object_recognition_tests.ObjectRecognitionTests.setUp (self)

Definition at line 33 of file object_recognition_tests.py.

7.10.2.2 def object_recognition_tests.ObjectRecognitionTests.test_cat_test (self)

Definition at line 39 of file object_recognition_tests.py.

7.10.2.3 def object_recognition_tests.ObjectRecognitionTests.test_wrongPath (self)

Definition at line 51 of file object_recognition_tests.py.

7.10.2.4 def object_recognition_tests.ObjectRecognitionTests.test_wrongPathType (self)

Definition at line 56 of file object_recognition_tests.py.

7.10.3 Member Data Documentation

7.10.3.1 object_recognition_tests.ObjectRecognitionTests.ch

Definition at line 34 of file object_recognition_tests.py.

7.10.3.2 object_recognition_tests.ObjectRecognitionTests.pkgDir


Definition at line 37 of file object_recognition_tests.py.

The documentation for this class was generated from the following file:


- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/object_recognition_tests.py](#)

7.11 ontology_tests.OntologyTests Class Reference

Inheritance diagram for ontology_tests.OntologyTests:



Collaboration diagram for ontology_tests.OntologyTests:



Public Member Functions

- def [setUp](#)
- def [test_is_subsuperclass_of](#)
- def [test_subclass_of](#)
- def [test_subclassOf_erroneous](#)
- def [test_subsuperclassOf_erroneous](#)
- def [test_superclass_of](#)
- def [test_superclassOf_erroneous](#)

Public Attributes

- [ch](#)

7.11.1 Detailed Description

Definition at line 30 of file `ontology_tests.py`.

7.11.2 Member Function Documentation

7.11.2.1 `def ontology_tests.OntologyTests.setUp (self)`

Definition at line 32 of file ontology_tests.py.

7.11.2.2 `def ontology_tests.OntologyTests.test_is_subsuperclass_of (self)`

Definition at line 58 of file ontology_tests.py.

7.11.2.3 `def ontology_tests.OntologyTests.test_subclass_of (self)`

Definition at line 46 of file ontology_tests.py.

7.11.2.4 `def ontology_tests.OntologyTests.test_subclassOf_erroneous (self)`

Definition at line 64 of file ontology_tests.py.

7.11.2.5 `def ontology_tests.OntologyTests.test_subsuperclassOf_erroneous (self)`

Definition at line 80 of file ontology_tests.py.

7.11.2.6 `def ontology_tests.OntologyTests.test_superclass_of (self)`

Definition at line 35 of file ontology_tests.py.

7.11.2.7 `def ontology_tests.OntologyTests.test_superclassOf_erroneous (self)`

Definition at line 72 of file ontology_tests.py.

7.11.3 Member Data Documentation

7.11.3.1 `ontology_tests.OntologyTests.ch`


Definition at line 33 of file ontology_tests.py.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology_tests.py`

7.12 path_planning_tests.PathPlanningTests Class Reference

Inheritance diagram for path_planning_tests.PathPlanningTests:



Collaboration diagram for path_planning_tests.PathPlanningTests:



Public Member Functions

- def [setUp](#)
- def [test_plan_2d](#)
- def [test_plan_2d_erroneous](#)
- def [test_upload_map](#)
- def [test_upload_map_erroneous](#)

Public Attributes

- [ch](#)
- [pkgDir](#)

7.12.1 Detailed Description

Definition at line 31 of file path_planning_tests.py.

7.12.2 Member Function Documentation

7.12.2.1 `def path_planning_tests.PathPlanningTests.setUp (self)`

Definition at line 33 of file path_planning_tests.py.

7.12.2.2 `def path_planning_tests.PathPlanningTests.test_plan_2d (self)`

Definition at line 39 of file path_planning_tests.py.

7.12.2.3 `def path_planning_tests.PathPlanningTests.test_plan_2d_erroneous (self)`

Definition at line 74 of file path_planning_tests.py.

7.12.2.4 `def path_planning_tests.PathPlanningTests.test_upload_map (self)`

Definition at line 114 of file path_planning_tests.py.

7.12.2.5 `def path_planning_tests.PathPlanningTests.test_upload_map_erroneous (self)`

Definition at line 123 of file path_planning_tests.py.

7.12.3 Member Data Documentation

7.12.3.1 `path_planning_tests.PathPlanningTests.ch`

Definition at line 34 of file path_planning_tests.py.

7.12.3.2 `path_planning_tests.PathPlanningTests.pkgDir`


Definition at line 37 of file path_planning_tests.py.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/path_planning_tests.py`

7.13 qr_detection_tests.QrDetectionTests Class Reference

Inheritance diagram for qr_detection_tests.QrDetectionTests:



Collaboration diagram for qr_detection_tests.QrDetectionTests:



Public Member Functions

- def [setUp](#)
- def [test_detect_qr](#)
- def [test_detect_qr_erroneous](#)

Public Attributes

- [ch](#)
- [pkgDir](#)

7.13.1 Detailed Description

Definition at line 31 of file `qr_detection_tests.py`.

7.13.2 Member Function Documentation

7.13.2.1 `def qr_detection_tests.QrDetectionTests.setUp (self)`

Definition at line 33 of file `qr_detection_tests.py`.

7.13.2.2 `def qr_detection_tests.QrDetectionTests.test_detect_qr (self)`

Definition at line 39 of file `qr_detection_tests.py`.

7.13.2.3 `def qr_detection_tests.QrDetectionTests.test_detect_qr_erroneous (self)`

Definition at line 51 of file `qr_detection_tests.py`.

7.13.3 Member Data Documentation

7.13.3.1 `qr_detection_tests.QrDetectionTests.ch`

Definition at line 37 of file `qr_detection_tests.py`.

7.13.3.2 `qr_detection_tests.QrDetectionTests.pkgDir`

Definition at line 35 of file `qr_detection_tests.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr_detection_tests.py`

7.14 available_services_test.RappInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `rappCloud`
- `valid_results`

7.14.1 Detailed Description

Definition at line 31 of file `available_services_test.py`.

7.14.2 Constructor & Destructor Documentation

7.14.2.1 `def available_services_test.RappInterfaceTest.__init__ (self)`

Definition at line 33 of file `available_services_test.py`.

7.14.3 Member Function Documentation

7.14.3.1 `def available_services_test.RappInterfaceTest.execute (self)`

Definition at line 52 of file `available_services_test.py`.

7.14.3.2 `def available_services_test.RappInterfaceTest.validate (self, response)`

Definition at line 61 of file `available_services_test.py`.

7.14.4 Member Data Documentation

7.14.4.1 `available_services_test.RappInterfaceTest.elapsed_time`

Definition at line 57 of file `available_services_test.py`.

7.14.4.2 `available_services_test.RappInterfaceTest.rappCloud`

Definition at line 34 of file `available_services_test.py`.

7.14.4.3 `available_services_test.RappInterfaceTest.valid_results`

Definition at line 36 of file `available_services_test.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/available_services_test.py](#)

7.15 `qr_detection_test_hard_medium.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_results`

7.15.1 Detailed Description

Definition at line 33 of file `qr_detection_test_hard_medium.py`.

7.15.2 Constructor & Destructor Documentation

7.15.2.1 `def qr_detection_test_hard_medium.RapplInterfaceTest.__init__(self)`

Definition at line 35 of file `qr_detection_test_hard_medium.py`.

7.15.3 Member Function Documentation

7.15.3.1 `def qr_detection_test_hard_medium.RapplInterfaceTest.execute(self)`

Definition at line 50 of file `qr_detection_test_hard_medium.py`.

7.15.3.2 `def qr_detection_test_hard_medium.RapplInterfaceTest.validate(self, response)`

Definition at line 58 of file `qr_detection_test_hard_medium.py`.

7.15.4 Member Data Documentation

7.15.4.1 `qr_detection_test_hard_medium.RapplInterfaceTest.elapsed_time`

Definition at line 54 of file `qr_detection_test_hard_medium.py`.

7.15.4.2 `qr_detection_test_hard_medium.RapplInterfaceTest.msg`

Definition at line 40 of file `qr_detection_test_hard_medium.py`.

7.15.4.3 `qr_detection_test_hard_medium.RapplInterfaceTest.svc`

Definition at line 41 of file `qr_detection_test_hard_medium.py`.

7.15.4.4 `qr_detection_test_hard_medium.RapplInterfaceTest.valid_results`

Definition at line 43 of file `qr_detection_test_hard_medium.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_medium.py`

7.16 email_send_zip.RapplInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`

7.16.1 Detailed Description

Definition at line 31 of file email_send_zip.py.

7.16.2 Constructor & Destructor Documentation

7.16.2.1 `def email_send_zip.RapplInterfaceTest.__init__(self)`

Definition at line 33 of file email_send_zip.py.

7.16.3 Member Function Documentation

7.16.3.1 `def email_send_zip.RapplInterfaceTest.execute(self)`

Definition at line 52 of file email_send_zip.py.

7.16.3.2 `def email_send_zip.RapplInterfaceTest.validate(self, response)`

Definition at line 61 of file email_send_zip.py.

7.16.4 Member Data Documentation

7.16.4.1 `email_send_zip.RapplInterfaceTest.elapsed_time`

Definition at line 57 of file email_send_zip.py.

7.16.4.2 `email_send_zip.RapplInterfaceTest.msg`

Definition at line 39 of file email_send_zip.py.

7.16.4.3 `email_send_zip.RapplInterfaceTest.svc`

Definition at line 49 of file email_send_zip.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_send_zip.py](#)

7.17 human_detection_test.RapplInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `image`

- [msg](#)
- [svc](#)
- [valid_humans](#)

7.17.1 Detailed Description

Definition at line 32 of file human_detection_test.py.

7.17.2 Constructor & Destructor Documentation

7.17.2.1 `def human_detection_test.RappInterfaceTest.__init__(self)`

Definition at line 34 of file human_detection_test.py.

7.17.3 Member Function Documentation

7.17.3.1 `def human_detection_test.RappInterfaceTest.execute(self)`

Definition at line 48 of file human_detection_test.py.

7.17.3.2 `def human_detection_test.RappInterfaceTest.validate(self, response)`

Definition at line 57 of file human_detection_test.py.

7.17.4 Member Data Documentation

7.17.4.1 `human_detection_test.RappInterfaceTest.elapsed_time`

Definition at line 53 of file human_detection_test.py.

7.17.4.2 `human_detection_test.RappInterfaceTest.image`

Definition at line 37 of file human_detection_test.py.

7.17.4.3 `human_detection_test.RappInterfaceTest.msg`

Definition at line 44 of file human_detection_test.py.

7.17.4.4 `human_detection_test.RappInterfaceTest.svc`

Definition at line 45 of file human_detection_test.py.

7.17.4.5 `human_detection_test.RappInterfaceTest.valid_humans`

Definition at line 40 of file human_detection_test.py.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/human_detection_test.py`

7.18 weather_report_forecast_Athens.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)

7.18.1 Detailed Description

Definition at line 30 of file weather_report_forecast_Athens.py.

7.18.2 Constructor & Destructor Documentation

7.18.2.1 def weather_report_forecast_Athens.RappInterfaceTest.__init__(self)

Definition at line 32 of file weather_report_forecast_Athens.py.

7.18.3 Member Function Documentation

7.18.3.1 def weather_report_forecast_Athens.RappInterfaceTest.execute(self)

Definition at line 41 of file weather_report_forecast_Athens.py.

7.18.3.2 def weather_report_forecast_Athens.RappInterfaceTest.validate(self, response)

Definition at line 49 of file weather_report_forecast_Athens.py.

7.18.4 Member Data Documentation

7.18.4.1 weather_report_forecast_Athens.RappInterfaceTest.elapsed_time

Definition at line 45 of file weather_report_forecast_Athens.py.

7.18.4.2 weather_report_forecast_Athens.RappInterfaceTest.msg

Definition at line 33 of file weather_report_forecast_Athens.py.

7.18.4.3 weather_report_forecast_Athens.RappInterfaceTest.svc

Definition at line 38 of file weather_report_forecast_Athens.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/[weather_report_forecast_Athens.py](#)

7.19 weather_report_current_Athens.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)

7.19.1 Detailed Description

Definition at line 30 of file weather_report_current_Athens.py.

7.19.2 Constructor & Destructor Documentation

7.19.2.1 def weather_report_current_Athens.RapplInterfaceTest.__init__(self)

Definition at line 32 of file weather_report_current_Athens.py.

7.19.3 Member Function Documentation

7.19.3.1 def weather_report_current_Athens.RapplInterfaceTest.execute(self)

Definition at line 41 of file weather_report_current_Athens.py.

7.19.3.2 def weather_report_current_Athens.RapplInterfaceTest.validate(self, response)

Definition at line 49 of file weather_report_current_Athens.py.

7.19.4 Member Data Documentation

7.19.4.1 weather_report_current_Athens.RapplInterfaceTest.elapsed_time

Definition at line 45 of file weather_report_current_Athens.py.

7.19.4.2 weather_report_current_Athens.RapplInterfaceTest.msg

Definition at line 33 of file weather_report_current_Athens.py.

7.19.4.3 weather_report_current_Athens.RapplInterfaceTest.svc

Definition at line 38 of file weather_report_current_Athens.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/[weather_report_current_Athens.py](#)

7.20 speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_words_found](#)

7.20.1 Detailed Description

Definition at line 33 of file speech_detection_sphinx_test_ogg_yes.py.

7.20.2 Constructor & Destructor Documentation

7.20.2.1 def speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.__init__(self)

Definition at line 35 of file speech_detection_sphinx_test_ogg_yes.py.

7.20.3 Member Function Documentation

7.20.3.1 def speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.execute(self)

Definition at line 54 of file speech_detection_sphinx_test_ogg_yes.py.

7.20.3.2 def speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.validate(self, response)

Definition at line 62 of file speech_detection_sphinx_test_ogg_yes.py.

7.20.4 Member Data Documentation

7.20.4.1 speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.elapsed_time

Definition at line 58 of file speech_detection_sphinx_test_ogg_yes.py.

7.20.4.2 speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.msg

Definition at line 41 of file speech_detection_sphinx_test_ogg_yes.py.

7.20.4.3 speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.svc

Definition at line 49 of file speech_detection_sphinx_test_ogg_yes.py.

7.20.4.4 speech_detection_sphinx_test_ogg_yes.RapplInterfaceTest.valid_words_found

Definition at line 51 of file speech_detection_sphinx_test_ogg_yes.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_yes.py

7.21 speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_words_found](#)

7.21.1 Detailed Description

Definition at line 33 of file speech_detection_sphinx_test_ogg_tuesday.py.

7.21.2 Constructor & Destructor Documentation

7.21.2.1 def speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.__init__(self)

Definition at line 35 of file speech_detection_sphinx_test_ogg_tuesday.py.

7.21.3 Member Function Documentation

7.21.3.1 def speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.execute(self)

Definition at line 54 of file speech_detection_sphinx_test_ogg_tuesday.py.

7.21.3.2 def speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.validate(self, response)

Definition at line 62 of file speech_detection_sphinx_test_ogg_tuesday.py.

7.21.4 Member Data Documentation

7.21.4.1 speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.elapsed_time

Definition at line 58 of file speech_detection_sphinx_test_ogg_tuesday.py.

7.21.4.2 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.msg`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

7.21.4.3 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.svc`

Definition at line 49 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

7.21.4.4 `speech_detection_sphinx_test_ogg_tuesday.RapplInterfaceTest.valid_words_found`

Definition at line 51 of file `speech_detection_sphinx_test_ogg_tuesday.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_tuesday.py`

7.22 `speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_words_found`

7.22.1 Detailed Description

Definition at line 33 of file `speech_detection_sphinx_test_ogg_triti.py`.

7.22.2 Constructor & Destructor Documentation

7.22.2.1 `def speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest.__init__(self)`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_triti.py`.

7.22.3 Member Function Documentation

7.22.3.1 `def speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest.execute(self)`

Definition at line 54 of file `speech_detection_sphinx_test_ogg_triti.py`.

7.22.3.2 `def speech_detection_sphinx_test_ogg_triti.RapplInterfaceTest.validate(self, response)`

Definition at line 62 of file `speech_detection_sphinx_test_ogg_triti.py`.

7.22.4 Member Data Documentation

7.22.4.1 speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.elapsed_time

Definition at line 58 of file speech_detection_sphinx_test_ogg_triti.py.

7.22.4.2 speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.msg

Definition at line 41 of file speech_detection_sphinx_test_ogg_triti.py.

7.22.4.3 speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.svc

Definition at line 49 of file speech_detection_sphinx_test_ogg_triti.py.

7.22.4.4 speech_detection_sphinx_test_ogg_triti.RappInterfaceTest.valid_words_found

Definition at line 51 of file speech_detection_sphinx_test_ogg_triti.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_triti.py

7.23 speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_words_found](#)

7.23.1 Detailed Description

Definition at line 33 of file speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py.

7.23.2 Constructor & Destructor Documentation

7.23.2.1 def speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RappInterfaceTest.__init__(self)

Definition at line 35 of file speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py.

7.23.3 Member Function Documentation

7.23.3.1 `def speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.execute (self)`

Definition at line 53 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

7.23.3.2 `def speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.validate (self, response)`

Definition at line 61 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

7.23.4 Member Data Documentation

7.23.4.1 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.elapsed_time`

Definition at line 57 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

7.23.4.2 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.msg`

Definition at line 40 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

7.23.4.3 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.svc`

Definition at line 48 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

7.23.4.4 `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapInterfaceTest.valid_words_found`

Definition at line 50 of file `speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py](#)

7.24 `speech_detection_sphinx_test_ogg_deutera.RapInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_words_found`

7.24.1 Detailed Description

Definition at line 33 of file `speech_detection_sphinx_test_ogg_deutera.py`.

7.24.2 Constructor & Destructor Documentation

7.24.2.1 `def speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.__init__(self)`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_deutera.py`.

7.24.3 Member Function Documentation

7.24.3.1 `def speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.execute(self)`

Definition at line 54 of file `speech_detection_sphinx_test_ogg_deutera.py`.

7.24.3.2 `def speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.validate(self, response)`

Definition at line 62 of file `speech_detection_sphinx_test_ogg_deutera.py`.

7.24.4 Member Data Documentation

7.24.4.1 `speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.elapsed_time`

Definition at line 58 of file `speech_detection_sphinx_test_ogg_deutera.py`.

7.24.4.2 `speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.msg`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_deutera.py`.

7.24.4.3 `speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.svc`

Definition at line 49 of file `speech_detection_sphinx_test_ogg_deutera.py`.

7.24.4.4 `speech_detection_sphinx_test_ogg_deutera.RapplInterfaceTest.valid_words_found`

Definition at line 51 of file `speech_detection_sphinx_test_ogg_deutera.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_deutera.py`

7.25 news_explore_general.RapplInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`

7.25.1 Detailed Description

Definition at line 32 of file news_explore_general.py.

7.25.2 Constructor & Destructor Documentation

7.25.2.1 `def news_explore_general.RappInterfaceTest.__init__(self)`

Definition at line 34 of file news_explore_general.py.

7.25.3 Member Function Documentation

7.25.3.1 `def news_explore_general.RappInterfaceTest.execute(self)`

Definition at line 49 of file news_explore_general.py.

7.25.3.2 `def news_explore_general.RappInterfaceTest.validate(self, response)`

Definition at line 57 of file news_explore_general.py.

7.25.4 Member Data Documentation

7.25.4.1 `news_explore_general.RappInterfaceTest.elapsed_time`

Definition at line 53 of file news_explore_general.py.

7.25.4.2 `news_explore_general.RappInterfaceTest.msg`

Definition at line 38 of file news_explore_general.py.

7.25.4.3 `news_explore_general.RappInterfaceTest.svc`

Definition at line 46 of file news_explore_general.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/news_explore_general.py](#)

7.26 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_words_found](#)

7.26.1 Detailed Description

Definition at line 33 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

7.26.2 Constructor & Destructor Documentation

7.26.2.1 `def speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.__init__(self)`

Definition at line 35 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

7.26.3 Member Function Documentation

7.26.3.1 `def speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.execute(self)`

Definition at line 53 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

7.26.3.2 `def speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.validate(self, response)`

Definition at line 61 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

7.26.4 Member Data Documentation

7.26.4.1 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.elapsed_time`

Definition at line 57 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

7.26.4.2 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.msg`

Definition at line 40 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

7.26.4.3 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.svc`

Definition at line 48 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

7.26.4.4 `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapInterfaceTest.valid_words_found`

Definition at line 50 of file `speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py`

7.27 speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_words_found](#)

7.27.1 Detailed Description

Definition at line 33 of file speech_detection_sphinx_test_headset_steile_mail.py.

7.27.2 Constructor & Destructor Documentation

7.27.2.1 `def speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.__init__(self)`

Definition at line 35 of file speech_detection_sphinx_test_headset_steile_mail.py.

7.27.3 Member Function Documentation

7.27.3.1 `def speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.execute(self)`

Definition at line 53 of file speech_detection_sphinx_test_headset_steile_mail.py.

7.27.3.2 `def speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.validate(self, response)`

Definition at line 62 of file speech_detection_sphinx_test_headset_steile_mail.py.

7.27.4 Member Data Documentation

7.27.4.1 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.elapsed_time`

Definition at line 58 of file speech_detection_sphinx_test_headset_steile_mail.py.

7.27.4.2 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.msg`

Definition at line 40 of file speech_detection_sphinx_test_headset_steile_mail.py.

7.27.4.3 `speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest.svc`

Definition at line 48 of file speech_detection_sphinx_test_headset_steile_mail.py.

7.27.4.4 speech_detection_sphinx_test_headset_steile_mail.RappInterfaceTest.valid_words_found

Definition at line 50 of file speech_detection_sphinx_test_headset_steile_mail.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_headset_steile_mail.py

7.28 speech_detection_sphinx_test_headset_deutera.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_words_found](#)

7.28.1 Detailed Description

Definition at line 33 of file speech_detection_sphinx_test_headset_deutera.py.

7.28.2 Constructor & Destructor Documentation

7.28.2.1 def speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.__init__(self)

Definition at line 35 of file speech_detection_sphinx_test_headset_deutera.py.

7.28.3 Member Function Documentation

7.28.3.1 def speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.execute(self)

Definition at line 53 of file speech_detection_sphinx_test_headset_deutera.py.

7.28.3.2 def speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.validate(self, response)

Definition at line 62 of file speech_detection_sphinx_test_headset_deutera.py.

7.28.4 Member Data Documentation

7.28.4.1 speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.elapsed_time

Definition at line 58 of file speech_detection_sphinx_test_headset_deutera.py.

7.28.4.2 `speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.msg`

Definition at line 40 of file `speech_detection_sphinx_test_headset_deutera.py`.

7.28.4.3 `speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.svc`

Definition at line 48 of file `speech_detection_sphinx_test_headset_deutera.py`.

7.28.4.4 `speech_detection_sphinx_test_headset_deutera.RappInterfaceTest.valid_words_found`

Definition at line 50 of file `speech_detection_sphinx_test_headset_deutera.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_headset_deutera.py`

7.29 `speech_detection_google_test_ogg_sentence2.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_words_found`

7.29.1 Detailed Description

Definition at line 33 of file `speech_detection_google_test_ogg_sentence2.py`.

7.29.2 Constructor & Destructor Documentation

7.29.2.1 `def speech_detection_google_test_ogg_sentence2.RappInterfaceTest.__init__(self)`

Definition at line 35 of file `speech_detection_google_test_ogg_sentence2.py`.

7.29.3 Member Function Documentation

7.29.3.1 `def speech_detection_google_test_ogg_sentence2.RappInterfaceTest.execute(self)`

Definition at line 51 of file `speech_detection_google_test_ogg_sentence2.py`.

7.29.3.2 `def speech_detection_google_test_ogg_sentence2.RappInterfaceTest.validate(self, response)`

Definition at line 59 of file `speech_detection_google_test_ogg_sentence2.py`.

7.29.4 Member Data Documentation

7.29.4.1 speech_detection_google_test_ogg_sentence2.RapplInterfaceTest.elapsed_time

Definition at line 55 of file speech_detection_google_test_ogg_sentence2.py.

7.29.4.2 speech_detection_google_test_ogg_sentence2.RapplInterfaceTest.msg

Definition at line 41 of file speech_detection_google_test_ogg_sentence2.py.

7.29.4.3 speech_detection_google_test_ogg_sentence2.RapplInterfaceTest.svc

Definition at line 46 of file speech_detection_google_test_ogg_sentence2.py.

7.29.4.4 speech_detection_google_test_ogg_sentence2.RapplInterfaceTest.valid_words_found

Definition at line 48 of file speech_detection_google_test_ogg_sentence2.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_google_test_ogg_sentence2.py

7.30 face_detection_test_medium_straight.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_faces](#)

7.30.1 Detailed Description

Definition at line 32 of file face_detection_test_medium_straight.py.

7.30.2 Constructor & Destructor Documentation

7.30.2.1 def face_detection_test_medium_straight.RapplInterfaceTest.__init__(self)

Definition at line 34 of file face_detection_test_medium_straight.py.

7.30.3 Member Function Documentation

7.30.3.1 `def face_detection_test_medium_straight.RapplInterfaceTest.execute (self)`

Definition at line 49 of file `face_detection_test_medium_straight.py`.

7.30.3.2 `def face_detection_test_medium_straight.RapplInterfaceTest.validate (self, response)`

Definition at line 57 of file `face_detection_test_medium_straight.py`.

7.30.4 Member Data Documentation

7.30.4.1 `face_detection_test_medium_straight.RapplInterfaceTest.elapsed_time`

Definition at line 53 of file `face_detection_test_medium_straight.py`.

7.30.4.2 `face_detection_test_medium_straight.RapplInterfaceTest.msg`

Definition at line 40 of file `face_detection_test_medium_straight.py`.

7.30.4.3 `face_detection_test_medium_straight.RapplInterfaceTest.svc`

Definition at line 41 of file `face_detection_test_medium_straight.py`.

7.30.4.4 `face_detection_test_medium_straight.RapplInterfaceTest.valid_faces`

Definition at line 43 of file `face_detection_test_medium_straight.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_medium_straight.py](#)

7.31 `speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_words_found`

7.31.1 Detailed Description

Definition at line 33 of file `speech_detection_sphinx_test_ogg_monday.py`.

7.31.2 Constructor & Destructor Documentation

7.31.2.1 `def speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.__init__(self)`

Definition at line 35 of file `speech_detection_sphinx_test_ogg_monday.py`.

7.31.3 Member Function Documentation

7.31.3.1 `def speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.execute(self)`

Definition at line 54 of file `speech_detection_sphinx_test_ogg_monday.py`.

7.31.3.2 `def speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.validate(self, response)`

Definition at line 62 of file `speech_detection_sphinx_test_ogg_monday.py`.

7.31.4 Member Data Documentation

7.31.4.1 `speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.elapsed_time`

Definition at line 58 of file `speech_detection_sphinx_test_ogg_monday.py`.

7.31.4.2 `speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.msg`

Definition at line 41 of file `speech_detection_sphinx_test_ogg_monday.py`.

7.31.4.3 `speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.svc`

Definition at line 49 of file `speech_detection_sphinx_test_ogg_monday.py`.

7.31.4.4 `speech_detection_sphinx_test_ogg_monday.RapplInterfaceTest.valid_words_found`

Definition at line 51 of file `speech_detection_sphinx_test_ogg_monday.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_monday.py`

7.32 qr_detection_test_medium_far.RapplInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_results](#)

7.32.1 Detailed Description

Definition at line 33 of file `qr_detection_test_medium_far.py`.

7.32.2 Constructor & Destructor Documentation

7.32.2.1 `def qr_detection_test_medium_far.RapInterfaceTest.__init__(self)`

Definition at line 35 of file `qr_detection_test_medium_far.py`.

7.32.3 Member Function Documentation

7.32.3.1 `def qr_detection_test_medium_far.RapInterfaceTest.execute(self)`

Definition at line 50 of file `qr_detection_test_medium_far.py`.

7.32.3.2 `def qr_detection_test_medium_far.RapInterfaceTest.validate(self, response)`

Definition at line 58 of file `qr_detection_test_medium_far.py`.

7.32.4 Member Data Documentation

7.32.4.1 `qr_detection_test_medium_far.RapInterfaceTest.elapsed_time`

Definition at line 54 of file `qr_detection_test_medium_far.py`.

7.32.4.2 `qr_detection_test_medium_far.RapInterfaceTest.msg`

Definition at line 40 of file `qr_detection_test_medium_far.py`.

7.32.4.3 `qr_detection_test_medium_far.RapInterfaceTest.svc`

Definition at line 41 of file `qr_detection_test_medium_far.py`.

7.32.4.4 `qr_detection_test_medium_far.RapInterfaceTest.valid_results`

Definition at line 43 of file `qr_detection_test_medium_far.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_far.py`

7.33 email_fetch.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)

7.33.1 Detailed Description

Definition at line 32 of file email_fetch.py.

7.33.2 Constructor & Destructor Documentation

7.33.2.1 def email_fetch.RappInterfaceTest.__init__(self)

Definition at line 34 of file email_fetch.py.

7.33.3 Member Function Documentation

7.33.3.1 def email_fetch.RappInterfaceTest.execute(self)

Definition at line 48 of file email_fetch.py.

7.33.3.2 def email_fetch.RappInterfaceTest.validate(self, response)

Definition at line 56 of file email_fetch.py.

7.33.4 Member Data Documentation

7.33.4.1 email_fetch.RappInterfaceTest.elapsed_time

Definition at line 52 of file email_fetch.py.

7.33.4.2 email_fetch.RappInterfaceTest.msg

Definition at line 35 of file email_fetch.py.

7.33.4.3 email_fetch.RappInterfaceTest.svc

Definition at line 45 of file email_fetch.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/[email_fetch.py](#)

7.34 face_detection_test_medium_angle.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_faces](#)

7.34.1 Detailed Description

Definition at line 32 of file face_detection_test_medium_angle.py.

7.34.2 Constructor & Destructor Documentation

7.34.2.1 def face_detection_test_medium_angle.RapplInterfaceTest.__init__(self)

Definition at line 34 of file face_detection_test_medium_angle.py.

7.34.3 Member Function Documentation

7.34.3.1 def face_detection_test_medium_angle.RapplInterfaceTest.execute(self)

Definition at line 49 of file face_detection_test_medium_angle.py.

7.34.3.2 def face_detection_test_medium_angle.RapplInterfaceTest.validate(self, response)

Definition at line 57 of file face_detection_test_medium_angle.py.

7.34.4 Member Data Documentation

7.34.4.1 face_detection_test_medium_angle.RapplInterfaceTest.elapsed_time

Definition at line 53 of file face_detection_test_medium_angle.py.

7.34.4.2 face_detection_test_medium_angle.RapplInterfaceTest.msg

Definition at line 40 of file face_detection_test_medium_angle.py.

7.34.4.3 face_detection_test_medium_angle.RapplInterfaceTest.svc

Definition at line 41 of file face_detection_test_medium_angle.py.

7.34.4.4 face_detection_test_medium_angle.RappInterfaceTest.valid_faces

Definition at line 43 of file face_detection_test_medium_angle.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_medium_angle.py

7.35 qr_detection_test_hard_far.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_results](#)

7.35.1 Detailed Description

Definition at line 33 of file qr_detection_test_hard_far.py.

7.35.2 Constructor & Destructor Documentation

7.35.2.1 def qr_detection_test_hard_far.RappInterfaceTest.__init__(self)

Definition at line 35 of file qr_detection_test_hard_far.py.

7.35.3 Member Function Documentation

7.35.3.1 def qr_detection_test_hard_far.RappInterfaceTest.execute(self)

Definition at line 50 of file qr_detection_test_hard_far.py.

7.35.3.2 def qr_detection_test_hard_far.RappInterfaceTest.validate(self, response)

Definition at line 57 of file qr_detection_test_hard_far.py.

7.35.4 Member Data Documentation

7.35.4.1 qr_detection_test_hard_far.RappInterfaceTest.elapsed_time

Definition at line 54 of file qr_detection_test_hard_far.py.

7.35.4.2 `qr_detection_test_hard_far.RapplInterfaceTest.msg`

Definition at line 40 of file `qr_detection_test_hard_far.py`.

7.35.4.3 `qr_detection_test_hard_far.RapplInterfaceTest.svc`

Definition at line 41 of file `qr_detection_test_hard_far.py`.

7.35.4.4 `qr_detection_test_hard_far.RapplInterfaceTest.valid_results`

Definition at line 43 of file `qr_detection_test_hard_far.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_far.py](#)

7.36 `qr_detection_test_easy_near.RapplInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_results`

7.36.1 Detailed Description

Definition at line 33 of file `qr_detection_test_easy_near.py`.

7.36.2 Constructor & Destructor Documentation

7.36.2.1 `def qr_detection_test_easy_near.RapplInterfaceTest.__init__(self)`

Definition at line 35 of file `qr_detection_test_easy_near.py`.

7.36.3 Member Function Documentation

7.36.3.1 `def qr_detection_test_easy_near.RapplInterfaceTest.execute(self)`

Definition at line 50 of file `qr_detection_test_easy_near.py`.

7.36.3.2 `def qr_detection_test_easy_near.RapplInterfaceTest.validate(self, response)`

Definition at line 58 of file `qr_detection_test_easy_near.py`.

7.36.4 Member Data Documentation

7.36.4.1 qr_detection_test_easy_near.RappInterfaceTest.elapsed_time

Definition at line 54 of file qr_detection_test_easy_near.py.

7.36.4.2 qr_detection_test_easy_near.RappInterfaceTest.msg

Definition at line 40 of file qr_detection_test_easy_near.py.

7.36.4.3 qr_detection_test_easy_near.RappInterfaceTest.svc

Definition at line 41 of file qr_detection_test_easy_near.py.

7.36.4.4 qr_detection_test_easy_near.RappInterfaceTest.valid_results

Definition at line 43 of file qr_detection_test_easy_near.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_near.py](#)

7.37 face_detection_test_far_angle.RappInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_faces](#)

7.37.1 Detailed Description

Definition at line 32 of file face_detection_test_far_angle.py.

7.37.2 Constructor & Destructor Documentation

7.37.2.1 def face_detection_test_far_angle.RappInterfaceTest.__init__(self)

Definition at line 34 of file face_detection_test_far_angle.py.

7.37.3 Member Function Documentation

7.37.3.1 `def face_detection_test_far_angle.RapplInterfaceTest.execute (self)`

Definition at line 49 of file `face_detection_test_far_angle.py`.

7.37.3.2 `def face_detection_test_far_angle.RapplInterfaceTest.validate (self, response)`

Definition at line 56 of file `face_detection_test_far_angle.py`.

7.37.4 Member Data Documentation

7.37.4.1 `face_detection_test_far_angle.RapplInterfaceTest.elapsed_time`

Definition at line 53 of file `face_detection_test_far_angle.py`.

7.37.4.2 `face_detection_test_far_angle.RapplInterfaceTest.msg`

Definition at line 40 of file `face_detection_test_far_angle.py`.

7.37.4.3 `face_detection_test_far_angle.RapplInterfaceTest.svc`

Definition at line 41 of file `face_detection_test_far_angle.py`.

7.37.4.4 `face_detection_test_far_angle.RapplInterfaceTest.valid_faces`

Definition at line 43 of file `face_detection_test_far_angle.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_far_angle.py](#)

7.38 `face_detection_test_close_angle.RapplInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_faces`

7.38.1 Detailed Description

Definition at line 32 of file `face_detection_test_close_angle.py`.

7.38.2 Constructor & Destructor Documentation

7.38.2.1 `def face_detection_test_close_angle.RapplInterfaceTest.__init__(self)`

Definition at line 34 of file `face_detection_test_close_angle.py`.

7.38.3 Member Function Documentation

7.38.3.1 `def face_detection_test_close_angle.RapplInterfaceTest.execute(self)`

Definition at line 49 of file `face_detection_test_close_angle.py`.

7.38.3.2 `def face_detection_test_close_angle.RapplInterfaceTest.validate(self, response)`

Definition at line 58 of file `face_detection_test_close_angle.py`.

7.38.4 Member Data Documentation

7.38.4.1 `face_detection_test_close_angle.RapplInterfaceTest.elapsed_time`

Definition at line 54 of file `face_detection_test_close_angle.py`.

7.38.4.2 `face_detection_test_close_angle.RapplInterfaceTest.msg`

Definition at line 40 of file `face_detection_test_close_angle.py`.

7.38.4.3 `face_detection_test_close_angle.RapplInterfaceTest.svc`

Definition at line 41 of file `face_detection_test_close_angle.py`.

7.38.4.4 `face_detection_test_close_angle.RapplInterfaceTest.valid_faces`

Definition at line 43 of file `face_detection_test_close_angle.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_close_angle.py](#)

7.39 ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_results](#)

7.39.1 Detailed Description

Definition at line 33 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

7.39.2 Constructor & Destructor Documentation

7.39.2.1 `def ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.__init__(self)`

Definition at line 35 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

7.39.3 Member Function Documentation

7.39.3.1 `def ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.execute(self)`

Definition at line 46 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

7.39.3.2 `def ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.validate(self, response)`

Definition at line 55 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

7.39.4 Member Data Documentation

7.39.4.1 `ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.elapsed_time`

Definition at line 51 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

7.39.4.2 `ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.msg`

Definition at line 38 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

7.39.4.3 `ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.svc`

Definition at line 42 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

7.39.4.4 `ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest.valid_results`

Definition at line 37 of file `ontology_is_subsuperclass_of_SpatialThing.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ontology_is_subsuperclass_of_SpatialThing.py](#)

7.40 qr_detection_test_easy_far.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_results](#)

7.40.1 Detailed Description

Definition at line 33 of file qr_detection_test_easy_far.py.

7.40.2 Constructor & Destructor Documentation

7.40.2.1 `def qr_detection_test_easy_far.RapplInterfaceTest.__init__ (self)`

Definition at line 35 of file qr_detection_test_easy_far.py.

7.40.3 Member Function Documentation

7.40.3.1 `def qr_detection_test_easy_far.RapplInterfaceTest.execute (self)`

Definition at line 50 of file qr_detection_test_easy_far.py.

7.40.3.2 `def qr_detection_test_easy_far.RapplInterfaceTest.validate (self, response)`

Definition at line 58 of file qr_detection_test_easy_far.py.

7.40.4 Member Data Documentation

7.40.4.1 `qr_detection_test_easy_far.RapplInterfaceTest.elapsed_time`

Definition at line 54 of file qr_detection_test_easy_far.py.

7.40.4.2 `qr_detection_test_easy_far.RapplInterfaceTest.msg`

Definition at line 40 of file qr_detection_test_easy_far.py.

7.40.4.3 `qr_detection_test_easy_far.RapplInterfaceTest.svc`

Definition at line 41 of file qr_detection_test_easy_far.py.

7.40.4.4 `qr_detection_test_easy_far.RapInterfaceTest.valid_results`

Definition at line 43 of file `qr_detection_test_easy_far.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_far.py`

7.41 `face_detection_test_far_straight.RapInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_faces`

7.41.1 Detailed Description

Definition at line 32 of file `face_detection_test_far_straight.py`.

7.41.2 Constructor & Destructor Documentation

7.41.2.1 `def face_detection_test_far_straight.RapInterfaceTest.__init__ (self)`

Definition at line 34 of file `face_detection_test_far_straight.py`.

7.41.3 Member Function Documentation

7.41.3.1 `def face_detection_test_far_straight.RapInterfaceTest.execute (self)`

Definition at line 49 of file `face_detection_test_far_straight.py`.

7.41.3.2 `def face_detection_test_far_straight.RapInterfaceTest.validate (self, response)`

Definition at line 57 of file `face_detection_test_far_straight.py`.

7.41.4 Member Data Documentation

7.41.4.1 `face_detection_test_far_straight.RapInterfaceTest.elapsed_time`

Definition at line 53 of file `face_detection_test_far_straight.py`.

7.41.4.2 face_detection_test_far_straight.RaplInterfaceTest.msg

Definition at line 40 of file face_detection_test_far_straight.py.

7.41.4.3 face_detection_test_far_straight.RaplInterfaceTest.svc

Definition at line 41 of file face_detection_test_far_straight.py.

7.41.4.4 face_detection_test_far_straight.RaplInterfaceTest.valid_faces

Definition at line 43 of file face_detection_test_far_straight.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_far_straight.py](#)

7.42 geolocation_pass_ipaddr.RaplInterfaceTest Class Reference

Public Member Functions

- [def __init__](#)
- [def execute](#)
- [def validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [validResults](#)

7.42.1 Detailed Description

Definition at line 31 of file geolocation_pass_ipaddr.py.

7.42.2 Constructor & Destructor Documentation

7.42.2.1 def geolocation_pass_ipaddr.RaplInterfaceTest.__init__(self)

Definition at line 33 of file geolocation_pass_ipaddr.py.

7.42.3 Member Function Documentation

7.42.3.1 def geolocation_pass_ipaddr.RaplInterfaceTest.execute(self)

Definition at line 50 of file geolocation_pass_ipaddr.py.

7.42.3.2 def geolocation_pass_ipaddr.RaplInterfaceTest.validate(self, response)

Definition at line 59 of file geolocation_pass_ipaddr.py.

7.42.4 Member Data Documentation

7.42.4.1 `geolocation_pass_ipaddr.RappInterfaceTest.elapsed_time`

Definition at line 55 of file `geolocation_pass_ipaddr.py`.

7.42.4.2 `geolocation_pass_ipaddr.RappInterfaceTest.msg`

Definition at line 46 of file `geolocation_pass_ipaddr.py`.

7.42.4.3 `geolocation_pass_ipaddr.RappInterfaceTest.svc`

Definition at line 47 of file `geolocation_pass_ipaddr.py`.

7.42.4.4 `geolocation_pass_ipaddr.RappInterfaceTest.validResults`

Definition at line 34 of file `geolocation_pass_ipaddr.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/geolocation_pass_ipaddr.py`

7.43 `face_detection_test_two_faces_jpg.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_numFaces`

7.43.1 Detailed Description

Definition at line 32 of file `face_detection_test_two_faces_jpg.py`.

7.43.2 Constructor & Destructor Documentation

7.43.2.1 `def face_detection_test_two_faces_jpg.RappInterfaceTest.__init__(self)`

Definition at line 34 of file `face_detection_test_two_faces_jpg.py`.

7.43.3 Member Function Documentation

7.43.3.1 `def face_detection_test_two_faces_jpg.RappInterfaceTest.execute (self)`

Definition at line 46 of file `face_detection_test_two_faces_jpg.py`.

7.43.3.2 `def face_detection_test_two_faces_jpg.RappInterfaceTest.validate (self, response)`

Definition at line 54 of file `face_detection_test_two_faces_jpg.py`.

7.43.4 Member Data Documentation

7.43.4.1 `face_detection_test_two_faces_jpg.RappInterfaceTest.elapsed_time`

Definition at line 50 of file `face_detection_test_two_faces_jpg.py`.

7.43.4.2 `face_detection_test_two_faces_jpg.RappInterfaceTest.msg`

Definition at line 40 of file `face_detection_test_two_faces_jpg.py`.

7.43.4.3 `face_detection_test_two_faces_jpg.RappInterfaceTest.svc`

Definition at line 41 of file `face_detection_test_two_faces_jpg.py`.

7.43.4.4 `face_detection_test_two_faces_jpg.RappInterfaceTest.valid_numFaces`

Definition at line 43 of file `face_detection_test_two_faces_jpg.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_two_faces_jpg.py`

7.44 qr_detection_test_medium_medium.RappInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `msg`
- `svc`
- `valid_results`

7.44.1 Detailed Description

Definition at line 33 of file `qr_detection_test_medium_medium.py`.

7.44.2 Constructor & Destructor Documentation

7.44.2.1 `def qr_detection_test_medium_medium.RapplInterfaceTest.__init__(self)`

Definition at line 35 of file `qr_detection_test_medium_medium.py`.

7.44.3 Member Function Documentation

7.44.3.1 `def qr_detection_test_medium_medium.RapplInterfaceTest.execute(self)`

Definition at line 50 of file `qr_detection_test_medium_medium.py`.

7.44.3.2 `def qr_detection_test_medium_medium.RapplInterfaceTest.validate(self, response)`

Definition at line 58 of file `qr_detection_test_medium_medium.py`.

7.44.4 Member Data Documentation

7.44.4.1 `qr_detection_test_medium_medium.RapplInterfaceTest.elapsed_time`

Definition at line 54 of file `qr_detection_test_medium_medium.py`.

7.44.4.2 `qr_detection_test_medium_medium.RapplInterfaceTest.msg`

Definition at line 40 of file `qr_detection_test_medium_medium.py`.

7.44.4.3 `qr_detection_test_medium_medium.RapplInterfaceTest.svc`

Definition at line 41 of file `qr_detection_test_medium_medium.py`.

7.44.4.4 `qr_detection_test_medium_medium.RapplInterfaceTest.valid_results`

Definition at line 43 of file `qr_detection_test_medium_medium.py`.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_medium.py`

7.45 `qr_detection_test_medium_near.RapplInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_results](#)

7.45.1 Detailed Description

Definition at line 33 of file qr_detection_test_medium_near.py.

7.45.2 Constructor & Destructor Documentation

7.45.2.1 `def qr_detection_test_medium_near.RappInterfaceTest.__init__(self)`

Definition at line 35 of file qr_detection_test_medium_near.py.

7.45.3 Member Function Documentation

7.45.3.1 `def qr_detection_test_medium_near.RappInterfaceTest.execute(self)`

Definition at line 50 of file qr_detection_test_medium_near.py.

7.45.3.2 `def qr_detection_test_medium_near.RappInterfaceTest.validate(self, response)`

Definition at line 58 of file qr_detection_test_medium_near.py.

7.45.4 Member Data Documentation

7.45.4.1 `qr_detection_test_medium_near.RappInterfaceTest.elapsed_time`

Definition at line 54 of file qr_detection_test_medium_near.py.

7.45.4.2 `qr_detection_test_medium_near.RappInterfaceTest.msg`

Definition at line 40 of file qr_detection_test_medium_near.py.

7.45.4.3 `qr_detection_test_medium_near.RappInterfaceTest.svc`

Definition at line 41 of file qr_detection_test_medium_near.py.

7.45.4.4 `qr_detection_test_medium_near.RappInterfaceTest.valid_results`

Definition at line 43 of file qr_detection_test_medium_near.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_near.py](#)

7.46 qr_detection_test_easy_medium.RapplInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_results](#)

7.46.1 Detailed Description

Definition at line 33 of file qr_detection_test_easy_medium.py.

7.46.2 Constructor & Destructor Documentation

7.46.2.1 `def qr_detection_test_easy_medium.RapplInterfaceTest.__init__(self)`

Definition at line 35 of file qr_detection_test_easy_medium.py.

7.46.3 Member Function Documentation

7.46.3.1 `def qr_detection_test_easy_medium.RapplInterfaceTest.execute(self)`

Definition at line 50 of file qr_detection_test_easy_medium.py.

7.46.3.2 `def qr_detection_test_easy_medium.RapplInterfaceTest.validate(self, response)`

Definition at line 58 of file qr_detection_test_easy_medium.py.

7.46.4 Member Data Documentation

7.46.4.1 `qr_detection_test_easy_medium.RapplInterfaceTest.elapsed_time`

Definition at line 54 of file qr_detection_test_easy_medium.py.

7.46.4.2 `qr_detection_test_easy_medium.RapplInterfaceTest.msg`

Definition at line 40 of file qr_detection_test_easy_medium.py.

7.46.4.3 `qr_detection_test_easy_medium.RapplInterfaceTest.svc`

Definition at line 41 of file qr_detection_test_easy_medium.py.

7.46.4.4 qr_detection_test_easy_medium.RapInterfaceTest.valid_results

Definition at line 43 of file qr_detection_test_easy_medium.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_medium.py

7.47 qr_detection_test_hard_near.RapInterfaceTest Class Reference

Public Member Functions

- def [__init__](#)
- def [execute](#)
- def [validate](#)

Public Attributes

- [elapsed_time](#)
- [msg](#)
- [svc](#)
- [valid_results](#)

7.47.1 Detailed Description

Definition at line 33 of file qr_detection_test_hard_near.py.

7.47.2 Constructor & Destructor Documentation

7.47.2.1 def qr_detection_test_hard_near.RapInterfaceTest.__init__(self)

Definition at line 35 of file qr_detection_test_hard_near.py.

7.47.3 Member Function Documentation

7.47.3.1 def qr_detection_test_hard_near.RapInterfaceTest.execute(self)

Definition at line 50 of file qr_detection_test_hard_near.py.

7.47.3.2 def qr_detection_test_hard_near.RapInterfaceTest.validate(self, response)

Definition at line 58 of file qr_detection_test_hard_near.py.

7.47.4 Member Data Documentation

7.47.4.1 qr_detection_test_hard_near.RapInterfaceTest.elapsed_time

Definition at line 54 of file qr_detection_test_hard_near.py.

7.47.4.2 `qr_detection_test_hard_near.RappInterfaceTest.msg`

Definition at line 40 of file `qr_detection_test_hard_near.py`.

7.47.4.3 `qr_detection_test_hard_near.RappInterfaceTest.svc`

Definition at line 41 of file `qr_detection_test_hard_near.py`.

7.47.4.4 `qr_detection_test_hard_near.RappInterfaceTest.valid_results`

Definition at line 43 of file `qr_detection_test_hard_near.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_near.py](#)

7.48 `cognitive_record_performance_arithmetic.RappInterfaceTest` Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `elapsed_time`
- `svc`
- `valid_result_partial`

7.48.1 Detailed Description

Definition at line 30 of file `cognitive_record_performance_arithmetic.py`.

7.48.2 Constructor & Destructor Documentation

7.48.2.1 `def cognitive_record_performance_arithmetic.RappInterfaceTest.__init__(self)`

Definition at line 32 of file `cognitive_record_performance_arithmetic.py`.

7.48.3 Member Function Documentation

7.48.3.1 `def cognitive_record_performance_arithmetic.RappInterfaceTest.execute(self)`

Definition at line 40 of file `cognitive_record_performance_arithmetic.py`.

7.48.3.2 `def cognitive_record_performance_arithmetic.RappInterfaceTest.validate(self, response)`

Definition at line 48 of file `cognitive_record_performance_arithmetic.py`.

7.48.4 Member Data Documentation

7.48.4.1 cognitive_record_performance_arithmetic.RappInterfaceTest.elapsed_time

Definition at line 45 of file cognitive_record_performance_arithmetic.py.

7.48.4.2 cognitive_record_performance_arithmetic.RappInterfaceTest.svc

Definition at line 33 of file cognitive_record_performance_arithmetic.py.

7.48.4.3 cognitive_record_performance_arithmetic.RappInterfaceTest.valid_result_partial

Definition at line 38 of file cognitive_record_performance_arithmetic.py.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/cognitive_record_performance_arithmetic.py](#)

7.49 user_personal_info.RappInterfaceTest Class Reference

Public Member Functions

- [def __init__](#)
- [def execute](#)
- [def validate](#)

Public Attributes

- [elapsed_time](#)
- [rappCloud](#)
- [valid_results](#)

7.49.1 Detailed Description

Definition at line 30 of file user_personal_info.py.

7.49.2 Constructor & Destructor Documentation

7.49.2.1 `def user_personal_info.RappInterfaceTest.__init__(self)`

Definition at line 32 of file user_personal_info.py.

7.49.3 Member Function Documentation

7.49.3.1 `def user_personal_info.RappInterfaceTest.execute(self)`

Definition at line 49 of file user_personal_info.py.

7.49.3.2 `def user_personal_info.RappInterfaceTest.validate (self, response)`

Definition at line 59 of file `user_personal_info.py`.

7.49.4 Member Data Documentation

7.49.4.1 `user_personal_info.RappInterfaceTest.elapsed_time`

Definition at line 55 of file `user_personal_info.py`.

7.49.4.2 `user_personal_info.RappInterfaceTest.rappCloud`

Definition at line 33 of file `user_personal_info.py`.

7.49.4.3 `user_personal_info.RappInterfaceTest.valid_results`

Definition at line 34 of file `user_personal_info.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/user_personal_info.py](#)

7.50 email_send_single_attach.RappInterfaceTest Class Reference

Public Member Functions

- `def __init__`
- `def execute`
- `def validate`

Public Attributes

- `attach`
- `elapsed_time`
- `msg`
- `svc`

7.50.1 Detailed Description

Definition at line 32 of file `email_send_single_attach.py`.

7.50.2 Constructor & Destructor Documentation

7.50.2.1 `def email_send_single_attach.RappInterfaceTest.__init__ (self)`

Definition at line 34 of file `email_send_single_attach.py`.

7.50.3 Member Function Documentation

7.50.3.1 `def email_send_single_attach.RappInterfaceTest.execute (self)`

Definition at line 52 of file `email_send_single_attach.py`.

7.50.3.2 `def email_send_single_attach.RappInterfaceTest.validate (self, response)`

Definition at line 60 of file `email_send_single_attach.py`.

7.50.4 Member Data Documentation

7.50.4.1 `email_send_single_attach.RappInterfaceTest.attach`

Definition at line 37 of file `email_send_single_attach.py`.

7.50.4.2 `email_send_single_attach.RappInterfaceTest.elapsed_time`

Definition at line 57 of file `email_send_single_attach.py`.

7.50.4.3 `email_send_single_attach.RappInterfaceTest.msg`

Definition at line 39 of file `email_send_single_attach.py`.

7.50.4.4 `email_send_single_attach.RappInterfaceTest.svc`


Definition at line 49 of file `email_send_single_attach.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_send_single_attach.py`

7.51 `speech_detection_sphinx_tests.SpeechDetectionSphinxTests` Class Reference

Inheritance diagram for `speech_detection_sphinx_tests.SpeechDetectionSphinxTests`:



Collaboration diagram for `speech_detection_sphinx_tests.SpeechDetectionSphinxTests`:



Public Member Functions

- def `setUp`
- def `test_headset_nai_oxi`
- def `test_ogg_no`
- def `test_ogg_oxi`
- def `test_speech_erroneous`
- def `test_wav_1_ch_nai_oxi`
- def `test_wav_1_ch_yes_no`

Public Attributes

- `ch`
- `pkgDir`

7.51.1 Detailed Description

Definition at line 31 of file `speech_detection_sphinx_tests.py`.

7.51.2 Member Function Documentation

7.51.2.1 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.setUp (self)`

Definition at line 33 of file `speech_detection_sphinx_tests.py`.

7.51.2.2 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_headset_nai_oxi (self)`

Definition at line 87 of file `speech_detection_sphinx_tests.py`.

7.51.2.3 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_ogg_no (self)`

Definition at line 51 of file `speech_detection_sphinx_tests.py`.

7.51.2.4 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_ogg_oxi (self)`

Definition at line 39 of file `speech_detection_sphinx_tests.py`.

7.51.2.5 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_speech_erroneous (self)`

Definition at line 99 of file `speech_detection_sphinx_tests.py`.

7.51.2.6 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_wav_1_ch_nai_oxi (self)`

Definition at line 75 of file `speech_detection_sphinx_tests.py`.

7.51.2.7 `def speech_detection_sphinx_tests.SpeechDetectionSphinxTests.test_wav_1_ch_yes_no (self)`

Definition at line 63 of file `speech_detection_sphinx_tests.py`.

7.51.3 Member Data Documentation

7.51.3.1 `speech_detection_sphinx_tests.SpeechDetectionSphinxTests.ch`

Definition at line 37 of file `speech_detection_sphinx_tests.py`.

7.51.3.2 `speech_detection_sphinx_tests.SpeechDetectionSphinxTests.pkgDir`


Definition at line 35 of file `speech_detection_sphinx_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_sphinx_tests.py`

7.52 speech_detection_google_tests.SpeechDetectionGoogleTests Class Reference

Inheritance diagram for `speech_detection_google_tests.SpeechDetectionGoogleTests`:



Collaboration diagram for `speech_detection_google_tests.SpeechDetectionGoogleTests`:



Public Member Functions

- def `setUp`
- def `test_erroneous`
- def `test_speechNormal`

Public Attributes

- `ch`
- `pkgDir`

7.52.1 Detailed Description

Definition at line 31 of file `speech_detection_google_tests.py`.

7.52.2 Member Function Documentation

7.52.2.1 `def speech_detection_google_tests.SpeechDetectionGoogleTests.setUp (self)`

Definition at line 33 of file `speech_detection_google_tests.py`.

7.52.2.2 `def speech_detection_google_tests.SpeechDetectionGoogleTests.test_erroneous (self)`

Definition at line 50 of file `speech_detection_google_tests.py`.

7.52.2.3 `def speech_detection_google_tests.SpeechDetectionGoogleTests.test_speechNormal (self)`

Definition at line 39 of file `speech_detection_google_tests.py`.

7.52.3 Member Data Documentation

7.52.3.1 `speech_detection_google_tests.SpeechDetectionGoogleTests.ch`

Definition at line 34 of file `speech_detection_google_tests.py`.

7.52.3.2 `speech_detection_google_tests.SpeechDetectionGoogleTests.pkgDir`


Definition at line 37 of file `speech_detection_google_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech_detection_google_tests.py`

7.53 `template_test.TemplateTests` Class Reference

Inheritance diagram for `template_test.TemplateTests`:



Collaboration diagram for `template_test.TemplateTests`:



Public Member Functions

- def `setUp`
- def `test_templateTest`

Public Attributes

- `ch`
- `pkgDir`

7.53.1 Detailed Description

Definition at line 31 of file `template_test.py`.

7.53.2 Member Function Documentation

7.53.2.1 `def template_test.TemplateTests.setUp (self)`

Definition at line 33 of file `template_test.py`.

7.53.2.2 `def template_test.TemplateTests.test_templateTest (self)`

Definition at line 39 of file `template_test.py`.

7.53.3 Member Data Documentation

7.53.3.1 `template_test.TemplateTests.ch`

Definition at line 34 of file `template_test.py`.

7.53.3.2 `template_test.TemplateTests.pkgDir`


Definition at line 37 of file `template_test.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/template_test.py`

7.54 `text_to_speech_tests.TextToSpeechTests` Class Reference

Inheritance diagram for `text_to_speech_tests.TextToSpeechTests`:



Collaboration diagram for text_to_speech_tests.TextToSpeechTests:



Public Member Functions

- def [setUp](#)
- def [test_greek_test](#)
- def [test_tts_erroneous](#)

Public Attributes

- [ch](#)

7.54.1 Detailed Description

Definition at line 30 of file text_to_speech_tests.py.

7.54.2 Member Function Documentation

7.54.2.1 `def text_to_speech_tests.TextToSpeechTests.setUp (self)`

Definition at line 32 of file text_to_speech_tests.py.

7.54.2.2 `def text_to_speech_tests.TextToSpeechTests.test_greek_test (self)`

Definition at line 35 of file text_to_speech_tests.py.

7.54.2.3 `def text_to_speech_tests.TextToSpeechTests.test_tts_erroneous (self)`

Definition at line 43 of file text_to_speech_tests.py.

7.54.3 Member Data Documentation

7.54.3.1 `text_to_speech_tests.TextToSpeechTests.ch`

Definition at line 33 of file text_to_speech_tests.py.

The documentation for this class was generated from the following file:

- `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text_to_speech_tests.py`

Chapter 8

File Documentation

8.1 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/README.md File Reference

8.2 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_tests.py File Reference

Classes

- class [cognitive_test_chooser_tests.CognitiveTestChooserTests](#)

Namespaces

- [cognitive_test_chooser_tests](#)

Variables

- tuple [cognitive_test_chooser_tests.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.3 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_record_tests.py File Reference

Classes

- class [cognitive_test_record_tests.CognitiveTestRecordTests](#)

Namespaces

- [cognitive_test_record_tests](#)

Variables

- tuple [cognitive_test_record_tests.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.4 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive-_test_user_history_tests.py File Reference

Classes

- class [cognitive_test_user_history_tests.CognitiveTestHistoryTests](#)

Namespaces

- [cognitive_test_user_history_tests](#)

Variables

- tuple [cognitive_test_user_history_tests.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.5 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive-_test_user_scores_tests.py File Reference

Classes

- class [cognitive_test_user_scores_tests.CognitiveTestScoresTests](#)

Namespaces

- [cognitive_test_user_scores_tests](#)

Variables

- tuple [cognitive_test_user_scores_tests.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.6 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/denoise-_profile_tests.py File Reference

Classes

- class [denoise_profile_tests.DenoiseProfileTests](#)

Namespaces

- [denoise_profile_tests](#)

Variables

- tuple [denoise_profile_tests.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.7 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_fetch.py File Reference

Classes

- class [email_fetch.RappInterfaceTest](#)

Namespaces

- [email_fetch](#)

Variables

- tuple [email_fetch.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.8 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_send_single_attach.py File Reference

Classes

- class [email_send_single_attach.RappInterfaceTest](#)

Namespaces

- [email_send_single_attach](#)

Variables

- tuple [email_send_single_attach.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.9 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_send_zip.py File Reference

Classes

- class [email_send_zip.RappInterfaceTest](#)

Namespaces

- [email_send_zip](#)

Variables

- tuple [email_send_zip.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.10 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face-detection_test_close_angle.py File Reference

Classes

- class [face_detection_test_close_angle.RappInterfaceTest](#)

Namespaces

- [face_detection_test_close_angle](#)

Variables

- tuple [face_detection_test_close_angle.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.11 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face-detection_test_far_angle.py File Reference

Classes

- class [face_detection_test_far_angle.RappInterfaceTest](#)

Namespaces

- [face_detection_test_far_angle](#)

Variables

- tuple [face_detection_test_far_angle.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.12 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face-detection_test_far_straight.py File Reference

Classes

- class [face_detection_test_far_straight.RappInterfaceTest](#)

Namespaces

- [face_detection_test_far_straight](#)

Variables

- tuple [face_detection_test_far_straight.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.13 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face- _detection_test_medium_angle.py File Reference

Classes

- class [face_detection_test_medium_angle.RaplInterfaceTest](#)

Namespaces

- [face_detection_test_medium_angle](#)

Variables

- tuple [face_detection_test_medium_angle.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.14 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face- _detection_test_medium_straight.py File Reference

Classes

- class [face_detection_test_medium_straight.RaplInterfaceTest](#)

Namespaces

- [face_detection_test_medium_straight](#)

Variables

- tuple [face_detection_test_medium_straight.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.15 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face- _detection_test_two_faces_jpg.py File Reference

Classes

- class [face_detection_test_two_faces_jpg.RaplInterfaceTest](#)

Namespaces

- [face_detection_test_two_faces_jpg](#)

Variables

- tuple [face_detection_test_two_faces_jpg.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.16 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/geolocation_pass_ipaddr.py` File Reference

Classes

- class `geolocation_pass_ipaddr.RappInterfaceTest`

Namespaces

- `geolocation_pass_ipaddr`

Variables

- tuple `geolocation_pass_ipaddr.__path__` = `os.path.dirname(os.path.realpath(__file__))`

8.17 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/human_detection_test.py` File Reference

Classes

- class `human_detection_test.RappInterfaceTest`

Namespaces

- `human_detection_test`

Variables

- tuple `human_detection_test.__path__` = `os.path.dirname(os.path.realpath(__file__))`

8.18 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/news_explore_general.py` File Reference

Classes

- class `news_explore_general.RappInterfaceTest`

Namespaces

- `news_explore_general`

Variables

- tuple `news_explore_general.__path__` = `os.path.dirname(os.path.realpath(__file__))`

8.19 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ontology_is_subsuperclass_of_SpatialThing.py File

Reference

115

8.19 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/ontology_is_subsuperclass_of_SpatialThing.py File Reference

Classes

- class [ontology_is_subsuperclass_of_SpatialThing.RapplInterfaceTest](#)

Namespaces

- [ontology_is_subsuperclass_of_SpatialThing](#)

Variables

- tuple [ontology_is_subsuperclass_of_SpatialThing.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.20 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_far.py File Reference

Classes

- class [qr_detection_test_easy_far.RapplInterfaceTest](#)

Namespaces

- [qr_detection_test_easy_far](#)

Variables

- tuple [qr_detection_test_easy_far.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.21 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_medium.py File Reference

Classes

- class [qr_detection_test_easy_medium.RapplInterfaceTest](#)

Namespaces

- [qr_detection_test_easy_medium](#)

Variables

- tuple [qr_detection_test_easy_medium.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.22 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr-detection_test_easy_near.py File Reference

Classes

- class [qr_detection_test_easy_near.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_easy_near](#)

Variables

- tuple [qr_detection_test_easy_near.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.23 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr-detection_test_hard_far.py File Reference

Classes

- class [qr_detection_test_hard_far.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_hard_far](#)

Variables

- tuple [qr_detection_test_hard_far.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.24 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr-detection_test_hard_medium.py File Reference

Classes

- class [qr_detection_test_hard_medium.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_hard_medium](#)

Variables

- tuple [qr_detection_test_hard_medium.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.25 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr- _detection_test_hard_near.py File Reference

Classes

- class [qr_detection_test_hard_near.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_hard_near](#)

Variables

- tuple [qr_detection_test_hard_near.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.26 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr- _detection_test_medium_far.py File Reference

Classes

- class [qr_detection_test_medium_far.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_medium_far](#)

Variables

- tuple [qr_detection_test_medium_far.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.27 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr- _detection_test_medium_medium.py File Reference

Classes

- class [qr_detection_test_medium_medium.RappInterfaceTest](#)

Namespaces

- [qr_detection_test_medium_medium](#)

Variables

- tuple [qr_detection_test_medium_medium.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.28 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr-detection_test_medium_near.py` File Reference

Classes

- class `qr_detection_test_medium_near.RappInterfaceTest`

Namespaces

- `qr_detection_test_medium_near`

Variables

- tuple `qr_detection_test_medium_near.__path__` = `os.path.dirname(os.path.realpath(__file__))`

8.29 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech-detection_google_test_ogg_sentence2.py` File Reference

Classes

- class `speech_detection_google_test_ogg_sentence2.RappInterfaceTest`

Namespaces

- `speech_detection_google_test_ogg_sentence2`

Variables

- tuple `speech_detection_google_test_ogg_sentence2.__path__` = `os.path.dirname(os.path.realpath(__file__ -))`

8.30 `/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech-detection_sphinx_test_headset_deutera.py` File Reference

Classes

- class `speech_detection_sphinx_test_headset_deutera.RappInterfaceTest`

Namespaces

- `speech_detection_sphinx_test_headset_deutera`

Variables

- tuple `speech_detection_sphinx_test_headset_deutera.__path__` = `os.path.dirname(os.path.realpath(__file__ -))`

8.31 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_headset_steile_mail.py File

Reference

119

8.31 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_headset_steile_mail.py File Reference

Classes

- class [speech_detection_sphinx_test_headset_steile_mail.RapplInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_headset_steile_mail](#)

Variables

- tuple [speech_detection_sphinx_test_headset_steile_mail.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.32 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_nao_wav_1_ch_email_robot.py File Reference

Classes

- class [speech_detection_sphinx_test_nao_wav_1_ch_email_robot.RapplInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_nao_wav_1_ch_email_robot](#)

Variables

- tuple [speech_detection_sphinx_test_nao_wav_1_ch_email_robot.__path__](#) = os.path.dirname(path.realpath(__file__))

8.33 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.py File Reference

Classes

- class [speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.RapplInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia](#)

Variables

- tuple [speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.34 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech-detection_sphinx_test_ogg_deutera.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_deutera.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_deutera](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_deutera.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.35 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech-detection_sphinx_test_ogg_monday.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_monday.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_monday](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_monday.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.36 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech-detection_sphinx_test_ogg_triti.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_triti.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_triti](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_triti.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.37 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_tuesday.py File

Reference

121

8.37 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_tuesday.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_tuesday.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_tuesday](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_tuesday.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.38 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/speech_detection_sphinx_test_ogg_yes.py File Reference

Classes

- class [speech_detection_sphinx_test_ogg_yes.RappInterfaceTest](#)

Namespaces

- [speech_detection_sphinx_test_ogg_yes](#)

Variables

- tuple [speech_detection_sphinx_test_ogg_yes.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.39 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_report_current_Athens.py File Reference

Classes

- class [weather_report_current_Athens.RappInterfaceTest](#)

Namespaces

- [weather_report_current_Athens](#)

Variables

- tuple [weather_report_current_Athens.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.40 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_report_forecast_Athens.py File Reference

Classes

- class [weather_report_forecast_Athens.RappInterfaceTest](#)

Namespaces

- [weather_report_forecast_Athens](#)

Variables

- tuple [weather_report_forecast_Athens.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.41 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_tests.py File Reference

Classes

- class [face_detection_tests.FaceDetectionTests](#)

Namespaces

- [face_detection_tests](#)

Variables

- tuple [face_detection_tests.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.42 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/hazard_detection_tests.py File Reference

Classes

- class [hazard_detection_tests.HazardDetectionTests](#)

Namespaces

- [hazard_detection_tests](#)

Variables

- tuple [hazard_detection_tests.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.43

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/human_detection_tests.py

File Reference

123

8.43 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/human- _detection_tests.py File Reference

Classes

- class [human_detection_tests.HumanDetectionTests](#)

Namespaces

- [human_detection_tests](#)

Variables

- tuple [human_detection_tests.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.44 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/available- _services_test.py File Reference

Classes

- class [available_services_test.RappInterfaceTest](#)

Namespaces

- [available_services_test](#)

Variables

- tuple [available_services_test.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.45 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/cognitive- _record_performance_arithmetic.py File Reference

Classes

- class [cognitive_record_performance_arithmetic.RappInterfaceTest](#)

Namespaces

- [cognitive_record_performance_arithmetic](#)

Variables

- tuple [cognitive_record_performance_arithmetic.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.46 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/user-_personal_info.py File Reference

Classes

- class [user_personal_info.RappInterfaceTest](#)

Namespaces

- [user_personal_info](#)

Variables

- tuple [user_personal_info.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.47 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/object-_recognition_tests.py File Reference

Classes

- class [object_recognition_tests.ObjectRecognitionTests](#)

Namespaces

- [object_recognition_tests](#)

Variables

- tuple [object_recognition_tests.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.48 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/ontology-_tests.py File Reference

Classes

- class [ontology_tests.OntologyTests](#)

Namespaces

- [ontology_tests](#)

Variables

- tuple [ontology_tests.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.49

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/path_planning_tests.py

File Reference

125

8.49 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/path-planning_tests.py File Reference

Classes

- class [path_planning_tests.PathPlanningTests](#)

Namespaces

- [path_planning_tests](#)

Variables

- tuple [path_planning_tests.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.50 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/qr-detection_tests.py File Reference

Classes

- class [qr_detection_tests.QrDetectionTests](#)

Namespaces

- [qr_detection_tests](#)

Variables

- tuple [qr_detection_tests.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.51 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech-detection_google_tests.py File Reference

Classes

- class [speech_detection_google_tests.SppechDetectionGoogleTests](#)

Namespaces

- [speech_detection_google_tests](#)

Variables

- tuple [speech_detection_google_tests.__path__](#) = os.path.dirname(os.path.realpath(__file__))

8.52 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/speech-detection_sphinx_tests.py File Reference

Classes

- class [speech_detection_sphinx_tests.SpeechDetectionSphinxTests](#)

Namespaces

- [speech_detection_sphinx_tests](#)

Variables

- tuple [speech_detection_sphinx_tests.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.53 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/template_test.py File Reference

Classes

- class [template_test.TemplateTests](#)

Namespaces

- [template_test](#)

Variables

- tuple [template_test.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.54 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/text-to_speech_tests.py File Reference

Classes

- class [text_to_speech_tests.TextToSpeechTests](#)

Namespaces

- [text_to_speech_tests](#)

Variables

- tuple [text_to_speech_tests.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`

8.55 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/rapp_run_test.py File Reference

Namespaces

- [rapp_run_test](#)

8.56 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/_init_.py File Reference

Namespaces

- [rapp_testing_tools](#)

8.57 /home/travis/rapp_temp/rapp-platform/rapp_testing_tools/src/rapp_testing_tools/rapp_testing_core.py File Reference

Classes

- class [rapp_testing_tools.rapp_testing_core.bcolors](#)
----- Console colors ----- ##

Namespaces

- [rapp_testing_tools.rapp_testing_core](#)

Functions

- def [rapp_testing_tools.rapp_testing_core.append_to_system_path](#)
Append directory paths, given as input into the global system path.
- def [rapp_testing_tools.rapp_testing_core.execute_tests_all](#)
Load and execute input given tests.
- def [rapp_testing_tools.rapp_testing_core.get_test_files](#)
Parse input paths and export found test files.
- def [rapp_testing_tools.rapp_testing_core.load_tests_paths](#)
Parse and get all given tests path directories, plus the default ones.
- def [rapp_testing_tools.rapp_testing_core.main](#)
Main.
- def [rapp_testing_tools.rapp_testing_core.parse_args](#)
----- ##

Variables

- tuple [rapp_testing_tools.rapp_testing_core.__path__](#) = `os.path.dirname(os.path.realpath(__file__))`
- tuple [rapp_testing_tools.rapp_testing_core.mutex](#) = `Lock()`
- dictionary [rapp_testing_tools.rapp_testing_core.results](#)
- list [rapp_testing_tools.rapp_testing_core.testClasses](#)
----- Test Classess ----- ##

- dictionary [rapp_testing_tools.rapp_testing_core.testClassMatch](#)
-----##

Index

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/README.md, [109](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_chooser_tests.py, [109](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_record_tests.py, [109](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_user_history_tests.py, [110](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/cognitive_test_user_scores_tests.py, [110](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/denoise_profile_tests.py, [110](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_fetch.py, [111](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_send_single_attach.py, [111](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/email_send_zip.py, [111](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_close_angle.py, [112](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_far_angle.py, [112](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_far_straight.py, [112](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/face_detection_test_medium_angle.py, [113](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/geolocation_pass_ipaddr.py, [114](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/human_detection_test.py, [114](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/news_explore_general.py, [114](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_far.py, [115](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_medium.py, [115](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_easy_near.py, [116](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_far.py, [116](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_medium.py, [116](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_hard_near.py, [117](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_far.py, [117](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_medium.py, [117](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/qr_detection_test_medium_near.py, [118](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_report_current_Athens.py, [121](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/exclude/weather_report_forecast_Athens.py, [122](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/face_detection_tests.py, [122](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/hazard_detection_tests.py, [122](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/human_detection_tests.py, [123](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/available_services_test.py, [123](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/cognitive_record_performance_arithmetic.py, [123](#)

/home/travis/rapp_temp/rapp-platform/rapp_testing_tools/scripts/default_tests/issues/user_personal_info.py, [124](#)

- /home/travis/rapp_temp/rapp-platform/rapp_testing_ -
tools/scripts/default_tests/object_recognition_ -
tests.py, [124](#)
- /home/travis/rapp_temp/rapp-platform/rapp_testing_ -
tools/scripts/default_tests/ontology_tests.py,
[124](#)
- /home/travis/rapp_temp/rapp-platform/rapp_testing_ -
tools/scripts/default_tests/path_planning_ -
tests.py, [125](#)
- /home/travis/rapp_temp/rapp-platform/rapp_testing_ -
tools/scripts/default_tests/qr_detection_tests_ -
py, [125](#)
- /home/travis/rapp_temp/rapp-platform/rapp_testing_ -
tools/scripts/default_tests/speech_detection_ -
google_tests.py, [125](#)
- /home/travis/rapp_temp/rapp-platform/rapp_testing_ -
tools/scripts/default_tests/speech_detection_ -
sphinx_tests.py, [126](#)
- /home/travis/rapp_temp/rapp-platform/rapp_testing_ -
tools/scripts/default_tests/template_test.py,
[126](#)
- /home/travis/rapp_temp/rapp-platform/rapp_testing_ -
tools/scripts/default_tests/text_to_speech_ -
tests.py, [126](#)
- /home/travis/rapp_temp/rapp-platform/rapp_testing_ -
tools/scripts/rapp_run_test.py, [127](#)
- /home/travis/rapp_temp/rapp-platform/rapp_testing_ -
tools/src/rapp_testing_tools/rapp_testing_ -
core.py, [127](#)
- `__init__`
 - available_services_test::RapplInterfaceTest, [59](#)
 - cognitive_record_performance_arithmetic::Rapp-
InterfaceTest, [98](#)
 - email_fetch::RapplInterfaceTest, [81](#)
 - email_send_single_attach::RapplInterfaceTest, [100](#)
 - email_send_zip::RapplInterfaceTest, [62](#)
 - face_detection_test_close_angle::RapplInterface-
Test, [87](#)
 - face_detection_test_far_angle::RapplInterfaceTest,
[85](#)
 - face_detection_test_far_straight::RapplInterface-
Test, [90](#)
 - face_detection_test_medium_angle::RapplInterface-
Test, [82](#)
 - face_detection_test_medium_straight::Rapp-
InterfaceTest, [77](#)
 - face_detection_test_two_faces_jpg::RapplInterface-
Test, [92](#)
 - geolocation_pass_ipaddr::RapplInterfaceTest, [91](#)
 - human_detection_test::RapplInterfaceTest, [63](#)
 - news_explore_general::RapplInterfaceTest, [72](#)
 - ontology_is_subsuperclass_of_SpatialThing:::-
RapplInterfaceTest, [88](#)
 - qr_detection_test_easy_far::RapplInterfaceTest, [89](#)
 - qr_detection_test_easy_medium::RapplInterface-
Test, [96](#)
 - qr_detection_test_easy_near::RapplInterfaceTest,
[84](#)
 - qr_detection_test_hard_far::RapplInterfaceTest, [83](#)
 - qr_detection_test_hard_medium::RapplInterface-
Test, [61](#)
 - qr_detection_test_hard_near::RapplInterfaceTest,
[97](#)
 - qr_detection_test_medium_far::RapplInterfaceTest,
[80](#)
 - qr_detection_test_medium_medium::RapplInterface-
Test, [94](#)
 - qr_detection_test_medium_near::RapplInterface-
Test, [95](#)
 - speech_detection_google_test_ogg_sentence2:::-
RapplInterfaceTest, [76](#)
 - speech_detection_sphinx_test_headset_deutera:::-
RapplInterfaceTest, [75](#)
 - speech_detection_sphinx_test_headset_steile_ -
mail::RapplInterfaceTest, [74](#)
 - speech_detection_sphinx_test_ogg_deutera:::-
RapplInterfaceTest, [71](#)
 - speech_detection_sphinx_test_ogg_monday:::-
RapplInterfaceTest, [79](#)
 - speech_detection_sphinx_test_ogg_triti::Rapp-
InterfaceTest, [68](#)
 - speech_detection_sphinx_test_ogg_tuesday:::-
RapplInterfaceTest, [67](#)
 - speech_detection_sphinx_test_ogg_yes::Rapp-
InterfaceTest, [66](#)
 - user_personal_info::RapplInterfaceTest, [99](#)
 - weather_report_current_Athens::RapplInterface-
Test, [65](#)
 - weather_report_forecast_Athens::RapplInterface-
Test, [64](#)
- `__path__`
 - available_services_test, [13](#)
 - cognitive_record_performance_arithmetic, [13](#)
 - cognitive_test_chooser_tests, [14](#)
 - cognitive_test_record_tests, [14](#)
 - cognitive_test_user_history_tests, [14](#)
 - cognitive_test_user_scores_tests, [15](#)
 - denoise_profile_tests, [15](#)
 - email_fetch, [15](#)
 - email_send_single_attach, [16](#)
 - email_send_zip, [16](#)
 - face_detection_test_close_angle, [16](#)
 - face_detection_test_far_angle, [17](#)
 - face_detection_test_far_straight, [17](#)
 - face_detection_test_medium_angle, [17](#)
 - face_detection_test_medium_straight, [18](#)
 - face_detection_test_two_faces_jpg, [18](#)
 - face_detection_tests, [18](#)
 - geolocation_pass_ipaddr, [19](#)
 - hazard_detection_tests, [19](#)
 - human_detection_test, [19](#)
 - human_detection_tests, [20](#)
 - news_explore_general, [20](#)
 - object_recognition_tests, [20](#)
 - ontology_is_subsuperclass_of_SpatialThing, [21](#)
 - ontology_tests, [21](#)

- path_planning_tests, 21
- qr_detection_test_easy_far, 22
- qr_detection_test_easy_medium, 22
- qr_detection_test_easy_near, 22
- qr_detection_test_hard_far, 23
- qr_detection_test_hard_medium, 23
- qr_detection_test_hard_near, 23
- qr_detection_test_medium_far, 24
- qr_detection_test_medium_medium, 24
- qr_detection_test_medium_near, 24
- qr_detection_tests, 25
- rapp_testing_tools::rapp_testing_core, 27
- speech_detection_google_test_ogg_sentence2, 28
- speech_detection_google_tests, 28
- speech_detection_sphinx_test_headset_deutera, 29
- speech_detection_sphinx_test_headset_steile_mail, 29
- speech_detection_sphinx_test_nao_wav_1_ch_email_robot, 29
- speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia, 30
- speech_detection_sphinx_test_ogg_deutera, 30
- speech_detection_sphinx_test_ogg_monday, 30
- speech_detection_sphinx_test_ogg_triti, 31
- speech_detection_sphinx_test_ogg_tuesday, 31
- speech_detection_sphinx_test_ogg_yes, 31
- speech_detection_sphinx_tests, 32
- template_test, 32
- text_to_speech_tests, 32
- user_personal_info, 33
- weather_report_current_Athens, 33
- weather_report_forecast_Athens, 33
- append_to_system_path
 - rapp_testing_tools::rapp_testing_core, 26
- attach
 - email_send_single_attach::RapInterfaceTest, 101
- available_services_test, 13
 - __path__, 13
- available_services_test.RapInterfaceTest, 59
- available_services_test::RapInterfaceTest
 - __init__, 59
 - elapsed_time, 60
 - execute, 60
 - rappCloud, 60
 - valid_results, 60
 - validate, 60
- BOLD
 - rapp_testing_tools::rapp_testing_core::bcolors, 35
- ch
 - cognitive_test_chooser_tests::CognitiveTestChooserTests, 38
 - cognitive_test_record_tests::CognitiveTestRecordTests, 42
 - cognitive_test_user_history_tests::CognitiveTestHistoryTests, 40
 - cognitive_test_user_scores_tests::CognitiveTestScoresTests, 44
 - denoise_profile_tests::DenoiseProfileTests, 46
 - face_detection_tests::FaceDetectionTests, 48
 - hazard_detection_tests::HazardDetectionTests, 50
 - human_detection_tests::HumanDetectionTests, 52
 - object_recognition_tests::ObjectRecognitionTests, 53
 - ontology_tests::OntologyTests, 55
 - path_planning_tests::PathPlanningTests, 57
 - qr_detection_tests::QrDetectionTests, 59
 - speech_detection_google_tests::SpechDetectionGoogleTests, 104
 - speech_detection_sphinx_tests::SpeechDetectionSphinxTests, 103
 - template_test::TemplateTests, 106
 - text_to_speech_tests::TextToSpeechTests, 107
 - cognitive_record_performance_arithmetic, 13
 - __path__, 13
 - cognitive_record_performance_arithmetic.RapInterfaceTest, 98
 - cognitive_record_performance_arithmetic::RapInterfaceTest
 - __init__, 98
 - elapsed_time, 99
 - execute, 98
 - svc, 99
 - valid_result_partial, 99
 - validate, 98
 - cognitive_test_chooser_tests, 13
 - __path__, 14
 - cognitive_test_chooser_tests.CognitiveTestChooserTests, 36
 - cognitive_test_chooser_tests::CognitiveTestChooserTests
 - ch, 38
 - setUp, 37
 - test_selectArithmeticTest, 37
 - test_selectAwarenessTest, 37
 - test_selectNotExistentTest, 38
 - test_selectReasoningTest, 38
 - cognitive_test_record_tests, 14
 - __path__, 14
 - cognitive_test_record_tests.CognitiveTestRecordTests, 41
 - cognitive_test_record_tests::CognitiveTestRecordTests
 - ch, 42
 - setUp, 42
 - test_recordArithmetic, 42
 - test_recordAwareness, 42
 - test_recordReasoning, 42
 - test_recordWrongScoreType, 42
 - test_recordWrongScoreValues, 42
 - test_recordWrongType, 42
 - cognitive_test_user_history_tests, 14
 - __path__, 14

- cognitive_test_user_history_tests.CognitiveTestHistoryTests, 39
- cognitive_test_user_history_tests::CognitiveTestHistoryTests
 - ch, 40
 - setUp, 40
 - test_history_wrongType, 40
 - test_historyAll, 40
 - test_historyArithmetic, 40
 - test_historyAwareness, 40
 - test_historyReasoning, 40
- cognitive_test_user_scores_tests, 15
 - __path__, 15
- cognitive_test_user_scores_tests.CognitiveTestScoresTests, 43
- cognitive_test_user_scores_tests::CognitiveTestScoresTests
 - ch, 44
 - setUp, 44
 - test_scoresAll, 44
 - test_scoresArithmetic, 44
 - test_scoresAwareness, 44
 - test_scoresReasoning, 44
 - test_scoresWrongType, 44
 - test_scoresWrongTypeList, 44
- denoise_profile_tests, 15
 - __path__, 15
- denoise_profile_tests.DenoiseProfileTests, 45
- denoise_profile_tests::DenoiseProfileTests
 - ch, 46
 - pkgDir, 46
 - setUp, 46
 - test_setNoiseProfile, 46
 - test_setNoiseProfile_noExistentFile, 46
 - test_setNoiseProfile_wrongAudioTypeInputType, 46
 - test_setNoiseProfile_wrongFileInputType, 46
- ENDC
 - rapp_testing_tools::rapp_testing_core::bcolors, 35
- elapsed_time
 - available_services_test::RapplInterfaceTest, 60
 - cognitive_record_performance_arithmetic::RapplInterfaceTest, 99
 - email_fetch::RapplInterfaceTest, 81
 - email_send_single_attach::RapplInterfaceTest, 101
 - email_send_zip::RapplInterfaceTest, 62
 - face_detection_test_close_angle::RapplInterfaceTest, 87
 - face_detection_test_far_angle::RapplInterfaceTest, 86
 - face_detection_test_far_straight::RapplInterfaceTest, 90
 - face_detection_test_medium_angle::RapplInterfaceTest, 82
 - face_detection_test_medium_straight::RapplInterfaceTest, 78
 - face_detection_test_two_faces_jpg::RapplInterfaceTest, 93
 - geolocation_pass_ipaddr::RapplInterfaceTest, 92
 - human_detection_test::RapplInterfaceTest, 63
 - news_explore_general::RapplInterfaceTest, 72
 - ontology_is_subsuperclass_of_SpatialThing::RapplInterfaceTest, 88
 - qr_detection_test_easy_far::RapplInterfaceTest, 89
 - qr_detection_test_easy_medium::RapplInterfaceTest, 96
 - qr_detection_test_easy_near::RapplInterfaceTest, 85
 - qr_detection_test_hard_far::RapplInterfaceTest, 83
 - qr_detection_test_hard_medium::RapplInterfaceTest, 61
 - qr_detection_test_hard_near::RapplInterfaceTest, 97
 - qr_detection_test_medium_far::RapplInterfaceTest, 80
 - qr_detection_test_medium_medium::RapplInterfaceTest, 94
 - qr_detection_test_medium_near::RapplInterfaceTest, 95
 - speech_detection_google_test_ogg_sentence2::RapplInterfaceTest, 77
 - speech_detection_sphinx_test_headset_deutera::RapplInterfaceTest, 75
 - speech_detection_sphinx_test_headset_steile_mail::RapplInterfaceTest, 74
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RapplInterfaceTest, 73
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RapplInterfaceTest, 70
 - speech_detection_sphinx_test_ogg_deutera::RapplInterfaceTest, 71
 - speech_detection_sphinx_test_ogg_monday::RapplInterfaceTest, 79
 - speech_detection_sphinx_test_ogg_triti::RapplInterfaceTest, 69
 - speech_detection_sphinx_test_ogg_tuesday::RapplInterfaceTest, 67
 - speech_detection_sphinx_test_ogg_yes::RapplInterfaceTest, 66
 - user_personal_info::RapplInterfaceTest, 100
 - weather_report_current_Athens::RapplInterfaceTest, 65
 - weather_report_forecast_Athens::RapplInterfaceTest, 64
- email_fetch, 15
 - __path__, 15
- email_fetch.RapplInterfaceTest, 81
- email_fetch::RapplInterfaceTest
 - __init__, 81
 - elapsed_time, 81
 - execute, 81
 - msg, 81
 - svc, 81
 - validate, 81

- email_send_single_attach, 16
 - __path__, 16
- email_send_single_attach.RapplInterfaceTest, 100
- email_send_single_attach::RapplInterfaceTest
 - __init__, 100
 - attach, 101
 - elapsed_time, 101
 - execute, 101
 - msg, 101
 - svc, 101
 - validate, 101
- email_send_zip, 16
 - __path__, 16
- email_send_zip.RapplInterfaceTest, 61
- email_send_zip::RapplInterfaceTest
 - __init__, 62
 - elapsed_time, 62
 - execute, 62
 - msg, 62
 - svc, 62
 - validate, 62
- execute
 - available_services_test::RapplInterfaceTest, 60
 - cognitive_record_performance_arithmetic::RapplInterfaceTest, 98
 - email_fetch::RapplInterfaceTest, 81
 - email_send_single_attach::RapplInterfaceTest, 101
 - email_send_zip::RapplInterfaceTest, 62
 - face_detection_test_close_angle::RapplInterfaceTest, 87
 - face_detection_test_far_angle::RapplInterfaceTest, 86
 - face_detection_test_far_straight::RapplInterfaceTest, 90
 - face_detection_test_medium_angle::RapplInterfaceTest, 82
 - face_detection_test_medium_straight::RapplInterfaceTest, 78
 - face_detection_test_two_faces_jpg::RapplInterfaceTest, 93
 - geolocation_pass_ipaddr::RapplInterfaceTest, 91
 - human_detection_test::RapplInterfaceTest, 63
 - news_explore_general::RapplInterfaceTest, 72
 - ontology_is_subsuperclass_of_SpatialThing::RapplInterfaceTest, 88
 - qr_detection_test_easy_far::RapplInterfaceTest, 89
 - qr_detection_test_easy_medium::RapplInterfaceTest, 96
 - qr_detection_test_easy_near::RapplInterfaceTest, 84
 - qr_detection_test_hard_far::RapplInterfaceTest, 83
 - qr_detection_test_hard_medium::RapplInterfaceTest, 61
 - qr_detection_test_hard_near::RapplInterfaceTest, 97
 - qr_detection_test_medium_far::RapplInterfaceTest, 80
 - qr_detection_test_medium_medium::RapplInterfaceTest, 94
 - qr_detection_test_medium_near::RapplInterfaceTest, 95
 - speech_detection_google_test_ogg_sentence2::RapplInterfaceTest, 76
 - speech_detection_sphinx_test_headset_deutera::RapplInterfaceTest, 75
 - speech_detection_sphinx_test_headset_steile_mail::RapplInterfaceTest, 74
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RapplInterfaceTest, 73
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RapplInterfaceTest, 70
 - speech_detection_sphinx_test_ogg_deutera::RapplInterfaceTest, 71
 - speech_detection_sphinx_test_ogg_monday::RapplInterfaceTest, 79
 - speech_detection_sphinx_test_ogg_triti::RapplInterfaceTest, 68
 - speech_detection_sphinx_test_ogg_tuesday::RapplInterfaceTest, 67
 - speech_detection_sphinx_test_ogg_yes::RapplInterfaceTest, 66
 - user_personal_info::RapplInterfaceTest, 99
 - weather_report_current_Athens::RapplInterfaceTest, 65
 - weather_report_forecast_Athens::RapplInterfaceTest, 64
- execute_tests_all
 - rapp_testing_tools::rapp_testing_core, 26
- FAIL
 - rapp_testing_tools::rapp_testing_core::bcolors, 35
- face_detection_test_close_angle, 16
 - __path__, 16
- face_detection_test_close_angle.RapplInterfaceTest, 86
- face_detection_test_close_angle::RapplInterfaceTest
 - elapsed_time, 87
 - execute, 87
 - msg, 87
 - svc, 87
 - valid_faces, 87
 - validate, 87
- face_detection_test_far_angle, 17
 - __path__, 17
- face_detection_test_far_angle.RapplInterfaceTest, 85
- face_detection_test_far_angle::RapplInterfaceTest
 - elapsed_time, 86
 - execute, 86
 - msg, 86
 - svc, 86
 - valid_faces, 86
 - validate, 86
- face_detection_test_far_straight, 17
 - __path__, 17
- face_detection_test_far_straight.RapplInterfaceTest, 90
- face_detection_test_far_straight::RapplInterfaceTest
 - elapsed_time, 90

- execute, 90
- msg, 90
- svc, 91
- valid_faces, 91
- validate, 90
- face_detection_test_medium_angle, 17
 - __path__, 17
- face_detection_test_medium_angle.RappInterfaceTest, 82
- face_detection_test_medium_angle::RappInterfaceTest
 - elapsed_time, 82
 - execute, 82
 - msg, 82
 - svc, 82
 - valid_faces, 82
 - validate, 82
- face_detection_test_medium_straight, 18
 - __path__, 18
- face_detection_test_medium_straight.RappInterfaceTest, 77
- face_detection_test_medium_straight::RappInterfaceTest
 - elapsed_time, 78
 - execute, 78
 - msg, 78
 - svc, 78
 - valid_faces, 78
 - validate, 78
- face_detection_test_two_faces.jpg, 18
 - __path__, 18
- face_detection_test_two_faces.jpg.RappInterfaceTest, 92
- face_detection_test_two_faces.jpg::RappInterfaceTest
 - elapsed_time, 93
 - execute, 93
 - msg, 93
 - svc, 93
 - valid_numFaces, 93
 - validate, 93
- face_detection_tests, 18
 - __path__, 18
- face_detection_tests.FaceDetectionTests, 47
- face_detection_tests::FaceDetectionTests
 - ch, 48
 - pkgDir, 48
 - setUp, 48
 - test_closeStraight, 48
 - test_erroneousFileType, 48
 - test_lenna, 48
 - test_multipleFaces, 48
 - test_notExistentFile, 48
- geolocation_pass_ipaddr, 19
 - __path__, 19
- geolocation_pass_ipaddr.RappInterfaceTest, 91
- geolocation_pass_ipaddr::RappInterfaceTest
 - __init__, 91
 - elapsed_time, 92
 - execute, 91
 - msg, 92
 - svc, 92
 - validResults, 92
 - validate, 91
- get_test_files
 - rapp_testing_tools::rapp_testing_core, 26
- HEADER
 - rapp_testing_tools::rapp_testing_core::bcolors, 35
- hazard_detection_tests, 19
 - __path__, 19
- hazard_detection_tests.HazardDetectionTests, 49
- hazard_detection_tests::HazardDetectionTests
 - ch, 50
 - pkgDir, 50
 - setUp, 50
 - test_erroneousPath, 50
 - test_lightLeftOn, 50
 - test_wrongPathType, 50
- human_detection_test, 19
 - __path__, 19
- human_detection_test.RappInterfaceTest, 62
- human_detection_test::RappInterfaceTest
 - __init__, 63
 - elapsed_time, 63
 - execute, 63
 - image, 63
 - msg, 63
 - svc, 63
 - valid_humans, 63
 - validate, 63
- human_detection_tests, 20
 - __path__, 20
- human_detection_tests.HumanDetectionTests, 50
- human_detection_tests::HumanDetectionTests
 - ch, 52
 - pkgDir, 52
 - setUp, 51
 - test_humanDetectionTest, 51
 - test_humanDetectionTest_wrongPath, 51
 - test_humanDetectionTest_wrongPathType, 51
- image
 - human_detection_test::RappInterfaceTest, 63
- load_tests_paths
 - rapp_testing_tools::rapp_testing_core, 26
- main
 - rapp_testing_tools::rapp_testing_core, 26
- msg
 - email_fetch::RappInterfaceTest, 81
 - email_send_single_attach::RappInterfaceTest, 101
 - email_send_zip::RappInterfaceTest, 62
 - face_detection_test_close_angle::RappInterfaceTest, 87
 - face_detection_test_far_angle::RappInterfaceTest, 86

- face_detection_test_far_straight::RapInterface-Test, [90](#)
- face_detection_test_medium_angle::RapInterface-Test, [82](#)
- face_detection_test_medium_straight::RapInterfaceTest, [78](#)
- face_detection_test_two_faces_jpg::RapInterface-Test, [93](#)
- geolocation_pass_ipaddr::RapInterfaceTest, [92](#)
- human_detection_test::RapInterfaceTest, [63](#)
- news_explore_general::RapInterfaceTest, [72](#)
- ontology_is_subsuperclass_of_SpatialThing::RapInterfaceTest, [88](#)
- qr_detection_test_easy_far::RapInterfaceTest, [89](#)
- qr_detection_test_easy_medium::RapInterface-Test, [96](#)
- qr_detection_test_easy_near::RapInterfaceTest, [85](#)
- qr_detection_test_hard_far::RapInterfaceTest, [83](#)
- qr_detection_test_hard_medium::RapInterface-Test, [61](#)
- qr_detection_test_hard_near::RapInterfaceTest, [97](#)
- qr_detection_test_medium_far::RapInterfaceTest, [80](#)
- qr_detection_test_medium_medium::RapInterface-Test, [94](#)
- qr_detection_test_medium_near::RapInterface-Test, [95](#)
- speech_detection_google_test_ogg_sentence2::RapInterfaceTest, [77](#)
- speech_detection_sphinx_test_headset_deutera::RapInterfaceTest, [75](#)
- speech_detection_sphinx_test_headset_steile_mail::RapInterfaceTest, [74](#)
- speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RapInterfaceTest, [73](#)
- speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RapInterfaceTest, [70](#)
- speech_detection_sphinx_test_ogg_deutera::RapInterfaceTest, [71](#)
- speech_detection_sphinx_test_ogg_monday::RapInterfaceTest, [79](#)
- speech_detection_sphinx_test_ogg_triti::RapInterfaceTest, [69](#)
- speech_detection_sphinx_test_ogg_tuesday::RapInterfaceTest, [67](#)
- speech_detection_sphinx_test_ogg_yes::RapInterfaceTest, [66](#)
- weather_report_current_Athens::RapInterface-Test, [65](#)
- weather_report_forecast_Athens::RapInterface-Test, [64](#)
- mutex
 - rapp_testing_tools::rapp_testing_core, [27](#)
- news_explore_general, [20](#)
 - __path__, [20](#)
- news_explore_general.RapInterfaceTest, [71](#)
- news_explore_general::RapInterfaceTest
 - __init__, [72](#)
 - elapsed_time, [72](#)
 - execute, [72](#)
 - msg, [72](#)
 - svc, [72](#)
 - validate, [72](#)
- OKBLUE
 - rapp_testing_tools::rapp_testing_core::bcolors, [36](#)
- OKGREEN
 - rapp_testing_tools::rapp_testing_core::bcolors, [36](#)
- object_recognition_tests, [20](#)
 - __path__, [20](#)
- object_recognition_tests.ObjectRecognitionTests, [52](#)
- object_recognition_tests::ObjectRecognitionTests
 - ch, [53](#)
 - pkgDir, [53](#)
 - setUp, [53](#)
 - test_cat_test, [53](#)
 - test_wrongPath, [53](#)
 - test_wrongPathType, [53](#)
- ontology_is_subsuperclass_of_SpatialThing, [21](#)
 - __path__, [21](#)
- ontology_is_subsuperclass_of_SpatialThing.RapInterfaceTest, [87](#)
- ontology_is_subsuperclass_of_SpatialThing::RapInterfaceTest
 - elapsed_time, [88](#)
 - execute, [88](#)
 - msg, [88](#)
 - svc, [88](#)
 - valid_results, [88](#)
 - validate, [88](#)
- ontology_tests, [21](#)
 - __path__, [21](#)
- ontology_tests.OntologyTests, [54](#)
- ontology_tests::OntologyTests
 - ch, [55](#)
 - setUp, [55](#)
 - test_is_subsuperclass_of, [55](#)
 - test_subclass_of, [55](#)
 - test_subclassOf_erroneous, [55](#)
 - test_subsuperclassOf_erroneous, [55](#)
 - test_superclass_of, [55](#)
 - test_superclassOf_erroneous, [55](#)
- parse_args
 - rapp_testing_tools::rapp_testing_core, [26](#)
- path_planning_tests, [21](#)
 - __path__, [21](#)
- path_planning_tests.PathPlanningTests, [56](#)
- path_planning_tests::PathPlanningTests
 - ch, [57](#)
 - pkgDir, [57](#)
 - setUp, [57](#)
 - test_plan_2d, [57](#)
 - test_plan_2d_erroneous, [57](#)
 - test_upload_map, [57](#)

- test_upload_map_erroneous, 57
- pkgDir
 - denoise_profile_tests::DenoiseProfileTests, 46
 - face_detection_tests::FaceDetectionTests, 48
 - hazard_detection_tests::HazardDetectionTests, 50
 - human_detection_tests::HumanDetectionTests, 52
 - object_recognition_tests::ObjectRecognitionTests, 53
 - path_planning_tests::PathPlanningTests, 57
 - qr_detection_tests::QrDetectionTests, 59
 - speech_detection_google_tests::SpeechDetection-GoogleTests, 104
 - speech_detection_sphinx_tests::SpeechDetection-SphinxTests, 103
 - template_test::TemplateTests, 106
- qr_detection_test_easy_far, 22
 - __path__, 22
- qr_detection_test_easy_far.RapplInterfaceTest, 89
- qr_detection_test_easy_far::RapplInterfaceTest
 - __init__, 89
 - elapsed_time, 89
 - execute, 89
 - msg, 89
 - svc, 89
 - valid_results, 89
 - validate, 89
- qr_detection_test_easy_medium, 22
 - __path__, 22
- qr_detection_test_easy_medium.RapplInterfaceTest, 96
- qr_detection_test_easy_medium::RapplInterfaceTest
 - elapsed_time, 96
 - execute, 96
 - msg, 96
 - svc, 96
 - valid_results, 96
 - validate, 96
- qr_detection_test_easy_near, 22
 - __path__, 22
- qr_detection_test_easy_near.RapplInterfaceTest, 84
- qr_detection_test_easy_near::RapplInterfaceTest
 - __init__, 84
 - elapsed_time, 85
 - execute, 84
 - msg, 85
 - svc, 85
 - valid_results, 85
 - validate, 84
- qr_detection_test_hard_far, 23
 - __path__, 23
- qr_detection_test_hard_far.RapplInterfaceTest, 83
- qr_detection_test_hard_far::RapplInterfaceTest
 - __init__, 83
 - elapsed_time, 83
 - execute, 83
 - msg, 83
 - svc, 84
 - valid_results, 84
 - validate, 83
- qr_detection_test_hard_medium, 23
 - __path__, 23
- qr_detection_test_hard_medium.RapplInterfaceTest, 60
- qr_detection_test_hard_medium::RapplInterfaceTest
 - elapsed_time, 61
 - execute, 61
 - msg, 61
 - svc, 61
 - valid_results, 61
 - validate, 61
- qr_detection_test_hard_near, 23
 - __path__, 23
- qr_detection_test_hard_near.RapplInterfaceTest, 97
- qr_detection_test_hard_near::RapplInterfaceTest
 - __init__, 97
 - elapsed_time, 97
 - execute, 97
 - msg, 97
 - svc, 98
 - valid_results, 98
 - validate, 97
- qr_detection_test_medium_far, 24
 - __path__, 24
- qr_detection_test_medium_far.RapplInterfaceTest, 79
- qr_detection_test_medium_far::RapplInterfaceTest
 - __init__, 80
 - elapsed_time, 80
 - execute, 80
 - msg, 80
 - svc, 80
 - valid_results, 80
 - validate, 80
- qr_detection_test_medium_medium, 24
 - __path__, 24
- qr_detection_test_medium_medium.RapplInterfaceTest, 93
- qr_detection_test_medium_medium::RapplInterfaceTest
 - elapsed_time, 94
 - execute, 94
 - msg, 94
 - svc, 94
 - valid_results, 94
 - validate, 94
- qr_detection_test_medium_near, 24
 - __path__, 24
- qr_detection_test_medium_near.RapplInterfaceTest, 94
- qr_detection_test_medium_near::RapplInterfaceTest
 - elapsed_time, 95
 - execute, 95
 - msg, 95
 - svc, 95
 - valid_results, 95
 - validate, 95
- qr_detection_tests, 25
 - __path__, 25
- qr_detection_tests.QrDetectionTests, 58
- qr_detection_tests::QrDetectionTests
 - ch, 59

- pkgDir, [59](#)
- setUp, [59](#)
- test_detect_qr, [59](#)
- test_detect_qr_erroneous, [59](#)
- rapp_run_test, [25](#)
- rapp_testing_tools, [25](#)
- rapp_testing_tools.rapp_testing_core, [25](#)
- rapp_testing_tools.rapp_testing_core.bcolors, [35](#)
- rapp_testing_tools::rapp_testing_core
 - __path__, [27](#)
 - append_to_system_path, [26](#)
 - execute_tests_all, [26](#)
 - get_test_files, [26](#)
 - load_tests_paths, [26](#)
 - main, [26](#)
 - mutex, [27](#)
 - parse_args, [26](#)
 - results, [27](#)
 - testClassMatch, [27](#)
 - testClasses, [27](#)
- rapp_testing_tools::rapp_testing_core::bcolors
 - BOLD, [35](#)
 - ENDC, [35](#)
 - FAIL, [35](#)
 - HEADER, [35](#)
 - OKBLUE, [36](#)
 - OKGREEN, [36](#)
 - UNDERLINE, [36](#)
 - WARNING, [36](#)
- rappCloud
 - available_services_test::RappInterfaceTest, [60](#)
 - user_personal_info::RappInterfaceTest, [100](#)
- results
 - rapp_testing_tools::rapp_testing_core, [27](#)
- setUp
 - cognitive_test_chooser_tests::CognitiveTest-ChooserTests, [37](#)
 - cognitive_test_record_tests::CognitiveTestRecordTests, [42](#)
 - cognitive_test_user_history_tests::CognitiveTestHistoryTests, [40](#)
 - cognitive_test_user_scores_tests::CognitiveTestScoresTests, [44](#)
 - denoise_profile_tests::DenoiseProfileTests, [46](#)
 - face_detection_tests::FaceDetectionTests, [48](#)
 - hazard_detection_tests::HazardDetectionTests, [50](#)
 - human_detection_tests::HumanDetectionTests, [51](#)
 - object_recognition_tests::ObjectRecognitionTests, [53](#)
 - ontology_tests::OntologyTests, [55](#)
 - path_planning_tests::PathPlanningTests, [57](#)
 - qr_detection_tests::QrDetectionTests, [59](#)
 - speech_detection_google_tests::SpechDetectionGoogleTests, [104](#)
 - speech_detection_sphinx_tests::SpeechDetectionSphinxTests, [102](#)
 - template_test::TemplateTests, [106](#)
 - text_to_speech_tests::TextToSpeechTests, [107](#)
 - speech_detection_google_test_ogg_sentence2, [28](#)
 - __path__, [28](#)
 - speech_detection_google_test_ogg_sentence2.RappInterfaceTest, [76](#)
 - speech_detection_google_test_ogg_sentence2::RappInterfaceTest
 - elapsed_time, [77](#)
 - execute, [76](#)
 - msg, [77](#)
 - svc, [77](#)
 - valid_words_found, [77](#)
 - validate, [76](#)
 - speech_detection_google_tests, [28](#)
 - __path__, [28](#)
 - speech_detection_google_tests.SpechDetectionGoogleTests, [103](#)
 - speech_detection_google_tests::SpechDetectionGoogleTests
 - ch, [104](#)
 - pkgDir, [104](#)
 - setUp, [104](#)
 - test_erroneous, [104](#)
 - test_speechNormal, [104](#)
 - speech_detection_sphinx_test_headset_deutera, [28](#)
 - __path__, [29](#)
 - speech_detection_sphinx_test_headset_deutera.RappInterfaceTest, [75](#)
 - speech_detection_sphinx_test_headset_deutera::RappInterfaceTest
 - elapsed_time, [75](#)
 - execute, [75](#)
 - msg, [75](#)
 - svc, [76](#)
 - valid_words_found, [76](#)
 - validate, [75](#)
 - speech_detection_sphinx_test_headset_steile_mail, [29](#)
 - speech_detection_sphinx_test_headset_steile_mail.-RappInterfaceTest, [74](#)
 - speech_detection_sphinx_test_headset_steile_mail::RappInterfaceTest
 - elapsed_time, [74](#)
 - execute, [74](#)
 - msg, [74](#)
 - svc, [74](#)
 - validate, [74](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot, [29](#)
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia, [29](#)
 - speech_detection_sphinx_test_ogg_deutera, [30](#)
 - __path__, [30](#)
 - speech_detection_sphinx_test_ogg_deutera.RappInterfaceTest, [70](#)
 - speech_detection_sphinx_test_ogg_deutera::RappInterfaceTest
 - elapsed_time, [71](#)
 - execute, [71](#)

- msg, 71
- svc, 71
- valid_words_found, 71
- validate, 71
- speech_detection_sphinx_test_ogg_monday, 30
 - __path__, 30
- speech_detection_sphinx_test_ogg_monday.RappInterfaceTest, 78
- speech_detection_sphinx_test_ogg_monday::RappInterfaceTest
 - elapsed_time, 79
 - execute, 79
 - msg, 79
 - svc, 79
 - valid_words_found, 79
 - validate, 79
- speech_detection_sphinx_test_ogg_triti, 30
 - __path__, 31
- speech_detection_sphinx_test_ogg_triti.RappInterfaceTest, 68
- speech_detection_sphinx_test_ogg_triti::RappInterfaceTest
 - elapsed_time, 69
 - execute, 68
 - msg, 69
 - svc, 69
 - valid_words_found, 69
 - validate, 68
- speech_detection_sphinx_test_ogg_tuesday, 31
 - __path__, 31
- speech_detection_sphinx_test_ogg_tuesday.RappInterfaceTest, 67
- speech_detection_sphinx_test_ogg_tuesday::RappInterfaceTest
 - elapsed_time, 67
 - execute, 67
 - msg, 67
 - svc, 68
 - valid_words_found, 68
 - validate, 67
- speech_detection_sphinx_test_ogg_yes, 31
 - __path__, 31
- speech_detection_sphinx_test_ogg_yes.RappInterfaceTest, 66
- speech_detection_sphinx_test_ogg_yes::RappInterfaceTest
 - elapsed_time, 66
 - execute, 66
 - msg, 66
 - svc, 66
 - valid_words_found, 66
 - validate, 66
- speech_detection_sphinx_tests, 31
 - __path__, 32
- speech_detection_sphinx_tests.SpeechDetectionSphinxTests, 101
- speech_detection_sphinx_tests::SpeechDetectionSphinxTests
 - ch, 103
 - pkgDir, 103
 - setUp, 102
 - test_headset_nai_oxi, 102
 - test_ogg_no, 102
 - test_ogg_oxi, 102
 - test_speech_erroneous, 103
- svc
 - cognitive_record_performance_arithmetic::RappInterfaceTest, 99
 - email_fetch::RappInterfaceTest, 81
 - email_send_single_attach::RappInterfaceTest, 101
 - email_send_zip::RappInterfaceTest, 62
 - face_detection_test_close_angle::RappInterfaceTest, 87
 - face_detection_test_far_angle::RappInterfaceTest, 86
 - face_detection_test_far_straight::RappInterfaceTest, 91
 - face_detection_test_medium_angle::RappInterfaceTest, 82
 - face_detection_test_medium_straight::RappInterfaceTest, 78
 - face_detection_test_two_faces_jpg::RappInterfaceTest, 93
 - geolocation_pass_ipaddr::RappInterfaceTest, 92
 - human_detection_test::RappInterfaceTest, 63
 - news_explore_general::RappInterfaceTest, 72
 - ontology_is_subsuperclass_of_SpatialThing::RappInterfaceTest, 88
 - qr_detection_test_easy_far::RappInterfaceTest, 89
 - qr_detection_test_easy_medium::RappInterfaceTest, 96
 - qr_detection_test_easy_near::RappInterfaceTest, 85
 - qr_detection_test_hard_far::RappInterfaceTest, 84
 - qr_detection_test_hard_medium::RappInterfaceTest, 61
 - qr_detection_test_hard_near::RappInterfaceTest, 98
 - qr_detection_test_medium_far::RappInterfaceTest, 80
 - qr_detection_test_medium_medium::RappInterfaceTest, 94
 - qr_detection_test_medium_near::RappInterfaceTest, 95
 - speech_detection_google_test_ogg_sentence2::RappInterfaceTest, 77
 - speech_detection_sphinx_test_headset_deutera::RappInterfaceTest, 76
 - speech_detection_sphinx_test_headset_steile_email::RappInterfaceTest, 74
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RappInterfaceTest, 73
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RappInterfaceTest, 70
 - speech_detection_sphinx_test_ogg_deutera::RappInterfaceTest, 71

- speech_detection_sphinx_test_ogg_monday::RappInterfaceTest, 79
- speech_detection_sphinx_test_ogg_triti::RappInterfaceTest, 69
- speech_detection_sphinx_test_ogg_tuesday::RappInterfaceTest, 68
- speech_detection_sphinx_test_ogg_yes::RappInterfaceTest, 66
- weather_report_current_Athens::RappInterfaceTest, 65
- weather_report_forecast_Athens::RappInterfaceTest, 64
- template_test, 32
 - __path__, 32
- template_test.TemplateTests, 105
- template_test::TemplateTests
 - ch, 106
 - pkgDir, 106
 - setUp, 106
 - test_templateTest, 106
- test_cat_test
 - object_recognition_tests::ObjectRecognitionTests, 53
- test_closeStraight
 - face_detection_tests::FaceDetectionTests, 48
- test_detect_qr
 - qr_detection_tests::QrDetectionTests, 59
- test_detect_qr_erroneous
 - qr_detection_tests::QrDetectionTests, 59
- test_erroneous
 - speech_detection_google_tests::SpeechDetectionGoogleTests, 104
- test_erroneousFileType
 - face_detection_tests::FaceDetectionTests, 48
- test_erroneousPath
 - hazard_detection_tests::HazardDetectionTests, 50
- test_greek_test
 - text_to_speech_tests::TextToSpeechTests, 107
- test_headset_nai_oxi
 - speech_detection_sphinx_tests::SpeechDetectionSphinxTests, 102
- test_history_wrongFromType
 - cognitive_test_user_history_tests::CognitiveTestHistoryTests, 40
- test_history_wrongToType
 - cognitive_test_user_history_tests::CognitiveTestHistoryTests, 40
- test_history_wrongType
 - cognitive_test_user_history_tests::CognitiveTestHistoryTests, 40
- test_history_wrongTypeType
 - cognitive_test_user_history_tests::CognitiveTestHistoryTests, 40
- test_historyAll
 - cognitive_test_user_history_tests::CognitiveTestHistoryTests, 40
- test_historyArithmetic
 - cognitive_test_user_history_tests::CognitiveTestHistoryTests, 40
- test_historyAwareness
 - cognitive_test_user_history_tests::CognitiveTestHistoryTests, 40
- test_historyReasoning
 - cognitive_test_user_history_tests::CognitiveTestHistoryTests, 40
- test_humanDetectionTest
 - human_detection_tests::HumanDetectionTests, 51
- test_humanDetectionTest_wrongPath
 - human_detection_tests::HumanDetectionTests, 51
- test_humanDetectionTest_wrongPathType
 - human_detection_tests::HumanDetectionTests, 51
- test_is_subsuperclass_of
 - ontology_tests::OntologyTests, 55
- test_lenna
 - face_detection_tests::FaceDetectionTests, 48
- test_lightLeftOn
 - hazard_detection_tests::HazardDetectionTests, 50
- test_multipleFaces
 - face_detection_tests::FaceDetectionTests, 48
- test_notExistentFile
 - face_detection_tests::FaceDetectionTests, 48
- test_ogg_no
 - speech_detection_sphinx_tests::SpeechDetectionSphinxTests, 102
- test_ogg_oxi
 - speech_detection_sphinx_tests::SpeechDetectionSphinxTests, 102
- test_plan_2d
 - path_planning_tests::PathPlanningTests, 57
- test_plan_2d_erroneous
 - path_planning_tests::PathPlanningTests, 57
- test_recordArithmetic
 - cognitive_test_record_tests::CognitiveTestRecordTests, 42
- test_recordAwareness
 - cognitive_test_record_tests::CognitiveTestRecordTests, 42
- test_recordReasoning
 - cognitive_test_record_tests::CognitiveTestRecordTests, 42
- test_recordWrongScoreType
 - cognitive_test_record_tests::CognitiveTestRecordTests, 42
- test_recordWrongScoreValues
 - cognitive_test_record_tests::CognitiveTestRecordTests, 42
- test_recordWrongType
 - cognitive_test_record_tests::CognitiveTestRecordTests, 42
- test_scoresAll
 - cognitive_test_user_scores_tests::CognitiveTestScoresTests, 44
- test_scoresArithmetic
 - cognitive_test_user_scores_tests::CognitiveTestScoresTests, 44

- test_scoresAwareness
 - cognitive_test_user_scores_tests::CognitiveTestScoresTests, [44](#)
- test_scoresReasoning
 - cognitive_test_user_scores_tests::CognitiveTestScoresTests, [44](#)
- test_scoresWrongType
 - cognitive_test_user_scores_tests::CognitiveTestScoresTests, [44](#)
- test_scoresWrongType_to
 - cognitive_test_user_scores_tests::CognitiveTestScoresTests, [44](#)
- test_scoresWrongTypeList
 - cognitive_test_user_scores_tests::CognitiveTestScoresTests, [44](#)
- test_selectArithmeticTest
 - cognitive_test_chooser_tests::CognitiveTestChooserTests, [37](#)
- test_selectArithmeticTest_default_params
 - cognitive_test_chooser_tests::CognitiveTestChooserTests, [37](#)
- test_selectAwarenessTest
 - cognitive_test_chooser_tests::CognitiveTestChooserTests, [37](#)
- test_selectNotExistentTest
 - cognitive_test_chooser_tests::CognitiveTestChooserTests, [38](#)
- test_selectReasoningTest
 - cognitive_test_chooser_tests::CognitiveTestChooserTests, [38](#)
- test_selectWrongType_TestDiff
 - cognitive_test_chooser_tests::CognitiveTestChooserTests, [38](#)
- test_selectWrongType_TestIndex
 - cognitive_test_chooser_tests::CognitiveTestChooserTests, [38](#)
- test_selectWrongType_TestSubtype
 - cognitive_test_chooser_tests::CognitiveTestChooserTests, [38](#)
- test_selectWrongType_TestType
 - cognitive_test_chooser_tests::CognitiveTestChooserTests, [38](#)
- test_setNoiseProfile
 - denoise_profile_tests::DenoiseProfileTests, [46](#)
- test_setNoiseProfile_noExistentFile
 - denoise_profile_tests::DenoiseProfileTests, [46](#)
- test_setNoiseProfile_wrongAudioTypeInputType
 - denoise_profile_tests::DenoiseProfileTests, [46](#)
- test_setNoiseProfile_wrongFileInputType
 - denoise_profile_tests::DenoiseProfileTests, [46](#)
- test_speech_erroneous
 - speech_detection_sphinx_tests::SpeechDetectionSphinxTests, [103](#)
- test_speechNormal
 - speech_detection_google_tests::SpeechDetectionGoogleTests, [104](#)
- test_subclass_of
 - ontology_tests::OntologyTests, [55](#)
- test_subclassOf_erroneous
 - ontology_tests::OntologyTests, [55](#)
- test_subsuperclassOf_erroneous
 - ontology_tests::OntologyTests, [55](#)
- test_superclass_of
 - ontology_tests::OntologyTests, [55](#)
- test_superclassOf_erroneous
 - ontology_tests::OntologyTests, [55](#)
- test_templateTest
 - template_test::TemplateTests, [106](#)
- test_tts_erroneous
 - text_to_speech_tests::TextToSpeechTests, [107](#)
- test_upload_map
 - path_planning_tests::PathPlanningTests, [57](#)
- test_upload_map_erroneous
 - path_planning_tests::PathPlanningTests, [57](#)
- test_wav_1_ch_nai_oxi
 - speech_detection_sphinx_tests::SpeechDetectionSphinxTests, [103](#)
- test_wav_1_ch_yes_no
 - speech_detection_sphinx_tests::SpeechDetectionSphinxTests, [103](#)
- test_wrongPath
 - object_recognition_tests::ObjectRecognitionTests, [53](#)
- test_wrongPathType
 - hazard_detection_tests::HazardDetectionTests, [50](#)
 - object_recognition_tests::ObjectRecognitionTests, [53](#)
- testClassMatch
 - rapp_testing_tools::rapp_testing_core, [27](#)
- testClasses
 - rapp_testing_tools::rapp_testing_core, [27](#)
- text_to_speech_tests, [32](#)
 - __path__, [32](#)
- text_to_speech_tests.TextToSpeechTests, [106](#)
 - ch, [107](#)
 - setUp, [107](#)
 - test_greek_test, [107](#)
 - test_tts_erroneous, [107](#)
- UNDERLINE
 - rapp_testing_tools::rapp_testing_core::bcolors, [36](#)
- user_personal_info, [32](#)
 - __path__, [33](#)
- user_personal_info.RappInterfaceTest, [99](#)
 - __init__, [99](#)
 - elapsed_time, [100](#)
 - execute, [99](#)
 - rappCloud, [100](#)
 - valid_results, [100](#)
 - validate, [99](#)
- valid_faces
 - face_detection_test_close_angle::RappInterfaceTest, [87](#)

- face_detection_test_far_angle::RapInterfaceTest, 86
- face_detection_test_far_straight::RapInterface-Test, 91
- face_detection_test_medium_angle::RapInterface-Test, 82
- face_detection_test_medium_straight::Rap-InterfaceTest, 78
- valid_humans
 - human_detection_test::RapInterfaceTest, 63
- valid_numFaces
 - face_detection_test_two_faces_jpg::RapInterface-Test, 93
- valid_result_partial
 - cognitive_record_performance_arithmetic::Rap-InterfaceTest, 99
- valid_results
 - available_services_test::RapInterfaceTest, 60
 - ontology_is_subsuperclass_of_SpatialThing::RapInterfaceTest, 88
 - qr_detection_test_easy_far::RapInterfaceTest, 89
 - qr_detection_test_easy_medium::RapInterface-Test, 96
 - qr_detection_test_easy_near::RapInterfaceTest, 85
 - qr_detection_test_hard_far::RapInterfaceTest, 84
 - qr_detection_test_hard_medium::RapInterface-Test, 61
 - qr_detection_test_hard_near::RapInterfaceTest, 98
 - qr_detection_test_medium_far::RapInterfaceTest, 80
 - qr_detection_test_medium_medium::RapInterface-Test, 94
 - qr_detection_test_medium_near::RapInterface-Test, 95
 - user_personal_info::RapInterfaceTest, 100
- valid_words_found
 - speech_detection_google_test_ogg_sentence2::RapInterfaceTest, 77
 - speech_detection_sphinx_test_headset_deutera::RapInterfaceTest, 76
 - speech_detection_sphinx_test_headset_steile_mail::RapInterfaceTest, 74
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RapInterfaceTest, 73
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RapInterfaceTest, 70
 - speech_detection_sphinx_test_ogg_deutera::RapInterfaceTest, 71
 - speech_detection_sphinx_test_ogg_monday::RapInterfaceTest, 79
 - speech_detection_sphinx_test_ogg_triti::Rap-InterfaceTest, 69
 - speech_detection_sphinx_test_ogg_tuesday::RapInterfaceTest, 68
 - speech_detection_sphinx_test_ogg_yes::Rap-InterfaceTest, 66
- validResults
 - geolocation_pass_ipaddr::RapInterfaceTest, 92
- validate
 - available_services_test::RapInterfaceTest, 60
 - cognitive_record_performance_arithmetic::Rap-InterfaceTest, 98
 - email_fetch::RapInterfaceTest, 81
 - email_send_single_attach::RapInterfaceTest, 101
 - email_send_zip::RapInterfaceTest, 62
 - face_detection_test_close_angle::RapInterface-Test, 87
 - face_detection_test_far_angle::RapInterfaceTest, 86
 - face_detection_test_far_straight::RapInterface-Test, 90
 - face_detection_test_medium_angle::RapInterface-Test, 82
 - face_detection_test_medium_straight::Rap-InterfaceTest, 78
 - face_detection_test_two_faces_jpg::RapInterface-Test, 93
 - geolocation_pass_ipaddr::RapInterfaceTest, 91
 - human_detection_test::RapInterfaceTest, 63
 - news_explore_general::RapInterfaceTest, 72
 - ontology_is_subsuperclass_of_SpatialThing::RapInterfaceTest, 88
 - qr_detection_test_easy_far::RapInterfaceTest, 89
 - qr_detection_test_easy_medium::RapInterface-Test, 96
 - qr_detection_test_easy_near::RapInterfaceTest, 84
 - qr_detection_test_hard_far::RapInterfaceTest, 83
 - qr_detection_test_hard_medium::RapInterface-Test, 61
 - qr_detection_test_hard_near::RapInterfaceTest, 97
 - qr_detection_test_medium_far::RapInterfaceTest, 80
 - qr_detection_test_medium_medium::RapInterface-Test, 94
 - qr_detection_test_medium_near::RapInterface-Test, 95
 - speech_detection_google_test_ogg_sentence2::RapInterfaceTest, 76
 - speech_detection_sphinx_test_headset_deutera::RapInterfaceTest, 75
 - speech_detection_sphinx_test_headset_steile_mail::RapInterfaceTest, 74
 - speech_detection_sphinx_test_nao_wav_1_ch_email_robot::RapInterfaceTest, 73
 - speech_detection_sphinx_test_nao_wav_1_ch_thelw_voithia::RapInterfaceTest, 70
 - speech_detection_sphinx_test_ogg_deutera::RapInterfaceTest, 71
 - speech_detection_sphinx_test_ogg_monday::RapInterfaceTest, 79
 - speech_detection_sphinx_test_ogg_triti::Rap-InterfaceTest, 68

speech_detection_sphinx_test_ogg_tuesday::-
 RappInterfaceTest, [67](#)
speech_detection_sphinx_test_ogg_yes::Rapp-
 InterfaceTest, [66](#)
user_personal_info::RappInterfaceTest, [99](#)
weather_report_current_Athens::RappInterface-
 Test, [65](#)
weather_report_forecast_Athens::RappInterface-
 Test, [64](#)

WARNING

 rapp_testing_tools::rapp_testing_core::bcolors, [36](#)
weather_report_current_Athens, [33](#)
 __path__, [33](#)
weather_report_current_Athens.RappInterfaceTest, [65](#)
weather_report_current_Athens::RappInterfaceTest
 __init__, [65](#)
 elapsed_time, [65](#)
 execute, [65](#)
 msg, [65](#)
 svc, [65](#)
 validate, [65](#)
weather_report_forecast_Athens, [33](#)
 __path__, [33](#)
weather_report_forecast_Athens.RappInterfaceTest, [64](#)
weather_report_forecast_Athens::RappInterfaceTest
 __init__, [64](#)
 elapsed_time, [64](#)
 execute, [64](#)
 msg, [64](#)
 svc, [64](#)
 validate, [64](#)