

# RAPP Platform Tests - Email

## v0.5.5

Generated by Doxygen 1.8.6

Fri Jul 1 2016 18:19:09



# Contents

<b>1</b>	<b>Namespace Index</b>	<b>1</b>
1.1	Namespace List . . . . .	1
<b>2</b>	<b>Hierarchical Index</b>	<b>3</b>
2.1	Class Hierarchy . . . . .	3
<b>3</b>	<b>Class Index</b>	<b>5</b>
3.1	Class List . . . . .	5
<b>4</b>	<b>File Index</b>	<b>7</b>
4.1	File List . . . . .	7
<b>5</b>	<b>Namespace Documentation</b>	<b>9</b>
5.1	email_receiver_unit_tests Namespace Reference . . . . .	9
5.2	email_sender_unit_tests Namespace Reference . . . . .	9
<b>6</b>	<b>Class Documentation</b>	<b>11</b>
6.1	email_receiver_unit_tests.TestEmailReceiver Class Reference . . . . .	11
6.1.1	Detailed Description . . . . .	12
6.1.2	Member Function Documentation . . . . .	12
6.1.2.1	setUp . . . . .	12
6.1.2.2	test_checkDefaults . . . . .	12
6.1.2.3	test_emailNumber . . . . .	12
6.1.2.4	test_fromDate . . . . .	12
6.1.2.5	test_toDate . . . . .	12
6.1.2.6	test_wrongEmail . . . . .	12
6.1.2.7	test_wrongPassword . . . . .	12
6.1.2.8	test_wrongPort . . . . .	13
6.1.2.9	test_wrongServer . . . . .	13
6.1.3	Member Data Documentation . . . . .	13
6.1.3.1	_test_service . . . . .	13
6.2	email_sender_unit_tests.TestEmailSender Class Reference . . . . .	13
6.2.1	Detailed Description . . . . .	14

6.2.2	Member Function Documentation . . . . .	14
6.2.2.1	setUp . . . . .	14
6.2.2.2	test_checkDefaults . . . . .	14
6.2.2.3	test_wrongAttachment . . . . .	14
6.2.2.4	test_wrongPassword . . . . .	14
6.2.2.5	test_wrongPort . . . . .	14
6.2.2.6	test_wrongServer . . . . .	14
6.2.2.7	test_wrongUserEmail . . . . .	15
6.2.3	Member Data Documentation . . . . .	15
6.2.3.1	_test_service . . . . .	15
6.2.3.2	files . . . . .	15
<b>7</b>	<b>File Documentation</b>	<b>17</b>
7.1	/home/travis/rapp_temp/rapp-platform/rapp_email/tests/email_receiver_unit_tests.py File Reference	17
7.2	/home/travis/rapp_temp/rapp-platform/rapp_email/tests/email_sender_unit_tests.py File Reference	17
<b>Index</b>		<b>18</b>

# Chapter 1

## Namespace Index

### 1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

<a href="#">email_receiver_unit_tests</a>	9
<a href="#">email_sender_unit_tests</a>	9



## Chapter 2

# Hierarchical Index

### 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

TestCase	
email_receiver_unit_tests.TestEmailReceiver . . . . .	<a href="#">11</a>
email_sender_unit_tests.TestEmailSender . . . . .	<a href="#">13</a>





## Chapter 3

# Class Index

### 3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">email_receiver_unit_tests.TestEmailReceiver</a>	11
<a href="#">email_sender_unit_tests.TestEmailSender</a>	13



## Chapter 4

# File Index

### 4.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_email/tests/ <a href="#">email_receiver_unit_tests.py</a> . . . . .	17
/home/travis/rapp_temp/rapp-platform/rapp_email/tests/ <a href="#">email_sender_unit_tests.py</a> . . . . .	17



## Chapter 5

# Namespace Documentation

### 5.1 email\_receiver\_unit\_tests Namespace Reference

#### Classes

- class [TestEmailReceiver](#)

### 5.2 email\_sender\_unit\_tests Namespace Reference

#### Classes

- class [TestEmailSender](#)




## Chapter 6


# Class Documentation

### 6.1 email\_receiver\_unit\_tests.TestEmailReceiver Class Reference

Inheritance diagram for email\_receiver\_unit\_tests.TestEmailReceiver:



Collaboration diagram for email\_receiver\_unit\_tests.TestEmailReceiver:



## Public Member Functions

- def [setUp](#)
- def [test\\_checkDefaults](#)
- def [test\\_emailNumber](#)
- def [test\\_fromDate](#)
- def [test\\_toDate](#)
- def [test\\_wrongEmail](#)
- def [test\\_wrongPassword](#)
- def [test\\_wrongPort](#)
- def [test\\_wrongServer](#)

## Private Attributes

- [\\_test\\_service](#)

### 6.1.1 Detailed Description

Definition at line 45 of file email\_receiver\_unit\_tests.py.

### 6.1.2 Member Function Documentation

#### 6.1.2.1 `def email_receiver_unit_tests.TestEmailReceiver.setUp ( self )`

Definition at line 46 of file email\_receiver\_unit\_tests.py.

#### 6.1.2.2 `def email_receiver_unit_tests.TestEmailReceiver.test_checkDefaults ( self )`

Definition at line 59 of file email\_receiver\_unit\_tests.py.

#### 6.1.2.3 `def email_receiver_unit_tests.TestEmailReceiver.test_emailNumber ( self )`

Definition at line 111 of file email\_receiver\_unit\_tests.py.

#### 6.1.2.4 `def email_receiver_unit_tests.TestEmailReceiver.test_fromDate ( self )`

Definition at line 74 of file email\_receiver\_unit\_tests.py.

#### 6.1.2.5 `def email_receiver_unit_tests.TestEmailReceiver.test_toDate ( self )`

Definition at line 92 of file email\_receiver\_unit\_tests.py.

#### 6.1.2.6 `def email_receiver_unit_tests.TestEmailReceiver.test_wrongEmail ( self )`

Definition at line 148 of file email\_receiver\_unit\_tests.py.

#### 6.1.2.7 `def email_receiver_unit_tests.TestEmailReceiver.test_wrongPassword ( self )`

Definition at line 160 of file email\_receiver\_unit\_tests.py.



6.1.2.8 `def email_receiver_unit_tests.TestEmailReceiver.test_wrongPort ( self )`

Definition at line 138 of file `email_receiver_unit_tests.py`.

6.1.2.9 `def email_receiver_unit_tests.TestEmailReceiver.test_wrongServer ( self )`

Definition at line 129 of file `email_receiver_unit_tests.py`.

### 6.1.3 Member Data Documentation

6.1.3.1 `email_receiver_unit_tests.TestEmailReceiver._test_service` `[private]`


Definition at line 50 of file `email_receiver_unit_tests.py`.

The documentation for this class was generated from the following file:


- `/home/travis/rapp_temp/rapp-platform/rapp_email/tests/email_receiver_unit_tests.py`

## 6.2 email\_sender\_unit\_tests.TestEmailSender Class Reference

Inheritance diagram for `email_sender_unit_tests.TestEmailSender`:



Collaboration diagram for `email_sender_unit_tests.TestEmailSender`:



## Public Member Functions

- def [setUp](#)
- def [test\\_checkDefaults](#)
- def [test\\_wrongAttachment](#)
- def [test\\_wrongPassword](#)
- def [test\\_wrongPort](#)
- def [test\\_wrongServer](#)
- def [test\\_wrongUserEmail](#)

## Public Attributes

- [files](#)

## Private Attributes

- [\\_test\\_service](#)

### 6.2.1 Detailed Description

Definition at line 42 of file `email_sender_unit_tests.py`.

### 6.2.2 Member Function Documentation

#### 6.2.2.1 `def email_sender_unit_tests.TestEmailSender.setUp ( self )`

Definition at line 43 of file `email_sender_unit_tests.py`.

#### 6.2.2.2 `def email_sender_unit_tests.TestEmailSender.test_checkDefaults ( self )`

Definition at line 58 of file `email_sender_unit_tests.py`.

#### 6.2.2.3 `def email_sender_unit_tests.TestEmailSender.test_wrongAttachment ( self )`

Definition at line 136 of file `email_sender_unit_tests.py`.

#### 6.2.2.4 `def email_sender_unit_tests.TestEmailSender.test_wrongPassword ( self )`

Definition at line 121 of file `email_sender_unit_tests.py`.

#### 6.2.2.5 `def email_sender_unit_tests.TestEmailSender.test_wrongPort ( self )`

Definition at line 89 of file `email_sender_unit_tests.py`.

#### 6.2.2.6 `def email_sender_unit_tests.TestEmailSender.test_wrongServer ( self )`

Definition at line 75 of file `email_sender_unit_tests.py`.

#### 6.2.2.7 def email\_sender\_unit\_tests.TestEmailSender.test\_wrongUserEmail ( self )

Definition at line 104 of file email\_sender\_unit\_tests.py.

### 6.2.3 Member Data Documentation

#### 6.2.3.1 email\_sender\_unit\_tests.TestEmailSender.\_test\_service [private]

Definition at line 47 of file email\_sender\_unit\_tests.py.

#### 6.2.3.2 email\_sender\_unit\_tests.TestEmailSender.files

Definition at line 151 of file email\_sender\_unit\_tests.py.

The documentation for this class was generated from the following file:

- /home/travis/rapp\_temp/rapp-platform/rapp\_email/tests/[email\\_sender\\_unit\\_tests.py](#)



## Chapter 7

# File Documentation

### 7.1 /home/travis/rapp\_temp/rapp-platform/rapp\_email/tests/email\_receiver\_unit\_tests.py File Reference

#### Classes

- class [email\\_receiver\\_unit\\_tests.TestEmailReceiver](#)

#### Namespaces

- [email\\_receiver\\_unit\\_tests](#)

### 7.2 /home/travis/rapp\_temp/rapp-platform/rapp\_email/tests/email\_sender\_unit\_tests.py File Reference

#### Classes

- class [email\\_sender\\_unit\\_tests.TestEmailSender](#)

#### Namespaces

- [email\\_sender\\_unit\\_tests](#)

# Index

/home/travis/rapp\_temp/rapp-platform/rapp\_email/tests/email\_receiver\_unit\_tests.py, [17](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_email/tests/email\_sender\_unit\_tests.py, [17](#)

[\\_test\\_service](#)

- [email\\_receiver\\_unit\\_tests::TestEmailReceiver](#), [13](#)
- [email\\_sender\\_unit\\_tests::TestEmailSender](#), [15](#)

[email\\_receiver\\_unit\\_tests](#), [9](#)

[email\\_receiver\\_unit\\_tests.TestEmailReceiver](#), [11](#)

[email\\_receiver\\_unit\\_tests::TestEmailReceiver](#)

- [\\_test\\_service](#), [13](#)
- [setUp](#), [12](#)
- [test\\_checkDefaults](#), [12](#)
- [test\\_emailNumber](#), [12](#)
- [test\\_fromDate](#), [12](#)
- [test\\_toDate](#), [12](#)
- [test\\_wrongEmail](#), [12](#)
- [test\\_wrongPassword](#), [12](#)
- [test\\_wrongPort](#), [12](#)
- [test\\_wrongServer](#), [13](#)

[email\\_sender\\_unit\\_tests](#), [9](#)

[email\\_sender\\_unit\\_tests.TestEmailSender](#), [13](#)

[email\\_sender\\_unit\\_tests::TestEmailSender](#)

- [\\_test\\_service](#), [15](#)
- [files](#), [15](#)
- [setUp](#), [14](#)
- [test\\_checkDefaults](#), [14](#)
- [test\\_wrongAttachment](#), [14](#)
- [test\\_wrongPassword](#), [14](#)
- [test\\_wrongPort](#), [14](#)
- [test\\_wrongServer](#), [14](#)
- [test\\_wrongUserEmail](#), [14](#)

[files](#)

- [email\\_sender\\_unit\\_tests::TestEmailSender](#), [15](#)

[setUp](#)

- [email\\_receiver\\_unit\\_tests::TestEmailReceiver](#), [12](#)
- [email\\_sender\\_unit\\_tests::TestEmailSender](#), [14](#)

[test\\_checkDefaults](#)

- [email\\_receiver\\_unit\\_tests::TestEmailReceiver](#), [12](#)
- [email\\_sender\\_unit\\_tests::TestEmailSender](#), [14](#)

[test\\_emailNumber](#)

- [email\\_receiver\\_unit\\_tests::TestEmailReceiver](#), [12](#)

[test\\_fromDate](#)

- [email\\_receiver\\_unit\\_tests::TestEmailReceiver](#), [12](#)

[test\\_toDate](#)

- [email\\_receiver\\_unit\\_tests::TestEmailReceiver](#), [12](#)