

# RAPP Platform Tests - Mysql Wrapper

v0.6.0

Generated by Doxygen 1.8.6

Fri Jul 22 2016 10:05:32



# Contents

<b>1</b>	<b>Namespace Index</b>	<b>1</b>
1.1	Namespace List . . . . .	1
<b>2</b>	<b>Hierarchical Index</b>	<b>3</b>
2.1	Class Hierarchy . . . . .	3
<b>3</b>	<b>Class Index</b>	<b>5</b>
3.1	Class List . . . . .	5
<b>4</b>	<b>File Index</b>	<b>7</b>
4.1	File List . . . . .	7
<b>5</b>	<b>Namespace Documentation</b>	<b>9</b>
5.1	rapp_mysql_wrapper_functional_tests Namespace Reference . . . . .	9
5.1.1	Variable Documentation . . . . .	9
5.1.1.1	PKG . . . . .	9
5.2	rapp_mysql_wrapper_functional_tests_old Namespace Reference . . . . .	9
5.2.1	Variable Documentation . . . . .	9
5.2.1.1	PKG . . . . .	9
<b>6</b>	<b>Class Documentation</b>	<b>11</b>
6.1	rapp_mysql_wrapper_functional_tests.TestDbWrapper Class Reference . . . . .	11
6.1.1	Detailed Description . . . . .	12
6.1.2	Member Function Documentation . . . . .	12
6.1.2.1	testcheckActiveApplicationToken . . . . .	12
6.1.2.2	testCheckIfUserExists . . . . .	12
6.1.2.3	testCreateAndRemoveNewPlatformUser . . . . .	12
6.1.2.4	testgetUserLanguage . . . . .	12
6.1.2.5	testgetUsernameAssociatedWithApplicationToken . . . . .	13
6.1.2.6	testgetUserOntologyAlias . . . . .	13
6.1.2.7	testgetUserPassword . . . . .	13
6.1.2.8	testRegisterUserOntologyAlias . . . . .	13
6.2	rapp_mysql_wrapper_functional_tests_old.TestDbWrapper Class Reference . . . . .	13

---

6.2.1	Detailed Description . . . . .	14
6.2.2	Member Function Documentation . . . . .	14
6.2.2.1	testDBError . . . . .	14
6.2.2.2	testNullInputError . . . . .	14
6.2.2.3	testTblUserWriteReadDeleteCheck . . . . .	14
<b>7</b>	<b>File Documentation</b>	<b>17</b>
7.1	/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional- _tests.py File Reference . . . . .	17
7.2	/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/rapp_mysql_wrapper_functional- _tests_old.py File Reference . . . . .	17
<b>Index</b>		<b>18</b>

# Chapter 1

## Namespace Index

### 1.1 Namespace List

Here is a list of all namespaces with brief descriptions:

<a href="#">rapp_mysql_wrapper_functional_tests</a> . . . . .	9
<a href="#">rapp_mysql_wrapper_functional_tests_old</a> . . . . .	9



## Chapter 2

# Hierarchical Index

### 2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

TestCase	
rapp_mysql_wrapper_functional_tests.TestDbWrapper . . . . .	<a href="#">11</a>
rapp_mysql_wrapper_functional_tests_old.TestDbWrapper . . . . .	<a href="#">13</a>





## Chapter 3

# Class Index

### 3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

<a href="#">rapp_mysql_wrapper_functional_tests.TestDbWrapper</a>	
Inherits the unittest.TestCase class in order to offer functional tests functionality . . . . .	11
<a href="#">rapp_mysql_wrapper_functional_tests_old.TestDbWrapper</a>	
Inherits the unittest.TestCase class in order to offer functional tests functionality . . . . .	13



## Chapter 4

# File Index

### 4.1 File List

Here is a list of all files with brief descriptions:

/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/ <a href="#">rapp_mysql_wrapper_functional_tests.py</a> . . . . .	17
/home/travis/rapp_temp/rapp-platform/rapp_mysql_wrapper/tests/ <a href="#">rapp_mysql_wrapper_functional_tests-old.py</a> . . . . .	17



## Chapter 5

# Namespace Documentation

### 5.1 rapp\_mysql\_wrapper\_functional\_tests Namespace Reference

#### Classes

- class [TestDbWrapper](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

#### Variables

- string [PKG](#) = 'test\_rapp\_mysql\_wrapper'

#### 5.1.1 Variable Documentation

5.1.1.1 string `rapp_mysql_wrapper_functional_tests.PKG` = 'test\_rapp\_mysql\_wrapper'

Definition at line 20 of file `rapp_mysql_wrapper_functional_tests.py`.

### 5.2 rapp\_mysql\_wrapper\_functional\_tests\_old Namespace Reference

#### Classes

- class [TestDbWrapper](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

#### Variables

- string [PKG](#) = 'test\_rapp\_mysql\_wrapper'

#### 5.2.1 Variable Documentation

5.2.1.1 string `rapp_mysql_wrapper_functional_tests_old.PKG` = 'test\_rapp\_mysql\_wrapper'

Definition at line 20 of file `rapp_mysql_wrapper_functional_tests_old.py`.




## Chapter 6

# Class Documentation


### 6.1 rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper Class Reference

Inherits the unittest.TestCase class in order to offer functional tests functionality.

Inheritance diagram for rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper:



Collaboration diagram for rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper:



## Public Member Functions

- def [testcheckActiveApplicationToken](#)  
*Tests the checkActiveApplicationToken service.*
- def [testCheckIfUserExists](#)  
*Tests the checkIfUserExists service.*
- def [testCreateAndRemoveNewPlatformUser](#)  
*Tests the createAndRemoveNewPlatformUser service.*
- def [testgetUserLanguage](#)  
*Tests the getUserLanguage service.*
- def [testgetUsernameAssociatedWithApplicationToken](#)  
*Tests the getUsernameAssociatedWithApplicationToken service.*
- def [testgetUserOntologyAlias](#)  
*Tests the rapp\_mysql\_wrapper\_user\_write\_data service when an invalid column is provided.*
- def [testgetUserPassword](#)  
*Tests the getUserPassword service.*
- def [testRegisterUserOntologyAlias](#)  
*Tests the registerUserOntologyAlias service.*

### 6.1.1 Detailed Description

Inherits the unittest.TestCase class in order to offer functional tests functionality.

Definition at line 60 of file rapp\_mysql\_wrapper\_functional\_tests.py.

### 6.1.2 Member Function Documentation

#### 6.1.2.1 def rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper.testcheckActiveApplicationToken ( self )

Tests the checkActiveApplicationToken service.

Definition at line 146 of file rapp\_mysql\_wrapper\_functional\_tests.py.

#### 6.1.2.2 def rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper.testCheckIfUserExists ( self )

Tests the checkIfUserExists service.

Definition at line 88 of file rapp\_mysql\_wrapper\_functional\_tests.py.

#### 6.1.2.3 def rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper.testCreateAndRemoveNewPlatformUser ( self )

Tests the createAndRemoveNewPlatformUser service.

Definition at line 159 of file rapp\_mysql\_wrapper\_functional\_tests.py.

#### 6.1.2.4 def rapp\_mysql\_wrapper\_functional\_tests.TestDbWrapper.testgetUserLanguage ( self )

Tests the getUserLanguage service.

Definition at line 107 of file rapp\_mysql\_wrapper\_functional\_tests.py.



6.1.2.5 `def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testgetUsernameAssociatedWithApplicationToken ( self )`

Tests the getUsernameAssociatedWithApplicationToken service.

Definition at line 133 of file rapp\_mysql\_wrapper\_functional\_tests.py.

6.1.2.6 `def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testgetUserOntologyAlias ( self )`

Tests the rapp\_mysql\_wrapper\_user\_write\_data service when an invalid column is provided.

Definition at line 62 of file rapp\_mysql\_wrapper\_functional\_tests.py.

6.1.2.7 `def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testgetUserPassword ( self )`

Tests the getUserPassword service.

Definition at line 120 of file rapp\_mysql\_wrapper\_functional\_tests.py.

6.1.2.8 `def rapp_mysql_wrapper_functional_tests.TestDbWrapper.testRegisterUserOntologyAlias ( self )`

Tests the registerUserOntologyAlias service.

Definition at line 75 of file rapp\_mysql\_wrapper\_functional\_tests.py.


The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_mysql\\_wrapper/tests/rapp\\_mysql\\_wrapper\\_functional\\_tests.py](#)


## 6.2 rapp\_mysql\_wrapper\_functional\_tests\_old.TestDbWrapper Class Reference

Inherits the unittest.TestCase class in order to offer functional tests functionality.

Inheritance diagram for rapp\_mysql\_wrapper\_functional\_tests\_old.TestDbWrapper:



Collaboration diagram for `rapp_mysql_wrapper_functional_tests_old.TestDbWrapper`:



## Public Member Functions

- def [testDBError](#)  
*Tests the `rapp_mysql_wrapper_user_write_data` service when an invalid column is provided.*
- def [testNullInputError](#)  
*Tests the `rapp_mysql_wrapper_robot_fetch_data` service when null input is provided.*
- def [testTblUserWriteReadDeleteCheck](#)  
*Tests the the write,read,update,delete rapp mysql wrapper services of the `tblUser`.*

### 6.2.1 Detailed Description

Inherits the `unittest.TestCase` class in order to offer functional tests functionality.

Definition at line 47 of file `rapp_mysql_wrapper_functional_tests_old.py`.

### 6.2.2 Member Function Documentation

#### 6.2.2.1 `def rapp_mysql_wrapper_functional_tests_old.TestDbWrapper.testDBError ( self )`

Tests the `rapp_mysql_wrapper_user_write_data` service when an invalid column is provided.

Definition at line 49 of file `rapp_mysql_wrapper_functional_tests_old.py`.

#### 6.2.2.2 `def rapp_mysql_wrapper_functional_tests_old.TestDbWrapper.testNullInputError ( self )`

Tests the `rapp_mysql_wrapper_robot_fetch_data` service when null input is provided.

Definition at line 72 of file `rapp_mysql_wrapper_functional_tests_old.py`.

#### 6.2.2.3 `def rapp_mysql_wrapper_functional_tests_old.TestDbWrapper.testTblUserWriteReadDeleteCheck ( self )`

Tests the the write,read,update,delete rapp mysql wrapper services of the `tblUser`.

Definition at line 87 of file `rapp_mysql_wrapper_functional_tests_old.py`.

The documentation for this class was generated from the following file:

- [/home/travis/rapp\\_temp/rapp-platform/rapp\\_mysql\\_wrapper/tests/rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old.py](#)



## Chapter 7

# File Documentation

### 7.1 /home/travis/rapp\_temp/rapp-platform/rapp\_mysql\_wrapper/tests/rapp\_mysql\_wrapper\_functional\_tests.py File Reference

#### Classes

- class [rapp\\_mysql\\_wrapper\\_functional\\_tests.TestDbWrapper](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

#### Namespaces

- [rapp\\_mysql\\_wrapper\\_functional\\_tests](#)

#### Variables

- string [rapp\\_mysql\\_wrapper\\_functional\\_tests.PKG](#) = 'test\_rapp\_mysql\_wrapper'

### 7.2 /home/travis/rapp\_temp/rapp-platform/rapp\_mysql\_wrapper/tests/rapp\_mysql\_wrapper\_functional\_tests\_old.py File Reference

#### Classes

- class [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old.TestDbWrapper](#)  
*Inherits the unittest.TestCase class in order to offer functional tests functionality.*

#### Namespaces

- [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old](#)

#### Variables

- string [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old.PKG](#) = 'test\_rapp\_mysql\_wrapper'

# Index

/home/travis/rapp\_temp/rapp-platform/rapp\_mysql\_wrapper/tests/rapp\_mysql\_wrapper\_functional\_tests.py, [17](#)

/home/travis/rapp\_temp/rapp-platform/rapp\_mysql\_wrapper/tests/rapp\_mysql\_wrapper\_functional\_tests\_old.py, [17](#)

PKG

- [rapp\\_mysql\\_wrapper\\_functional\\_tests](#), [9](#)
- [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old](#), [9](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests](#), [9](#)

- PKG, [9](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests.TestDbWrapper](#), [11](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#)

- [testCheckIfUserExists](#), [12](#)
- [testCreateAndRemoveNewPlatformUser](#), [12](#)
- [testRegisterUserOntologyAlias](#), [13](#)
- [testcheckActiveApplicationToken](#), [12](#)
- [testgetUserLanguage](#), [12](#)
- [testgetUserOntologyAlias](#), [13](#)
- [testgetUserPassword](#), [13](#)
- [testgetUsernameAssociatedWithApplicationToken](#), [12](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old](#), [9](#)

- PKG, [9](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old.TestDbWrapper](#), [13](#)

[rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old::TestDbWrapper](#)

- [testDBError](#), [14](#)
- [testNullInputError](#), [14](#)

[testCheckIfUserExists](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [12](#)

[testCreateAndRemoveNewPlatformUser](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [12](#)

[testDBError](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old::TestDbWrapper](#), [14](#)

[testNullInputError](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old::TestDbWrapper](#), [14](#)

[testRegisterUserOntologyAlias](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [13](#)

[testTblUserWriteReadDeleteCheck](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests\\_old::TestDbWrapper](#), [14](#)

[testcheckActiveApplicationToken](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [12](#)

[testgetUserLanguage](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [12](#)

[testgetUserOntologyAlias](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [13](#)

[testgetUserPassword](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [13](#)

[testgetUsernameAssociatedWithApplicationToken](#)

- [rapp\\_mysql\\_wrapper\\_functional\\_tests::TestDbWrapper](#), [12](#)