

DataStream Report

The Report is created by **LAUNCH** X-431

Vehicle Information



Year:2007

Make:VOLVO

Model:S60

VIN:YV1RS592272608372

Engine Size:B5254T2

Odometer:110971 miles

Vehicle Software Version:V44.95

Diagnostic Application Version:V8.00.029

Diagnostic path:Automatically Search > System Selection > TCM (Transmission Control Module)

Notes:before microcenter trip

Repair Shop

Shop Name:

Address:

Zip Code:

Telephone:

Email:

SN:989347712041

Test Time:2025-10-20 08:39:06

Notes:before microcenter trip



Data Stream 【Pre-Repair】

Name	Value	Unit
Acceleration Pedal Position	23	%
Battery Voltage	13.53	V
Cruise Control Active	Cruise Not Active	
Engine Coolant Temperature	188.6	degree F
Engine Running Status ECM	Engine Running	
Engine Speed	2468	rpm
Engine Torque	110.73	lb-ft
Expected Gear Ratio	1.02	
Gear Ratio	1.02	

Gear Selector Position	D	
Gear Selector Position A	High	
Gear Selector Position B	Low	
Gear Selector Position C	Low	
Gear Selector Position PA	High	
Ignition Status ECM	Ignition Is On	
In Rpm Speed NC Sensor	2480	rpm
Kick Down Status	Not Active	
Lever Unit AW55 GT	D	
Lever Unit PRND43L	D	
Oil Temperature	134.6	degree F
Quick Shift Function From GSM On/Off	Off	
Quick Shift Gear Change From GSM	No Gear Change	
Quick Shift Mode	Normal	
Solenoid S1 & S2 Current	804	mA
Solenoid S1 Status	Off	
Solenoid S2 Status	On	
Solenoid S3 Current	3	mA
Solenoid S3 Status	Off	
Solenoid S4 & S5 Current	823	mA
Solenoid S4 Status	On	
Solenoid S5 Status	Off	
Solenoid SLS Current	0.57	A
Solenoid SLT Current	0.84	A
Solenoid SLU Current	1	A
Torque Control	377.22	lb-ft
Torque Limitation Requested	377.22	lb-ft
Torque Reduction When Changing Gear	78.987	lb-ft
Vehicle Speed ABS	78.293	mph
Vehicle Speed SP Sensor	78.914	mph
Winter Mode Status	Off	

Disclaimer

This test report is for reference only for vehicle test and maintenance. The vehicle operating data provided in this report are all static data. The detailed dynamic diagnostic data can be read by professional maintenance device, and LAUNCH will not be liable for any accidents and failures arising therefrom!