


AI ON = AI OFF

All ten nodes must let a task be completed with AI on and with AI off; where they cannot, work stops at the gate and does not advance.



● AI ON

Navigation, announcements and live status are available; the service runs through digital channels.

● AI OFF

The same nodes are carried by fixed signage, printed information and staffed service. The geometry does not change and neither does the task.

CONCEPT • PROVISIONAL GEOMETRY • NOT A STATUTORY REDLINE • NOT FIELD PERFORMANCE

Interactive dual state and node-by-node differences: visual/index.html • static fallback visual/assets/scene-fallback.en.png

EVERY SENSE JING-ZHANG · URBAN DESIGN ATLAS


FOUR CONCEPTUAL FUNCTIONS ON ONE SHARED PUBLIC BASELINE

02 / LAND USE + STRUCTURE

Conceptual relationships · not zoning or existing land use

CONCEPT ONLY · NOT A STATUTORY PLAN

FUNCTIONAL STRUCTURE / PUBLIC STREET CONTEXT + CONCEPT LAYERS




MAP ROTATED 90° · NORTH TO RIGHT

ONE BASELINE · TWO PATHS · THREE INTERFACES

OVERVIEW → INTERFACE ZOOM


01 / ZHONGZHIYUAN TRANSVERSE INTERFACE

VERIFY / 验证




02 / AI ORIGIN TRANSVERSE INTERFACE

CO-DESIGN / 共创



03 / DAZHONGSI TRANSVERSE INTERFACE

ADOPT / 采用



FOUR CONCEPTUAL FUNCTIONS / 四类概念结构

01 UNIVERSAL INTERFACE R&D + VALIDATION

Links research, prototyping, controlled tests and human takeover.

02 ACCESSIBLE PARK + QUIET OPEN SPACE

Carries the continuous public baseline and quiet alternative.

03 INCLUSIVE AI SERVICES + ADOPTION

Tests procurement, maintenance, correction and exit.

04 INDEPENDENT-LIVING CO-DESIGN + COMMUNITY

Feeds real public tasks back into products and space.

ONE BASELINE · TWO PATHS · THREE INTERFACES

通用可达底线 / Universal baseline

横向接口 / Cross interfaces

低刺激替代 / Quiet alternative

FUNCTION COLORS / 功能色

UNIVERSAL INTERFACE R&D + VALIDATION

ACCESSIBLE PARK + QUIET OPEN SPACE

INCLUSIVE AI SERVICES + ADOPTION

INDEPENDENT-LIVING CO-DESIGN + COMMUNITY

Not zoning: no claim about title, statutory use or development capacity.

PUBLIC · 公开背景

PROVISIONAL · 临时约束

CONCEPT · 概念建议

ONE BASELINE · TWO PATHS · THREE INTERFACES

Tasks remain possible with AI off; direct multimodal and quiet routes run in parallel; three interfaces link parks, communities and stations.

Geometry: land_use.geojson + roads.geojson · Areas and alignments are provisional/conceptual.

© OpenStreetMap contributors, ODbL · background_only · 2026-08-10

Public context for orientation only; provisional boundaries and concept centerlines are not engineering or approval data.

03 / LAND USE + STRUCTURE

Four conceptual functions share one baseline

Functional relationships test whether R&D, public space, adoption and community service support each other. They are not existing land use, zoning, title or development-capacity conclusions.

- Universal interface R&D + validation
- Accessible park + quiet open space
- Inclusive AI services + adoption
- Independent-living co-design + community

SHARED DENOMINATOR AND DELIBERATE OVERLAP

Shared denominator site_area_sqm	11,412,825.386 sqm	100%
Green envelope green_space	2,432,835.847 sqm	21.3097%
Public-space envelope public_space	2,874,716.512 sqm	18.1788%
Deliberate overlap · spine greenway	452,986.656 sqm	3.9691%

Both ratios use the same denominator and the envelopes deliberately overlap by 452,986.656 sqm — they must not be added.

KEY READINGS ON THIS BOARD

21.3%

Provisional green ratio

18.2%

Provisional public-space ratio

452,986.656 sqm

Deliberate envelope overlap

4

Conceptual functions

6

Renewal work packages

Four conceptual functions share one baseline; the land-use drawing tests functional relationships and never replaces statutory classification, title or capacity conclusions.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

Three areas: validate — co-design — adopt

EVERY SENSE JING-ZHANG / 万感京张

THREE KEY AREAS: FROM CAMPUS ROLES TO HUMAN-SCALE OPERATING CONTRACTS


TEN CONCEPT NODES · PUBLIC / BACK-OF-HOUSE FLOWS · AI-OFF RECOVERY

CONCEPT · PROVISIONAL GEOMETRY · NOT A STATUTORY PLAN · NOT AN ENGINEERING ALIGNMENT Key-area boundaries, ground-floor operating diagrams and every line are provisional working geometry — not official redlines, title boundaries or a statutory basis; the locator scales are indicative and must not be measured from.


01

ZHONGZHIYUAN UNIVERSAL INTERFACE LAB

continuous arrival, emergency stop and human handover



EQUIVALENT PATHS WITHIN ONE FIELD OF VIEW



STOP
stop if emergency stop or handover fails


RESUME
closed test + fault bypass + maintenance card




02

AI ORIGIN INDEPENDENT-LIVING CO-DESIGN LAB

quiet alternative, easy-read flow and error recovery



EQUIVALENT PATHS WITHIN ONE FIELD OF VIEW



STOP
stop if accommodation or withdrawal is missing


RESUME
participant review + reversible correction record




03

DAZHONGSI INCLUSIVE ADOPTION MARKET

no-account service, payment alternative and event exit




EQUIVALENT PATHS WITHIN ONE FIELD OF VIEW



STOP
stop if staffed service, appeal or quiet exit fails

RESUME
equivalent route + disposal record + G3 review



CONCEPT PROPOSAL · PROVISIONAL BOUNDARY · NOT A STATUTORY PLAN · NOT AN ENGINEERING ALIGNMENT

PUBLIC / PROVISIONAL / CONCEPT

04 / THREE KEY AREAS

The three key areas are not three identical campuses

Zhongzhiyuan hosts controlled validation; AI Origin Community hosts voluntary co-design and independent-task tests; Dazhongsi tests procurement, maintenance, correction and exit. Every key-area boundary is provisional.

01 ZHONGZHIYUAN

UNIVERSAL INTERFACE LAB

Validation gate · visible status · human takeover

02 AI ORIGIN COMMUNITY

INDEPENDENT-LIVING CO-DESIGN LAB

Quiet alternative · easy-read lobby · voluntary exit

03 DAZHONGSI

INCLUSIVE ADOPTION MARKET

Multichannel commerce · payment alternative · maintenance entry

STOP + RESUME

STOP

Emergency stop or human takeover fails · reasonable accommodation or withdrawal path missing · staffed service, appeal or quiet exit fails — any one stops the work.

RESUME

Closed testing + fault detour + maintenance card · participant review + reversible correction record · equivalent path + disposal record + G3 independent review.

KEY READINGS ON THIS BOARD

3

Key areas

10

Operating nodes

4

Evidence gates

6

User personas

3

Cultural / accountability landmarks

Each key area states its spatial actions, operating gates and external dependencies; the three are complementary, not identical, and every boundary is provisional.


CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

Continuous access and AI-switch equivalence



CORRIDOR LOCATOR

Design scope 11.41 km² (provisional; full value 11,412,825.386 sqm in metrics.json)

provisional geometry · not a statutory area

The three key areas along the corridor; this column's scale differs from the panels. The three panels share one scale; each carries its own bar.

01 Zhongzhiyuan AI Acceleration Area

1 px ≈ 1 m · do not measure

02 Beijing AI Origin Community

1 px ≈ 1 m · do not measure

03 Dazhongsi AI Industry Cluster

1 px ≈ 1 m · do not measure

01 / CALIBER

Reachability caliber — indicative, pending field-audit calibration

Graph

The five roads,geojson centrelines, noted at their crossings; 20,166 m total

provisional geometry · not a survey quantity

Access

Each node joins by its shortest straight stub; stub length counts against the budget

AI-on

R_on = 300 m network distance (~4 min at 1.25 m/s, continuous multichannel handover)

AI-off

R_off = 150 m network distance (one fixed multichannel totem plus the staffed help point)

Band

Reachable linework buffered to a service band of half-width w = 40 m

Gap

gap = domain(300 m) – domain(150 m); space reached only while AI is on

No value is stated for ai_off_service_equivalence_gap; metrics.json registers it status:unknown, pending paired task testing. The gap area is only that metric's geometric audit target — not a coverage commitment, a compliance conclusion or a service-level promise.

02 / AUDIT BACKLOG

First audit breaks: the three largest gaps

The three largest gaps; full ranking in the companion ledger.

#	Node	Gate	Gap area m²	of AI-on
1	OP-04 S04	G0	48,000	55.9%
2	OP-02 S02	G1	48,000	55.9%
3	OP-03 S03	G2	43,959	60.2%

Union of ten nodes 237,622 m²

provisional geometry · not a statutory area

FIRST AUDIT BREAKS OP-04 · OP-02 · OP-03

Accountable body: a future authorised site-operations and accessibility team (constraints.geojson responsible_role); work package JZ-01.

Full ledger: Ten-Node Gap Audit Ledger, assets/figures/mobility-bluegreen-audit.en.png.

03 / AI ON = AI OFF

The spatial form of the equivalence claim

AI ON

Multichannel wayfinding hands over along the network; the domain extends to 300 m.

=

AI OFF

Only the fixed totem and staffed help point remain; the domain shrinks to 150 m.

Equivalence is the service floor this proposal commits to; the coral gap marks where that commitment is not yet met — an audit target, not a claim of compliance today.

493,390 m²

AI-on union

provisional geometry · not a statutory area

255,768 m²

AI-off union

provisional geometry · not a statutory area

237,622 m²

Gap union

provisional geometry · not a statutory area

48.16%

Gap share of AI-on

provisional geometry · not a performance figure

10 / 10 nodes declare an AI-off route and a human-handover role (document completeness, not built evidence)

EVERY SENSE JING-ZHANG / 05

05 / MOBILITY + BLUE-GREEN

Basic service remains equivalent with AI on or off

The direct multimodal path and quiet alternative run in parallel. With AI off, offline or declined, fixed signs, paper and easy-read information, staffed help and an account-free path remain available. Centrelines express conceptual relationships only.

- AI ON: multimodal wayfinding · visible status · human takeover
- AI OFF: tactile / visual / easy-read · fixed signs · staffed point

STAGE ZERO: FOUR EVIDENCE GATES

G0	Material and permission Verify official material, permissions and task scripts
G1	Reversible prototype Removable, revertible on-site prototype
G2	Closed paired testing AI-on and AI-off compared in pairs
G3	Independent review Third-party review and a public receipt

AI ON = AI OFF: when the network or power is down or consent is declined, cast lettering, braille, tactile relief and fixed graphics remain readable; historical content does not disappear when the system is off.

KEY READINGS ON THIS BOARD

12

Scenario cards

1.00

Human-handoff coverage

1.00

AI-off exit-path coverage

2

Equivalent paths

8

Risk items

All ten nodes must let a task be completed with AI on and with AI off; where they cannot, work stops at the gate and does not advance.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND PROVISIONAL CONCEPT PROPOSAL

© OpenStreetMap contributors, ODbL · background_only · public background / provisional constraint / concept proposal

BOARD 04 / 06

Brand, culture and international communication

EVERY SENSE JING-ZHANG / 万感京张

Brand system: common gauge translated into universal design

PARALLEL SENSORY LINES + OPEN NODES · LOGO / PALETTE / TYPE / GRAMMAR · AI ON = AI OFF

01 / Identity and mark construction LOGO / TWO GROUNDS / GEOMETRY

ON DARK #10383d




ON PAPER #f2efe7



MARK CONSTRUCTION

- Parallel sensory lines** Two solid rails carry the continuous spine for sight and sound; two dotted lines carry tactile paving and the low-stimulus alternative. Four channels run in parallel, none subordinate.
- Open node** The ring keeps openings left and right: a service can be entered and can be left. The node never closes, and never locks in one kind of body or one kind of device.
- Origin** The centre point is Every Sense Origin — where human help, human takeover and the right to stop land. Always visible, always reachable.



All four gaps sit on one construction circle. A common gauge lets different trains share one network; universal design lets different bodies share one city.

02 / Palette and colour semantics SIX COLOURS / CONTRAST RULES

Deep Teal 深青 #10383d 11.0:1 Body text Urban base and the public baseline; dark ground, and body text on paper.	Rail Teal 永鸭青 #177c78 4.4:1 Body text The continuous spine and the AI ON path; primary signage and section numbers.	Coral 珊瑚 #d76459 3.1:1 Large text only Right to stop, emergency stop, human takeover and help; risk and failure notices.	Node Purple 紫 #6b5b95 5.1:1 Body text The ten independent-completion nodes OP-01—OP-10; tactile dot grids and braille layers.	Assumption Gold 金 #d6a13b 2.0:1 Graphics only Unverified assumptions and the Jing-Zhang cultural layer; refill triggers and heritage interpretation.	Paper 米白 #f2efe7 11.0:1 Text on dark Fixed signage, paper procedures and no-account receipts once AI is off.
--	---	--	---	--	--

Contrast recomputed under WCAG 2.1 against paper #f2efe7; the paper row is measured against deep teal #10383d. Deep teal, rail teal and node purple are cleared for body text; coral only above 24px bold or as graphics; gold as graphics and fills only. Text on dark ground uses paper or light teal, never the unlightened primary.

03 / Type strategy SERIF / SANS / MONO

Display / Serif
Georgia · Songti SC · Source Han Serif SC

万感京张 Every Sense

Section titles, the three landmark names and exhibition display. Carries the printing character of the Jing-Zhang era.

Text / Sans
Source Han Sans SC · Helvetica Neue · Arial

One city, many senses

Body copy, signage and easy-read text. Open apertures, stable CJK-Latin mixing, legible at distance.

Data / Mono
SF Mono · Menlo · Consolas

11.41 km² OP-01


Metrics, node identifiers and scenario codes. Fixed width keeps tables aligned and characters checkable one by one.

Font licensing is being verified face by face; any face whose commercial-use clearance is incomplete does not enter publicly released material. No corporate marks or portraits are used. Minimum signage size, leading and viewing distance are to be set after an on-site audit.

04 / Grammar in use SIGNAGE / PAVING / COLLATERAL / INTERFACE


Wayfinding SIGNAGE

The main panel carries the mark and bilingual name, a low panel adds tactile and braille layers, and the coral help post stays in view.




Tactile paving GROUND

Parallel sensory lines become paving bands; the open node becomes a dot-grid circle that can be walked around, with the help post at its centre.




Event collateral PRINT

Posters flood-hill the parallel lines, booklets keep the stop notice, and tickets stay usable without an account through mono codes and a tactile strip.



Interface SCREEN

Both channel states stay visible, stop ranks equal to human handover, and the paper version is the same grammar in an equivalent form.



One city. Many ways to sense it. 一座城市，多种感知，共同行走

INTERNATIONAL LINE / 国际传播句

Concept proposal · provisional boundaries · not statutory planning · not engineering alignments

PUBLIC / PROVISIONAL / CONCEPT

06 / BRAND · CULTURE · GLOBAL

One line grammar carries brand, culture and outward communication

The brand grammar abstracts the Jing-Zhang railway's "one standard gauge" into parallel sensing lines and an open node: one gauge lets different trains share a network, universal design lets different bodies share a city. Cultural work first builds a traceable resource inventory, then chooses carriers, and only then reaches symbols and wayfinding.

One city. Many ways to sense it.

一座城市，多种感知，共同行走

Spine narrative line

SPINE NARRATIVE

Three landmarks

THREE LANDMARKS

Node micro-stories

NODE MICRO-STORIES

AUDIENCE LAYERS

International professionals

Test methodology, protocols and failure samples in the open

International public

Paired AI-on / AI-off comparisons that show service equivalence

Residents along the corridor

Easy-read Chinese, sign language and captions

Developer community

Open problem library and scenario test procedures

KEY READINGS ON THIS BOARD

3

Cultural narrative tiers

3

Cultural landmarks

10

Node micro-stories

6

Colour semantics

4

Application domains

Brand, culture and outward communication share one line grammar; with network, power or consent withdrawn, historical content and public commitments stay readable.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUND

PROVISIONAL

CONCEPT PROPOSAL

Metric recalculation and evidence chain

EVERY SENSE JING-ZHANG · URBAN DESIGN ATLAS

06 / METRICS & EVIDENCE

Metrics are not a vision: recalculate what can be, keep the rest unknown

PROVISIONAL PUBLIC MATERIAL · NOT A STATUTORY METRIC

01 / MEASURED

Five recalculated metrics

Display rounding matches the proposal front page and metrics.json; full values and formulas are in the audit companion plate.

11.41 km²

Provisional design scope

site_area_sqm

373,402 m²

Conceptual building footprint

building_footprint

21.3 %

Provisional green ratio

green_ratio

18.2 %

Provisional public-space ratio

public_space_ratio

3 areas

Key detailed-design areas

key_area_count

02 / COUNTED

Ten structural counts

The proposal's own structural objects; each can be re-counted inside the package.

12

Scenario cards

S01–S12

10

Operating nodes

SCENARIO_NODE

6

Work packages

JZ-01–JZ-06

6

User personas

proposal.md

4

Evidence gates

G0–G3

3

Landmarks

landmark_id

8

Risk items

R-01–R-08

6

Intl. cases

CASE-*

1.00

Handover coverage

10 / 10 nodes

1.00

AI-off exit paths

10 / 10 nodes

03 / KEPT UNKNOWN

Twelve metrics kept unknown

NOT AUTHORIZED4

floor_area_ratio
Official boundary + key-area polygons
Statutory: height · density · setback · use
Engineering: road lines · stations · utilities

NOT FIELD-RUN8

Independent task completion
Multi-channel info coverage
AI-off equivalence gap
Forced abandonment rate
Human handover success
Human handover response time
Sensory load exceedance
Co-design role coverage

04 / ONE DENOMINATOR

Shared denominator site_area_sqm100%
Green envelope green_space21.3%
Public-space envelope public_space18.2%

Both ratios share one denominator and deliberately overlap — they must not be added.

Unknown ≠ 0. Unknown for two reasons only: not authorized · not field-run

Full source → operation → class ledger and the full recalculated values:
Metrics Evidence Audit Ledger companion plate.

Provisional working geometry, not a statutory metric: not an official redline, title boundary or statutory control.

metrics.json · geometry/*.geojson · EPSG:4548

EVERY SENSE JING-ZHANG / 06

07 / METRICS + EVIDENCE

Recalculated metrics show in-package consistency, not statutory figures

Scope area, building footprint, green ratio and public-space ratio derive from the submitted provisional geometry; the green and public-space envelopes share one denominator and deliberately overlap by 452,986.656 sqm, so the two ratios must not be added. Ten structural counts count the proposal's own objects and can be re-counted inside the package. Inclusion performance must come from real participants, reasonable accommodation and outcome testing; all of it is still to be tested.

11.41 km²

Provisional overall scope

373,402 m²

Conceptual building footprint

21.3%

Provisional green ratio

18.2%

Provisional public-space ratio

TO BE FIELD-TESTED

- Unaccompanied independent task completion
- Two-channel information redundancy
- AI-switch service equivalence gap
- Forced abandonment rate

TEN STRUCTURAL COUNTS

12	Scenario cards	10	Operating nodes
6	Work packages	6	Personas
4	Evidence gates	3	Cultural landmarks
8	Risk items	6	International cases
1.00	Human-handoff coverage	1.00	Exit-path coverage

KEY READINGS ON THIS BOARD

5

Recalculated geometry metrics

10

Structural count metrics

8

Metrics pending field test

32

Registered sources

9

Standards and codes

Recalculated metrics show in-package consistency, not statutory figures; unknown ≠ 0, and missing data stays blank with a stated collection condition.

CONCEPT PROPOSAL / NOT A STATUTORY PLAN / NOT AN ENGINEERING ALIGNMENT

PUBLIC BACKGROUNDPROVISIONALCONCEPT PROPOSAL

© OpenStreetMap contributors, ODbL · background_only · public background / provisional constraint / concept proposal

BOARD 06 / 06