

u/CarlosVillas91

Posted by u/CarlosVillas91 just now

Final Project Pirple

Hello everyone!

HTML (the Hypertext Markup Language) and CSS(Cascading Style Sheets) are two of the core technologies for building Web pages. HTML provides the *structure* of the page, CSS the (visual and aural) *layout,* for a variety of devices. Along with graphics and scripting, HTML and CSS are the basis of building Web pages and Web Applications

This is my attempt to replicate the Wikipedia webpage, using the tools that I learned in Pirple.com

HTML Code:

<!DOCTYPE html>

<html lang="en"> <head> <meta charset="UTF-8"> <meta name="viewport" content="width=device-width, initial-scale=1.0"> <link rel="stylesheet" href="project2styles.css"> <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css"> <title>Document</title> </head> <body> <div id = "div0">
>
> WIKIPEDIA The Free Encyclopedia
>
 </div>

<div> <form class="searchform" > <input type="text" name="search2"> <button type="submit"><i class="fa fa-search"></i></button> </form> </div>

id = "textBox">Read wikipedia in your language ----- </div> </div </div> </div> </div> </div> </div> </div> </div> </div> </div </div </td>

CSS Code:





```
text-align: center;
}
.WikiFont0 {
font-family: 'Linux Libertine'; /* normal */
src: url('LinLibertine R-webfont.eot');
src: url('LinLibertine_R-webfont.eot?#iefix') format('embedded-opentype'),
url('LinLibertine R-webfont.woff') format('woff'),
url('LinLibertine_R-webfont.ttf') format('truetype'),
url('LinLibertine_R-webfont.svg#LinuxLibertineORegular') format('svg');
font-weight: normal;
font-style: normal;
font-size: 27px;
line-height:0px;
.WikiFont1 {
font-family: 'Linux Libertine'; /* normal */
src: url('LinLibertine_R-webfont.eot');
src: url('LinLibertine_R-webfont.eot?#iefix') format('embedded-opentype'),
url('LinLibertine_R-webfont.woff') format('woff'),
url('LinLibertine_R-webfont.ttf') format('truetype'),
url('LinLibertine_R-webfont.svg#LinuxLibertineORegular') format('svg');
font-weight: normal;
font-style: normal;
font-size: 16px;
line-height:0px;
.WAspan {
font-family: 'Linux Libertine'; /* normal */
src: url('LinLibertine_R-webfont.eot');
src: url('LinLibertine_R-webfont.eot?#iefix') format('embedded-opentype'),
url('LinLibertine_R-webfont.woff') format('woff'),
url('LinLibertine_R-webfont.ttf') format('truetype'),
url('LinLibertine_R-webfont.svg#LinuxLibertineORegular') format('svg');
font-weight: normal;
font-style: normal;
font-size: 35px;
line-height:0px;
}
#div0{
text-align: center;
.langTable{
text-align: center;
.lang1{
padding-left: 350px;
color: blue;
```















```
τοnt-size: 15px;
.lang2{
padding-right: 350px;
color: blue;
font-weight: bold;
font-family: Arial, Helvetica, sans-serif;
font-size: 15px;
}
.lang1art{
padding-left: 340px;
color: grey;
font-weight: normal;
font-family: Arial, Helvetica, sans-serif;
font-size: 13px;
}
.lang2art{
padding-right: 340px;
color: grey;
font-weight: normal;
font-family: Arial, Helvetica, sans-serif;
font-size: 13px;
.lang3{
padding-left: 260px;
color: blue;
font-weight: bold;
font-family: Arial, Helvetica, sans-serif;
font-size: 15px;
}
.lang4{
padding-right: 260px;
color: blue;
font-weight: bold;
font-family: Arial, Helvetica, sans-serif;
font-size: 15px;
}
.lang3art{
padding-left: 250px;
color: grey;
font-weight: normal;
font-family: Arial, Helvetica, sans-serif;
font-size: 13px;
}
.lang4art{
padding-right: 250px;
color: grey;
```
















```
tont-size: 13px;
.lang5{
padding-left: 240px;
color: blue;
font-weight: bold;
font-family: Arial, Helvetica, sans-serif;
font-size: 15px;
}
.lang6{
padding-right: 240px;
color: blue;
font-weight: bold;
font-family: Arial, Helvetica, sans-serif;
font-size: 15px;
}
.lang5art{
padding-left: 230px;
color: grey;
font-weight: normal;
font-family: Arial, Helvetica, sans-serif;
font-size: 13px;
.lang6art{
padding-right: 230px;
color: grey;
font-weight: normal;
font-family: Arial, Helvetica, sans-serif;
font-size: 13px;
}
* {
box-sizing: border-box;
form.searchform input[type=text] {
padding: 10px;
font-size: 17px;
border: 1px solid blue;
float: left;
width: 80%;
background: white;
max-width:800px
 }
form.searchform button {
float: left;
width: 20%;
padding: 10px;
```





No Comments Yet

Be the first to share what you think!

