

# G20F











Magnetic Vent Valve

| Vent Valve Model | Model | Dim. A | Dim. B | Dim. C | Dim. D | Dim. E | Dim. F | Dim. G | Dim. L | Fluid Port M | Seal No. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| VALVE-M12E | G20F-VALVE-M12E | 17 | 17 | 1 | 10 | 34 | 38 | 57.5 | 149.4 | BSPP1/8 | SG20F-VALVE-M12E |
| BBG-M12E | G20F-BBG-M12E | 19.6 | 17 | 1 | 10.2 | 32 | 32 | 78.9 | 177.2 | M5 | SG20F-BBG-M12E |
| VEM615 | G20F-VEM615 | 24 | 22 | 1.7 | 4.9 | 38 | 38 | 94.4 | 188.7 | BSPP1/8 | SG20F-VEM615 |
| VOIR-M16E | G20F-VOIR-M16E | 24.5 | 20 | 2 | 10.6 | 42 | 42 | 106 | 193.3 | - | SG20F-VOIR-M16E |
| SKQ-M16E | G20F-SKQ01-M16E | 24.5 | - | - | 11.6 | 40.5 | 40.5 | 107 | 208.8 | BSPP1/8 | SG20F-SKQ01-M16E |
| PRV-2.5 | G20F-PRV-2.5 | 27.5 | 25.5 | R1.8 | 5 | 34 | 38 | 90.9 | 184.4 | BSPP1/8 | SG20F-PRV-2.5 |
| VEM378A | G20F-VEM378A | 41.8 | 69.9 | 1.8 | 6.1 | 83.8 | 38 | 95.8 | 190 | BSPP1/8 | SG20F-VEM378A |
| SST-M32E | G20F-SST-M32E | 45 | 42 | 1.3 | 8.7 | 58 | 38 | 99.7 | 194 | BSPP1/8 | SG20F-SST-M32E |
| M32E-HJ01 | G20F-M32E-HJ01 | 46 | 41.4 | 1.6 | 4.3 | 58 | 38 | 99.1 | 193.4 | BSPP1/8 | SG20F-M32E-HJ01 |
| CHIKU-M32E | G20F-CHIKU-M32E | 46 | 33.6 | 3.8 | 7.6 | 58 | 38 | 98.9 | 193.2 | BSPP1/8 | SG20F-CHIKU-M32E |
| VEM621 | G20F-VEM621 | 49.6 | 46.6 | 2 | 5.3 | 58 | 38 | 98.5 | 192.7 | BSPP1/8 | SG20F-VEM621 |
| VEM482V | G20F-VEM482V | 50.7 | 47.1 | 1.8 | 6 | 58 | 38 | 99.2 | 193.4 | BSPP1/8 | SG20F-VEM482V |
| VEM558 | G20F-VEM558 | 54 | 48 | 2 | 9.5 | 72 | 38 | 107 | 201.2 | BSPP1/8 | SG20F-VEM558 |
| SST-M40E | G20F-SST-M40E | 54 | 49 | 2 | 9.5 | 59 | 38 | 108.5 | 203.2 | BSPP1/8 | SG20F-SST-M40E |
| FOUND-M40-3 | G20F-FOUND-M40-3 | 54 | 50 | 1.8 | 9.5 | 59 | 38 | 107.2 | 201.5 | BSPP1/8 | SG20F-FOUND-M40-3 |
| FRD-M40E | G20F-FRD-M40E | 56 | 51 | 2 | 7.5 | 68 | 38 | 111 | 205.3 | BSPP1/8 | SG20F-FRD-M40E |
| VEP725A | G20F-VEP725A | 56.3 | 80.8 | 4.8 | 16.2 | 97 | 65 | 82.3 | 171 | M5 | SG20F-VEP725A |
| CATL-PCM42E | G20F-CATL-PCM42E | 60.4 | 51.2 | 4 | 6.5 | 72 | 38 | 96.7 | 190.9 | BSPP1/8 | SG20F-CATL-PCM42E |
| FY-D70 | G20F-FY-D70 | 70 | 67 | 1.8 | 8.1 | 83.8 | 38 | 101.7 | 180 | BSPP1/8 | SG20F-FY-D70 |
| ER22-FBFSS | G20F-ER22-FBFSS | 116.1 | 116.1 | 4.7 | 29 | 120.1 | 120.1 | 101.2 | 245.7 | BSPP1/8 | SG20F-ER22-FBFSS |
| 1899FBF | G20F-1899FBF | 116.1 | 116.1 | 4.7 | 24 | 132.1 | 132.1 | 103.4 | 244.9 | BSPP1/8 | SG20F-1899FBF |







Suction Cup Version

| Vent Valve Model | Model | Dim. A | Dim. B | Dim. C | Dim. D | Dim. E | Dim. F | Dim. G | Dim. L | Fluid Port M | Seal No. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| PBAL-M20E-15DF | G20F-P-M20E-15DF-NM | 30.3 | 27.2 | 1.5 | 9.9 | 25.8 | 3.5 | 46 | 207 | M5-6 Push-In | SG20F-P-M20E-15DF-NM |
| PBA2K-50F | G20F-PBA2K-50F-NM | 49.6 | 47.4 | 1.5 | 4.2 | 44.7 | 1.9 | 64.5 | 201.8 | BSPP1/8 | SG20F-PBA2K-50F-NM |
| VEM482VF | G20F-VEM482VF-NM | 50.7 | 47.1 | 1.8 | 6 | 48 | 2.6 | 66.5 | 208.3 | BSPP1/8 | SG20F-VEM482VF-NM |
| VEM603F | G20F-VEM603F-NM | 51.6 | 47.8 | 1.6 | 4.4 | 48.6 | 2.9 | 68.5 | 194.5 | BSPP1/8 | SG20F-VEM603F-NM |
| VEP774AF | G20F-VEP774AF-NM | 52 | 48 | 2 | 4.9 | 49.8 | 3.1 | 68.5 | 207.5 | BSPP1/8 | SG20F-VEP774AF-NM |
| FOUND-M40-3 | G20F-FOUND-M40-3-NM | 54 | 50 | 1.8 | 9.5 | - | - | 67.5 | 207 | BSPP1/8 | SG20F-FOUND-M40-3-NM |
| VEM558F | G20F-VEM558F-NM | 56 | 48.4 | 2 | 9.3 | 48 | 2.7 | 67.5 | 207 | BSPP1/8 | SG20F-VEM558F-NM |
| VEM569F | G20F-VEM569F-NM | 59.8 | 57.6 | 1.7 | 4.55 | 57.4 | 3 | 73.5 | 201.3 | BSPP1/8 | SG20F-VEM569F-NM |
| VEM356F | G20F-VEM356F-NM | 70 | 67 | 2.5 | 6.5 | 67.4 | 3 | 89 | 210.3 | BSPP1/8 | SG20F-VEM356F-NM |



# G20FN

The G20FN series is a mini connector dedicated to vent valves in space-limited battery packs, various compact battery packs. It is easy to use: align with the vent valve bayonet and turn the complete the connection.



## Vent Valve Face Seal Connection Solution

* Hook-on retention: safe and reliable
* Handle / press operation: simple and effort-saving
* Aluminum body: light and robust
* Self-adjusting spring for a longer servicelife
* Magnetic disc / suction cup valve opening for easy venting

## G20FN Series Quick Connector Features

**1. Rotating handle operation, simple to use**
Align with the vent valve bayonet and turn the handle 90° to form a seal.

**2. Face seal**
Reliable sealing, easy seal replacement and simple maintenance.

**3. Magnetic / suction cup design**
Opens the vent valve for easy venting.

**4.Aviation-grade aluminum**
The connector housing is made of aviation aluminum: lightweight and durable, ensuring connector life while reducing operator effort.

**5. Mini version**
For testing after vehicle assembly and in narrow spaces; length greatly reduced

Selected Bodies


G20FN-PBA2K-42G


G20FN-PBA4K-50


G20FND-PMCM-12E

# G20FN Vent Valve Quick Connector

ONE-STOP CONNECTION

Low-Pressure Use | No Surface Damage | Handle Operation |

## G20FN Quick Connector Advantages and Features



Self-adjusting spring: Seal pressure adjusts automatically to the bore diameter, extending service life



Magnetic / suction cup design: Opens the vent valve for easy venting



Face seal: Reliable sealing; the seal is easy to replace, simplifying maintenance




Aluminum Body: Lightweight and durable, reducing operator fatigue



Handle operation: simple and effort-saving

## G20FN Quick Connector Specifications




| | |
|---|---|
| Max. Op. Pressure Sealing Range | Vacuum to 30 kPa, customised to the vent valve |
| Flow Port | BSPP1/8 Threaded Port |
| Material | Aluminum |
| Main Seal | Neoprene |
| Valve Opening Method | Magnet / Suction Cup / Silicone |
| Operating Temp | -20 °C to +120 °C |

### G20FN Operation Demo



1. Fit the front of the connector onto the vent valve to be sealed














2. Rotate the handle to form the seal



# G20FN Vent Valve Quick Connector









ONE-STOP CONNECTION

Low-Pressure Use | No Surface Damage | Handle Operation |

| Model | Product Diagram | Vent Valve Diagram |
|---|---|---|
|  G20FN-PBA2K-42G |  |  |
|  G20FND-PBA2K-60G |  |  |
|  G20FN-PBA4K-50 |  |  |
|  G20FN-VEM569D |  |  |
|  G20FND-PMCM-12E |  |  |

# G20FN

ure Us

| Model | ram | Valve Diagram |
| --- | --- | --- |
|  G20FN-VEM378F |   |   |
|  G20FN-PBA2K-42VII |   |   |
|  G20FN-PBA2K-70WG |   |   |
|  G20FN-VEM582 |   |   |