Operating Systems
Programming Assignment #3

Parallel Quicksort using Pthread

Porf. Li-Pin Chang

National Chiao-Tung University

Parallel Quicksort



T1: the mother thread

T1: partitions array and creates T2 and T3

T2: partitions array and creates T4 and T5

T4 : partitions array and creates T8 and T9

T8: sorts the array and signals T1 via a semaphore

T1 reports completion when signaled by all the 4^{th}-level threads

APIs

- <pthread.h>

  Thread management

  - Pthread_create, pthread_exit
  - Do not use pthread_join, use semaphore instead.

- <semaphore.h>

  Semaphore operations

  - sem_init, sem_wait, sem_post, sem_getvalue, sem_destroy

Requirements

1. Prompt for the name of the input file
2. Read integers from the file
3. Do the sorting
4. Print the execution time of multi-thread sorting and single-thread sorting
   - MT sorting should be much faster than ST sorting
   - Their results must be exactly the same
5. Write the sorted array to a file
   - output1.txt → MT sorting
   - output2.txt → ST sorting

Requirements

- The cooperation among threads must be exactly the same as shown in the figure
- Create all threads in the beginning of your program
  - All created threads wait on their own semaphore (T1~T15) until they are signaled
  - The mother thread again waits until she has been signaled by all the bottom-level threads (T8~T15)
  - Fail to comply with this requirement will incur a score penalty
- Use bubble sort for the bottom level sorting

Input/output format

- Input file format:

<# of elements of array><space>\n

<all elements separated by space>

  - Largest input: 1,000,000 integers

- Output file format:

<sorted array elements separated by space>

Testing OS Environment

- Ubuntu 16.04, Ubuntu 14.04 or CS linux work station
  - Your code should compile successfully in one of the above environments