

# Apply filters to SQL queries

## Project description

In this project, we are tasked with investigating potential security issues in a large organization by examining data from the `employees` and `log_in_attempts` tables. We utilize SQL queries with various filters to retrieve specific datasets and gain insights into login attempts and employee information, which will help address the security concerns.

## Retrieve after hours failed login attempts

Query:

```
SELECT *  
FROM log_in_attempts  
WHERE success = 0  
AND login_time > '18:00:00';
```

event_id	username	login_date	login_time	country	ip_address	success
2	apatel	2022-05-10	20:27:27	CAN	192.168.205.12	0
18	pwashing	2022-05-11	19:28:50	US	192.168.66.142	0
20	tshah	2022-05-12	18:56:36	MEXICO	192.168.109.50	0
28	aestrada	2022-05-09	19:28:12	MEXICO	192.168.27.57	0
34	drosas	2022-05-11	21:02:04	US	192.168.45.93	0
42	cgriffin	2022-05-09	23:04:05	US	192.168.4.157	0
52	cjackson	2022-05-10	22:07:07	CAN	192.168.58.57	0
69	wjaffrey	2022-05-11	19:55:15	USA	192.168.100.17	0
82	abernard	2022-05-12	23:38:46	MEX	192.168.234.49	0
87	apatel	2022-05-08	22:38:31	CANADA	192.168.132.153	0
96	ivelasco	2022-05-09	22:36:36	CAN	192.168.84.194	0
104	asundara	2022-05-11	18:38:07	US	192.168.96.200	0
107	bisles	2022-05-12	20:25:57	USA	192.168.116.187	0
111	aestrada	2022-05-10	22:00:26	MEXICO	192.168.76.27	0
127	abellmas	2022-05-09	21:20:51	CANADA	192.168.70.122	0
131	bisles	2022-05-09	20:03:55	US	192.168.113.171	0
155	cgriffin	2022-05-12	22:18:42	USA	192.168.236.176	0
160	jclark	2022-05-10	20:49:00	CANADA	192.168.214.49	0
199	yappiah	2022-05-11	19:34:48	MEXICO	192.168.44.232	0

19 rows in set (0.003 sec)

Explanation:

This query selects all columns from the `log_in_attempts` table where the `success` column is 0 (indicating a failed login attempt) and the `login_time` is after 18:00:00. The `AND` operator is used to combine these two conditions, ensuring that only records matching both criteria are retrieved.

## Retrieve login attempts on specific dates

Query:

```
SELECT *  
FROM log_in_attempts  
WHERE login_date = '2022-05-09'  
OR login_date = '2022-05-08';
```

event_id	username	login_date	login_time	country	ip_address	success
1	jrafael	2022-05-09	04:56:27	CAN	192.168.243.140	1
3	dkot	2022-05-09	06:47:41	USA	192.168.151.162	1
4	dkot	2022-05-08	02:00:39	USA	192.168.178.71	0
8	bisles	2022-05-08	01:30:17	US	192.168.119.173	0
12	dkot	2022-05-08	09:11:34	USA	192.168.100.158	1
15	lyamamot	2022-05-09	17:17:26	USA	192.168.183.51	0
24	arusso	2022-05-09	06:49:39	MEXICO	192.168.171.192	1
25	sbaelish	2022-05-09	07:04:02	US	192.168.33.137	1
26	apatel	2022-05-08	17:27:00	CANADA	192.168.123.105	1
28	aestrada	2022-05-09	19:28:12	MEXICO	192.168.27.57	0
30	yappiah	2022-05-09	03:22:22	MEX	192.168.124.48	1
32	acook	2022-05-09	02:52:02	CANADA	192.168.142.239	0
36	asundara	2022-05-08	09:00:42	US	192.168.78.151	1
38	sbaelish	2022-05-09	14:40:01	USA	192.168.60.42	1
39	yappiah	2022-05-09	07:56:40	MEXICO	192.168.57.115	1
42	cgriffin	2022-05-09	23:04:05	US	192.168.4.157	0
43	mcouliba	2022-05-08	02:35:34	CANADA	192.168.16.208	0
44	daquino	2022-05-08	07:02:35	CANADA	192.168.168.144	0
47	dkot	2022-05-08	05:06:45	US	192.168.233.24	1
49	asundara	2022-05-08	14:00:01	US	192.168.173.213	0
53	nmason	2022-05-08	11:51:38	CAN	192.168.133.188	1
56	acook	2022-05-08	04:56:30	CAN	192.168.209.130	1
58	ivelasco	2022-05-09	17:20:54	CAN	192.168.57.162	0
61	dtanaka	2022-05-09	09:45:18	USA	192.168.98.221	1
65	aalonso	2022-05-09	23:42:12	MEX	192.168.52.37	1
66	aestrada	2022-05-08	21:58:32	MEX	192.168.67.223	1
67	abernard	2022-05-09	11:53:41	MEX	192.168.118.29	1
68	mrah	2022-05-08	17:16:13	US	192.168.42.248	1
70	tmitchel	2022-05-09	10:55:17	MEXICO	192.168.87.199	1
71	mcouliba	2022-05-09	06:57:42	CAN	192.168.55.169	0
72	alevitsk	2022-05-08	12:09:10	CANADA	192.168.139.176	1
79	abernard	2022-05-09	11:41:15	MEX	192.168.158.170	0
80	cjackson	2022-05-08	02:18:10	CANADA	192.168.33.140	1
83	lrodriqu	2022-05-08	08:10:23	USA	192.168.67.69	1
87	apatel	2022-05-08	22:38:31	CANADA	192.168.132.153	0
90	gesparza	2022-05-09	00:49:05	CANADA	192.168.87.201	0
92	pwashing	2022-05-08	00:36:12	US	192.168.247.219	0
96	ivelasco	2022-05-09	22:36:36	CAN	192.168.84.194	0
97	jreckley	2022-05-09	02:49:23	MEXICO	192.168.32.231	1
101	sbaelish	2022-05-08	12:01:22	US	192.168.145.158	0
102	jreckley	2022-05-09	16:51:44	MEX	192.168.108.13	1
108	daquino	2022-05-09	21:30:48	CANADA	192.168.15.110	1
110	mabadi	2022-05-09	00:01:54	USA	192.168.90.124	1
112	rjensen	2022-05-09	09:22:05	MEX	192.168.69.116	1
117	band	2022-05-08	00:18:11	USA	192.168.187.187	0
187	arusso	2022-05-09	06:58:28	MEX	192.168.77.187	0
189	nmason	2022-05-08	05:37:24	CANADA	192.168.168.117	1
190	jsoto	2022-05-09	05:09:21	USA	192.168.25.60	0
191	cjackson	2022-05-08	06:46:07	CANADA	192.168.7.187	0
193	lrodriqu	2022-05-08	07:11:29	US	192.168.125.240	0
197	jsoto	2022-05-08	09:05:09	US	192.168.36.21	0

75 rows in set (0.001 sec)

Explanation:

This query selects all columns from the `log_in_attempts` table where the `login_date` is either `2022-05-09` or `2022-05-08`. The `OR` operator is used to match login attempts on either of the specified dates, allowing us to investigate login activity for both days.

## Retrieve login attempts outside of Mexico

Query:

```
SELECT *  
FROM log_in_attempts  
WHERE NOT country LIKE 'MEX%';
```

event_id	username	login_date	login_time	country	ip_address	success
1	jrafael	2022-05-09	04:56:27	CAN	192.168.243.140	1
2	apatel	2022-05-10	20:27:27	CAN	192.168.205.12	0
3	dkot	2022-05-09	06:47:41	USA	192.168.151.162	1
4	dkot	2022-05-08	02:00:39	USA	192.168.178.71	0
5	jrafael	2022-05-11	03:05:59	CANADA	192.168.86.232	0
7	eraab	2022-05-11	01:45:14	CAN	192.168.170.243	1
8	bisles	2022-05-08	01:30:17	US	192.168.119.173	0
10	jrafael	2022-05-12	09:33:19	CANADA	192.168.228.221	0
11	sgilmore	2022-05-11	10:16:29	CANADA	192.168.140.81	0
12	dkot	2022-05-08	09:11:34	USA	192.168.100.158	1
13	mrhah	2022-05-11	09:29:34	USA	192.168.246.135	1
14	sbaelish	2022-05-10	10:20:18	US	192.168.16.99	1
15	lyamamot	2022-05-09	17:17:26	USA	192.168.183.51	0
16	mcouliba	2022-05-11	06:44:22	CAN	192.168.172.189	1
17	pwashing	2022-05-11	02:33:02	USA	192.168.81.89	1
18	pwashing	2022-05-11	19:28:50	US	192.168.66.142	0
19	jhill	2022-05-12	13:09:04	US	192.168.142.245	1
21	iuduike	2022-05-11	17:50:00	US	192.168.131.147	1
25	sbaelish	2022-05-09	07:04:02	US	192.168.33.137	1
26	apatel	2022-05-08	17:27:00	CANADA	192.168.123.105	1
29	bisles	2022-05-11	01:21:22	US	192.168.85.186	0
31	acook	2022-05-12	17:36:45	CANADA	192.168.58.232	0
32	acook	2022-05-09	02:52:02	CANADA	192.168.142.239	0
33	zbernal	2022-05-11	02:52:10	US	192.168.72.59	1
34	drosas	2022-05-11	21:02:04	US	192.168.45.93	0
36	asundara	2022-05-08	09:00:42	US	192.168.78.151	1
37	eraab	2022-05-10	06:03:41	CANADA	192.168.152.148	0
184	alevitsk	2022-05-08	03:09:18	CAN	192.168.33.70	0
185	jsoto	2022-05-10	13:34:58	USA	192.168.151.91	0
186	bisles	2022-05-09	04:29:17	USA	192.168.40.72	0
188	jsoto	2022-05-11	00:39:09	USA	192.168.21.88	0
189	nmason	2022-05-08	05:37:24	CANADA	192.168.168.117	1
190	jsoto	2022-05-09	05:09:21	USA	192.168.25.60	0
191	cjackson	2022-05-08	06:46:07	CANADA	192.168.7.187	0
192	bisles	2022-05-10	08:32:03	USA	192.168.201.40	1
193	lrodriqu	2022-05-08	07:11:29	US	192.168.125.240	0
194	jclark	2022-05-12	14:11:04	CAN	192.168.197.247	0
195	alevitsk	2022-05-11	06:59:13	CANADA	192.168.236.78	1
196	acook	2022-05-10	09:56:48	CAN	192.168.52.90	0
197	jsoto	2022-05-08	09:05:09	US	192.168.36.21	0
200	jclark	2022-05-12	01:11:45	CANADA	192.168.91.103	1

144 rows in set (0.001 sec)


Explanation:

This query selects all columns from the `log_in_attempts` table where the `country` column does not start with `MEX` or `MEXICO`. The `NOT` operator is used to exclude records from Mexico, helping to focus on login attempts from other countries

## Retrieve employees in Marketing

Query:

```
SELECT *  
FROM employees  
WHERE department = 'Marketing'  
AND office LIKE 'East-%';
```



employee_id	device_id	username	department	office
1000	a320b137c219	elarson	Marketing	East-170
1052	a192b174c940	jdarosa	Marketing	East-195
1075	x573y883z772	fbautist	Marketing	East-267
1088	k865l965m233	rgosh	Marketing	East-157
1103	NULL	randerss	Marketing	East-460
1156	a184b775c707	dellery	Marketing	East-417
1163	h679i515j339	cwilliam	Marketing	East-216

7 rows in set (0.001 sec)

Explanation:

This query selects all columns from the `employees` table where the `department` contains the word `Marketing` and the `office` starts with `East-`. The `LIKE` operator with `%` wildcard is used to match patterns in the `department` and `office` columns, ensuring that we retrieve all Marketing employees in the East building.

## Retrieve employees in Finance or Sales

Query:

```

SELECT *
FROM employees
WHERE department = 'Finance'
OR department = 'Sales';

```

-> OR department = 'Sales';

employee_id	device_id	username	department	office
1003	d394e816f943	sgilmore	Finance	South-153
1007	h174i497j413	wjaffrey	Finance	North-406
1008	i858j583k571	abernard	Finance	South-170
1009	NULL	lrodriqu	Sales	South-134
1010	k242l212m542	jlansky	Finance	South-109
1011	l748m120n401	drosas	Sales	South-292
1015	p611q262r945	jsoto	Finance	North-271
1017	r550s824t230	jclark	Finance	North-188
1018	s310t540u653	abellmas	Finance	North-403
1022	w237x430y567	arusso	Finance	West-465
1024	y976z753a267	iuduike	Sales	South-215
1025	z381a365b233	jhill	Sales	North-115
1029	d336e475f676	ivelasco	Finance	East-156
1035	j236k303l245	bisles	Sales	South-171
1039	n253o917p623	cjackson	Sales	East-378
1041	p929q222r778	cgriffin	Sales	North-208
1044	s429t157u159	tbarnes	Finance	West-415
1045	t567u844v434	pwashing	Finance	East-115
1046	u429v921w138	daquino	Finance	West-280
1047	v109w587x644	cward	Finance	West-373
1048	w167x592y375	tmitchel	Finance	South-288
1049	NULL	jreckley	Finance	Central-295
1050	y132z930a114	csimmons	Finance	North-468
1057	f370g535h632	mscott	Sales	South-270
1062	k367l639m697	redwards	Finance	North-180
1063	l686m140n569	lpope	Sales	East-226
1066	o678p794q957	ttyrell	Sales	Central-444
1069	NULL	jpark	Finance	East-110
1071	t244u829v723	zdutchma	Sales	West-348
1072	u905v920w694	esmith	Sales	East-421
1076	y347z204a710	fgarcia	Finance	Central-270
1078	a667b270c984	sharley	Sales	North-418

1138	i671j355k725	sromero	Finance	South-329
1142	m674n127o823	lsilva	Finance	East-440
1144	NULL	erobinso	Finance	Central-266
1147	r454s225t299	tvega	Finance	West-177
1148	s328t505u907	dharvey	Finance	South-181
1159	d881e710f732	jshen	Finance	East-193
1164	i682j513k442	fsmeltz	Finance	North-163
1169	NULL	mmitchel	Sales	Central-250
1174	s371t911u987	eortiz	Finance	North-428
1175	t959u687v394	jclark2	Finance	North-194
1176	u849v569w521	nliu	Sales	West-220
1181	z803a233b718	sessa	Finance	South-207
1185	d790e839f461	revers	Sales	North-330
1186	e281f433g404	sacosta	Sales	North-460
1187	f963g637h851	bbode	Finance	East-351
1188	g164h566i795	noshiro	Finance	West-252
1195	n516o853p957	orainier	Finance	East-346

71 rows in set (0.001 sec)

Explanation:

This query selects all columns from the `employees` table where the `department` contains either `Finance` or `Sales`. The `OR` operator is used to match either condition, allowing us to retrieve employees from both departments for security updates.

## Retrieve all employees not in IT

Query:

```
SELECT *
FROM employees
WHERE NOT department = 'Information Technology';
```



WHERE NOT department = 'Information Technology',				
employee_id	device_id	username	department	office
1000	a320b137c219	elarson	Marketing	East-170
1001	b239c825d303	bmoreno	Marketing	Central-276
1002	c116d593e558	tshah	Human Resources	North-434
1003	d394e816f943	sgilmore	Finance	South-153
1004	e218f877g788	eraab	Human Resources	South-127
1005	f551g340h864	gesparza	Human Resources	South-366
1007	h174i497j413	wjaffrey	Finance	North-406
1008	i858j583k571	abernard	Finance	South-170
1009	NULL	lrodriqu	Sales	South-134
1010	k242l212m542	jlansky	Finance	South-109
1011	l748m120n401	drosas	Sales	South-292
1015	p611q262r945	jsoto	Finance	North-271
1016	q793r736s288	sbaelish	Human Resources	North-229
1017	r550s824t230	jclark	Finance	North-188
1018	s310t540u653	abellmas	Finance	North-403
1020	u899v381w363	arutley	Marketing	South-351
1022	w237x430y567	arusso	Finance	West-465
1024	y976z753a267	iuduike	Sales	South-215
1025	z381a365b233	jhill	Sales	North-115
1026	a998b568c863	apatel	Human Resources	West-320
1027	b806c503d354	mrach	Marketing	West-246
1028	c603d749e374	aestrada	Human Resources	West-121
1029	d336e475f676	ivelasco	Finance	East-156
1030	e391f189g913	mabadi	Marketing	West-375
1031	f419g188h578	dkot	Marketing	West-408
1034	i679j565k940	bsand	Human Resources	East-484
1035	j236k303l245	bisles	Sales	South-171
1036	k550l533m205	rjensen	Marketing	Central-239
1038	m873n636o225	btang	Human Resources	Central-260
1176	u849v569w521	nliu	Sales	West-220
1177	v691w183x928	aezra	Human Resources	East-190
1178	w986x187y885	nlannist	Marketing	North-196
1179	x174y934z376	asalas	Human Resources	North-445
1180	y131z211a578	medwards	Human Resources	Central-340
1181	z803a233b718	sessa	Finance	South-207
1183	b566c710d544	lquraish	Human Resources	East-400
1184	c986d200e170	ptsosie	Human Resources	Central-247
1185	d790e839f461	revens	Sales	North-330
1186	e281f433g404	sacosta	Sales	North-460
1187	f963g637h851	bbode	Finance	East-351
1188	g164h566i795	noshiro	Finance	West-252
1189	h784i120j837	slefkowi	Human Resources	West-342
1190	NULL	kcarter	Marketing	Central-270
1191	NULL	shakimi	Marketing	Central-366
1194	m340n287o441	zwarren	Human Resources	West-212
1195	n516o853p957	orainier	Finance	East-346
1198	q308r573s459	jmartine	Marketing	South-117
1199	r520s571t459	areyes	Human Resources	East-100

161 rows in set (0.000 sec)

Explanation:



This query selects all columns from the **employees** table where the **department** does not contain **Information Technology**. The **NOT LIKE** operator is used to exclude records from the IT department, ensuring that we identify all employees who need the security update.

## Summary

We constructed and explained several SQL queries to filter data based on conditions such as failed login attempts after hours, login attempts on specific dates, login attempts outside of Mexico, and employee information from different departments and offices. These queries help in identifying suspicious activities and ensuring that appropriate security measures are taken for different departments within the organization. Through these queries, we addressed specific security concerns and prepared the organization for necessary security updates.  
here.]