

v1.0



— SELF-HOSTED SSH MANAGER

# Reconnect.

A browser-based SSH manager to connect to remote servers, run commands, manage files, and monitor system stats — no native client required.

• AES-256-GCM Encryption

• WebSocket PTY

• Monaco Editor

• Self-Hosted

• Responsive

# What Is Reconnect

A single workspace for your servers. **Open a tab, log in, and you're in** — manage SSH connections, run live commands, browse and edit remote files, and watch system health from any browser.

---

## No native client

Runs entirely in the browser. Nothing to install on the machines you connect from.

---

## Full SSH power

Interactive PTY, SFTP file transfer, and ad-hoc command streaming over one connection.

---

## Self-hosted

A small Node.js server you run on your own box. Your credentials never leave it.

# Key Features



## Multi-Server Management

Add, edit, and delete SSH servers with password, private-key, or OTP auth modes.



## Interactive Terminal

A full xterm.js PTY session with colour, resize, and keyboard-shortcut passthrough.



## Quick Commands

Store frequently-used commands and replay them into the terminal in one click.




## Live Server Overview

A bento dashboard of CPU, memory, disk, load, uptime, and OS that refreshes on its own.



## Remote File Browser


Navigate, upload, create, edit, and delete files over SFTP — with a Monaco editor built in.



## Bookmarks

Pin frequently accessed remote paths for instant one-click navigation in the file tree.

# Architecture at a Glance



**REST** CRUD operations for servers, commands, and bookmarks.

**SSE** Server-Sent Events stream ad-hoc command output in real time.

**WS** A WebSocket carries the interactive PTY session. State lives in SQLite via better-sqlite3.

# Built-In Security



## Encrypted credentials

Every server's password or key is encrypted before it's written to disk — never stored in plain text.

AES-256-GCM



## Local-only data

Server configs, saved commands, and bookmarks live in a local SQLite database on your own host.

better-sqlite3



## Gated access

A cookie-based session, validated on every request, sits behind an optional application password.

APP\_PASSWORD



## — SETUP

# Getting Started

```
# Clone & install
git clone <repo-url>
cd reconnect
npm install

# (Optional) set an app password
echo "APP_PASSWORD=your-secret" > .env

# Start the server
npm start

# → Listening on http://127.0.0.1:3456
```

BASH

- ✓ Node.js 18 or later
- ✓ An SSH server to connect to

**Development tip** — if `APP_PASSWORD` isn't set, Reconnect skips the login screen and loads the main UI directly. Set it before exposing the app to any network.

— PART TWO

/02

# Feature Walkthrough

A tour through the day-to-day surfaces — from adding a server to editing a file on it — across desktop and mobile.

# Login & App Shell

- **Password-gated entry**


A simple login form appears when APP\_PASSWORD is set — auto-bypassed for local dev.

- **One unified workspace**

A left rail, server sidebar, and a main panel for Overview, Terminal, and Files.

- **Responsive by default**

On mobile the sidebar collapses behind a menu; a bottom bar switches tabs.






# Managing Your Servers

**+ Add**  
Click + in the sidebar to open the Add Server modal — label, host, port, user, and auth.

**✎ Edit**  
Hover a server row and click the pencil to change any field in place.

**🗑 Delete**  
Remove via the trash icon with a prompt. Auth modes: password, key, or OTP.



# Live Server Overview

- **Connected at a glance**


A green pill confirms the active session; host, port, and user up top.

- **CPU, memory & disk**

Usage rings and bars for cores, RAM, storage, and load.

- **Auto-refresh**

Stats update on their own — no manual polling needed.



# Interactive Terminal

- **Real PTY session**


A full xterm.js terminal with colour rendering and scrollback.

- **Shortcuts pass through**

Ctrl-C, tab completion, and resize all behave as expected.

- **Copy & paste**

A right-click context menu handles clipboard actions.



# Quick Commands & Live Output



## Quick Commands

- Open the drawer from the terminal toolbar.
- Click any row to inject the command and run it instantly.
- Add new commands inline; remove with x.
- Stored in SQLite — they persist across sessions.




## Resizable Output Panel

- Drag the divider to resize terminal vs. output.
- Preferred ratio is saved to localStorage.
- Ad-hoc command results stream in via SSE.
- One-off output stays separate from your PTY.

# Remote Files & Editing


- **SFTP browser + Monaco**  
Navigate, upload, and edit with syntax highlighting and find/replace.
- **Save to remote**  
Write the buffer back over SFTP, download a copy, or compile in place.
- **Bookmark paths**  
Pin frequent files or directories for one-click navigation later.






# Light & Dark Themes

☒ **Dark** · default



☐ **Light** · persisted in localStorage



— READY WHEN YOU ARE

# Open a tab, and you're in.

Reconnect is a single `npm start` away. Clone it, run it on your box, and start managing servers from the browser.

```
git clone → npm install → npm start → http://127.0.0.1:3456
```