

ATTACK TYPE	SEVERITY	CONFIDENCE	SUBTYPE
XSS	HIGH	90.0%	Script-tag XSS

[WARNING] XSS detected with subtype: Script-tag XSS

Payload

txtName=pooplom&mtxMessage=<script>alert("lad asd")</script>&btnSign=Sign Guestbook

Request Metadata

Field	Value
honeypot	DVWA
ip	127.0.0.1
user_agent	
path	http://localhost/dvwa/vulnerabilities/xss_s/
method	POST
created_at	2026-06-14T17:04:21.022711Z

Attack-Specific Explanation

- The payload contains a <script> tag, which is a direct client-side script injection pattern.
- If rendered unsafely, the browser may execute attacker-controlled JavaScript.
- Strong matched indicators: script_tag

- Weak matched indicators: angle_brackets, alert_call

Top TF-IDF Terms (Why It Was Flagged)

Token	TF-IDF Score	Visual
script	0.9825	#####
alert	0.1860	###-----

Potential Impact & Recommended Protections

Potential Impact	Recommended Protections
- Execution of attacker-controlled JavaScript in the victim browser.	- Apply strict output encoding for HTML, attributes, URLs, and JavaScript contexts.
- Session theft, token theft, UI manipulation, or phishing-style redirection.	- Enable Content-Security-Policy (CSP) to reduce script execution risk.
	- Sanitize rich HTML input with a strict allow-list if HTML is required.

Attack Preconditions

1	User-controlled data is rendered in browser output without proper escaping.
2	The application allows executable HTML or script-like payloads to reach the response.

Decision Debug / AI Gating

Key	Value
raw_pred	2
proba	{ "0": 0.09503642649117224, "1": 0.002191238245614316, "2": 0.9000919401116567, "3": 0.0026803951515566643 }
pattern_hits	{ "sqli": { "strong": [], "weak": [] }, "xss": { "strong": ["script_tag"], "weak": ["angle_brackets", "alert_call"] }, "lfi": { "strong": [], "weak": [] } }
decision_reason	multi_allowed_choose_highest

Key	Value
thresholds	{ "sqli": { "no_pattern_min": 0.85, "weak_min": 0.8, "strong_min": 0.6 }, "xss": { "no_pattern_min": 0.85, "weak_min": 0.8, "strong_min": 0.6 }, "lfi": { "no_pattern_min": 0.85, "weak_min": 0.8, "strong_min": 0.6 } }

Report Note

- This report was automatically generated by the HWACS Explainable AI Security Platform using captured request data, model prediction output, pattern-based analysis, subtype detection, and explainability signals. The result should be reviewed by a qualified security professional before taking operational action.