

CYBER ESSENTIALS v3.2
Evidence Package

Organisation

Assessment Date: 23 April 2026

PARTIAL 

Overall Score: 88%

1 assets assessed • 0 passing • 0 partial • 1 failing

Executive Summary

Assets Assessed	1
Assets Passing	0
Assets Partial	0
Assets Failing	1
Overall Score	88%
CE Ready	NO

This evidence package has been automatically generated by CyberAssetIQ using live asset telemetry, security posture data, and software inventory. All findings are based on data collected at assessment time and mapped to Cyber Essentials v3.2 controls as defined by IASME/NCSC.

CE v3.2 Control Summary

Control	Name	Status	Score	Issues
A1	Asset management and inventory	FAIL ✕	57%	4
A2	User access control	NOT ASSESSED	54%	1
A3	Secure configuration	PARTIAL ■	76%	2
A4	Vulnerability management	FAIL ✕	48%	3
A5	Patch management	PARTIAL ■	68%	1
A6	Malware protection	NOT ASSESSED	54%	1
A7	Network perimeter security	PARTIAL ■	94%	2
A8	Removable media controls	NOT ASSESSED	50%	1

Asset: LAPTOP-NQ2T2LSG

Agent ID	agent-tenant-001-810572997e47ab2b
Overall Status	FAIL ✖
Overall Score	88%
Controls Pass/Fail	6 pass · 0 partial · 1 fail

A1 — Asset management and inventory Score: 100%

PASS ✔

- No issues found for this control.

A2 — User access control Score: 100%

PASS ✔

- No issues found for this control.

A3 — Secure configuration Score: 95%

PASS ✔

Findings:

- Manual check required: verify UAC is enabled, Guest account is disabled, and auto-run is turned off for removable media.

A4 — Vulnerability management Score: 20%

FAIL ✕

Findings:

- 35 CRITICAL CVE(s) found. CE v3.2 requires critical vulnerabilities to be remediated within 14 days.
- 293 HIGH severity CVE(s) found. CE v3.2 requires high vulnerabilities to be remediated within 30 days.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Schedule automated NVD scans weekly.
- Use patch management to prioritise CVE remediation by asset exposure.

A5 — Patch management Score: 100%

PASS ✓

- No issues found for this control.

A6 — Malware protection Score: 100%

PASS ✓

- No issues found for this control.

A7 — Network perimeter security Score: 100%

PASS ✓

- No issues found for this control.

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.1

Agent ID	net-3
Overall Status	PARTIAL 
Overall Score	64%
Controls Pass/Fail	1 pass · 4 partial · 0 fail

A1 — Asset management and inventory Score: 60%

PARTIAL 

Findings:

- Operating system not identified — deploy agent for OS inventory.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL ■

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL ■

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 100%

PASS ✓

- No issues found for this control.

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.95

Agent ID	net-5
Overall Status	PARTIAL 
Overall Score	64%
Controls Pass/Fail	1 pass · 4 partial · 0 fail

A1 — Asset management and inventory Score: 60%

PARTIAL 

Findings:

- Operating system not identified — deploy agent for OS inventory.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL ■

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL ■

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 100%

PASS ✓

- No issues found for this control.

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.109

Agent ID	net-20
Overall Status	FAIL 
Overall Score	63%
Controls Pass/Fail	1 pass · 3 partial · 1 fail

A1 — Asset management and inventory Score: 50%

FAIL 

Findings:

- MAC address not captured — hardware identity unconfirmed.
- Operating system not identified — deploy agent for OS inventory.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL ■

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL ■

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 100%

PASS ✓

- No issues found for this control.

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.200

Agent ID	net-15
Overall Status	PARTIAL
Overall Score	61%
Controls Pass/Fail	0 pass · 5 partial · 0 fail

A1 — Asset management and inventory Score: 55%

PARTIAL

Findings:

- Hostname not resolved — device name unknown. CE requires assets to be named and owned.
- MAC address not captured — hardware identity unconfirmed.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL ■

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL ■

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 80%

PARTIAL ■

Findings:

- Risky services exposed on network: RPC (135), NetBIOS-SSN (139). CE v3.2 requires firewall rules to block unnecessary inbound connections.

Remediation:

- Restrict RDP (3389) and SMB (445) to management VLANs only.
- Disable Telnet (23) and FTP (21) — use SSH and SFTP instead.
- Review all exposed services and close any not required for business operations.
- Ensure a host firewall is enabled (Windows Firewall / ufw / firewalld).

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.219

Agent ID	net-16
Overall Status	FAIL 
Overall Score	63%
Controls Pass/Fail	1 pass · 3 partial · 1 fail

A1 — Asset management and inventory Score: 50%

FAIL 

Findings:

- MAC address not captured — hardware identity unconfirmed.
- Operating system not identified — deploy agent for OS inventory.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL ■

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL ■

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 100%

PASS ✓

- No issues found for this control.

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.150

Agent ID	net-6
Overall Status	FAIL ✗
Overall Score	62%
Controls Pass/Fail	1 pass · 3 partial · 1 fail

A1 — Asset management and inventory Score: 45%

FAIL ✗

Findings:

- Hostname not resolved — device name unknown. CE requires assets to be named and owned.
- Operating system not identified — deploy agent for OS inventory.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL ■

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL ■

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 100%

PASS ✓

- No issues found for this control.

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.15

Agent ID	net-9
Overall Status	FAIL 
Overall Score	63%
Controls Pass/Fail	1 pass · 3 partial · 1 fail

A1 — Asset management and inventory Score: 50%

FAIL 

Findings:

- MAC address not captured — hardware identity unconfirmed.
- Operating system not identified — deploy agent for OS inventory.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL ■

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL ■

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 100%

PASS ✓

- No issues found for this control.

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.149

Agent ID	net-14
Overall Status	PARTIAL 
Overall Score	63%
Controls Pass/Fail	0 pass · 5 partial · 0 fail

A1 — Asset management and inventory Score: 70%

PARTIAL 

Findings:

- MAC address not captured — hardware identity unconfirmed.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL ■

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL ■

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 80%

PARTIAL ■

Findings:

- Risky services exposed on network: RPC (135), NetBIOS-SSN (139). CE v3.2 requires firewall rules to block unnecessary inbound connections.

Remediation:

- Restrict RDP (3389) and SMB (445) to management VLANs only.
- Disable Telnet (23) and FTP (21) — use SSH and SFTP instead.
- Review all exposed services and close any not required for business operations.
- Ensure a host firewall is enabled (Windows Firewall / ufw / firewalld).

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.68

Agent ID	net-10
Overall Status	FAIL 
Overall Score	61%
Controls Pass/Fail	1 pass · 3 partial · 1 fail

A1 — Asset management and inventory Score: 35%

FAIL 

Findings:

- Hostname not resolved — device name unknown. CE requires assets to be named and owned.
- MAC address not captured — hardware identity unconfirmed.
- Operating system not identified — deploy agent for OS inventory.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL 

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL 

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 100%

PASS ✓

- No issues found for this control.

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.139

Agent ID	net-13
Overall Status	FAIL 
Overall Score	63%
Controls Pass/Fail	1 pass · 3 partial · 1 fail

A1 — Asset management and inventory Score: 50%

FAIL 

Findings:

- MAC address not captured — hardware identity unconfirmed.
- Operating system not identified — deploy agent for OS inventory.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL 

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL 

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 100%

PASS ✓

- No issues found for this control.

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.69

Agent ID	net-85
Overall Status	FAIL 
Overall Score	56%
Controls Pass/Fail	0 pass · 4 partial · 1 fail

A1 — Asset management and inventory Score: 35%

FAIL 

Findings:

- Hostname not resolved — device name unknown. CE requires assets to be named and owned.
- MAC address not captured — hardware identity unconfirmed.
- Operating system not identified — deploy agent for OS inventory.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL ■

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL ■

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 70%

PARTIAL ■

Findings:

- Risky services exposed on network: RPC (135), NetBIOS-SSN (139), SMB (445). CE v3.2 requires firewall rules to block unnecessary inbound connections.

Remediation:

- Restrict RDP (3389) and SMB (445) to management VLANs only.
- Disable Telnet (23) and FTP (21) — use SSH and SFTP instead.
- Review all exposed services and close any not required for business operations.
- Ensure a host firewall is enabled (Windows Firewall / ufw / firewalld).

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.179

Agent ID	net-7
Overall Status	PARTIAL ■
Overall Score	64%
Controls Pass/Fail	0 pass · 5 partial · 0 fail

A1 — Asset management and inventory Score: 80%

PARTIAL ■

Findings:

- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL ■

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL ■

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 80%

PARTIAL ■

Findings:

- Risky services exposed on network: RPC (135), NetBIOS-SSN (139). CE v3.2 requires firewall rules to block unnecessary inbound connections.

Remediation:

- Restrict RDP (3389) and SMB (445) to management VLANs only.
- Disable Telnet (23) and FTP (21) — use SSH and SFTP instead.
- Review all exposed services and close any not required for business operations.
- Ensure a host firewall is enabled (Windows Firewall / ufw / firewalld).

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Asset: 192.168.0.239

Agent ID	net-19
Overall Status	PARTIAL 
Overall Score	64%
Controls Pass/Fail	1 pass · 4 partial · 0 fail

A1 — Asset management and inventory Score: 60%

PARTIAL 

Findings:

- Operating system not identified — deploy agent for OS inventory.
- No CyberAssetIQ agent installed. This device is network-visible but unmanaged. CE v3.2 requires full inventory of all in-scope devices.

Remediation:

- Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.
- Assign an owner to each network-discovered device.
- Ensure all in-scope devices appear in the CE asset register.

A2 — User access control Score: 50%

NOT ASSESSED

Findings:

- User access control assessment requires agent installation. This device was discovered via network scan — local account data is unavailable.

Remediation:

- Install the CyberAssetIQ agent on this device to enable automated A2 assessment.
- Manually verify: least privilege, no shared accounts, MFA on admin accounts.

A3 — Secure configuration Score: 75%

PARTIAL ■

Findings:

- Full secure configuration assessment requires agent installation. Manual verification of UAC, BitLocker, and auto-run settings is required.

Remediation:

- Install the CyberAssetIQ agent for automated configuration baseline assessment.
- Review and disable any default credentials identified during network scan.
- Enable SMB signing to prevent relay attacks on Windows devices.

A4 — Vulnerability management Score: 50%

PARTIAL ■

Findings:

- No CVE data available for this network-discovered asset. Run a vulnerability scan or install the agent for NVD correlation.

Remediation:

- Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.
- Install the CyberAssetIQ agent for continuous software-level CVE correlation.
- Schedule network-based vulnerability scans weekly.

A5 — Patch management Score: 65%

PARTIAL ■

Findings:

- Patch status cannot be fully verified from network scan alone. Install the CyberAssetIQ agent to assess Windows Update compliance and hotfix history.

Remediation:

- Install the CyberAssetIQ agent to collect hotfix and patch data.
- If end-of-life OS confirmed, upgrade immediately or isolate from network.
- Apply all available OS patches within 14 days of release.

A6 — Malware protection Score: 50%

NOT ASSESSED

Findings:

- Malware protection status cannot be verified via network scan. Agent installation required to confirm AV/EDR product status.

Remediation:

- Install the CyberAssetIQ agent on this device to enable A6 assessment.
- Manually confirm an approved AV product is installed and active.

A7 — Network perimeter security Score: 100%

PASS ✓

- No issues found for this control.

A8 — Removable media controls Score: 50%

NOT ASSESSED

Findings:

- Removable media policy requires manual evidence submission. Provide a written policy document or Group Policy configuration evidence.

Remediation:

- Define and communicate a removable media policy.
- Use Group Policy to restrict or encrypt USB storage devices.
- Enable BitLocker To Go for any permitted removable storage.

Appendix A — Asset Inventory

The following assets were discovered and assessed as part of this Cyber Essentials v3.2 evidence package.

Hostname / Agent ID	OS	Status	Score
LAPTOP-NQ2T2LSG	Windows (agent-managed)	FAIL 	88%
192.168.0.1	Windows (agent-managed)	PARTIAL 	64%
192.168.0.95	Windows (agent-managed)	PARTIAL 	64%
192.168.0.109	Windows (agent-managed)	FAIL 	63%
192.168.0.200	Windows (agent-managed)	PARTIAL 	61%
192.168.0.219	Windows (agent-managed)	FAIL 	63%
192.168.0.150	Windows (agent-managed)	FAIL 	62%
192.168.0.15	Windows (agent-managed)	FAIL 	63%
192.168.0.149	Windows (agent-managed)	PARTIAL 	63%
192.168.0.68	Windows (agent-managed)	FAIL 	61%
192.168.0.139	Windows (agent-managed)	FAIL 	63%
192.168.0.69	Windows (agent-managed)	FAIL 	56%

192.168.0.179	Windows (agent-managed)	PARTIAL ■	64%
192.168.0.239	Windows (agent-managed)	PARTIAL ■	64%

Appendix B — Remediation Action Plan

Control	Action Required	Priority
A4 — Vulnerability management	Remediate CRITICAL CVEs within 14 days and HIGH CVEs within 30 days.	HIGH
A4 — Vulnerability management	Schedule automated NVD scans weekly.	HIGH
A4 — Vulnerability management	Use patch management to prioritise CVE remediation by asset exposure.	HIGH
A8 — Removable media controls	Define and communicate a removable media policy.	MEDIUM
A8 — Removable media controls	Use Group Policy to restrict or encrypt USB storage devices.	MEDIUM
A8 — Removable media controls	Enable BitLocker To Go for any permitted removable storage.	MEDIUM
A1 — Asset management and inventory	Install the CyberAssetIQ Windows agent to collect full hardware and software inventory.	MEDIUM
A1 — Asset management and inventory	Assign an owner to each network-discovered device.	MEDIUM
A1 — Asset management and inventory	Ensure all in-scope devices appear in the CE asset register.	MEDIUM
A2 — User access control	Install the CyberAssetIQ agent on this device to enable automated A2 assessment.	MEDIUM
A2 — User access control	Manually verify: least privilege, no shared accounts, MFA on admin accounts.	MEDIUM
A3 — Secure configuration	Install the CyberAssetIQ agent for automated configuration baseline assessment.	MEDIUM
A3 — Secure configuration	Review and disable any default credentials identified during network scan.	MEDIUM
A3 — Secure configuration	Enable SMB signing to prevent relay attacks on Windows devices.	MEDIUM

A4 — Vulnerability management	Install the CyberAssetIQ agent for continuous software-level CVE correlation.	MEDIUM
A4 — Vulnerability management	Schedule network-based vulnerability scans weekly.	MEDIUM
A5 — Patch management	Install the CyberAssetIQ agent to collect hotfix and patch data.	MEDIUM
A5 — Patch management	If end-of-life OS confirmed, upgrade immediately or isolate from network.	MEDIUM
A5 — Patch management	Apply all available OS patches within 14 days of release.	MEDIUM
A6 — Malware protection	Install the CyberAssetIQ agent on this device to enable A6 assessment.	MEDIUM
A6 — Malware protection	Manually confirm an approved AV product is installed and active.	MEDIUM
A7 — Network perimeter security	Restrict RDP (3389) and SMB (445) to management VLANs only.	MEDIUM
A7 — Network perimeter security	Disable Telnet (23) and FTP (21) — use SSH and SFTP instead.	MEDIUM
A7 — Network perimeter security	Review all exposed services and close any not required for business operations.	MEDIUM
A7 — Network perimeter security	Ensure a host firewall is enabled (Windows Firewall / ufw / firewallD).	MEDIUM

This report was automatically generated by CyberAssetIQ on 23 April 2026. It is intended as supporting evidence for Cyber Essentials v3.2 certification and should be reviewed by a qualified assessor before submission to IASME.