



Understanding Divs, IDs & Classes





Agenda



01

Structuring Webpages

02

Connecting Github to Vscode

03


Introduction to Codepen

04

Building a CV - HTML

05

Next Steps





Structuring Webpages



Divisions & Spans


<div>s and s

Similarities

1. Generic container with no semantic meaning.
2. Content grouping
3. No effect on content
4. Apply targeted styles to contained content
5. Often associated with a class or id

Difference

1. <div> is used for Block-level grouping
2. is used for Inline-level grouping
3. <div> is used to denote page layout
4. <div> used for larger grouping
5. for smaller grouping



Block vs Inline Elements

Block - Level Element

This element starts on a new line, laying itself out on top of another vertically.

Can wrap inline-level elements and nested. Used for large piece of content.

Common block elements
div, h1-h6, p

Inline - Level Element


This element does not start on a new line. It falls into the existing flow of the parent content.

It can wrap similar elements but not block elements

Common inline elements
span, strong, a

Comments

1. Leave notes to yourself or others in collaborative workspaces.
 1. Leaving TODOs
 2. Giving context and clarity (why and what)
2. Elements wrapped in a comment would not show in the browser but remain visible in the code.
3. Different ways to write comments depending on the file.
4. In HTML `<!-- comment here -->`
5. In CSS `/* comment here */`
6. Uses the same shortcut - which is very helpful





practice time





Global attributes



ID

1. Attribute is to identify a single element when;
 1. Linking - fragment identifier
2. Access to elements for CSS & Javascript.
3. Contain a single value.
4. Recommended that the value be a valid CSS identifier
5. Unique to an element and value cannot contain whitespace

Class

1. Attribute is to identify an element or a group of elements.
2. Serves as a relationship to CSS & Javascript.
3. Can contain multiple values separated by whitespace.
4. Recommended that the value describes the semantic purpose of the element.
4. Value cannot contain whitespace



Github to Vscode






Introduction to Codepen




Next Steps

1. Read the recap with instructions to update CV Markup
2. Use of codepen
3. Next class - Semantic HTML

A decorative graphic consisting of a grid of white lines on a blue background, positioned to the left of the word "QUESTIONS?".

QUESTIONS?

A decorative graphic in the top right corner consisting of a small cluster of white, blue, and cyan squares on a blue background.A decorative graphic in the bottom left corner consisting of a small cluster of white, blue, and cyan squares on a blue background.



THANK YOU

The image features a solid blue background. On the left, there is a white grid of 6 columns and 6 rows. A yellow circle is positioned at the intersection of the 3rd column and 4th row. A white rectangular frame, resembling a 3D box, is centered horizontally and partially overlaps the grid. The text "THANK YOU" is written in bold white capital letters inside this frame. Various white geometric shapes, including triangles, circles, and lines, are scattered around the central frame and grid.