

# MITRE ATT&CK Technique Comparison

bomb.bin (Malicious Executable) vs Lazarus Group (G0032, Nation-State APT)

Source: any.run sandbox analysis (bomb.bin) | MITRE ATT&CK Navigator (Lazarus Group G0032) | By: Jessica Sansaricq

## Overview

bomb.bin is a malicious executable analyzed in the any.run interactive sandbox (MD5: 301B11...). It triggered 590 events across 7 MITRE ATT&CK tactics and 18 techniques, rated as 47 Danger / 248 Warning signals. Lazarus Group (G0032) is a North Korean state-sponsored APT active since 2009, responsible for large-scale espionage, financial theft, and destructive operations. The comparison below maps observed bomb.bin behaviors against confirmed Lazarus Group techniques to assess tactical overlap.

## Legend

|              |                                                                                    |
|--------------|------------------------------------------------------------------------------------|
| MATCH        | Both bomb.bin and Lazarus Group use this technique — strong tactical overlap       |
| PARTIAL      | Similar intent but different implementation or limited evidence in one subject     |
| LAZARUS ONLY | Technique confirmed for Lazarus Group but not observed in the bomb.bin sandbox run |

## Side-by-Side Technique Comparison

| Tactic                   | bomb.bin Technique(s)                                                                                                      | bomb.bin Behavior                                                                                                    | Lazarus Group Technique(s)                                      | Lazarus Group Behavior                                                                                               | Match          |
|--------------------------|----------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|----------------|
| <b>Execution</b>         | Command & Scripting Interpreter (PowerShell + Windows Command Shell)                                                       | Observed executing PowerShell (1 event, 9 sub-events) and Windows CMD (11 events) on the infected host.              | Command & Scripting Interpreter (T1059.001 / T1059.003)         | Lazarus extensively uses PowerShell and CMD to explore environments, download malware, and execute payloads.         | <b>MATCH</b>   |
| <b>Defense Evasion</b>   | Masquerading (1/12) Match Legitimate Resource Name (11 events)                                                             | bomb.bin disguises malicious files/processes using names that mimic legitimate system resources to evade detection.  | Masquerading (T1036.005) Match Legitimate Resource Name         | Lazarus renames malicious code to look like legitimate files (e.g., narrator.exe, calc.exe) to blend in with the OS. | <b>MATCH</b>   |
| <b>Defense Evasion</b>   | Virtualization/Sandbox Evasion (2/3) System Checks (10) + Time Based Checks (4)                                            | bomb.bin actively checks for sandbox or VM environments using system and timing checks before executing its payload. | Virtualization/Sandbox Evasion (T1497.001 / T1497.003)          | During Operation Dream Job, Lazarus tools checked for VMware services, GetTickCount, and GetSystemTimeAsFileTime.    | <b>MATCH</b>   |
| <b>Defense Evasion</b>   | Impair Defenses (3/12) Disable or Modify Tools (5/93) Disable Windows Event Logging (7) Disable/Modify System Firewall (2) | bomb.bin attempts to disable McAfee, Windows event logging, and the host firewall to reduce detection chances.       | Impair Defenses (T1685 / T1686) Disable Tools + Modify Firewall | Lazarus malware (TangoDelta, SHARPKNOT) terminates AV processes and modifies Windows Firewall via netsh.             | <b>MATCH</b>   |
| <b>Defense Evasion</b>   | Subvert Trust Controls (1/6) Install Root Certificate (3 events)                                                           | bomb.bin installs a rogue root certificate to make its traffic appear trusted and bypass SSL inspection.             | Subvert Trust Controls (T1553.002) Code Signing                 | Lazarus digitally signs its malware with certificates (e.g., Sectigo RSA) to appear legitimate and bypass AV.        | <b>PARTIAL</b> |
| <b>Credential Access</b> | Unsecured Credentials (1/8) Credentials in Files (13/36) Credentials from Password Stores (1/6) Credentials from Web       | bomb.bin actively searches for stored credentials — in files, browser stores, and                                    | OS Credential Dumping (via HOPLIGHT — SAM)                      | Lazarus uses tools like HOPLIGHT to dump the SAM database and ChromePass to harvest                                  | <b>MATCH</b>   |

| Tactic                       | bomb.bin Technique(s)                                                                                                                                                               | bomb.bin Behavior                                                                                                  | Lazarus Group Technique(s)                                                                   | Lazarus Group Behavior                                                                                                     | Match               |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|---------------------|
|                              | Browsers (3/8)                                                                                                                                                                      | password managers.                                                                                                 |                                                                                              | browser-saved passwords.                                                                                                   |                     |
| <b>Discovery</b>             | Query Registry (24/177) System Network Config Discovery (2) System Information Discovery (14/107) Browser Information Discovery (3) Virtualization/Sandbox Evasion (discovery side) | bomb.bin extensively queries the Windows Registry and collects detailed system/network info to profile the victim. | Query Registry (T1012) System Info Discovery (T1082) System Network Config (T1016)           | Lazarus malware (IndiaIndia, Bankshot) checks registry keys for installed software and gathers OS/network info for the C2. | <b>MATCH</b>        |
| <b>Command &amp; Control</b> | Application Layer Protocol — Web Protocols (C&C column, highlighted blue)                                                                                                           | bomb.bin uses HTTP/HTTPS to communicate with its C2 server, blending traffic with normal web browsing.             | App Layer Protocol: Web Protocols (T1071.001)                                                | Lazarus has consistently used HTTP and HTTPS across all campaigns for C2 communication with attacker-controlled servers.   | <b>MATCH</b>        |
| <b>Command &amp; Control</b> | Ingress Tool Transfer (3 events)                                                                                                                                                    | bomb.bin downloads additional tools or payloads from the attacker's C2 after the initial infection.                | Ingress Tool Transfer (T1105)                                                                | Lazarus downloads multi-stage malware and tools onto compromised hosts from C2 infrastructure throughout campaigns.        | <b>MATCH</b>        |
| <b>Exfiltration</b>          | Exfiltration Over Alternative Protocol (0/3) (present but 0 confirmed events)                                                                                                       | bomb.bin has exfiltration capability configured but no confirmed exfil events were recorded in this sandbox run.   | Exfiltration Over C2 / Cloud Storage (T1041 / T1567.002)                                     | Lazarus exfiltrates data via C2 channels and Dropbox using a custom dbxcli build — confirmed in multiple campaigns.        | <b>PARTIAL</b>      |
| <b>Impact</b>                | Service Stop (5 events)                                                                                                                                                             | bomb.bin stops running services on the victim machine, potentially disabling security tools or backups.            | Service Stop (T1489)                                                                         | Lazarus has stopped the MExchangeIS service to make Exchange mailboxes inaccessible during destructive operations.         | <b>MATCH</b>        |
| <b>Collection</b>            | Not observed in sandbox run                                                                                                                                                         | No collection activity was detected during the any.run sandbox analysis of bomb.bin.                               | Archive Collected Data (T1560) Data from Local System (T1005) Local Data Staging (T1074.001) | Lazarus collects and archives victim data into encrypted RAR/ZIP files before staging and exfiltrating to C2.              | <b>LAZARUS ONLY</b> |

| Tactic         | bomb.bin Technique(s)                         | bomb.bin Behavior                                                                     | Lazarus Group Technique(s)                                                  | Lazarus Group Behavior                                                                                                  | Match        |
|----------------|-----------------------------------------------|---------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|--------------|
| Initial Access | Not tested (file already executed in sandbox) | bomb.bin was submitted directly; delivery mechanism was not part of the sandbox test. | Spearphishing Attachment (T1566.001) Spearphishing via LinkedIn (T1566.003) | Lazarus delivers malware via tailored spearphishing emails and LinkedIn job offer lures targeting specific individuals. | LAZARUS ONLY |

## Key Findings

**High Tactical Overlap (9/13 techniques match):** bomb.bin shares confirmed techniques with Lazarus Group across Execution, Defense Evasion, Discovery, Credential Access, C2, and Impact — suggesting it was built with similar operational tradecraft.

**Sandbox Evasion is a shared priority:** Both subjects employ System Checks and Time Based Checks under Virtualization/Sandbox Evasion, indicating awareness of analysis environments — a hallmark of sophisticated, targeted malware.

**Credential Harvesting alignment:** bomb.bin searches browser stores and files for credentials; Lazarus uses ChromePass and SAM dumping. The goal is identical even if tooling differs.

**C2 via Web Protocols:** Both use HTTP/HTTPS for command-and-control, making traffic harder to distinguish from legitimate browsing — a deliberate operational security choice.

**Lazarus-only techniques suggest higher sophistication:** Features like multi-stage spearphishing, custom malware development, and cloud exfiltration (Dropbox) were not observed in bomb.bin's sandbox run but are hallmarks of the APT's longer-running campaigns.

**Attribution note:** Technique overlap alone does not confirm attribution. bomb.bin may be a commodity tool, a Lazarus-adjacent tool, or independently developed malware sharing common evasion tradecraft.