

Upsolve

Practice with a plan.

A practical guide to your local Codeforces practice workspace. Prepared for the project in D:\Upsolver, 12 September 2026.

Open the app

<http://localhost>

The app currently runs through Docker Compose. If it is unavailable, follow the startup steps on page 6.

Your first five minutes

1. Explore or create an account.

Choose **Try Demo User (Read-Only)** on the sign-in page to explore seeded data. To save your own work, register and sign in with your own account.

2. Connect your practice history.

Enter a Codeforces handle, choose your preferences, and select **Start tracking**. Wait for the initial sync to finish.

3. Complete one practice loop.

Open a queue problem, solve it on Codeforces, save your learning notes, and enable reviews. Return when the problem is due.

Where to go

Screen	Use it for
Today	Choose a due review or your next practice problem.
Upsolve Queue	Find, add, prioritize, archive, and open problems.
Reviews	See overdue, today, and upcoming review work.
Insights	Inspect topic performance, difficulty, activity, and mistakes.
Settings	Edit preferences, inspect sync history, export data, and log out.

On mobile: open the top-right menu to navigate. Queue entries appear as cards; swipe the tab strip horizontally if Archived is off screen.

USER GUIDE / 02

Set up your workspace

Create a personal account and bring your public Codeforces history into Upsolve.

1. Register, then sign in.

Open <http://localhost/register>. Choose a username of 3-50 characters and a password of at least 8 characters. Confirm the password, select **Create account**, then **Go to Sign in**. Long or non-ASCII passwords must also fit the 72-byte limit.

2. Choose the right Codeforces handle.

Enter the handle whose public submissions you want to track. Upsolve uses public Codeforces data; your Codeforces password is not needed. Tracking does not verify ownership of that handle.

Choose carefully

Each account tracks one Codeforces handle, and it cannot be changed after setup. The Upsolve login and Codeforces handle are separate identities.

3. Set your practice preferences.

Choose a target rating range between 800 and 3500, with the minimum no greater than the maximum. Select preferred topics and your timezone. Review dates use this timezone.

4. Start tracking.

Select **Start tracking**. The app sends you to Today and queues an initial sync. A large submission history can take longer because requests are paced.

Keep Codeforces data up to date

After submitting solutions on Codeforces, use the circular **Sync submissions** button near your tracked handle in the sidebar or at the bottom of Today. The button is disabled while a job is queued or running. Check **Settings > Sync History** for state, submissions fetched, problems added, and duration.

Sync imports submission history and reconciles queue state. Failed attempts become **Attempted**; an accepted submission makes the problem **Solved**. Upsolve does not run or judge your code: open and submit solutions on Codeforces.

Returning users: go straight to Today. Opening /setup after setup is complete redirects there. You can still edit practice preferences in Settings.

Manage problems and notes

Use the queue as your practice list and the detail page as your learning record.

Add a problem

Open **Upsolve Queue > Add problem**. Choose **Search catalog**, type at least two characters of a name or problem ID, and select a result. Or choose **Enter URL** and paste a Codeforces problem link, such as <https://codeforces.com/contest/1900/problem/A>. Set a priority and select **Add to queue**. A problem already in your queue cannot be added twice.

Queue tab	What it shows
All	Non-archived problems, including solved entries.
Active	Non-archived Pending and Attempted problems.
Unsolved	Attempted problems; use Active to include Pending ones.
Solved	Problems marked Solved.
Archived	Items removed from the active queue; open one to Unarchive.

Search within the queue to narrow the list. On desktop, click sortable column headings to change the order. Open a problem by selecting its name or mobile card.

Update practice state

In **Practice and reviews**, change **Status** to Pending, Attempted, or Solved, and set **Priority** to Low, Medium, or High. Changes save when selected. Once an item is Solved, the status selector is locked. **Archive** hides an item without deleting its learning record; restore it from Archived with **Unarchive**.

Save notes you can reuse

Under **Notes & Reflection**, record where you got stuck, the key observation, your approach and complexity, and what to remember. Select applicable mistake categories, then select **Save notes** and wait for **Saved**. Submission history is also shown on the detail page.

Example learning note

Key observation: A prefix sum lets each range query use two lookups.

Approach and complexity: $O(n)$ preprocessing, $O(1)$ per query.

What to remember: Check indexing and integer overflow before coding.

Review without peeking

Schedule deliberate recall and record how much help you needed.

1. Enable a schedule.

Open a problem and select **Enable reviews** in Practice and reviews. The first due date uses the first interval in Settings. Archived problems must be unarchived first.

2. Find your next review.

Open **Reviews** or **Today**. Reviews groups overdue items, items due today, and upcoming items within the next seven days. Open the problem and select **Start review**.

3. Attempt before revealing notes.

Use **Open on Codeforces** to attempt the problem. Select **Reveal my notes** only when you need help. Revealing notes is recorded for that review.

4. Record the outcome.

Select **Record outcome**. If you want a reflection, type it **before** choosing an outcome: selecting the outcome submits the review immediately. After the confirmation, select **Done**.

Your result	Effect on the next review
Solved independently	Advances one interval if notes were not revealed; otherwise stays at the current interval.
Needed a hint	Keeps the current interval.
Could not solve	Returns to the first interval.

How the dates work

With intervals **1, 3, 7, 14, 30**, enabling reviews schedules the first review one day later. An independent solve without revealed notes advances to 3 days from the review date. A later failure schedules another review after 1 day. At the final interval, successful reviews keep using that final interval.

Adjust an individual schedule

Snooze 1 day moves the date one day beyond the later of today or its current due date. **Pause reviews** removes the item from due lists; **Resume reviews** reactivates its saved date, which may already be overdue. Archived items are excluded from due lists.

Recording a review schedules recall; it does not submit code to Codeforces or automatically change queue status to Solved.

Learn from your practice

Use Insights to choose what to work on, and Settings to keep the workspace useful.

Insights panel	How to use it
Topic Breakdown	Compare solved and attempted problems by topic to identify weak areas.
Difficulty Bands	Compare attempts and solves across rating ranges. Small samples may show Not enough data.
Weekly Activity	See when you practiced and the mix of contest, virtual, and practice submissions.
Mistake Patterns	Look for repeated categories from your saved notes, then choose a specific habit to improve.

Use **How this is calculated** below a panel for its explanation. Synced submission data drives the submission-based charts; adding a note or manually changing queue status is not the same as a new Codeforces submission. An empty chart can reflect no relevant data in its displayed period.

Change preferences

In Settings, edit your target rating range, preferred topics, timezone, and **Spaced Repetition Intervals**. Enter increasing positive day counts separated by commas, such as **2, 5, 10**, then select **Save changes** and wait for **Saved**. Changing intervals affects subsequent scheduling; existing due dates are not immediately recalculated.

Export your learning record

Select **Settings > Export all data**. Your browser downloads **upsolve-export.json**, containing your user ID, preferences, queue items, notes, review schedules, and review history. Keep a copy before moving your local workspace. This is a practice-data export, not a full database backup; there is no restore/import screen.

A simple daily routine

Start: sync recent Codeforces submissions and check Today.

Recall: complete one overdue or due review before new practice.

Practice: choose one Active problem and attempt it on Codeforces.

Reflect: save the key lesson, record status, and enable reviews.

Weekly: inspect Insights and adjust the next week's focus.

Demo mode: browsing and export are available, but practice-data changes and syncing are disabled. Use **Settings > Logout** and sign in to your own account to save progress.

Run locally and get unstuck

These commands are for PowerShell in the current Windows project folder.

Start or stop the app

Open Docker Desktop and wait for its engine to be ready. Then run:

```
cd D:\Upsolver
docker compose up -d
```

Open <http://localhost>. To check services, run `docker compose ps`. To stop them without removing data, run `docker compose stop`. After source changes, rebuild with `docker compose up -d --build`.

Problem	What to do
Localhost will not open	Check Docker Desktop and <code>docker compose ps</code> . Allow startup time. Inspect <code>docker compose logs --tail 80</code> backend frontend for errors.
Cannot save or sync	Check for the demo banner. Log out and use your own account. If your session expired, sign in again.
Queue or catalog is empty	Wait for sync to complete; inspect Settings > Sync History. Clear search/filter selections. Retry sync after a temporary Codeforces/network failure.
Already in the queue	Search All and Archived. Restore the existing item instead of adding a duplicate.
Save conflict	Copy unsaved text somewhere safe, reload the latest note/item, reapply your edits, then save.
No reviews appear	Enable reviews on the problem and check its next date, timezone, paused state, and archive state. Upcoming only covers the next seven days.

Local addresses and data

Frontend: <http://localhost> **API:** <http://localhost:8080/api/v1>

Health: <http://localhost/api/v1/health> **Database host port:** 5433

Practice data lives in the Compose PostgreSQL volume. Avoid `docker compose down -v`: it removes that volume. Existing demo data is already present in this workspace; a fresh installation needs separate seeding, and an existing database should not be blindly reseeded.

Current limits: no password reset or email verification, no review notifications, one immutable tracked handle, and a single-instance deployment design. For developer setup and verification commands, see [README.md](#); for feature coverage and API details, see [docs/feature-audit.md](#) and [docs/api-contract.md](#).