

Diagram Documentation

Modify this code to update the DB schema diagram. To reset the sample schema, replace everything with two dots ('..' - without quotes).

Users

Field	Description	Туре	Default	Other
ID		int		PK
name		string		FK
phone_number		string		FK, UNIQUE
created_at		TIMESTAMP		
updated_at		TIMESTAMP		

Messages

Field	Description	Туре	Default	Other
ID		int		PK
user_ID		int		FK
body		string		
from		string		
to_recepient		string		FK
direction		string		
created_at		TIMESTAMP		
updated_at		TIMESTAMP		

Intents

Field	Description	Туре	Default	Other
ID		int		PK
name		string		
user_name		string		FK
created_at		TIMESTAM	IP	
updated_at		TIMESTAM	IP	

Entities

Table documentation comment 1 (try the PDF/RTF export)

Field	Description	Туре	Default	Other
EntityID		int		PK
message_id		string		FK
type	type may store details like date, location, person	string		

QuickDBD-export Page 1 of 2



Field	Description	Туре	Default	Other
recipient_phone		string		FK
value		string		
created_at		TIMESTAMP		
updated_at		TIMESTAMP		

Responses

Field	Description	Туре	Default	Other
ID		int		PK
intent_id		int		FK
content		string		
created_at		TIMESTAMP		
updated_at		TIMESTAMP		

QuickDBD-export Page 2 of 2