GRAFTON BAPTIST CHURCH

Corner Cross

A local place. A recognisable Christian identity.



THE NORTH-WEST CORNER

The offset junction becomes a cross.
The church's gable marks its place.

Grafton
BAPTIST CHURCH

One master mark. A family of practical signatures.

Full name on the outside. A quiet symbol inside.

Clear identification on screen and in print.

Navy

Forest

Cream

Sand

Concept identity / 18 October 2026

Inspired by the supplied street sketch. Orientation follows that sketch; not a surveyed map.

Sign layouts are indicative. No live website or physical signage has been changed.

LOGO FAMILY

One identity, different spaces

Use the right signature rather than squeezing one logo into every format.

Primary / everyday

Grafton
BAPTIST CHURCH

Symbol / sanctuary

Wide / exterior fascia

Grafton Baptist Church

Stacked / entrance panel

Grafton
BAPTIST CHURCH

Compact / constrained width

Grafton
Baptist Church

Micro / small digital


Roundel / contained mark

All seven signatures supplied in primary, forest, navy, black, white and reversed colourways.

CONSTRUCTION

The corner and the cross

Keep the north-west marker in place. Never rotate or mirror the master mark.



The north arm is offset east of the south arm, following the supplied street sketch.

A broad gable and one round window.
Reduced from the church's actual facade.
No street names are assigned to the arms:
their compass alignment has not been surveyed.

Clear space: at least one road-stem width (u)
outside the visible artwork, all round.
Core stem: 24 units in a 220-unit drawing.
Building envelope: 68 x 64 units.
Minimum orthogonal building-to-road gap: 18 units.

Micro



At favicon size, use the solid gable silhouette and a squared junction.
Use the micro artwork below 64px; never shrink the full name into an icon.

REPRODUCTION

Colour and small-size use

Use the version designed for the background and the scale.

Primary

Forest

Navy

Black

White

Reversed

Micro mark / actual pixel-size references

16px

24px

32px

48px

64px

Below 64px use the solid gable.
At 64px and above keep the round window.

These references are meaningful at 100% view only. Always inspect a proof at the intended final size.

CORNER CROSS / APPLICATION

Over the door

A clear full-name signature before someone enters.



CONCEPT ONLY

Wide signature / flat panel or individual letters. Door elevation is illustrative.

CORNER CROSS / APPLICATION

Above the pulpit

The mark alone gives the room a quiet visual centre.



CONCEPT ONLY — Single-colour relief or painted mark / no metallic finish specified by this artwork.

CORNER CROSS / APPLICATION

Across the building

The full name stays on one line for recognition at a distance.



CONCEPT ONLY — No service details on the permanent fascia. Verify available width and sightlines.

CORNER CROSS / APPLICATION

Street identification

Name first. Address second. Details belong on a separate noticeboard.




CONCEPT ONLY

Concept layout only / road setbacks, local approvals and traffic visibility need review.

CORNER CROSS / APPLICATION

Finding the entrance

An explicit arrow does the navigation work; the mark is not an arrow.



CONCEPT ONLY

Right and left artwork included. Choose the arrow after checking the actual approach.

CORNER CROSS / APPLICATION

Digital identity

The same identity, from a website header to a circular profile crop.

Grafton
BAPTIST CHURCH

Visit Sermons Contact

A church family in Grafton.

To know & glorify God.



CONCEPT ONLY Website concept only / no live site assets changed.

PRODUCTION HANDOFF

From concept to installation

Portable artwork is included. Final sign engineering and print setup are not.

Select the application

Over the door: entrance panel or compact signature.
Long outside wall: single-line fascia.
Above the pulpit: one-colour symbol or sanctuary version.
Pulpit face: symbol only; no small lettering.
Roadside: portrait panel; name before details.

Keep the identity consistent

Never mirror or rotate the street junction.
The church always stays north-west.
Keep one road-stem width of clear space.
Use one colour for engraving or cut vinyl.
Do not add arrows to the mark itself.

Ask the sign professional

Measure the wall, doorway and viewing distances.
Confirm approvals and any heritage restrictions.
Choose material, thickness, fixings and lighting.
Check wind loading and building attachment.
The two separate shapes need a fixing strategy.

Files and reproduction

SVG and PDF: vector paths, including lettering.
Editable SVG: live Segoe UI text; font not supplied.
PNG: transparent where no background is specified.
RGB colours: printer must convert and proof.
No physical dimensions, bleed or PDF-X claim.

Design size recommendations

Detailed symbol: begin at 64px / 16mm.
Horizontal: 360px / 85mm. Compact: 260px / 65mm.
Stacked: 240px / 60mm. Fascia: 600px / 150mm.
Micro mark: 16-48px, solid gable silhouette.
Proof at actual size; these are starting points.

Release boundary

This is a conceptual identity for church review.
Scenes are schematic, not the actual building.
No public site or permanent signage was changed.
Confirm church approval and trademark clearance.
Obtain final supplier proofs before production.