

CyberNestSOAR – Enterprise SOC UI/UX Blueprint

This document defines the recommended enterprise-grade Web UI architecture for CyberNestSOAR. The structure is optimized for: High-speed SOC workflows Threat investigation efficiency Reduced analyst fatigue AI-assisted decision making Entity-centric investigation Scalable React/Tailwind implementation

1. SOC Command Center

Purpose: Global SOC situational awareness and operational monitoring.

Top Metrics Bar

- Active Incidents
- Critical Alerts
- MTTR / MTTD
- Threat Velocity
- Current Threat Level
- AI Confidence Health

Threat Heatmap

- MITRE ATT&CK; mapping
- Campaign activity
- Threat spikes
- Geolocation attacks

Risk Queue

- Risk score
- Severity
- Escalation level
- Assigned analyst
- Asset criticality

Noise Reduction Overview

- Suppressed alerts
- Duplicate clusters
- False positive reduction
- AI auto-closed alerts

Threat Intel Correlation

- MISP hits
- IOC matches
- Malware families

- Threat feed confidence

System Health

- Wazuh status
- OpenSearch health
- Filebeat throughput
- Queue backlog
- API health

2. Alerts & Investigation

Purpose: Primary analyst investigation workspace.

Alert Table

- Timestamp
- Severity
- Risk score
- MITRE tactic
- Source tool
- Host
- User
- Status
- Analyst verdict

Investigation Timeline

- Correlated alerts
- Process events
- Network events
- Authentication events
- Attack stages

Investigation Drawer Tabs

- Raw logs
- Threat intelligence
- Process tree
- Network telemetry
- MITRE mapping
- AI explanation
- Historical activity

Response Actions

- Create case

- Escalate
- Suppress alert
- Block IOC
- Trigger playbook

3. Incident Response

Purpose: Case management and coordinated incident response.

Case Queue

- Case severity
- SLA timer
- Assigned responder
- Impacted assets
- Linked alerts

Investigation Graph

- Hosts
- Users
- Processes
- IPs
- Cases
- Relationships

Response Timeline

- Analyst actions
- Playbook executions
- Escalations
- Comments
- Approvals

Response Actions

- Isolate host
- Disable user
- Block IP
- Kill process
- Trigger remediation

4. Threat Intelligence Center

Purpose: Centralized IOC and campaign intelligence.

IOC Intelligence

- IPs
- Domains
- URLs
- Hashes
- YARA matches
- JA3 fingerprints

Threat Feed Health

- API quota
- Token usage
- Sync latency
- Connector failures

Campaign Intelligence

- Active campaigns
- Threat actors
- Malware families
- Related incidents

Correlation Engine

- Internal IOC hits
- Affected hosts
- Affected users
- Related alerts

5. Asset & Endpoint Intelligence

Purpose: Unified endpoint telemetry and exposure management.

Asset Inventory

- Hostname
- OS version
- Patch level
- EDR status
- Owner
- Business unit
- Criticality

Live Telemetry

- CPU
- Memory
- Disk IO

- Suspicious processes
- Network spikes

Exposure & Vulnerabilities

- CVEs
- EPSS
- Patch recommendations
- Open ports
- Hygiene score

Remediation Actions

- Isolate host
- Patch endpoint
- Restart service
- Revoke session

6. AI Operations Center

Purpose: AI transparency, explainability, and model health.

Model Health

- F1-score
- Precision
- Recall
- Drift monitoring
- Inference latency

Explainability

- Why flagged
- Influential features
- Confidence score
- Related incidents

Analyst Feedback Loop

- False positive reports
- Overrides
- Analyst disagreement tracking

AI Decision Queue

- Auto-closed alerts
- Suppressed alerts
- Escalated alerts
- Low confidence detections

7. IT Hygiene & Exposure

Purpose: Security posture management and exposure scoring.

Hygiene Scoring

- Patch hygiene
- Authentication hygiene
- Logging hygiene
- EDR coverage
- Backup coverage

Risk Trends

- Risk score over time
- Policy violations
- Vulnerable assets

AI Recommendations

- Patch recommendations
- Hardening guidance
- Misconfiguration alerts

Compliance

- NIST
- CIS
- MITRE coverage
- Compliance gaps

8. Playbooks & Automation

Purpose: SOAR orchestration and automation management.

Playbook Library

- Triggers
- Conditions
- Actions
- Dependencies

Execution History

- Execution status
- Runtime
- Failures
- Analyst overrides

Simulation Mode

- Dry-run execution
- Impact estimation
- Rollback preview

Approval Workflows

- Manual approvals
- Escalation approvals
- Policy enforcement

9. Reporting & Audit

Purpose: Executive and technical reporting.

Shift Handover

- Open incidents
- Pending escalations
- System health
- Analyst notes

Executive Reports

- MTTR trends
- Incident trends
- Threat trends
- Exposure metrics

Technical Reports

- IOC activity
- Attack chains
- Affected systems
- Timeline replay

Export Center

- CSV export
- JSON export
- PDF export
- Scheduled reports

10. Administration & System Health

Purpose: Infrastructure administration and connector health.

RBAC & Access Control

- Roles
- Permissions
- MFA status
- Session tracking

Connector Health

- Wazuh connector
- MISP connector
- TheHive connector
- Threat feed connectors

Infrastructure Health

- Storage usage
- CPU usage
- Memory usage
- Cluster status

Queue Monitoring

- Event ingestion queue
- AI processing queue
- Failed jobs
- Retry counts

Key UX Recommendations: Use entity pivoting across all pages (IP, User, Host, Hash, CVE). Implement unified investigation drawers. Prioritize enriched data over raw telemetry. Use progressive disclosure to reduce alert fatigue. Use WebSockets for live telemetry updates. Optimize all tables using virtualization for large datasets. Use sticky investigation side panels for analyst continuity. Separate analyst workflows from engineering/raw log exploration.