



CYBERNEXUS


Step by step installation tutorial



Desktop app to install




Docker Desktop



VScode

Go to the official cybernexus page and click on repository



The screenshot shows the GitHub profile page for the 'CyberNexus-Team'. The page layout includes a header with the team's name and a search bar, a navigation bar with tabs for 'Overview', 'Repositories' (highlighted with a hand icon and a count of 3), 'Projects', 'Packages', and 'Stars', and a main content area. On the left, there is a circular profile picture with a stylized 'CN' logo and the text 'CYBERNEXUS', followed by the team name 'CyberNexus', the bio 'CyberNexus-Team', a 'Follow' button, and location/contact information. The main content area displays the 'README.md' file, which features a large, detailed version of the 'CN' logo and the word 'CYBERNEXUS'.

CyberNexus-Team

Search: Type / to search

Overview Repositories 3 Projects Packages Stars

CYBERNEXUS

CyberNexus
CyberNexus-Team

Follow

Italy

cyberproject24.26@gmail.com

CyberNexus-Team / README.md

CYBERNEXUS

Select the NOA repository

 CyberNexus-Team

 |  |  |  |  

 Overview  **Repositories 2**  Projects  Packages  Stars



CYBERNEXUS

CyberNexus
CyberNexus-Team

Follow

Italy

cyberproject24.26@gmail.com

Type ▾

Language ▾

Sort ▾

 **NOA** Public MIT License Updated 2 minutes ago Star

 **CyberNexus-Team** Public Updated yesterday Star

Click on Code

CyberNexus-Team / NOA

Search Type / to search

<> Code

Issues

Pull requests

Actions

Projects

Security

Insights

CyberNexus-Team

NOA

Public

Watch 0

Fork 0

Star 0

main

1 Branch

0 Tags

Go to file

Add file

<> Code

About

CyberNexus-Team

Add files via upload

491d76d · 4 minutes ago

13 Commits

CyberNexus_NOA	Add files via upload	4 minutes ago
NOA_WORKFLOW	Add files via upload	12 minutes ago
API_KEYS.md	Update API_KEYS.md	yesterday
LICENSE	Initial commit	3 months ago
README.md	Update README.md	4 days ago

README

MIT license

No description, website, or topics provided.

Readme

MIT license

Activity

0 stars

0 watching

0 forks

Report repository

Releases

No releases published

Packages

Download the ZIP file

The screenshot shows the GitHub interface for the repository 'CyberNexus-Team / NOA'. The repository is public and has 0 stars, 0 forks, and 0 watchers. The main content area displays a file tree with folders 'CyberNexus_NOA' and 'NOA_WORKFLOW', and files 'API_KEYS.md', 'LICENSE', and 'README.md'. A modal window is open over the file tree, showing options to clone the repository (HTTPS, SSH, GitHub CLI) and a button to 'Download ZIP'. A hand cursor is pointing at the 'Download ZIP' button. The right sidebar contains sections for 'About', 'Releases', and 'Packages'.

Repository: NOA (Public)

Files:

- CyberNexus-Team Add files via upload
- CyberNexus_NOA Add files via upload
- NOA_WORKFLOW Add files via upload
- API_KEYS.md Update API_KEYS.m
- LICENSE Initial commit
- README.md Update README.m

Clone:

- Local
- Codespaces
- Clone
- HTTPS SSH GitHub CLI
- `https://github.com/CyberNexus-Team/NOA.git`
- Clone using the web URL.
- Open with GitHub Desktop
- Download ZIP**


About: No description, website, or topics provided.

Releases: No releases published


Packages:

Extract the zip file and save the CyberNexus_NOA folder to your desktop

Open the folder with VScode



Open a new cmd terminal and type the command as shown in the figure



The screenshot shows the Visual Studio Code interface with a terminal window open. The terminal displays the command `docker compose up -d` and its output, which includes a warning about the deprecated `version` attribute and a list of containers being started or created.

Terminal Output:

```
Microsoft Windows [Version 10.0.26100.6899]
(c) Microsoft Corporation. Tutti i diritti riservati.

C:\Users\Tony\Desktop\CyberNexus_NOA>docker compose up -d
time="2025-10-23T12:44:51+02:00" level=warning msg="C:\\Users\\Tony\\Desktop\\CyberNexus_NOA\\docker-compose.yml:
the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion"
[+] Running 8/8
 ✓ Network cybernexus_noa_noa-network Created
 ✓ Container noa-gutenberg Started 0.1s
 ✓ Container noa_mysql Healthy 1.1s
 ✓ Container noa_html2docx Started 12.4s
 ✓ Container noa_adminer Started 1.1s
 ✓ Container noa_db-migrate Exited 11.7s
 ✓ Container n8n_interfaccia Started 12.2s
 ✓ Container noa_nginx Started 12.6s
12.8s
```

The command prompt shows the current directory is `C:\Users\Tony\Desktop\CyberNexus_NOA`.

Open Docker Desktop and run Containers

 **docker desktop** PERSONAL

Ctrl+K

— □ ×

 **Containers**

 Images

 Volumes

 Kubernetes

 Builds

 Models

 MCP Toolkit BETA

 Docker Hub

 Docker Scout

 Extensions

Containers [Give feedback](#)

Container CPU usage 

No containers are running.

Container memory usage 

No containers are running.

[Show charts](#)

  Only show running containers

☐	Name	Container ID	Image	Port(s)	CP	Actions
☐	cybernexus_noa	-	-	-		   
☐	noa_mysql	07f5b9245d5c	mysql:8.0	3306:3306		   
☐	noa-gotenber	1d4fd43cae9e	gotenberg/	3000:3000		   
☐	noa_html2doc	21d09946f81a	cybernexus	5005:5005		   
☐	n8n_interfacc	d2ea6f08ff60	n8nio/n8n:	5678:5678		   
☐	noa_adminer	8e90677c0be2	adminer:lat	8080:8080		   
☐	noa_db-migra	ab04562afe86	mysql:8.0			   
☐	noa_nginx	533b6bde5d58	nginx:alpine	5679:80		   

Showing 8 items

 **Engine running**

RAM 1.29 GB

CPU 0.00%

Disk: 17.92 GB used (limit 1006.85 GB)

  **v4.48.0**

Click on link 5678:5678

 **docker desktop** PERSONAL

Ctrl+K

      — □ ×

 Ask Gordon BETA

 **Containers**

 Images

 Volumes

 Kubernetes

 Builds

 Models

 MCP Toolkit BETA

 Docker Hub

 Docker Scout

 Extensions

Containers [Give feedback](#)

Container CPU usage ⓘ
2.38% / 1600% (16 CPUs available)

Container memory usage ⓘ
443.89MB / 7.21GB

[Show charts](#)

 ☐ Only show running containers

☐	Name	Container ID	Image	Port(s)	CP	Actions
☐	cybernexus_noa -		-	-		   
☐	noa_mysql	07f5b9245d5c	mysql:8.0	3306:3306 		   
☐	noa-gotenber	1d4fd43cae9e	gotenberg/	3000:3000 		   
☐	noa_html2do	21d09946f81a	cybernexus	5005:5005 		   
☐	n8n_interfacc	d2ea6f08ff60	n8nio/n8n:	5678:5678 		   
☐	noa_adminer	8e90677c0be2	adminer:lat	8080:8080 		   
☐	noa_db-migra	ab04562afe86	mysql:8.0			   
☐	noa_nginx	533b6bde5d58	nginx:alpin	5679:80 		   

Showing 8 items

 Engine running

||

:

RAM 1.93 GB CPU 7.20% Disk: 17.93 GB used (limit 1006.85 GB)

  v4.48.0

Setup your credential of N8N

Browser tabs: n8n.io - Workflow Automation

Address bar: localhost:5678/setup



Set up owner account

Email *

First Name *

Last Name *

Password *

8+ characters, at least 1 number and 1 capital letter

☐ I want to receive security and product updates

Next

Click the orange button

Workflows - n8n

localhost:5678/home/workflows

+

🏠

🔗

📄

📊

🔍

🔔

C3

Overview

All the workflows, credentials and executions you have access to

Prod. executions
Last 7 days

0

Failed prod. executions
Last 7 days

0

Failure rate
Last 7 days

0%

Time saved
Last 7 days

-- ⓘ

Run time (avg.)
Last 7 days

0s

Workflows

Credentials

Executions

👋 Welcome CyberNexus!

Create your first workflow

📄


Start from scratch

🤖

Test a simple AI Agent example

Create Workflow

Click the three buttons at the top right



Click Import from File

The screenshot displays the n8n Workflow Automation web interface. At the top, the browser tab is labeled 'Workflow Automation - n8n' and the address bar shows the URL 'localhost:5678/workflow/new?projectId=PmZnHEmfOYlK4Ej&uiContext=workflow_list'. The interface includes a sidebar with navigation icons, a top bar with 'Personal / My workflow' and '+ Add tag', and a main workspace with tabs for 'Editor', 'Executions', and 'Evaluations'. The workspace is a grid with a central dashed box containing a plus sign and the text 'Add first step...'. On the right, a dropdown menu is open, listing options: 'Duplicate', 'Download', 'Rename', 'Import from URL...', 'Import from File', 'Push to Git', 'Settings', and 'Archive'. A hand cursor is pointing at the 'Import from File' option, which is highlighted with a red circle. The bottom of the interface features a 'Logs' section with a 'C3' logo and a 'Share' button.

Open the NOA_WORKFLOW folder and import the first workflow

The screenshot shows a web browser window with the address bar displaying `localhost:5678/workflow/new?projectId=PmZnHEmfOYlkr4Ej&uiContext=workflow_list`. The browser tab is titled "Workflow Automation - n8n". The main interface of the application shows a sidebar with a home icon and a "Personal / My workflow" section. The main area has tabs for "Editor", "Executions", and "Evaluations". On the right, there are buttons for "Inactive" (a toggle switch), "Share", "Save", and a "Star" button with a count of "150,920".

Overlaid on this is a Windows File Explorer window titled "Apri". The address bar of the File Explorer shows the path `Desktop > NOA-main > NOA-main > NOA_WORKFLOW`, which is circled in red. The left sidebar of the File Explorer shows the navigation pane with "Desktop" selected. The main pane displays a list of files with the following columns: "Nome", "Ultima modifica", "Tipo", and "Dimensione".

Nome	Ultima modifica	Tipo	Dimensione
NOA - API Keys Portal.json	22/10/2025 15:27	File di origine JSON	6 KB
NOA - DOCX.json	22/10/2025 15:27	File di origine JSON	5 KB
NOA - GEOINT.json	22/10/2025 15:27	File di origine JSON	104 KB
NOA - Get API Key.json	22/10/2025 15:27	File di origine JSON	4 KB
NOA - HUMINT.json	22/10/2025 15:27	File di origine JSON	321 KB
NOA - IMINT.json	22/10/2025 15:27	File di origine JSON	183 KB
NOA - PDF.json	22/10/2025 15:27	File di origine JSON	9 KB
NOA - SOCMINT.json	22/10/2025 15:27	File di origine JSON	223 KB
NOA - WEBINT.json	22/10/2025 15:27	File di origine JSON	365 KB

At the bottom of the File Explorer window, there is a "Nome file:" field and a file type dropdown menu set to "Tutti i file (*.*)". There are "Apri" and "Annulla" buttons at the bottom right of the window.

Repeat these steps to import all workflows. Remember to name your workflows the same way.

Workflows - n8n

localhost:5678/projects/PmZnHEmfOYlkR4Ej/workflows

Personal
Workflows and credentials owned by you

Create Workflow

Workflows Credentials Executions

Search Sort by last updated

NOA - PDF Last updated just now Created 22 October	Inactive	
NOA - SOCMINT Last updated 16 hours ago Created 22 October	Inactive	
NOA - API Keys Portal Last updated 16 hours ago Created 22 October	Inactive	
NOA - Get API Key Last updated 16 hours ago Created 22 October	Inactive	
NOA - WEBINT Last updated 17 hours ago Created 22 October	Inactive	
NOA - IMINT Last updated 17 hours ago Created 22 October	Inactive	
NOA - GEOINT Last updated 17 hours ago Created 22 October	Inactive	
NOA - HUMINT Last updated 17 hours ago Created 22 October	Inactive	
NOA - DOCX Last updated 17 hours ago Created 22 October	Inactive	

Total 9 1 50/page

Let's set up these two workflows

The screenshot shows the n8n Workflows interface in a web browser. The browser's address bar displays the URL `localhost:5678/projects/PmZnHEmfOYlkR4Ej/workflows`. The interface has a sidebar on the left with icons for home, workflows, and other features. The main content area is titled 'Personal' and shows a list of workflows owned by the user. The 'Workflows' tab is selected, and the list includes several workflows, all of which are currently inactive. Two workflows, 'NOA - API Keys Portal' and 'NOA - Get API Key', are circled in red. At the bottom right, the pagination shows 'Total 9' and '1' of 50 pages.

Personal
Workflows and credentials owned by you



[Workflows](#) [Credentials](#) [Executions](#)

Sort by last updated Filter Grid

NOA - PDF Last updated just now Created 22 October	Inactive ☐	⋮
NOA - SOCMINT Last updated 16 hours ago Created 22 October	Inactive ☐	⋮
NOA - API Keys Portal Last updated 16 hours ago Created 22 October	Inactive ☐	⋮
NOA - Get API Key Last updated 16 hours ago Created 22 October	Inactive ☐	⋮
NOA - WEBINT Last updated 17 hours ago Created 22 October	Inactive ☐	⋮
NOA - IMINT Last updated 17 hours ago Created 22 October	Inactive ☐	⋮
NOA - GEOINT Last updated 17 hours ago Created 22 October	Inactive ☐	⋮
NOA - HUMINT Last updated 17 hours ago Created 22 October	Inactive ☐	⋮
NOA - DOCX Last updated 17 hours ago Created 22 October	Inactive ☐	⋮

Total 9 1 50/page

Let's configure the three MySQL nodes



Click MySQL node

NOA - Get API Key - n8n

localhost:5678/workflow/GbPzWtbB3lZ6R0MY

Personal / NOA - Get API Key + Add tag

Inactive Share Saved ... Star 150,931

Editor Executions Evaluations

When Executed by Another Workflow

Execute MySQL query

Merge combine

Code in JavaScript

Provide e Key manual

Execute workflow

```
graph LR; A[When Executed by Another Workflow] --> B[Execute MySQL query]; B --> C[Merge combine]; C --> D[Code in JavaScript]; D --> E[Provide e Key manual]; E --> F[+];
```

Logs

Click Select Credential

NOA - Get API Key - n8n

localhost:5678/workflow/GbPzWtbB3lZ6R0MY/79ee0d

Back to canvas

INPUT

No input data yet

Execute previous nodes

(From the earliest node that needs it 🕒)

Execute a SQL query

Execute step

Parameters Settings Docs

Credential to connect with

Select Credential

Operation

Execute SQL

Query

```
1 SELECT api_key AS `key`
2 FROM api_keys
3 WHERE user_id = '{{json.userId || "default"}}'
4 AND provider = '{{json.provider}}'
5 LIMIT 1
```

Consider using query parameters to prevent SQL injection attacks. Add them in the options below

Options

No properties

Add option

OUTPUT

Execute this node to view data or set mock data

I wish this node would...

Click Create new credential

The screenshot shows a web browser window with the address bar displaying `localhost:5678/workflow/GbPzWtbB3IZ6R0MY/79ee0d`. The browser tab is titled "NOA - Get API Key - n8n".

The main interface is divided into three sections:

- INPUT:** A light blue panel on the left with the text "No input data yet" and a button labeled "Execute previous nodes". Below the button, it says "(From the earliest node that needs it ☺)".
- Execute a SQL query:** The central configuration panel. It has tabs for "Parameters" and "Settings".
 - Parameters:** Contains a dropdown menu for "Credential to connect with" with the placeholder text "Select Credential". Below this is a button labeled "Create new credential" which is highlighted by a hand cursor. Below the button is a text area containing a SQL query:

```
SELECT api_key AS `key`  
FROM api_keys  
WHERE user_id = '{{json.userId || "default"}}'  
AND provider = '{{json.provider}}'  
LIMIT 1
```
 - Settings:** Contains a section for "Options" with the text "No properties" and a button labeled "Add option".
- OUTPUT:** A light blue panel on the right with the text "Execute this node to view data or set mock data".

At the bottom of the interface, there is a "Logs" section with a "C3" icon.

Confirm these credentials and click Save

Browser tabs: NOA - Get API Key - n8n

URL: localhost:5678/workflow/GbPzWtbB3IZ6R0MY/79ee0d

Back to canvas

Execute a SQL query

Execute step

INPUT

No input data yet

Execute previous nodes

(From the earliest node that needs it)

MySQL account

MySQL

Need help filling out these fields? [Open docs](#)

Connection

Sharing

Details

Host

mysql

Database

noa_secrets

User

noa

Password

noa

Port

3306

Connect Timeout

10000

Execute this node to view data or set mock data

I wish this node would...

After you see the green confirmation,
you can set the credentials for the other two MySQL nodes

The screenshot shows a web browser window with the address bar displaying `localhost:5678/workflow/GbPzWtbB3lZ6R0MY/79ee0d`. The browser's tab is titled "NOA - Get API Key - n8n". The main content area shows a workflow canvas with a node titled "Execute a SQL query". A modal dialog box titled "MySQL account" is open, showing the "Connection" tab. The dialog has a green status bar at the top that says "Connection tested successfully" with a "Retry" button. Below this is a yellow warning bar that says "Need help filling out these fields? [Open docs](#)". The form fields are as follows:

- Host: `mysql`
- Database: `noa_secrets`
- User: `noa`
- Password: `...`
- Port: `3306`

The background canvas shows a node titled "Execute a SQL query" with a "Back to canvas" link and a "No input data yet" message. The bottom of the canvas shows a "Logs" section.

Always remember to save the workflow with the new credentials

The screenshot displays the n8n workflow editor interface. The browser address bar shows the URL `localhost:5678/workflow/GbPzWtbB3IZ6R0MY`. The workflow is titled "NOA - Get API Key - n8n" and is currently in the "Editor" tab. The workflow consists of the following steps:

- When Executed by Another Workflow** (Trigger)
- Execute a SQL query** (Action, labeled `executeQuery`)
- Merge** (Action, labeled `combine`, with inputs from the previous step and a constant value)
- Code in JavaScript** (Action, labeled `{ }`)
- Provide a Key** (Action, labeled `manual`)

A hand icon points to the **Save** button in the top right corner of the editor. The workflow is currently inactive, as indicated by the "Inactive" toggle switch. The "Execute workflow" button is visible at the bottom center.

Activate all workflows except NOA - Get API Key

Workflows - n8n

localhost:5678/projects/PmZnHEmfOYIkR4Ej/workflows

+

🏠

🔗

📊

🔍

🔔

C3

Personal

Workflows and credentials owned by you

Workflows

Credentials

Executions

Search

Sort by last updated

NOA - PDF

Last updated just now | Created 22 October

Inactive 

⋮

NOA - SOCMINT

Last updated 16 hours ago | Created 22 October

Inactive 

⋮

NOA - API Keys Portal

Last updated 16 hours ago | Created 22 October

Inactive 

⋮

NOA - Get API Key

Last updated 16 hours ago | Created 22 October

Inactive 

⋮

NOA - WEBINT

Last updated 17 hours ago | Created 22 October

Inactive 

⋮

NOA - IMINT

Last updated 17 hours ago | Created 22 October

Inactive 

⋮

NOA - GEOINT

Last updated 17 hours ago | Created 22 October

Inactive 

⋮

NOA - HUMINT

Last updated 17 hours ago | Created 22 October

Inactive 

⋮

NOA - DOCX

Last updated 17 hours ago | Created 22 October

Inactive 

⋮

Create Workflow

⌵

Total 9

< 1 >

50/page

After activating workflows you should have this exact interface

The screenshot displays the n8n Workflows interface in a web browser. The browser's address bar shows the URL `localhost:5678/projects/PmZnHEmfOYlK4Ej/workflows`. The interface has a sidebar on the left with a home icon and a search icon. The main content area is titled "Personal" and contains a sub-header "Workflows and credentials owned by you". A red "Create Workflow" button is in the top right corner. Below the sub-header are three tabs: "Workflows" (selected), "Credentials", and "Executions". A search bar and a "Sort by last updated" dropdown are located above the workflow list. The list contains eight workflows, each with a title, a status toggle, and a menu icon. To the right of each workflow is a large green checkmark. The workflows are:

- NOA - PDF (Active, Last updated just now | Created 22 October)
- NOA - SOCMINT (Active, Last updated 16 hours ago | Created 22 October)
- NOA - API Keys Portal (Active, Last updated 16 hours ago | Created 22 October)
- NOA - Get API Key (Inactive, Last updated 16 hours ago | Created 22 October)
- NOA - WEBINT (Active, Last updated 17 hours ago | Created 22 October)
- NOA - IMINT (Active, Last updated 17 hours ago | Created 22 October)
- NOA - GEOINT (Active, Last updated 17 hours ago | Created 22 October)
- NOA - HUMINT (Active, Last updated 17 hours ago | Created 22 October)
- NOA - DOCX (Active, Last updated 17 hours ago | Created 22 October)

At the bottom right, the pagination shows "Total 9", a page number "1" in a red box, and a "50/page" dropdown.

Now let's set up these 5 workflows

Workflows - n8n

localhost:5678/projects/PmZnHEmfOYlkR4Ej/workflows

Personal
Workflows and credentials owned by you

Create Workflow

Workflows Credentials Executions

Search Sort by last updated

NOA - PDF Last updated just now Created 22 October	Active	✓
SOCMINT Last updated 16 hours ago Created 22 October	Active	✓
Keys Portal Last updated 16 hours ago Created 22 October	Active	✓
NOA - Get API Key Last updated 16 hours ago Created 22 October	Inactive	
NOA - WEBINT Last updated 17 hours ago Created 22 October	Active	✓
NOA - IMINT Last updated 17 hours ago Created 22 October	Active	✓
NOA - GEOINT Last updated 17 hours ago Created 22 October	Active	✓
NOA - HUMINT Last updated 17 hours ago Created 22 October	Active	✓
NOA - DOCX Last updated 17 hours ago Created 22 October	Active	✓

Total 9 1 50/page

NOA - SOCMINT - n8n

localhost:5678/workflow/pyJGS8TupXD09XqV

Personal / NOA - SOCMINT + Add tag

0 / 2 Active Share Saved ... Star 150,934


Editor Executions Evaluations

The diagram illustrates a workflow with a central node (a red square) that branches into two large, parallel loops of nodes. Each loop consists of a series of nodes connected by curved lines, suggesting a parallel or iterative process. The loops converge back into a single path that leads to a final output structure on the right. The workflow is displayed in the 'Editor' tab, with 'Executions' and 'Evaluations' tabs also visible.

Execute workflow

Logs

Double click on the SUBWORKFLOW node



NOA - SOCMINT - n8n

localhost:5678/workflow/pyJGS8TupXD09XqV/3c08e8

Back to canvas

INPUT

No input data yet

Execute previous nodes

(From the earliest node that needs it ☹)

Call 'NOA - Get API Key'

Execute step

ParametersSettingsDocs

SourceDatabase

WorkflowFrom listNOA - Get API Key

ModeRun once with all items

OptionsNo propertiesAdd option

OUTPUT

Execute this node to view data or set mock data

Logs

Select NOA - Get API Key

The screenshot shows a web application interface with a browser window at the top. The browser's address bar displays `localhost:5678/workflow/pyJGS8TupXD09XqV/3c08e8`. The application is titled "NOA - SOCMINT - n8n" in the browser's tab. The main interface is divided into three panels: "INPUT", "Call 'NOA - Get API Key'", and "OUTPUT".

The "INPUT" panel on the left contains the text "No input data yet" and a button labeled "Execute previous nodes". Below the button, it says "(From the earliest node that needs it ☺)".

The central panel, titled "Call 'NOA - Get API Key'", has two tabs: "Parameters" (selected) and "Settings". It features a red "Execute step" button in the top right corner. The "Parameters" tab includes a "Source" dropdown menu set to "Database" and a "Workflow" section with a "From list" dropdown and a search bar. Below the search bar, a list of workflows is displayed:

- Create a New Sub-Workflow +
- NOA - API Keys Portal
- NOA - DOCX
- NOA - GEOINT
- NOA - GEOINT
- NOA - Get API Key (highlighted with a red circle and a hand cursor)
- NOA - HUMINT

The "OUTPUT" panel on the right contains the text "Execute this node to view data or set mock data".

Save the Workflow and set the same configuration for the remaining 4 workflows

The screenshot displays a web-based workflow editor interface. At the top, a browser tab is labeled "NOA - SOCMINT - n8n". The address bar shows the URL "localhost:5678/workflow/pyJGS8TupXD09XqV". The interface includes a top navigation bar with a "Share" button, a status indicator "0 / 2 Active" with a green toggle, and a "Star" button showing "150,934". A hand icon is pointing at the "Share" button. The main workspace contains a complex network diagram with numerous nodes and edges. A red "Execute workflow" button is located at the bottom center. The left sidebar features a home icon, a plus icon, and a vertical list of icons. The bottom left corner shows a "Logs" section with a "C3" icon.