



Shopno AI CLI

A-to-Z User Book

v1.0.3 - Made By Bangladesh

A complete chapter-based guide for using every major Shopno feature: chat, models, local AI, coding, browser control, automation, SMTP, memory, sessions, voice, research, proof, PowerToys, and admin-safe workflows.

Created by Sourov, also known as Cyber Prince

Version: v1.0.3

Made By Bangladesh

Created by Sourov, also known as Cyber Prince

Chapter 1 - Welcome To Shopno

Shopno is an AI command center. It is built to help normal users, developers, creators, students, researchers, and business owners work with AI from one professional CLI.

Shopno is not only a chat box. It combines:

- AI chat;
- model selection;
- local AI;
- managed cloud AI;
- coding tools;
- browser tools;
- automation workflows;
- memory;
- sessions;
- voice tools;
- research notebooks;
- project graph;
- proof and quality checks;
- admin controlled SaaS access.

The goal is simple: open Shopno, explain what you want, and let Shopno choose the right built-in power when the task needs it.

Chapter 2 - Install And Start

1. Download the official Shopno ZIP.
2. Extract the ZIP.
3. Run `Shopno-CLI.exe`.
4. Login with your Shopno username and password.
5. Choose a model or start with the active model.

If Windows SmartScreen appears, only continue if the file came from the official Shopno source.

Chapter 3 - The Launcher

The launcher is the first screen after login.

Option	Use It For
START SHOPNO CLI	Start chat with active model
CHOOSE MODEL FOR USE	Select a managed cloud model
OLLAMA LOCAL	Use local installed Ollama models
REMOTE CONTROL WITH WHATSAPP	Remote control workflow when configured
CYBER PRINCE LOCAL LLM	Offline/local model route
BITNET LOCAL LLM	Tiny/1-bit local model route where supported
SAVED PROFILES	See saved model profiles
LOGOUT USER	Logout current account
EXIT COMMAND	Close Shopno

Best beginner path:

```
Run Shopno-CLI.exe
Login
Choose model
Start Shopno CLI
Ask your task
```

Chapter 4 - Model Selection

Shopno can use cloud models and local models.

Managed cloud mode is easiest for users. The admin controls provider keys and model access. Users see model names, not business secrets.

Local mode uses the user's own computer through Ollama. It is best for cheap or unlimited repeated work.

Mode	Best For	Notes
Managed cloud	better reasoning, coding, writing	uses Shopno server quota
Ollama local	free local use	depends on PC power
Small local models	simple tasks, drafts, extraction	may be weak for hard coding
Custom provider	advanced users	requires compatible URL/key

Chapter 5 - Normal Chat

Type your request naturally.

Examples:

```
Create a business plan for my app.  
Fix the login bug in this project.  
Read this folder and tell me what is missing.  
Make a content calendar for my YouTube channel.  
Explain this code like I am a beginner.
```

Shopno is designed to use tools by itself when needed. You do not need slash commands for normal tasks.

Chapter 6 - Big Paste Mode

If you paste a very large file into normal terminal input, Windows terminal can cut it, lag, or break lines badly.

Use Shopno paste mode:

```
<<<
paste your full text here
paste logs, SQL, code, transcripts, notes, anything
>>>
```

Shopno sends the whole block as one message.

Use this for:

- long error logs;
- SQL files;
- source code;
- transcripts;
- business plans;
- article drafts;
- website copy;
- research notes.

Chapter 7 - Resume After Crash Or Hang

Shopno saves sessions. If the CLI closes, hangs, or your PC restarts:

```
/resume-latest
```

Other session commands:

Command	Purpose
`/session`	Show current session
`/sessions`	List saved sessions
`/resume <id>`	Resume a specific session
`/resume-latest`	Resume newest saved session
`/save`	Save now
`/compact`	Summarize old context and continue

Chapter 8 - Slash Commands

Slash commands are shortcuts. They are not required for every task.

Command	What It Does
`/help`	Show command list
`/status`	Show platform status
`/doctor`	Print diagnostics
`/model`	Show model profiles
`/launch`	Return to launcher
`/keys`	Manage provider keys where allowed
`/tools`	List agent tools
`/changes`	Show git changes
`/diff`	Show unstaged diff
`/review`	Review code changes
`/diagnostics`	Run detected project checks
`/memory`	Show memory
`/remember <text>`	Save durable memory
`/tasks`	Show tasks
`/workspace <path>`	Switch workspace
`/voice`	Voice core status
`/graph`	Project graph status
`/exit`	Quit

Chapter 9 - Coding Assistant

Shopno can help with real coding work:

- read files;
- search files;
- edit files;
- run commands;
- inspect git diff;
- review changes;
- create commit messages;
- run diagnostics;
- use browser testing tools;
- create repo digest.

Useful prompts:

```
Find why this app crashes and fix it.  
Review my changes for bugs.  
Add tests for the payment flow.  
Refactor this file without changing behavior.  
Create a clean README for this project.
```

Chapter 10 - Git And Review

Use these when working in a repository:

Command	Purpose
<code>`/changes`</code>	quick git status
<code>`/diff`</code>	unstaged diff
<code>`/staged`</code>	staged diff
<code>`/review`</code>	bug-focused review
<code>`/commit-msg`</code>	commit message suggestion

Good workflow:

```
/changes  
/diff  
/review  
Fix issues  
/commit-msg
```

Chapter 11 - Diagnostics

Diagnostics help Shopno understand project health.

Use:

```
/diagnostics  
/doctor
```

Diagnostics can show:

- missing dependencies;
- project type;
- available commands;
- environment issues;
- obvious setup problems.

Chapter 12 - Browser Bridge

Browser Bridge lets Shopno work with websites and admin panels.

It can:

- open a URL;
- read page text;
- list buttons/inputs;
- click;
- type;
- wait;
- screenshot;
- record workflows.

Example prompts:

```
Open my local site and check if the login page works.  
Inspect this admin panel and tell me why submit fails.  
Record the browser steps needed to publish a blog.  
Take a screenshot proof after changing the page.
```

Chapter 13 - Automation Core

Shopno can create IFTTT/n8n-style automations.

It supports ideas like:

- when a blog is created, share it everywhere;
- send email after approval;
- save content to Google Drive;
- add rows to Sheets;
- queue YouTube upload workflows;
- call webhook;
- use browser steps for sites without API.

Important: live posting needs connector setup and approval.

Useful examples:

```
Create automation: when I create a blog, share it to Facebook, Pinterest, X, LinkedIn, Reddit, WordPress,  
Show automation outbox.  
Publish ready email outbox.  
Retry failed automations.
```

Chapter 14 - Automation Connectors

Connectors store status and setup notes for each platform.

Common connectors:

- email;
- webhook;
- discord;
- telegram;
- wordpress;
- blogger;
- google_drive;
- google_sheets;
- youtube;
- facebook;
- instagram;
- linkedin;
- pinterest;
- reddit;
- x;
- tiktok;
- dribbble.

For safety, Shopno should not secretly post to user accounts. Credentials and approval gates protect the user and the business.

Chapter 15 - Email And SMTP

SMTP is used for server emails and automation emails.

Admin SMTP can send:

- password reset emails;
- payment approval emails;
- support replies;
- announcement emails;
- test emails.

Recommended Gmail setup:

Host: smtp.gmail.com
Port: 587
Security: TLS
Username: your Gmail address
Password: Google app password

Automation connector example:

```
smtp=smtp.gmail.com;port=587;secure=tls;user=you@gmail.com;pass=abcd efgh ijkl mnop;from=you@gmail.com
```

If SMTP fails, check:

- host;
- port;
- TLS/SSL mode;
- username;
- app password;
- hosting firewall;
- spam restrictions.

Chapter 16 - Local AI With Ollama

Ollama local mode lets users run models on their own PC.

Good for:

- drafts;
- summaries;
- simple coding;
- extraction;
- offline tasks;
- unlimited experimentation.

Weakness:

- tiny models can be less accurate;
- hard coding needs stronger models;
- speed depends on CPU/GPU/RAM.

Examples:

```
Use local model for simple summary.  
List my installed Ollama models.  
Recommend a local model for my PC.
```

Chapter 17 - Small Model Tool Power

Some local models cannot call tools natively. Shopno can still help by using text-tool mode.

This means the model writes structured tool requests in text, and Shopno interprets them.

Best use cases:

- file reading;
- simple edits;
- basic search;
- small repo tasks.

Do not expect tiny models to equal premium cloud reasoning.

Chapter 18 - Memory

Memory is for stable facts.

Use:

```
/remember My name is Sourov and I prefer direct answers.  
/memory
```

Good memory:

- user preference;
- project name;
- stable business rule;
- owner identity;
- recurring workflow.

Bad memory:

- temporary error logs;
- secrets;
- random one-time data;
- provider keys.

Chapter 19 - Tasks And Plan

Tasks help track work.

Use:

```
/task Fix login flow  
/tasks  
/plan
```

For long work, ask:

```
Create a step-by-step plan and complete it.
```

Shopno can keep track of multi-step work and update status.

Chapter 20 - Skills

Skills are reusable knowledge or workflows.

Use:

```
/skills
/skills design
```

Skills help Shopno follow specialized instructions without retyping everything.

Shopno currently has a very large local skill library. In this build, the installed skill inventory contains about 1,454 skills. That does not mean the user should read every skill manually. The practical way is to search by goal.

Use:

```
/skills website
/skills wordpress
/skills automation
/skills youtube
/skills api
/skills security
/skills testing
/skills voice
/skills seo
/skills chrome
```

Skill families available in this Shopno setup include:

Skill Family	What It Helps With
Automation	IFTTT/n8n/Zapier-like workflow design
UI and Design	pages, components, UX, accessibility, visual review
Coding Agents	agent planning, tool design, orchestration, evaluation
API Engineering	API design, docs, testing, auth, integrations
Testing and QA	TDD, test fixing, browser/app testing, verification
SEO and Content	blogs, content strategy, publishing, marketing
Security	threat modeling, web security, API security, auditing
WordPress	plugin, theme, WooCommerce, SEO writing
Voice	voice AI, voice live, voice agent patterns
Social Platforms	YouTube, Telegram, WhatsApp, X/Twitter, TikTok
Cloud/DevOps	Azure, AWS, Vercel, Terraform, deployment
Frontend Frameworks	React, Next, Angular, Tailwind, Three.js

Best user prompt:

Search installed skills for this task first, then use the best matching skill and explain which one you used.
Task: build a Chrome extension that saves selected text.

Another:

Before building this WordPress plugin, search skills for wordpress plugin development and use the most relevant skill.

Chapter 20A - Skill Search Master Workflow

When a user has a task and does not know which skill is needed:

```
I want to do [task].
Search Shopno skills for relevant guidance.
Pick the best skill family.
Explain why.
Then create a plan and start the work.
```

Examples:

```
I want to make a YouTube automation workflow. Search skills first.
```

```
I want to build a Shopify product research tool. Search skills first.
```

```
I want to improve this UI. Search design, UI, accessibility, and tailwind skills first.
```

Good result format:

```
Relevant skills found:
1. [skill] - why useful
2. [skill] - why useful
```

```
Recommended approach:
Phase 1...
Phase 2...
```


Chapter 20B - Missing Skill Packs Worth Adding

After checking the installed skill categories, these Shopno-native skill packs would be especially valuable in future because they match the product vision:

Missing/Needed Skill Pack	Why It Matters
Shopno User Onboarding Skill	Helps new users learn Shopno step by step inside chat
Shopno Admin Operator Skill	Guides admins through model tiers, SMTP, quota, downloads, and support
Shopno Release Manager Skill	Builds EXE, updates docs, zips release, checks secrets, creates changelog
Shopno Business Safety Skill	Prevents secret leakage, provider exposure, unsafe public errors
Shopno Automation Builder Skill	Converts any user workflow into trigger-condition-action-retry format
Shopno Browser QA Skill	Runs browser checks, screenshots, console errors, responsive verification
Shopno Full Project Builder Skill	Website/app/software/plugin/extension end-to-end project workflow
Shopno Local Model Advisor Skill	Recommends local models based on device specs and task type
Shopno Content Factory Skill	Blog/video/email/social pack generation with proof gates
Shopno Support Agent Skill	Helps answer user tickets without exposing internals
Shopno SaaS Growth Skill	Pricing, plan limits, onboarding, retention, churn, launch checklist
Shopno Documentation Writer Skill	Keeps README, user guide, PDF book, release notes aligned

The most important missing one is `Shopno Full Project Builder Skill`, because users want to build complete websites, apps, software, plugins, extensions, and automation workflows with guidance from idea to release.

Recommended future command:

```
/skills shopno project builder
```

Recommended normal prompt:

Use the Shopno Full Project Builder workflow.
I want to build [project].
Ask questions, plan, implement, verify, document, and package.

Chapter 21 - MCP And Plugins

MCP and plugins extend Shopno with external tools.

Commands:

```
/mcp  
/plugins  
/plugin-commands  
/dynamic-tools
```

Use these when your project has extra tool servers or plugin commands configured.

Chapter 22 - Project Graph

Project Graph helps Shopno understand file relationships.

Use:

```
/graph  
/graph build  
/graph query login  
/graph impacted auth.py
```

Best for:

- large codebases;
- impact analysis;
- finding related files;
- planning safer edits.

Chapter 23 - Research Notebook

Research core helps keep evidence.

Use it for:

- source notes;
- summaries;
- claims;
- reference checking;
- content planning.

Good prompt:

Save this reference and tell me what is useful for Shopno.

Chapter 24 - Repo Digest

Repo Digest turns a project into compact context.

Use it when:

- you need to share a project summary;
- the repo is too big for chat;
- you want a model-ready digest;
- you need sanitized context.

Prompt:

```
Create a compact repo digest for this project.
```

Chapter 25 - Proof And Trace

Proof Core tracks evidence of work.

It helps answer:

- what prompt was used?
- what tools ran?
- what files changed?
- what failed?
- what tests ran?
- what should be debugged?

Useful for serious business work and debugging agent behavior.

Chapter 26 - Eval Harness

Eval Harness tests whether Shopno behaves correctly.

It can score:

- tool usage;
- secret safety;
- verification;
- task completion;
- wrong file edits.

Use when you want Shopno to become more reliable over time.

Chapter 27 - Vault

Vault stores credential metadata and secrets carefully.

Use it for:

- connector credentials;
- provider notes;
- private tokens;
- fingerprints.

Do not paste secrets into public chats or screenshots.

Chapter 28 - React Doctor

React Doctor checks frontend projects.

It helps with:

- Vite issues;
- Next.js patterns;
- Tailwind problems;
- bad component patterns;
- missing project files;
- frontend diagnostics.

Prompt:

```
Run React Doctor and tell me what is wrong.
```

Chapter 29 - Design Quality Gate

Design Gate checks if frontend work looks professional.

It checks:

- responsive layout;
- accessibility basics;
- real asset usage;
- generic AI-slop signs;
- design contract;
- verification readiness.

Prompt:

Audit this page design and tell me what is weak.

Chapter 30 - PowerToys Core

PowerToys Core adds productivity utilities:

- command palette;
- module manager;
- bug report bundle;
- backup and restore;
- quick actions;
- workspace presets;
- awake mode;
- file locksmith;
- hotkeys.

Use it when you want Shopno to behave more like a desktop workbench.

Chapter 31 - Voice Core

Voice Core supports typed and optional speech workflows.

It can:

- show voice status;
- manage profiles;
- preview speech;
- store companion settings;
- register clone samples with permission.

Commands:

```
/voice  
/voice profiles  
/voice persona  
/voice say Hello
```

Voice cloning must only be used with permission.

Chapter 32 - Motion Studio

Motion Studio helps plan videos and motion projects.

Use:

```
/motion  
/motion list  
/motion show <id>
```

Good for:

- storyboard planning;
- short video ideas;
- scene breakdowns;
- content workflows.

Chapter 33 - Music Studio

Music Studio helps create song specs and queues.

Use:

```
/music  
/music list  
/music show <id>  
/music queue
```

Good for:

- song prompt ideas;
- lyrics planning;
- generation queue tracking;
- creative content.

Chapter 34 - Career Ops

Career Ops helps manage job search and interview prep.

Commands:

```
/career  
/career list  
/career report  
/career prep <id>
```

Use it to track applications, summarize pipeline, and prepare for interviews.

Chapter 35 - Mission Mode

Mission Mode tracks long tasks.

Commands:

```
/mission  
/mission start Build my SaaS dashboard  
/mission checkpoint Finished login and payment screens  
/mission list
```

Use this when the work takes many steps or many sessions.

Chapter 36 - Token Saver

Token Saver helps compress large prose/context.

Use:

```
/tokens  
/tokens path/to/file.md
```

Good for:

- long text;
- documentation;
- reference notes;
- reducing prompt size.

Chapter 37 - Ruthless Mentor

Ruthless Mentor tests ideas without sugarcoating.

Use:

```
/mentor my business idea is ...
```

It checks:

- market logic;
- weak assumptions;
- proof gates;
- risks;
- what must be tested.

Chapter 38 - Content Reality Check

Shopno can evaluate content claims.

Useful for:

- viral video ideas;
- monetization claims;
- "make money" plans;
- content niches;
- proof gates.

Prompt:

Judge this content idea brutally and tell me if it deserves work.

Chapter 39 - Admin Panel Basics

The admin panel is for the owner, not normal users.

Admins can manage:

- users;
- plans;
- quotas;
- payment approval;
- model access;
- provider keys;
- SMTP;
- announcements;
- support replies;
- downloads;
- maintenance;
- automation connectors;
- model boost rules.

Business rule: users should not see provider secrets.

Chapter 40 - Model Boost And Specialist Agents

Admin-controlled specialist model help can route tasks to better helper models.

Use cases:

- coding helper;
- reasoning helper;
- writing helper;
- vision helper;
- safety helper;
- summarization helper.

This should be controlled by admin settings because it affects cost and quality.

Chapter 41 - WhatsApp Remote

WhatsApp Remote is for controlling Shopno remotely when configured.

Use cases:

- send prompts from phone;
- monitor tasks;
- trigger workflows;
- operate PC-side Shopno remotely.

Keep authentication safe. Do not expose remote control to untrusted users.

Chapter 42 - Security For Users

Users should:

- keep account password private;
- not share login;
- not paste provider keys;
- not paste private tokens into public screenshots;
- logout if using shared computer;
- only download official releases.

Chapter 43 - Security For Admins

Admins should:

- keep server files private;
- never publish admin panel source in public ZIP;
- rotate leaked keys;
- use SMTP app passwords;
- protect database credentials;
- test model routes before public release;
- hide provider internals from CLI errors.

Chapter 44 - Troubleshooting Login

If login fails:

1. Check internet.
2. Check username/password.
3. Check server status.
4. If device conflict appears, clear old session.
5. Try again.

If server is down, local-only features may still work depending on setup.

Chapter 45 - Troubleshooting Models

If a model does not reply:

1. Try another model.
2. Check admin model status.
3. Check provider key health.
4. Check quota.
5. Check gateway logs.
6. Do not show provider secrets to users.

Chapter 46 - Troubleshooting SMTP

If email does not send:

1. Use admin test email.
2. Confirm SMTP enabled.
3. Confirm host and port.
4. Confirm TLS/SSL mode.
5. Use app password, not normal Gmail password.
6. Check hosting firewall.
7. Check spam folder.

Chapter 47 - Troubleshooting Large Paste

If paste fails:

1. Use `<<<`.
2. Paste content.
3. End with `>>>`.
4. If still too large, save as file and ask Shopno to read the file.

Chapter 48 - Best Beginner Workflows

Coding:

```
Open project folder
Start Shopno
Ask: inspect this repo and tell me what to fix first
Ask: fix issue one by one
Run /review
```

Writing:

```
Paste notes with <<<
Ask for outline
Ask for final article
Ask for SEO title and social captions
```

Automation:

```
Ask Shopno to create flow
Configure connector
Generate outbox
Approve
Publish
Check retries
```

Chapter 49 - Best Prompts

Use clear goals:

My goal is X. Inspect first, then make the smallest safe change.

Ask for proof:

After fixing, tell me what you changed and how you verified it.

Use constraints:

Do not expose provider names or secrets in user-facing errors.

Ask for brutal truth:

Do not sugarcoat this idea. Tell me if it is weak and why.

Chapter 50 - Final Notes

Shopno is strongest when users treat it as a working assistant, not a magic button.

Give it clear goals. Let it inspect files. Let it use tools. Save sessions. Use paste mode. Use local models for cheap work and strong models for hard work. Keep secrets safe.

That is how Shopno becomes a practical assistant for real human work.

Chapter 51 - What You Can Build With Shopno

Shopno can help create many kinds of work. The user does not need to know every command first. The best method is to explain the goal, give constraints, and ask Shopno to inspect, plan, build, test, and explain.

You can use Shopno for:

- portfolio websites;
- business websites;
- SaaS dashboards;
- admin panels;
- landing pages;
- blogs;
- documentation sites;
- Python software;
- desktop automation scripts;
- browser extensions;
- Chrome extensions;
- WordPress plugins;
- API clients;
- data tools;
- content automation systems;
- YouTube workflow helpers;
- social posting workflows;
- file organizers;
- code refactors;
- bug fixes;
- database migrations;
- PDF generators;
- email systems;
- support systems;
- payment flow helpers;
- AI prompt libraries;
- local AI assistants;
- test suites;
- release packages.

The real power is not one feature. The power is the workflow:

Discuss idea
Ask hard questions
Make plan
Inspect existing files
Create tasks
Build one part
Run checks
Fix errors
Review diff
Package release
Write docs
Save session

Chapter 52 - How To Discuss A Project Before Building

Do not start with "make me an app" if the project matters. Start with discovery.

Use this prompt:

```
I want to build [project type].  
Act as my product architect.  
Ask me only the most important questions first.  
Do not start coding until the plan is clear.  
After questions, create a phased build plan.
```

Example:

```
I want to build a restaurant website for online menu and booking.  
Ask me the important questions first, then create a page plan, feature list, tech plan, and launch checklist
```

Shopno should clarify:

- target users;
- main goal;
- required pages;
- content;
- design style;
- payment or booking needs;
- admin needs;
- hosting target;
- deadline;
- must-have features;
- features to avoid.

Chapter 53 - Project Planning Template

Use this template for any serious project:

Project name:
Main user:
Main problem:
Must-have features:
Nice-to-have features:
Design style:
Platforms:
Data/storage:
Login needed:
Admin panel needed:
Payment needed:
Deadline:
Budget/hosting limits:
What should be avoided:

Then ask:

Turn this into a practical build plan with milestones, files to create, tests, risks, and final release s

Chapter 54 - Full Website Tutorial

Goal: create a professional business website.

Step 1 - discuss:

I want to build a website for [business].

Ask me questions about brand, pages, target users, services, images, contact flow, and style.

Step 2 - plan:

Create a sitemap, section plan, content plan, and design direction.

Use a professional layout, not generic AI design.

Step 3 - build:

Build the website in this project.

Use existing framework if present.

Make it responsive for mobile and desktop.

Use real sections: hero, services, proof, pricing, contact, footer.

Step 4 - verify:

Run diagnostics.

Check mobile layout.

Find text overflow.

Review design quality.

Tell me what remains weak.

Step 5 - launch docs:

Write deployment instructions and a content editing guide.

Chapter 55 - Full App Tutorial

Goal: create an app with user workflows.

Use this prompt:

```
I want to build an app for [goal].  
First create user stories.  
Then create screens.  
Then create database/data model.  
Then create a phased build plan.  
After I approve, implement phase 1.
```

Good app planning includes:

- user roles;
- screens;
- navigation;
- data model;
- actions;
- empty states;
- loading states;
- errors;
- permissions;
- admin controls;
- testing plan.

Example:

```
Build a habit tracker app.  
Users can create habits, mark daily progress, see streaks, and export progress.  
Use local storage first. Make it clean and mobile friendly.
```

Chapter 56 - SaaS Dashboard Tutorial

Goal: create a SaaS dashboard.

Prompt:

```
Build a SaaS dashboard for [business].  
Make it operational, not a marketing landing page.  
Include sidebar navigation, metrics, tables, filters, status badges, settings, and empty states.
```

Ask Shopno to create:

- dashboard overview;
- users page;
- billing page;
- settings page;
- logs page;
- admin controls;
- responsive layout;
- realistic sample data;
- error states.

Then verify:

```
Run design quality gate.  
Check if the dashboard is dense, clean, and useful for repeated work.  
Remove generic decorative sections.
```

Chapter 57 - Software Tool Tutorial

Goal: create a local utility software.

Example:

Create a Python tool that scans a folder, finds duplicate files, shows a report, and asks before deleting

Good process:

1. ask for requirements;
2. decide CLI or GUI;
3. design safe operations;
4. implement dry-run mode;
5. test on sample files;
6. write usage docs;
7. package if needed.

Safety prompt:

Never delete files without dry-run and explicit confirmation.
Show exactly what will happen before changing anything.

Chapter 58 - Plugin Tutorial

Goal: create a plugin or extension for a tool.

Prompt:

I want to create a plugin for [platform].
Research the expected file structure from this project if docs are present.
Create the minimal plugin first.
Add settings, commands, and README.

Plugin planning:

- target platform;
- manifest file;
- commands;
- settings;
- permissions;
- assets;
- installation steps;
- test steps;
- versioning.

Ask:

Create a plugin skeleton, then explain every file and how to test it.

Chapter 59 - Browser Extension Tutorial

Goal: create a Chrome extension.

Prompt:

Create a Chrome extension that [goal].
Use Manifest V3.
Include manifest, popup UI, background/service worker if needed, content script if needed, icons placeholder

Example:

Create a Chrome extension that saves selected text from any page into a local notes list.

Shopno should create:

- `manifest.json`;
- popup HTML/CSS/JS;
- content script;
- background script if needed;
- storage logic;
- README.

Test:

Explain how to load this extension in chrome://extensions and test it step by step.

Chapter 60 - WordPress Plugin Tutorial

Goal: create a WordPress plugin.

Prompt:

```
Create a WordPress plugin named [name].  
It should [feature].  
Use safe PHP, admin settings page, nonce checks, capability checks, and uninstall notes.
```

Plugin examples:

- contact form;
- shortcode;
- custom post type;
- SEO helper;
- analytics snippet manager;
- content scheduler;
- affiliate box generator.

Ask Shopno:

```
Create the plugin files and explain upload/install steps for WordPress admin.
```

Chapter 61 - API Integration Tutorial

Goal: connect to an API.

Prompt:

```
Build an API integration for [service].  
Create config, auth handling, request client, error handling, retries, and docs.  
Do not hardcode secrets.
```

Good API integration includes:

- environment variables;
- timeout;
- retry;
- rate limit handling;
- clear errors;
- tests or sample calls;
- logging without secrets.

Chapter 62 - Database Project Tutorial

Goal: work with SQL safely.

Prompt:

```
Review this SQL file.  
Tell me if it is safe to upload.  
Check tables, indexes, constraints, seed users, passwords, and destructive statements.
```

For changes:

```
Create a migration plan.  
Do not drop data.  
Add backup instructions.  
Make changes reversible where possible.
```

Chapter 63 - Operating Your PC With Shopno

Shopno can help operate the PC through approved shell commands and tools.

Examples:

```
List files in this folder.  
Find all large zip files.  
Create a backup of this config.  
Run the test command.  
Start the local dev server.  
Check which process uses port 3000.
```

Important safety:

- Shopno should explain risky commands;
- destructive commands need approval;
- backups should happen before risky changes;
- never run unknown commands blindly.

Good prompt:

```
Operate my PC to prepare this project for release.  
Check files, build, run smoke test, create zip, and tell me results.  
Ask before deleting anything.
```

Chapter 64 - File Management With Shopno

Shopno can help:

- organize folders;
- find files;
- search text;
- compare docs;
- create backups;
- inspect release packages;
- generate reports.

Prompt:

```
Scan this project and tell me what files are safe for public release and what must stay private.
```

Another:

```
Find duplicate documentation files and suggest which one should be canonical.
```

Chapter 65 - Browser Operation With Shopno

Shopno can operate browser workflows when Browser Bridge is available.

Use cases:

- test a local website;
- inspect admin panel;
- fill forms;
- capture screenshots;
- record repeatable workflow;
- verify responsive UI.

Prompt:

```
Open http://localhost:3000, inspect the page, click the login button, report console errors, and take a s
```

For a real site:

```
Open my website, check homepage text, find broken buttons, and list improvements.
```

Chapter 66 - Browser Workflow Recording

If a task repeats, record it.

Example:

Record a workflow for publishing a blog post in this admin panel.
Open the panel, identify fields, explain selectors, and export reusable steps.

Use it for:

- posting content;
- downloading reports;
- checking dashboards;
- QA steps;
- user onboarding tests.

Chapter 67 - IFTTT/n8n Style Workflow Thinking

Every automation has:

Trigger -> Conditions -> Actions -> Approval -> Logs -> Retry

Examples:

Trigger	Action
New blog file	create social outbox
New support ticket	email admin
New product video	create YouTube checklist
Daily schedule	send digest
Webhook received	post to Discord
Form submitted	save row to Sheets

Prompt:

Design this as an IFTTT/n8n-style workflow.
Define trigger, conditions, actions, credentials needed, approval gates, retry behavior, and logs.

Chapter 68 - Blog Auto Share Workflow

Goal: when a blog is created, share everywhere.

Prompt:

Create a workflow:

When I create a markdown blog in content/blogs,
generate platform-specific posts for Facebook, Pinterest, X, LinkedIn, Reddit, WordPress, Blogger, email,
Keep everything in approval outbox first.

Then:

Show me connector setup needed for each platform.
Show outbox.
Approve only email first.
Publish email.
Show retry queue.

Chapter 69 - Email Newsletter Workflow

Goal: send newsletter.

Prompt:

```
Create a newsletter workflow.  
Input is a markdown article.  
Generate subject, plain text email, short social captions, and approval checklist.  
Use SMTP only after I approve.
```

Useful checks:

- subject length;
- spammy words;
- links;
- unsubscribe note if required;
- audience;
- test email first.

Chapter 70 - Google Drive And Sheets Workflow

Goal: save generated work.

Prompt:

Design a workflow that saves each finished blog to Google Drive and appends title, URL, date, category, and content to a Google Sheet. List OAuth setup needed and fallback manual export steps.

If OAuth is not ready, Shopno should create files or outbox rows instead of pretending live integration works.

Chapter 71 - YouTube Workflow

Goal: plan/upload videos.

Prompt:

Create a YouTube workflow for a video idea.
Generate title options, description, tags, thumbnail prompt, chapters, shorts captions, upload checklist,
Keep upload as approval-gated.

Shopno can help with:

- video concept;
- script;
- title;
- description;
- tags;
- thumbnail prompt;
- upload checklist;
- social repurpose.

Chapter 72 - Plant Timelapse Content Workflow

Example business/content workflow:

I want to create plant timelapse videos.

Do not hype fake income.

Create a realistic workflow: idea research, shot list, AI prompts, editing plan, upload calendar, monetiz

Shopno should separate:

- possible;
- risky;
- needs proof;
- unrealistic claims.

Chapter 73 - Full Project Example: Portfolio Website

Prompt sequence:

```
I want a portfolio website for Cyber Prince.  
Ask questions first.  
Then create sitemap and sections.  
Then build a responsive site.  
Use real project sections, contact, skills, testimonials, and download links.
```

After plan:

```
Implement the site in this project.  
Use existing framework.  
Verify mobile and desktop.  
Run design gate.  
Write deployment notes.
```

Chapter 74 - Full Project Example: Admin Panel

Prompt:

Build an admin panel for managing users, subscriptions, model access, SMTP, downloads, support tickets, a
Use a dense professional dashboard style.
Include filters, forms, tables, statuses, and safe error messages.

Important:

- no secret exposure;
- CSRF/nonce where applicable;
- validation;
- role checks;
- audit logs;
- test email;
- safe model status.

Chapter 75 - Full Project Example: Chrome Extension

Prompt:

```
Build a Chrome extension called Quick Capture.  
It saves selected text, page title, URL, and timestamp.  
It has popup search and export JSON.  
Use Manifest V3.  
Create all files and install guide.
```

Then ask:

```
Explain how to test every feature manually.
```

Chapter 76 - Full Project Example: Desktop Helper

Prompt:

Build a Windows desktop helper in Python.
It watches a Downloads folder, organizes files by type, logs all moves, and has dry-run mode.
Never delete files.

Shopno should create:

- script;
- config;
- dry-run;
- logs;
- README;
- test folder plan.

Chapter 77 - Full Project Example: Content Automation System

Prompt:

Build a content automation system.

Input: idea.

Output: blog, email, social captions, YouTube description, image prompt, publishing checklist, and outbox

Use approval before live publishing.

Workflow:

Idea -> Research -> Outline -> Draft -> Quality check -> Assets -> Outbox -> Approval -> Publish -> Logs

Chapter 78 - Full Project Example: Local AI Knowledge Base

Prompt:

Create a local knowledge base assistant for my documents.
It should ingest markdown/text files, create summaries, allow search, and answer with source references.
Keep it local-first.

Shopno can help design:

- folder layout;
- index format;
- search;
- summarization;
- source IDs;
- answer format;
- update workflow.

Chapter 79 - How To Ask Shopno To Work End-To-End

Use this master prompt:

```
You are Shopno working as my senior engineer.  
Goal: [goal]  
First inspect the project.  
Then ask only blocking questions.  
Then create a plan.  
Then implement one phase at a time.  
After each phase, run verification.  
Do not hide failures.  
Do not expose secrets.  
At the end, summarize changed files, tests, and remaining risks.
```

This prompt works for websites, apps, software, plugins, automations, and docs.

Chapter 80 - How To Avoid Bad Results

Bad prompt:

Make app.

Better prompt:

Build a task management app for solo freelancers.
It needs projects, tasks, due dates, priority, dashboard, and local storage.
Use a clean professional UI.
Ask questions first if anything is unclear.
Implement phase 1 only: dashboard and task CRUD.
Then test and summarize.

Good results come from:

- clear goal;
- clear audience;
- feature list;
- constraints;
- examples;
- permission to inspect;
- verification requirement.

Chapter 81 - What Shopno Should Do Automatically

Shopno should decide when to use:

- file search;
- file read;
- edit tools;
- terminal commands;
- browser tools;
- automation tools;
- memory;
- research notes;
- graph search;
- repo digest;
- design gate;
- diagnostics;
- proof trace.

Users can simply say:

```
Fix this project and verify it.
```

But for serious work, add details.

Chapter 82 - What Shopno Should Not Do Automatically

Shopno should not automatically:

- delete files without approval;
- post publicly without approval;
- send bulk emails without approval;
- expose provider names or keys;
- bypass login or payment systems;
- claim income guarantees;
- pretend an integration is live when credentials are missing;
- use voice clone without permission.

This protects users and the business.

Chapter 83 - Practical Daily Use For Developers

Morning:

Read current git status and tell me what I was working on.

Before coding:

Inspect this feature and create a safe implementation plan.

After coding:

Review diff for bugs and missing tests.

Before release:

Run diagnostics, update docs, package release, and list remaining risks.

Chapter 84 - Practical Daily Use For Business Owners

Use Shopno to:

- draft offers;
- create landing page copy;
- prepare support replies;
- summarize user feedback;
- generate product roadmap;
- create email announcements;
- update docs;
- plan content;
- automate distribution;
- check payment/admin workflows.

Prompt:

```
Act as my operations assistant.  
Review these notes and create today's action plan with priorities and risks.
```

Chapter 85 - Practical Daily Use For Creators

Use Shopno for:

- video ideas;
- scripts;
- captions;
- thumbnail prompts;
- upload checklist;
- content calendar;
- repurposing;
- sponsorship pitch;
- audience research;
- automation.

Prompt:

Turn this idea into a full content pack: short video script, YouTube title, description, tags, thumbnail

Chapter 86 - Practical Daily Use For Students And Researchers

Use Shopno for:

- summarizing notes;
- comparing sources;
- creating flashcards;
- explaining code;
- organizing references;
- building study plans;
- drafting reports.

Prompt:

Explain this topic step by step.
Create examples, questions, and a revision plan.
Do not invent facts; mark uncertain points.

Chapter 87 - The Shopno Build Formula

For any project:

Idea
Clarify
Plan
Build
Verify
Improve
Document
Package
Resume later

This is the formula users should follow.

Chapter 88 - Final Practical Advice

Shopno can do many things, but the user remains the owner of decisions. Use Shopno as a skilled worker:

- give context;
- define success;
- demand proof;
- approve risky actions;
- keep secrets safe;
- test before release.

When used this way, Shopno becomes a practical assistant for building, operating, and growing real projects.

Chapter 89 - Appendix: Skill Ideas You May Want Next

These are not random ideas. They are practical skill packs that match how users will actually use Shopno.

Builder Skills

- Website Builder Skill;
- SaaS Dashboard Builder Skill;
- Mobile App Planner Skill;
- Desktop Software Builder Skill;
- Chrome Extension Builder Skill;
- WordPress Plugin Builder Skill;
- Shopify App Builder Skill;
- API Integration Builder Skill;
- Database Migration Builder Skill.

Automation Skills

- IFTTT Alternative Designer Skill;
- n8n Workflow Converter Skill;
- Google Workspace Automation Skill;
- Social Crosspost Automation Skill;
- Email Newsletter Automation Skill;
- YouTube Publishing Workflow Skill;
- Browser Workflow Recorder Skill;
- Webhook Router Skill.

Business Skills

- SaaS Pricing Skill;
- User Onboarding Skill;
- Support Reply Skill;
- Churn Reduction Skill;
- Product Roadmap Skill;
- Launch Checklist Skill;
- Payment Approval Ops Skill;
- Admin Panel Operator Skill.

Safety Skills

- Secret Leak Scanner Skill;
- User-Facing Error Sanitizer Skill;
- Release Package Safety Skill;
- Provider Privacy Skill;
- SMTP Troubleshooter Skill;
- OAuth Setup Guide Skill;
- Backup Before Change Skill.

Creative Skills

- YouTube Automation Skill;
- Plant Timelapse Workflow Skill;
- Shorts/Reels Script Skill;
- Thumbnail Prompt Skill;
- Music Prompt Skill;
- Motion Storyboard Skill;
- Voice Persona Skill;
- Brand Kit Skill.

PC Operator Skills

- Windows PC Operator Skill;
- File Organizer Skill;
- Dev Server Manager Skill;
- Port/Process Troubleshooter Skill;
- Release Zip Builder Skill;
- Local Model Installer Skill;
- Ollama Model Advisor Skill.

If you add only five first, add these:

1. Shopno Full Project Builder Skill.
2. Shopno Automation Builder Skill.
3. Shopno Admin Operator Skill.
4. Shopno Release Manager Skill.
5. Shopno Business Safety Skill.

These five cover the highest-value real user workflows.