ROMHACK

CAMP 2026 · WORKSHOP

WORKSHOP

Keep caLLM & Let It Block

Agentic SOAR with n8n + Splunk

Hands-on security workshop

n8n · Splunk · AWS WAF · Amazon Bedrock

2-hour lab

Flaminio Village, Rome

MEET THE TEAM

SATISPAY SECURITY TEAM



Doc

Detection, incident response and security automation. Builds trusted blue-team workflows with Splunk and n8n.



aserpi

Designs SIEM/SOAR systems and response pipelines, extending security tooling into fraud detection.



Ric

Turns Splunk data into actionable detection and explores agentic SOAR with humans and guardrails in the loop.



Franzvisca

Builds Splunk-based threat detection, fraud and AML monitoring, and risk-based alerting.

AGENDA

01 Introduction: log in and trace the response loop

02 Base: receive an alert and preserve its context

03 A: discover the cost of a naive block

04 B: use intelligence to protect the shared NAT

AGENDA

05 C1: let an agent investigate with tools

06 C2: put human approval before remediation

07 C3: observe explicit block expiry (optional)

08 Export: download your finished workflow

INTRODUCTION

TRACE ONE INCIDENT

Follow the same lab, run and source through the response loop.

01 TARGET
Receives the scenario traffic

02 SPLUNK
Indexes logs and sends alerts

03 LLM POWERED N8N
Investigates and routes decisions

04 WAF
Applies the requested block

GET READY

OPEN YOUR LAB


1. Sign in with your private access record.

2. Open Splunk, n8n and the lab portal.

3. Find your workflow and your lab search scope

WARM UP


Goku opens his lab, checks his gloves, and discovers Frieza is already on Namek.



A


BLOCK THE ENEMY

Frieza is attacking Namek. Goku must block him!




B
ADD INTELLIGENCE
Goku needs to identify Frieza among all the travellers


CI
LET THE AGENT INVESTIGATE
Intelligent identification is not enough. Goku needs King kAI to better identify the enemies


Chi-Chi reviews the evidence and holds the approval lever. Even Goku must wait for a human decision.
C2
APPROVE BEFORE REMEDIATION


After Chi-Chi approves, Goku applies an explicit 120-second block.
C3
MAKE EXPIRY EXPLICIT

THANKS