


# Cybersource®



## ISV - Oracle Commerce Cloud Gateway User Installation Guide

June 2023



### Contents

1.	Introduction.....	4
1.1.	Cybersource Configuration.....	5
1.2.	Generating API Keys in Business Center .....	5
1.3.	Oracle Commerce Cloud Configuration.....	6
1.3.1.	Payment Gateway Installation Details .....	6
1.3.2.	SSE (server-extension) installation details.....	8
1.3.3.	Plugin installation details.....	9
2.	Configuration Details .....	11
2.1.	General Settings.....	11
2.2.	Fraud Management Settings .....	13
2.2.1.	Enabling Payer Authentication.....	13
2.2.2.	Enabling Device fingerprint.....	15
2.2.3.	Advanced Fraud Screening with Decision Manager .....	15
3.	Reporting .....	16
3.1.	Reporting configuration .....	16
4.	Shipping Region.....	17
5.	Placing order from Storefront.....	18
5.1.	Placing an order from storefront using Credit Card .....	18
6.	Oracle Commerce Cloud Storefront Cancel an order.....	23
7.	Apple Pay Configuration.....	27
7.1.	Create a Merchant ID.....	27
7.2.	Create Payment Processing Certificate.....	29
7.3.	Domain Validation.....	30
7.4.	Create Merchant Identity Certificate.....	32
8.	Support.....	35
9.	Abbreviations.....	36

### Copyright:

© 2023 Cybersource Corporation. All rights reserved. Cybersource Corporation (including its subsidiaries, "Cybersource") furnishes this document and the software and/or code described in this document under the applicable agreement between the reader of this document ("You") and Cybersource ("Agreement"). You may use this document and/or software and/or code only in accordance with the terms of the Agreement, except as expressly set forth in the Agreement, the information contained in this document is subject to change without notice and therefore should not be interpreted in any way as a guarantee or warranty by Cybersource. Cybersource assumes no responsibility or liability for any errors that may appear in this document. The copyrighted software and/or code that accompanies this document is licensed to you for use only in strict accordance with the Agreement. You should read the Agreement carefully before using the software and/or code. Except as permitted by the Agreement, you may not reproduce any part of this document, store this document in a retrieval system or transmit this document in any form or by any means, electronic, mechanical, recording or otherwise without the prior written consent of Cybersource.

**Network Capability:** By accepting this document, you acknowledge and accept that you are responsible for and assume liability for the functionality, maintenance and availability of your software and network. At all times, it is your responsibility to ensure the accuracy, technical sufficiency and functionality of your software, network, plug-ins, configurations, applications, code, application program interfaces (APIs), software development kits and all other technology ("Your Network"). You are responsible for Your Network's ability to use and/or access the Cybersource network, any Cybersource API and receive the benefit of Cybersource's services. You are responsible for all costs, fees, expenses and liabilities associated with Your Network's ability to access and interface with the Cybersource network and receive the benefit of Cybersource's services. Cybersource will not be responsible or liable for loss or costs associated with or that results from Your Network's inability to connect to or process transactions on the Cybersource network.

Release: June 2023

Version: 23.1.0

## 1. Introduction

This document contains the details of configuring the ISV OCC payment plugin in Oracle Commerce Cloud. The configuration steps are related to Payment Acceptance, Payment Security, Fraud Management, Order Management and Commerce services for Credit Card, Google Pay and Apple Pay Payment Methods.

The purpose of this manual is to guide a user to configure and to use the ISV OCC payment plugin for the Oracle Commerce Cloud platform. The Oracle Commerce Cloud platform includes the following Cybersource payment management capabilities

### Credit Cards (Flex Microform)

- a) Payment Acceptance
  - Authorization
  - Sale (Authorization & Settlement)
- b) Payment Security
  - Tokenization -Create Payment Token for New Payment Methods
  - Tokenization - Make a Payment Using a Stored Token
- c) Fraud Management
  - Payer Authentication
  - Decision Manager with Device Fingerprint
  - Advanced Fraud Screening with Decision Manager
- d) Order Management
  - Capture
  - Refund
  - Void (Authorization Reversal)
- e) Commerce service
  - On-demand conversion
  - Daily conversion

### Google Pay

- a) Payment Acceptance
  - Authorization
- b) Fraud Management
  - Decision Manager with Device Fingerprint
  - Advanced Fraud Screening with Decision Manager
- c) Order Management
  - Capture
  - Refund
  - Void (Authorization Reversal)
- d) Commerce service
  - On-demand conversion
  - Daily conversion

### Apple Pay

- a) Payment Acceptance
  - Authorization
- b) Fraud Management
  - Decision Manager with Device Fingerprint
  - Advanced Fraud Screening with Decision Manager
- c) Order Management
  - Capture
  - Refund
  - Void (Authorization Reversal)
- d) Commerce service
  - On-demand conversion
  - Daily conversion

### 1.1. Cybersource Configuration

To use the Cybersource services, the Merchant needs to procure an account from Cybersource. The Merchant will be provided with the Merchant key ID and Shared secret key. This Merchant key ID and Shared secret key should be configured in Oracle Commerce Cloud to enable the integration between Cybersource and Oracle Commerce Cloud.

A Cybersource account can be created from [Cybersource.com](http://Cybersource.com). For more information on creating an account, Merchant can contact the Cybersource Customer support.

Key features of the Oracle Commerce Cloud and Cybersource Official Payment Add-on Integration:

- Enable the users to accept and manage payments in Oracle Commerce Cloud.
- Enable hassle-free, completely secure, PCI Compliant, Fraud management enabled - end to end payment transaction for Credit Card, Google Pay and Apple Pay Payment Methods.
- Supports Tokenization which eliminates electronic CHD from being stored in the Merchant environment thereby reduces the scope of Payment Card Industry (PCI) compliance considerations.

### 1.2. Generating API Keys in Business Center

This section provides the detailed steps to generate API Keys (Merchant key ID and Shared secret key) required to configure in the Oracle Commerce Cloud Back Office.

**Step 1:** Go to [Cybersource.com](http://Cybersource.com) and then login to business center. Click on “Key Management” in “Payment Configuration” Tab.

**Step 2:** Click on “Generate Key” button.

**Step 3:** Select “REST - Shared Secret” and click on “Generate Key”.

**Step 4:** A Shared secret key will be generated.

**Step 5:** Go to “Key Management”, note the Key ID displayed. These keys can be used in Oracle Commerce Cloud Back Office Payment Settings for the MID in which these keys are generated.

### 1.3. Oracle Commerce Cloud Configuration

This section provides the plugin installation steps to enable integration between Oracle Commerce Cloud and Cybersource.

#### 1.3.1. Payment Gateway Installation Details

The steps to install the plugin from Oracle Commerce Cloud Admin are:

##### 1.3.1.1. Create an extension ID

To upload an extension into Commerce Cloud, you must generate an ID for the extension and update the same in packages/payment-gateway/ext.json file

To create an extension ID:

- Log into Commerce Cloud.
- Navigate to Settings -> Extensions -> Developer tab.
- Click on Generate ID button.
- Enter a name for the extension and click Save.
- Copy and update the generated extension ID

##### 1.3.1.2. Upload Extension

Before uploading the extension, zip up all the files within your packages/payment-gateway directory excluding settings.json. This is the file you upload to Commerce Cloud to make the extension available for use.

**Step 1:** In the “Settings” tab on the left panel.

## Oracle Commerce Cloud – ISV Gateway User Installation Guide




Figure 1: Oracle Commerce Cloud Back Office Dashboard

**Step 2:** In settings, click on “Extension” button.





Figure 2: Extension button

**Step 3:** Click the Upload Extension button and select the extension zip file from your local file system.



*Figure 3: Upload Extension*

Once the module is installed, head back to the Oracle Commerce Cloud Admin settings to configure it.

### 1.3.2. SSE (server-extension) installation details

Configure production settings in the following file packages/server-extension/config/app.prod.json:

- cache.service.ttl.secs - Default caching TTL, can be zero value
- cache.gatewaysettings.ttl.secs - Caching TTL for gateway settings call (see packages/serverextension/src/middlewares/gatewaySettings.ts). You might want to use TTL value '1' while testing SSE so that changes in gateway settings performed in OCC Admin become immediately available to SSE and Payment Widget respectively
- crypto.service.key - Random key which is used to encrypt data so that it is not tampered in UI
- partner.developerId - Leave the value as is
- partner.solutionId - Leave the value as is
- logging.webhook.http - Enable webhook request/response logging
- logging.api.error - Enable logging for errors
- logging.api.access - Enable logging for incoming requests
- payments.secret.key - Webhook secret key

### 1.3.3. Plugin installation details

- Copy the contents from `cybersource-plugins-oraclecxcommerce/plugins` into the `plugins` directory of your storefront (OSF workspace) code.

Copy plugins/actions into your storefront code and export the actions in the index and meta files: `plugins/actions/index.js`

```
export * from '@oracle-cx-commerce/actions';

export const flexMicroformAction = () => import('./flex-microform-action');
export const applePayValidationAction = () => import('./apple-pay-validation-action');
export const getPayerAuthSetupAction = () => import('./get-payer-auth-setup-action');
```

`plugins/actions/meta.js`

```
export * from '@oracle-cx-commerce/actions/meta';
|
export {flexMicroformAction} from './flex-microform-action/meta';
export {applePayValidationAction} from './apple-pay-validation-action/meta';
export {getPayerAuthSetupAction} from './get-payer-auth-setup-action/meta';
```

Copy plugins/components into your storefront code and export the components in the index and meta files: `plugins/components/index.js`

```
export * from '@oracle-cx-commerce/react-widgets';
export const IsvPaymentMethod = () => import('../isv-payment-method/index');
export const IsvCheckoutContinueToReviewOrderButton = () => import('../isv-checkout-continue-to-review-order-button');
export const IsvCheckoutPlaceOrderButton = () => import('../isv-checkout-place-order-button');
```

`plugins/components/meta.js`

```
export * from '@oracle-cx-commerce/react-widgets/meta';
export {default as IsvPaymentMethod} from '../isv-payment-method/meta';
export {default as IsvCheckoutContinueToReviewOrderButton} from '../isv-checkout-continue-to-review-order-button/meta';
export {default as IsvCheckoutPlaceOrderButton} from '../isv-checkout-place-order-button/meta';
```

Copy plugins/endpoints into your storefront code and export the endpoints in the index and meta files: `plugins/endpoints/index.js`

```
export * from '@oracle-cx-commerce/endpoints';
export * from '@oracle-cx-commerce/oce-endpoints';
export const flexMicroformEndpoint = () => import('./flex-microform-endpoint');
export const paymentMethodConfigEndpoint = () => import('./payment-method-config-endpoint');
export const applePayValidationEndpoint = () => import('./apple-pay-validation-endpoint');
export const payerAuthSetupEndpoint = () => import('./payer-auth-setup-endpoint');
```

`plugins/endpoints/meta.js`

```
export * from '@oracle-cx-commerce/endpoints/meta';
export * from '@oracle-cx-commerce/oce-endpoints';
export {default as flexMicroformEndpoint} from './flex-microform-endpoint/meta';
export {default as paymentMethodConfigEndpoint} from './payment-method-config-endpoint/meta';
export {default as applePayValidationEndpoint} from './apple-pay-validation-endpoint/meta';
export {default as payerAuthSetupEndpoint} from './payer-auth-setup-endpoint/meta';
```

Copy plugins/selectors into your storefront code and export the selector in the index file:

`plugins/selectors/index.js`

```
export * from './flex-microform-selector';
export * from './payment-method-config-selector';
|

```

Copy plugins/fetchers into your storefront code and export the fetchers in the hook, index and meta files:

`plugins/fetchers/hooks.js`

```
export {default as useFlexMicroformFetcher} from './flex-microform-fetcher/hook';
export {default as usePaymentMethodConfigFetcher} from './payment-method-config-fetcher';
```

## Oracle Commerce Cloud – ISV Gateway User Installation Guide

plugins/fetchers/index.js

```
export {default as flexMicroformFetcher} from './flex-microform-fetcher';
export {default as paymentMethodConfigFetcher} from './payment-method-config-fetcher';
```

plugins/fetchers/meta.js

```
export {default as flexMicroformFetcher} from './flex-microform-fetcher/meta';
export {default as paymentMethodConfigFetcher} from './payment-method-config-fetcher/meta';
```

**Note:** Install jwt-decode package by running '**yarn add jwt-decode -W**'

- Deploy with the following command:

```
yarn occ deploy
```

## 2. Configuration Details

This section provides the details about the steps for configuring the extension with Merchant Details, Payment Method enabling for Credit Card, Google Pay and Apple Pay

### 2.1. General Settings

**Step 1:** Go to OCC Admin -> Settings ->Payment Processing and then click on “Payment Gateways”.

The screenshot shows the Oracle Commerce Cloud Admin interface. The left sidebar is dark with various navigation options. The 'Settings' option is highlighted. In the main content area, the 'Commerce' section is selected. Under 'Payment Processing', the 'Payment Gateways' tab is active. A red box highlights the 'Payment Processing' link in the sidebar. The right side shows a list of payment gateways with 'ISV OCC Gateway' selected. Buttons for 'Cancel' and 'Save' are at the bottom right.

Figure 4: Payment Gateways

**Step 2:** Under Payment Gateways, select the Service Type “ISV OCC Gateway” and enable the Payment Gateway

The screenshot shows the Oracle Commerce Cloud Admin interface. The left sidebar is dark with various navigation options. The 'Settings' option is highlighted. In the main content area, the 'Commerce' section is selected. Under 'Payment Processing', the 'Payment Gateways' tab is active. A red box highlights the 'ISV OCC Gateway' option in the 'Service Type' dropdown menu. The right side shows a list of payment gateways with 'ISV OCC Gateway' selected. Buttons for 'Cancel' and 'Save' are at the bottom right.

Figure 5: ISV OCC Gateways

**Step 3:** Under ISV OCC Gateway, enter the details for Preview, StoreFront and Agent Configurations

*Figure 6: Preview Configuration*

**Step 4:** Save and publish the changes

Section	Description
Merchant ID	Enter the Merchant ID details
Key id	Enter the Merchant Key ID
Secret key	Enter the Merchant Secret Key
Key alias	Key Alias (in case authentication type = jwt)
Key pass	Key Pass (in case authentication type = jwt)
Key file name	Key File Name (in case authentication type = jwt)
Authentication type	Choose the authentication type from the drop down
Environment	PSP REST API environment to send requests to
Google Pay Gateway	To retrieve payment and customer information from a payment gateway that's supported by the Google Pay API. Gateway's identifier, which is issued by Google
Google Pay Gateway merchant ID	To retrieve payment and customer information from a payment gateway that's supported by the Google Pay API. Your gateway account ID, which is provided by the gateway

Google Pay Merchant ID	A Google merchant identifier issued after registration with the Google Pay Business Console. Required when Payments Client is initialized with an environment property of PRODUCTION. See Request production access for more information about the approval process and how to obtain a Google merchant identifier
Google Pay Merchant Name	Merchant name encoded as UTF-8. Merchant name is rendered in the payment sheet. In TEST environment, or if a merchant isn't recognized, a "Pay Unverified Merchant" message is displayed in the payment sheet
Google Pay Supported Networks	Google Pay Supported networks
Apple Pay Merchant ID	Apple Pay Merchant ID
Apple Pay initiative context	Fully qualified domain name associated with your Apple Pay Merchant Identity Certificate
Apple Pay supported network	Apple Pay Supported Networks
Apple Pay display name	Apple Pay Display Name

**Table 1: Configuration Fields**

## 2.2. Fraud Management Settings

### 2.2.1. Enabling Payer Authentication

**Step 1:** Login to OCC Admin dashboard and click on Settings.

## Oracle Commerce Cloud – ISV Gateway User Installation Guide




Figure 7: Enabling Payer Authentication

**Step 2:** Go to Settings ->Payment Processing and then click on “Payment Gateways”.




Figure 8: Payment Gateways

**Step 3:** Under Payment Gateways, select the Service Type “ISV OCC Gateway”. Select the Credit Card Payer Authentication Enabled checkbox. Save the changes.

Key File Name (in case authentication type = jwt) (required)  
keyFileName

Authentication Type (required)  
http\_signature

Environment (required)  
environment

Credit Card Payer Authentication Enabled  
Indicates whether Payer Authentication (3D Secure) will be enabled

Sale Enabled  
 Card  
Indicates if authorizing and taking payment will be done at the same time for a particular payment mode

Credit Card Flex SDK URL (required)  
flexSdkUrl

CVV Required. [DO NOT EDIT]  
Is the CVV required when using a saved card.

Figure 9: Enabling Payer Authentication

**Note:** Local Instance doesn't support Payer Authentication with saved cards

### 2.2.2. Enabling Device fingerprint

This section covers information on how to enable Device Fingerprint Service.

Under Payment Gateways -> “ISV OCC Gateway”, select the Device Fingerprint Enabled checkbox to enable the Device Fingerprint and enter the details for Device Fingerprint URL & Device Fingerprint Organization Id. Save the changes.

DM Decision Skip  
 Card  
 Apple Pay  
 Google Pay  
Indicates which payment modes should skip the decision manager step

Daily Report Name (required)  
dailyReportName

Device Fingerprint URL (required)  
https://h.online-metrix.net/tp/tags

Device Fingerprint Organization Id (required)  
deviceFingerprintOrgId

Device Fingerprint Enabled

Cancel **Save**

Figure 10: Enabling Device fingerprint

### 2.2.3. Advanced Fraud Screening with Decision Manager

This section provides information on Configuring Decision Manager Services in OCC.

## Oracle Commerce Cloud – ISV Gateway User Installation Guide

Under Payment Gateways -> “ISV OCC Gateway”, uncheck the DM Decision Skip to enable Decision Manager for the desired Payment Service.




Figure 11: DM Decision Skip

## 3. Reporting

This section covers the details of the Reports imported from Cybersource to Oracle Commerce Cloud. Following Reports are generated in Cybersource and are imported in Oracle Commerce Cloud:

1. On-demand conversion
2. Daily conversion

### 3.1. Reporting configuration

This section covers the configuration to be made for Reporting:

The types of Reports supported are:

1. **On-demand conversion:** Daily transaction level report that provides details related to each individual transaction.
2. **Daily conversion:** Report that can be scheduled for daily execution which returns conversion report for a given date.

In settings, give the daily report name as **ConversionDetailReport\_Daily\_Classic**

## Oracle Commerce Cloud – ISV Gateway User Installation Guide




Figure 12: Enter the Daily Report Name

## 4. Shipping Region

This section covers the details about changing the Shipping Region in OCC Admin

**Step 1:** Under Settings ->Shipping Methods, click on New Shipping Region




Figure 13: Shipping methods

**Step 2:** Enter the display name as per your preference and select the shipping country and save




Figure 14: New Shipping Region

## 5. Placing order from Storefront

### 5.1. Placing an order from storefront using Credit Card

**Step 1:** Open the Oracle Commerce Cloud Storefront

The screenshot shows the Oracle Commerce Cloud StoreFront interface. At the top, there is a search bar with placeholder text 'I'm searching for...' and a magnifying glass icon. To the right of the search bar are links for 'Commerce Cloud Site' and a user profile icon. Below the search bar, there is a category 'Clothing' and a note 'Viewing 1-2 of 2'. On the left, there are filters for 'Category' (set to 'Clothing (2)') and 'Price Range' (\$50.00 - \$60.00 and \$80.00 - \$90.00). The main area displays two products: 't-shirt' and 'sweat shirt'. Both products have blue placeholder images. The 't-shirt' is listed at '\$50.00'. The 'sweat shirt' was originally '\$100.00' but is now listed at 'Now: \$80.00'. A dropdown menu on the right indicates 'Best Match'.

Figure 15: Oracle Commerce Cloud StoreFront

**Step 2:** Add an item in to cart

## Oracle Commerce Cloud – ISV Gateway User Installation Guide




Figure 16: Oracle Commerce Cloud Add to Cart

**Step 3:** After adding an item to cart, click on “Checkout” option.




Figure 17: Oracle Commerce Cloud Checkout

**Step 4:** Click on “Checkout as Guest”

## Oracle Commerce Cloud – ISV Gateway User Installation Guide




Figure 18: Oracle Commerce Cloud Checkout as Guest

### Step 5: Fill in the Shipping details.

A screenshot of the Shipping address input form. The page title is 'Checkout'. It shows three steps: 1 SHIPPING, 2 PAYMENT, and 3 REVIEW. The SHIPPING step is active. On the left, there's a 'Delivery Address' section with fields for First Name, Last Name, Country (United States), ZIP Code, State (Alabama), Street Address, Town/City, and Phone Number (optional). On the right, there's an 'Order Summary' table:

Subtotal	\$100.00	
Shipping	Free	\$0.00
Tax		
<b>Total</b>	<b>\$100.00</b>	

At the bottom, there's a 'Continue' button and a footer with links for Help, Customer Services, Contact Us, Shipping Information, Returns & Refunds, and social media icons.

Figure 19: Shipping address

### Step 6: Select the desired shipping option & click “Continue to Payment”

## Oracle Commerce Cloud – ISV Gateway User Installation Guide

The screenshot shows the 'Checkout' process at step 1: SHIPPING. On the left, there's a section for 'Home Delivery' with an item detail for a 't-shirt' which is 'In Stock'. The item price is \$50.00, quantity is set to 2, and the total is \$100.00. To the right is an 'Order Summary' table:

Order Summary	
Subtotal	\$100.00
Shipping	\$6.00
Tax	\$0.00
<b>Total</b>	<b>\$106.00</b>

Below the shipping details, there's a 'Ship to' section with an address for 'Ann Babu' at '1295 Charleston Road, Mountain View CA 94043 US'. A link to 'Edit Address' is provided. Under 'Shipping Options', two choices are listed: 'Shipping Cost: \$6.00' (selected) and 'US shipping: \$5.00'. At the bottom is a blue button labeled 'Continue to Payment'.

**Figure 20: Continue to Payment**

**Step 7:** Select the required Payment method and enter the necessary details. For Credit Card, click on Continue to Review Order button and respective buttons for Google Pay & Apple Pay.

The screenshot shows the 'PAYMENT' step. The 'Credit Card' option is selected. The payment form includes fields for 'Card Number', 'Expiry Date (MM/YY)', 'CVV Number', and 'Name on Card'. Below these, a 'Billing Address' section contains the address '1295 Charleston Road, Mountain View ABE 94043 GB'. A link to 'Edit Address' is available. At the bottom, there are buttons for 'Google Pay' and '+ Apply a Promo Code'. A blue button labeled 'Continue to Review Order' is highlighted with a red border. To the right is an 'Order Summary' table:

Order Summary	
Subtotal	\$2,101.00
Shipping	Free
Tax	\$0.00
<b>Total</b>	<b>\$2,101.00</b>

At the bottom right is a 'Back to Previous' button.

**Figure 21.1: Credit Card Payment Method**

## Oracle Commerce Cloud – ISV Gateway User Installation Guide

The screenshot shows the 'Checkout' process at step 2: PAYMENT. The payment methods section includes 'Credit Card', 'Google Pay' (selected), and 'Buy with Google Pay'. Below this is a 'Billing Address' field containing '1295 Charleston Road, Mountain View CA 94043 US'. A link to 'Edit Address' is present. To the right is an 'Order Summary' table:

Order Summary	
Subtotal	\$50.00
Shipping	\$6.00
Tax	\$0.00
<b>Total</b>	<b>\$56.00</b>

At the bottom are 'Continue to Review Order' and 'Back to Previous' buttons.

Figure 21.2: Google Pay Payment Method

The screenshot shows the 'Checkout' process at step 2: PAYMENT. The payment methods section includes 'Credit Card', 'Google Pay', and 'Apple Pay' (selected). Below this is a 'Billing Address' field containing '1295 charleston road, Mountain view CA 94043 US'. A link to 'Edit Address' is present. To the right is an 'Order Summary' table:

Order Summary	
Subtotal	\$50.00
Shipping	\$6.00
<b>Total</b>	<b>\$56.00</b>

At the bottom are 'Continue to Review Order' and 'Back to Previous' buttons.

Figure 21.3: Apple Pay Payment Method

**Step 8:** Enter the email address, click on “Place Order” button

## Oracle Commerce Cloud – ISV Gateway User Installation Guide

The screenshot shows the 'Checkout' page. At the top, there are three tabs: 'SHIPPING' (highlighted with a red box), 'PAYMENT', and 'REVIEW'. Below the tabs, there's a 'REVIEW ORDER' section with 'Contact Information' and an email field containing 'test@gmail.com' (also highlighted with a red box). The 'Shipping Details' section shows 'Home Delivery' for a 't-shirt' item at \$50.00, quantity 1, and total \$50.00. To the right is an 'Order Summary' table:

Order Summary	
Subtotal	\$50.00
Shipping	\$6.00
Tax	\$0.00
<b>Total</b>	<b>\$56.00</b>

A large blue 'Place Order' button is at the bottom of the summary table (also highlighted with a red box).

Below the summary, there's a 'Payment Details' section with a VISA logo and card number '4244 3210 4321 1111', expiry date '05/2025', and billing address 'Ann Babu, 1295 Charleston Road, Mountain View CA 94043 US'. At the very bottom of the page is a footer with links: Help, Customer Services, Contact Us, Shipping Information, Returns & Refunds, and social media icons (Facebook, Instagram, Twitter, Pinterest).

**Figure 22: Place Order**

The screenshot shows the 'Thank you for your order' page. It displays a message: 'Your order has been submitted. A confirmation email with your order details has been sent to your email address.' Below it, the 'Order Number' is listed as 'e60142'. There's a section for creating an account with fields for 'First Name' (Ann) and 'Last Name' (Babu), an 'Email Address' (test@gmail.com), and a checkbox for 'I want to get email updates.' A blue 'Create an Account' button is present. Below the account creation section is a 'Continue Shopping' button. The footer is identical to Figure 22, with links for Help, Customer Services, Contact Us, Shipping Information, Returns & Refunds, and social media icons.

**Figure 23: Order placed**

## 6. Oracle Commerce Cloud Storefront Cancel an order

The Customer can cancel the order from Oracle Commerce Cloud.

**Step 1:** Click on “Agent Console Settings” and then “Remorse Period”.

## Oracle Commerce Cloud – ISV Gateway User Installation Guide

The screenshot shows the Oracle Commerce Cloud interface. On the left, there's a sidebar with various navigation options like Dashboard, Catalog, Marketing, Design, Media, Search, Accounts, Settings, User Management, Reports, and Service Operations. Under the Settings section, there's a 'Changes' area with a '#default' button. The main content area is titled 'Commerce' and has a 'Commerce Cloud Site' dropdown. Below it, there are several tabs: Announcements (selected), Quick Links, Price Override, Remorse Period (which is highlighted with a red box), and Extended Remorse Period. The 'Remorse Period' tab contains sections for 'Announcements' and 'Remorse Period'. The 'Announcements' section says 'No Announcements have been created.' and 'Click the New Announcement button to start.' There's a '+ New Announcement' button. The 'Remorse Period' section is currently empty.

Figure 24: Remorse Period


**Step 2:** Specify the Time for Remorse Period and save.

This screenshot shows the same commerce interface as Figure 24, but with a modal dialog box open over the 'Remorse Period' section. The dialog is titled 'Remorse Period' and contains a checkbox labeled 'Enable Remorse Period'. Below the checkbox is a section titled 'Specify Time For Remorse Period:' with two input fields: 'Hours' (set to 0) and 'Minutes' (set to 15). The entire 'Specify Time For Remorse Period:' section is highlighted with a red box. At the bottom right of the dialog are 'Cancel' and 'Save' buttons.

Figure 25: Enable Remorse Period


**Step 1:** Login into user account and select Order History from the profile

## Oracle Commerce Cloud – ISV Gateway User Installation Guide



**Figure 26: Order History**

**Step 14:** Click on the order to be cancelled



**Figure 27: Orders page**

**Step 15:** Click on “Cancel This Order” button

## Oracle Commerce Cloud – ISV Gateway User Installation Guide

The screenshot shows the Oracle Commerce Cloud Order Details page. At the top, there's a navigation bar with 'LATEST PROMOTIONS AND OFFERS' and a search bar. Below that, the category 'Clothing' is selected. The main content area shows 'Order Details' for Order Number 060209, created on 9/26/2022. It lists two items: a t-shirt at \$50.00 each, quantity 2, totaling \$100.00. To the right is an 'Order Summary' table:

Order Summary	
Subtotal	\$100.00
Shipping	\$6.00
Tax	\$0.00
<b>Total</b>	<b>\$106.00</b>

A red box highlights the 'Cancel This Order' button in the bottom right corner of the order summary section.


Figure 28: Cancel This order

**Step 16:** Select the reason for the cancellation & click on “Submit Cancellation”

The screenshot shows the Oracle Commerce Cloud Cancel Order page. At the top, there's a navigation bar with 'LATEST PROMOTIONS AND OFFERS' and a search bar. Below that, the category 'Clothing' is selected. The main content area shows 'Cancel Order' for the same order. A dropdown menu for the cancellation reason is open, showing 'No longer needed'. Below it are two buttons: 'Don't Cancel Order' and a red-highlighted 'Submit Cancellation' button. At the bottom, there's a footer with links to Help, Customer Services, Contact Us, Shipping Information, Returns & Refunds, and social media icons for Facebook, Instagram, Twitter, and Pinterest. Copyright information is also present.

Figure 29: Submit cancellation

**Step 17:** The Order Cancellation screen.



**Figure 30: Order Canceled successfully**

## 7. Apple Pay Configuration

In order to use Apple Pay there are few assumptions and prerequisites one should take into consideration.

- You must have an Apple Developer Account.
- All pages that incorporate Apple Pay must be served over HTTPS.
- Your website must comply with the Apple Pay guidelines. [Click here](#) for more information.
- Your website must have HTTPS mode enabled. [Click here](#) to know more about server requirements

In order to configure Apple Pay added in the ISV OCC Gateway plugin, you need to perform the following actions:

1. Register an Apple Pay Merchant ID
2. Validate your Store domain in Apple Pay.
3. Create a Payment Processing Certificate.
4. Create a Merchant Identity Certificate.

### 7.1. Create a Merchant ID

[Click here](#) to visit Apple's official article

1. Go to [Certificates, Identifiers & Profiles](#) page.
2. Select Identifiers from the sidebar. Click the "+" button.
3. Find and select the Merchant IDs from the list.

## Oracle Commerce Cloud – ISV Gateway User Installation Guide

The screenshot shows the 'Certificates, Identifiers & Profiles' page with the 'Register a new identifier' section. The 'App IDs' option is selected, and the description states: 'Register an App ID to enable your app, app extensions, or App Clip to access available services and identify your app in a provisioning profile. You can enable app services when you create an App ID or modify these settings later.' Other options like 'Services IDs', 'Pass Type IDs', 'Website Push IDs', etc., are also listed with their descriptions.

Figure 31: Register a New Identifier Page

4. Fill in the Description and the Identifier field values. Record the value of the Identifier as it is required in the following configuration process. Click the Continue button.

The screenshot shows the 'Certificates, Identifiers & Profiles' page with the 'Register a Merchant ID' section. The 'Description' field is filled with 'Cybersource Test Merchant ID' and the 'Identifier' field is filled with 'merchant.com.test.cyberosource'. Both fields have validation messages below them: 'You cannot use special characters such as @, &, \*, ^, ", ~, -, .' and 'We recommend using a reverse-domain name style string (i.e., com.domainname.appname)' respectively. There are 'Back' and 'Continue' buttons at the top right.

Figure 32: Register a Merchant ID Page

5. Click the Register button to finish the Merchant ID creation process.

The screenshot shows the 'Certificates, Identifiers & Profiles' page with the 'Register a Merchant ID' section. The 'Description' field is filled with 'Cybersource Test Merchant ID' and the 'Identifier' field is filled with 'merchant.com.test.cyberosource'. A 'Register' button is visible at the top right. The page has a 'Back' button and a 'Register' button.

Figure 33: Finishing a New Merchant ID Registration Page

### 7.2. Create Payment Processing Certificate

A Payment Processing certificate is used to establish secure communication between Apple Pay and Cybersource.

1. Log in to your Cybersource Enterprise Business Center account.
2. On the left navigation panel go to “Payment Configuration” > “Digital Payment Solutions”.
3. Click “Configure” button near “Apple Pay”.
4. Enter the value of your Apple Pay Merchant ID in the Apple Merchant ID field.

The screenshot shows the 'Apple Pay Registration' page. At the top, there's a header with an 'X' icon and the title 'Apple Pay Registration'. To the right is a 'Help' link. Below the header, the first step is titled 'Step 1: Generate the Certificate Signing Request'. It contains instructions about what a CSR is and how it's used. A text input field is labeled 'Apple Merchant ID' with a placeholder 'Enter Merchant ID'. Below the input field is a blue button labeled 'GENERATE NEW CERTIFICATE SIGNING REQUEST'.

---

**Step 2: Submit the CSR to Apple**  
Submit the CSR to Apple to get the required Apple Pay Certificate. [Learn more about the submission process.](#)

---


**Step 3: Generate Transaction Security Key**  
Complete this step if you use the SDK. When using the SDK, each transaction request originating from your iOS application must include a unique signature.

At least one CyberSource SOAP Toolkit API transaction security key exists. If you do not want to reuse an existing key, [generate a new transaction security key here.](#)

**Important** - To use Apple Pay, your processor must support payment network tokenization.


**Figure 34: EBC Apple Pay Registration Page**

5. Click Generate New Certificate Signing Request button.
6. Save the generated CSR on your disk.
7. Go to [Certificates, Identifiers & Profiles](#) page on your Apple Developer portal.
8. Select Identifiers from the sidebar.
9. Select your Merchant ID from the list.
10. Under Apple Pay Payment Processing Certificate click the Create Certificate button.
11. Select the CSR file you have downloaded from EBC in the previous step.



**Figure 35: Uploading Payment Processing Certificate Request**

12. Click Continue button.
13. Click Download button.



**Figure 36: Downloading Payment Processing Certificate Request**

### 7.3. Domain Validation

1. Go to [Certificates, Identifiers & Profiles](#) page on your Apple Developer portal.
2. Select your Merchant ID from the list.
3. Click Add Domain button under Merchant Domains.

## Oracle Commerce Cloud – ISV Gateway User Installation Guide

The screenshot shows the 'Certificates, Identifiers & Profiles' section under the 'Edit or Configure Merchant ID' heading. A sub-section titled 'Apple Pay Payment Processing Certificate' is displayed. It includes a text area for 'Name' containing 'Cybersource Test Merchant ID', an 'Identifier' field showing 'merchant.com.test.cyberosource', and a note about special character restrictions. Below this is a certificate summary: Name: merchant.com.test.cyberosource, Type: Apple Pay Payment Processing, Expires: Jul 23, 2023 (Active Certificate). Buttons for 'Revoke' and 'Download' are present. A link to 'Create an additional certificate' is also shown. The 'Apple Pay Payment Processing on the Web' section is partially visible below.

**Figure 37: Configure Apple Pay Merchant ID Page.**

4. Enter your Admin domain name into the field.

The screenshot shows the 'Certificates, Identifiers & Profiles' section under the 'Register' heading. A sub-section titled 'Enter the domain you wish to register' is displayed. A text input field contains 'https://'. The top right corner shows user information: Krishna Salem - 94C658DZ5A.

**Figure 38: Domain Registration Page.**

5. Click Save button.
6. Download the validation file and save on your disk.

The screenshot shows the 'Certificates, Identifiers & Profiles' section of the Apple Developer portal. It includes instructions for verifying ownership of a domain by uploading a file to a specific URL. A download button for the file is present, along with 'Download' and 'Ok' buttons.

*Figure 39: Domain Verification Page*

7. The [Upload an Apple Pay merchant identity certificate](#) guide can be used in order to setup Apple Pay for testing in the sandbox environment. `yarn occ` CLI tool has a command for your convenience which can upload domain association file for you:

```
yarn occ upload-apple-domain-association -u ${OCC_ADMIN_HOST}-k  
${APPLICATION_KEY} <appledeveloper-merchantid-domain-association>
```

Where

- `APPLICATION\_KEY` - Application Key created in Settings -> Web APIs -> Registered Applications
  - `OCC\_ADMIN\_HOST` - your OCC specific environment, e.g. `asbx80c1dev-admin-{env}.oraclecloud.com`
  - `appledeveloper-merchantid-domain-association` - domain association file downloaded from ApplePay dev account
8. When you verify domain make sure it is accessible from ApplePay network. OCC Admin (e.g. `https://asbx80c1dev-admin-{env}.oraclecloud.com/thirdparty/.well-known/apple-developer-merchantid-domain-association`) is often protected by basic authentication which might fail the domain verification process. You can use [updateBasicAuthConfiguration](#) to update your storefront access control settings by removing basic authentication or whitelisting [Apple Pay IP Range](#).
  9. Click the Ok button to finish the Domain Validation process.

### 7.4. Create Merchant Identity Certificate

Merchant Identity certificate is used to authenticate your sessions on Apple Pay servers. The certificate and its private key files must be uploaded to your server and full paths to these files must be entered in Cybersource Official add-on settings.

1. Go to [Certificates, Identifiers & Profiles](#) page on your Apple Developer portal.
2. Select your Merchant ID from the list.

## Oracle Commerce Cloud – ISV Gateway User Installation Guide

3. Generate your CSR following [Apple Developer Help article](#).
4. Click Create Certificate under Apple Pay Merchant Identity Certificate.

### Apple Pay Payment Processing on the Web

To configure Apple Pay Payment Processing on the web for this merchant ID, you must register and verify the domains that will process transactions. You must also create a Apple Pay Merchant Identity, which authenticates your web sessions with the Apple Pay Payment Processing servers.

Incorporation of Apple Pay Payment Processing into your website is subject to these [Apple Pay Payment Processing Web Merchant Terms and Conditions](#) and [Acceptable Use Guidelines](#). Failure to comply with any of these Terms and Conditions or guidelines may result in deactivation of Apple Pay Payment Processing transactions on your website.

#### Merchant Domains

Domain: www.qa.prestashop.cybsplugin.com

Status: **Verified**

Verification Expires: Aug 3, 2021

[Remove](#)

[Verify](#)

Add a domain for use with this Merchant ID.

[Add Domain](#)

#### Apple Pay Merchant Identity Certificate

Create an Apple Pay Merchant Identity Certificate for this Merchant ID.

[Create Certificate](#)

**Figure 40: Create Merchant Identity Certificate Page.**

5. Upload the CSR and click Continue.

Apple Developer

## Certificates, Identifiers & Profiles

< All Certificates

### Create a New Certificate

Back Continue

**Certificate Type**  
Apple Pay Merchant Identity Certificate

**Upload a Certificate Signing Request**  
To manually generate a Certificate, you need a Certificate Signing Request (CSR) file from your Mac.  
[Learn more >](#)

Choose File CertificateSigningRequest.certSigningRequest

**Figure 41: Create a New Merchant Identity Certificate Page.**

6. Click the Download button and save the Certificate on your disk.

Apple Developer

## Certificates, Identifiers & Profiles

< All Certificates

### Download Your Certificate

Revoke Download

**Certificate Details**

Certificate Name merchant.com.test.cyberosource	Certificate Type Apple Pay Merchant Identity	Download your certificate to your Mac, then double click the .cer file to install in Keychain Access. Make sure to save a backup copy of your private and public keys somewhere secure.
Expiration Date 2023/07/23	Created By	

## Oracle Commerce Cloud – ISV Gateway User Installation Guide

Figure 42: Download Merchant Identity Certificate Page.

7. Convert the Certificate into PEM format.

```
openssl x509 -inform der -in merchant_id.cer -out merchant_id.pem
```

8. Install the certificate by double clicking on it. Certificate will be available under Keychain Access.




Figure 43: Certificates Under Keychain Access.

9. Right click on the private key file and export as merchant\_id.p12

10. Convert your private key into KEY format.

```
openssl pkcs12 -in merchant_id.p12 -out merchant_id.key -nodes
```

11. Identity certificate file is located in packages/server-extension/certs/applePayIdentityCert.pem. Private key file is located in packages/server-extension/certs/applePayIdentityKey.key. **Please make sure you update the file with identity certificate downloaded from your Apple dev account.**

The screenshot shows the 'Commerce' section of the Oracle Commerce Cloud interface. On the left, there is a sidebar with various icons. The main area contains several input fields for payment processing:

- 'Apple Pay Merchant Id (required)': Input field containing 'applePayMerchantId'.
- 'Apple Pay Initiative (required)': Input field containing 'web'.
- 'Apple Pay Initiative Context (required)': Input field containing 'applePayInitiativeContextId'.
- 'Apple Pay Display Name (required)': Input field containing 'applePayDisplayName'.
- 'Apple Pay Supported Networks (required)': Input field containing 'visa.masterCard.amex.discover'.

Next to each input field is a descriptive text block:

- 'A predefined value that identifies the e-commerce application making the request. For Apple Pay on the web use 'web'' (next to the 'initiative' field).
- 'Fully qualified domain name associated with your Apple Pay Merchant Identity Certificate' (next to the 'initiative context' field).
- 'Name to be displayed on Apple Pay payment sheet' (next to the 'display name' field).
- 'Comma separated list of networks. e.g: 'visa,masterCard,amex,discover'' (next to the 'supported networks' field).

Figure 44: ISV OCC Gateway Payment Processing Page.

## 8. Support

If you require support with this software, please contact [GlobalPartnerSolutionsCS@visa.com](mailto:GlobalPartnerSolutionsCS@visa.com) and provide the following details:

- Summary of the issue
- Steps to reproduce the issue
- Oracle Commerce Cloud Platform version: You can find Oracle Commerce Cloud Platform Version in Oracle Commerce Cloud Backoffice dashboard.




Figure 45: ISV OCC Gateway Payment Processing Page.

- Plugin/ Extension version: Under Settings->Extension, find the version of the installed ISV Payment Gateway extension.





Figure 46: ISV OCC Gateway Extension Page.

- Cybersource Merchant ID: Under Settings->Payment Processing, Select the ISV OCC Payment from the Service Type dropdown, find the Merchant Id.



*Figure 47: ISV OCC Gateway Payment Processing Page.*

- Order ID/ Merchant Reference Number: Order ID can be found in Order Confirmation Page or Order History.
- Configuration screenshots: Please provide screenshots of ISV OCC Gateway Configurations.
- Log file and other relevant data: Download the **debug** and **error** logs from Oracle Commerce Cloud using `getExtensionServerLogs` admin endpoint.

## 9. Abbreviations

This section covers the full form of all the abbreviations used in the document.

Abbreviation	Full Form
MID	Merchant ID
EBC	Enterprise Business Center
Org ID	Organization ID
API	Application Programming Interface
PCI	Payment Card Industry

*Table 2: Abbreviations*