Cybersource for Salesforce B2C Commerce REST v26.2.0

cybersource
A Visa Solution

© 2026. Cybersource Corporation. All rights reserved.

Cybersource Corporation (Cybersource) furnishes this document and the software described in this document under the applicable agreement between the reader of this document (You) and Cybersource (Agreement). You may use this document and/or software only in accordance with the terms of the Agreement. Except as expressly set forth in the Agreement, the information contained in this document is subject to change without notice and therefore should not be interpreted in any way as a guarantee or warranty by Cybersource. Cybersource assumes no responsibility or liability for any errors that may appear in this document. The copyrighted software that accompanies this document is licensed to You for use only in strict accordance with the Agreement. You should read the Agreement carefully before using the software. Except as permitted by the Agreement, You may not reproduce any part of this document, store this document in a retrieval system, or transmit this document, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written consent of Cybersource.

Restricted Rights Legends

For Government or defense agencies: Use, duplication, or disclosure by the Government or defense agencies is subject to restrictions as set forth the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 and in similar clauses in the FAR and NASA FAR Supplement.

For civilian agencies: Use, reproduction, or disclosure is subject to restrictions set forth in subparagraphs (a) through (d) of the Commercial Computer Software Restricted Rights clause at 52.227-19 and the limitations set forth in Cybersource Corporation's standard commercial agreement for this software. Unpublished rights reserved under the copyright laws of the United States.

Trademarks

Authorize.net and The Power of Payment are registered trademarks of Cybersource Corporation. Cybersource and Cybersource Decision Manager are trademarks and/or service marks of Cybersource Corporation. Visa, Visa International, Cybersource, the Visa logo, the Cybersource logo, and 3-D Secure are the registered trademarks of Visa International in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners.

Contents

Salesforce B2C Commerce **4**
- Supported Features 4
- Supported Versions 5
- Cybersource Prerequisites 5
- Release Notes 6
- Install Cybersource for Salesforce B2C Commerce 10
- Configure Cybersource for Salesforce B2C Commerce 12
- Optional Configuration 14
  - Digital Payment Methods 14
  - Alternative Payment Methods 17
  - Payer Authentication and 3-D Secure 17
  - Tokenization 18
  - Fraud Screening 18
  - Device FingerPrint 19
  - Delivery Address Verification 20
  - Tax Calculation 20
  - Message Level Encryption 21
- Order Management 22
- Customization 23
- Support & Troubleshooting 24
- Upgrade 25

Index ..... **a**

Salesforce B2C Commerce

The Cybersource cartridge for Salesforce B2C Commerce enables merchants to connect their Salesforce B2C Commerce store to the Visa Acceptance Platform to directly take credit/debit card, Apple Pay, Google Pay, Click to Pay, and eCheck payments.

Supported Features

The Cybersource cartridge for Salesforce B2C Commerce supports multiple payment methods and features.

Payment Methods

- Credit/debit cards
- Apple Pay
- Google Pay
- Click to Pay
- eCheck

Security and Fraud Management

- Payer Authentication/3-D Secure
- Tokenization
- Cybersource Decision Manager and Fraud Management Essentials

Additional Services

- Cybersource Delivery Address Verification
- Cybersource Tax Calculation

Supported Versions

The Cybersource extension is compatible with specific versions of Salesforce Store Front Reference Architecture (SFRA).

Compatibility

Our Cybersource extension is compatible with Salesforce Store Front Reference Architecture (SFRA) version 7.0 and below.

Cybersource Prerequisites

Before implementing the Cybersource cartridge, ensure that you have the required and optional Cybersource products configured.

Mandatory

You must have a REST Shared Secret Key

Optional

These Cybersource products are optional, but if you choose to use them, they must be enabled and configured for your Merchant ID:

- Unified Checkout
- Payer Authentication for 3-D Secure
- Tokenization
- Apple Pay (standalone or through Unified Checkout)
- Google Pay (standalone or through Unified Checkout)
- Click to Pay (through Unified Checkout only)
- Cybersource Decision Manager
- Cybersource Fraud Management Essentials

You can also enable Message-Level Encryption (MLE) for additional security. A REST certificate is required for MLE.

Rules-based Payer Authentication is also supported and requires both Payer Authentication and Decision Manager to be enabled.

Release Notes

Release history and updates for the Cybersource Salesforce B2C Commerce cartridge.

Version 26.2.0 (March 2026)

Enhancements:

- Updated Payer Authentication flow to align with SFRA best practices
- Added fallback device data capture for Payer Authentication
- Updated Mastercard 3-D Secure Data Only transactions
- Updated Cardinal Commerce URLs for Data Center Migration
- Modified subscription creation during the authorization call in checkout
- Decision Manager support for Apple Pay Transactions
- Apple Pay address handling improvments
    - Checkout page: collect address from checkout page
    - Cart/Mini Cart page: collect address from Apple Pay

Bug Fixes:

- Corrected page routing for failed Apple Pay scenarios
- Fetch the total amount from the server side instead of capturing it on the frontend to avoid issues for different currencies accross different locales
- Correct handling of AUTHORIZED_RISK_DECLINED response for post authorization scenarios
- CheckoutServices Error Fix: Resolved TypeError occurring when the cartridge is disabled
- Fixed issue where the Unified Checkout capture context did not refresh when the Delivery Address Verification is enabled

- Corrected page redirection issue for Decision Manager reject scenarios
- Fixed bug causing "setAddress1" of null when performing follow-up transactions with a registered customer after updating shipping address.
- Fixed issue where the eCheck transient token exceeded the session.privacy 2000-character limit

Version 26.1.0 (January 2026)

New Feature:

- Added support for 3-D Secure Data Only transactions.

Version 25.4.0 (December 2025)

New Feature:

- Added support for Unified Checkout v0.32 (Card Payments, Apple Pay, Google Pay, Click to Pay, and eCheck).

Enhancement:

- End of support for Click to Pay legacy.

Version 25.3.0 (May 2025)

New Features:

- Added Payer Authentication support for Google Pay.
- Added multi-currency support for Google Pay.

Bug Fixes:

- Handled session variables in SCA flow.
- Removed encryption type from Microform v2 request.

Version 25.2.0 (March 2025)

New Feature:

- Message-Level Encryption (MLE).

Enhancement:

- Added support for Cartes Bancaires, Elo, China Union Pay, and JCrew.

Version 25.1.0 (January 2025)

New Feature:

- Replaced Microform v0.11 with v2.

Bug Fixes:

- Added webhook subscription deletion if the subscription is deleted at Cybersource or Salesforce custom object.
- Handled undefined exception scenario for 3-D Secure transactions.

Version 24.4.0 (September 2024)

New Feature:

- DMPA support.

Enhancement:

- Upgraded to jQuery v3.7.0.

Version 24.3.0 (August 2024)

Enhancements:

- Upgraded the cartridge to support SFRA v7.0.
- Added MOTO Commerce Indicator.

Version 24.2.1 (May 2024)

Bug Fixes:

- Checkmarx issues fixed.
- Device fingerprint bug fixed.

Version 24.2.0 (April 2024)

New Features:

- Network token support

Enhancements:

- Implemented Direct API integration for Payer Authentication, adding Payer Authentication Setup and Device Data Collection.
- Enhanced Strong Consumer Authentication (SCA).

Version 24.1.0 (February 2024)

New Features:

- Added Strong Customer Authentication retries for card payments.

Enhancements:

- SFRA v6.3 support.
- Salesforce B2C Commerce Release 22.7 support.
- Renamed Visa SRC to Click to Pay.
- Implemented Sale functionality for Credit Card, Google Pay, Click to Pay and Apple Pay.
- Updated flex script referring from v0.11.0 to v0.11.
- Updated API header in Http Signature Authentication.

Version 21.1.0 (June 2021)

Enhancements:

- Improved Payer Authentication screen (modal).

Bug Fixes:

- Added descriptive error messages on certain fail cases and invalid inputs.
- Reloading on final confirmation page does not result on failed authorization.

Version 20.2.0 (Feb 2021)

New Features:

- Google Pay
- Visa Secure Remote Commerce payment method
- Improved the security on the My Account page by adding Microform to tokenize payment cards.

Bug Fixes:

- Improved the security of keys by changing data type of password fields from `String` to `password`.
- Added more security to the exposed parameters of device fingerprint.

Version 20.1.1 (Nov 2020)

Bug Fixes:

- Improved the security on accessing and modifying sensitive fulfilment-related actions on an order (for example, order acceptance, cancelling etc.).

Version 20.1.0 (Aug 2020)

Initial release supporting:

- Credit/debit cards
- Apple Pay
- Payer Authentication/3-D Secure
- Delivery Address Verification service
- Tax Calculation service
- Authorization, Capture, Authorization Reversal

Install Cybersource for Salesforce B2C Commerce

Download and install the Cybersource cartridge for Salesforce B2C Commerce.

Before beginning installation, ensure that you have:

- Access to your Salesforce B2C Commerce instance.
- Node.js installed on your development machine.
- Appropriate IDE (VSCode recommended with Prophet Debugger extension).

1. Download the Cybersource cartridge for Salesforce B2C Commerce from the ISV Integration Toolkits section on GitHub.
2. Set up your workspace.
   a. Create a folder named `Cybersource` folder in your Salesforce workspace and copy the downloaded cartridges (*int_cybs_sfra* and *int_cybs_sfra_base*) to the workspace.
   b. If the project's base path is different from the one available in the Cybersource package.json, open the file */package.json* and modify the `paths.base` value to point to your *app_storefront_base* cartridge. This path is used by the JS and SCSS build scripts.
3. Configure IDE (VSCode).
   If you use VSCode, install the extension Prophet Debugger and include these lines in *dw.json()*:

```
{
    "hostname": "your-sandbox-hostname.demandware.net",
    "username": "yourlogin",
    "password": "yourpwd",
    "version": "version_to_upload_to",
    "cartridge": [
        "int_cybs_sfra",
        "int_cybs_sfra_base",
        "app_storefront_base",
        "modules"
    ]
}
```

   If you are using a different IDE, refer to the respective guide to set up your workspace.

4. Build and Upload Code
   a. Install the node in the Cybersource folder
   b. Install *sgmf-scripts* and *copy-webpack-plugin* with this command:

```
npm install sgmf-scripts && npm install copy-webpack-plugin
```

   c. Compile JS and SCSS with this command:

```
npm run compile:js && npm run compile:scss
```

d. Upload the code to the Salesforce Commerce Cloud instance:

```
npm run uploadCartridge
```

The Cybersource cartridge is now installed and ready for configuration in your Salesforce B2C Commerce environment.

Configure Cybersource for Salesforce B2C Commerce

Configure the Cybersource cartridge in Salesforce B2C Commerce Salesforce Business Manager.

After installation, configure the cartridge through the Salesforce Business Manager to enable payment processing capabilities.

1. Base Configuration

   a. Set up the cartridge path.
   In Salesforce Business Manager, go to **Administration > Sites > Manage Sites > [yourSite] > Settings**.
   For Cartridges, enter int_cybs_sfra:int_cybs_sfra_base:app_storefront_base and click **Apply**.

   b. Upload metadata
   Go to the folder *Cybersource/metadata/payments_metadata/sites/*.

      i. Rename the folder `yourSiteID` with your site ID from Salesforce Business Manager (this can be found by looking up **Administration->Sites->Manage Sites**).

      ii. Zip the *payments_metadata* folder.

      iii. Go to **Administration->Site Development->Site Import & Export** and upload the *payments_metadata.zip* file.

      iv. Import the uploaded zip file.

   Upon successful import, this metadata is created:

- Site Preferences: Cybersource_Core, Cybersource_DeliveryAddressVerification, Cybersource_DeviceFingerprint, Cybersource_PayerAuthentication, Cybersource_TaxConfiguration, Cybersource_Tokenization, Cybersource_DecisionManager, Cybersource_MLE, Cybersource_ApplePay, Cybersource_GooglePay, VisaAcceptance_SecureIntegrationConfiguration
- Service: PaymentHttpService
- Payment Processor
- Payment Method
- Job: Payment :Decision Manager Order Update

2. Minimum Configuration

   a. Cybersource Core
   Go to **Merchant Tools > Site Preferences > Custom Preferences > Cybersource Core** and set these configuration parameters:

      - Enable Cybersource Cartridge: Enable the cartridge.
      - Cybersource Merchant ID: The transacting Merchant ID (MID) assigned to you.
      - Cybersource REST KeyId: The Key from your REST API Shared Secret Key.
      - Cybersource REST Secret Key: The Shared Secret from your REST API Shared Secret Key.
      - Commerce Indicator:
        - Use `internet` for eCommerce transactions.
        - Use `MOTO` if you are using the store for call center transactions only.

   b. Services
   The target endpoint must be set to send transactions to test or production (live).

   Go to **Administration > Operations > Services > Payment Credentials** and enter the appropriate URL:

      - Test: https://apitest.cybersource.com
      - Production (live): https://api.cybersource.com

3. Accept Payment Cards

   Prerequisite: Go to **Merchant Tools > Ordering > Payment Methods**, select `CREDIT_CARD` and verify that the payment processor is `PAYMENTS_CREDIT`.

a. Select Card Capture Method
   Our cartridge supports these card capture methods: Unified Checkout, Microform, and Direct API.

   If you enable Apple Pay, Google Pay, and/or Click to Pay in Unified Checkout, these payment methods are displayed in a single widget.

   Unified Checkout and Microform might qualify you for PCI-DSS SAQ:A as the card number is collected in secure fields and never resides on your server.

   If you need access to the card number, select `Direct API`. This option increases your PCI burden.

   To select the card capture method, go to **Merchant Tools > Site Preferences > Custom Preferences > Secure Integration Configuration**.

The Cybersource cartridge is now configured with basic settings. Additional optional configurations can be applied based on your specific requirements.

Optional Configuration

Digital Payment Methods

Apple Pay and Google Pay can be standalone options, or they can be offered as payment options with Click to Pay within Unified Checkout.

You can configure digital payment methods in two ways: Unified Checkout or as standalone options.

1. To configure Unified Checkout, go to **Merchant Tools > Site Preferences > Custom Preferences > Secure Integration Configuration**.

2. In the **Digital Payment Methods in Unified Checkout** field, select Apple Pay, Google Pay, or Click to Pay. You can choose any or all of the options.

   > **Important:** If you are using Unified Checkout for digital payment methods, the payment methods must be enabled for your Merchant ID in Business Center. For more information about enabling digital payments, see Enable Digital Payments.

3. Enable Unified Checkout for Cart and Mini Cart: Enable this option to display digital payment methods for quick checkout on the cart and mini cart pages.

4. Go to **Merchant Tools > Ordering > Payment Methods** and confirm that these options are enabled for the methods you accept:
    - DW_APPLE_PAY: Verify that the Payment Processor is `PAYMENTS_APPLEPAY`.
    - DW_GOOGLE_PAY: Verify that the Payment Processor is `PAYMENTS_CREDIT`.
    - CLICK_TO_PAY: Verify that the Payment Processor is `PAYMENTS_CLICK_TO_PAY`.

Apple Pay Standalone Configuration

To offer Apple Pay outside of Unified Checkout, follow these steps to enable Apple Pay in your Salesforce B2C Commerce store.

Follow the steps documented here first, before you follow this procedure to enable Apple Pay in your Salesforce B2C Commerce store.

1. Salesforce Business Manager Configuration

    a. Go to: **Merchant Tools > Site Preferences > Apple pay**.

    b. Check **Apple Pay Enabled?**

    c. Complete the "Onboarding" form:

        - Ensure the Apple Merchant ID and the Apple Merchant Name values you enter match the settings in your Apple account.
        - Ensure all other fields match your supported Cybersource settings.
            - **Country Code**: Enter the country code for the location of your site. The country code is a two letter ISO 3166 country code (for example, `US`).
            - **Merchant Capabilities**: Check the box for 3-D Secure, leave the other fields unchecked.
            - **Supported Networks**: Select the types of payment you support: `Amex`, `Mastercard`, and `Visa` are supported by Cybersource.
            - **Required Shipping Address Fields**: Select the fields that are required on the shipping form. Cybersource recommends **Email**, **Name**, **Phone**, and **Postal Address**.
            - **Required Billing Address Fields**: Select **Name** and **Postal Address**.

    d. Fill in the Storefront Injection form:

    Select where to display Apple Pay buttons on your site.

    e. Fill in the Payment Integration form:

- **Use Commerce Cloud Apple Pay Payment API?** Checked
- **Payment Provider URL**:
  - Test: https://apitest.cybersource.com/partner/demandware/payments/v1/authorizations
  - Production: https://api.cybersource.com/partner/demandware/payments/v1/authorizations
- **Payment Provider Merchant ID**: Enter your Cybersource merchant ID.
- **API Version**: v1
- **Use Basic Authorization?** Unchecked
- **Payment Provider User**: Not Applicable
- **Payment Provider Password**: Not Applicable
- **Use JWS?** == Yes
- **JWS Private Key Alias**: Merchant.p12 Key Alias

The private key alias is created when a merchant uploads their .p12 key file (from Cybersource self-serve) to Commerce Cloud's Salesforce Business Manager Module, Private Keys and Certificates (**Administration > Operations > Private Keys and Certificates**)

f. Click **Submit**.

2. Domain Registration in Salesforce Business Manager

   a. Go to **Merchant Tools > Site Preferences > Apple Pay**.

   b. Under Domain Registration section

   - In the Apple Sandbox section, click **Register Apple Sandbox** to register Salesforce B2C to the Apple Sandbox account.
   - In the Apple Production section, click on **Register Apple Production** to register Salesforce B2C to the Apple Production account.

3. Transaction Type

   Go to **Merchant Tools > Site Preferences > Custom Preferences > Apple Pay** and choose `Authorization` or `Sale`.

Google Pay Standalone Configuration

To offer Google Pay outside of Unified Checkout, follow these steps to enable Google Pay in your Salesforce B2C Commerce store.

1. Go to **Merchant Tools > Site Preferences > Custom Preferences > Google Pay**.
2. Configure Google Pay settings:
    a. **Enable Google Pay**: Enable.
    b. **Enable Google Pay on Mini Cart**: Enable to show Google Pay as a checkout option in the mini cart.
    c. **Enable Google Pay on Cart**: Enable to show Google Pay as a checkout option in the cart.
    d. **Google Pay Merchant Id**: Enter your Google Pay merchant ID (for live processing only).
    e. **Google Pay Environment**: Choose `Test` for testing and `Production` for live.
    f. **Google Pay Transaction Type**: Choose `Authorization` or `Sale`.

Alternative Payment Methods

Configure alternative payment methods such as eCheck for your Salesforce B2C Commerce store. Follow this procedure to enable eCheck as a payment option within Unified Checkout.

1. Go to **Merchant Tools > Site Preferences > Custom Preferences > Secure Integration Configuration.**
2. Set the **Enable eCheck** option to `Yes`.
3. Go to **Merchant Tools > Ordering > Payment Methods** and confirm that the payment processor is set to `BANK_TRANSFER`.

Payer Authentication and 3-D Secure

Configure Payer Authentication and 3-D Secure for enhanced transaction security.

1. Go to **Merchant Tools > Site Preferences > Custom Preferences > Cybersource_PayerAuthentication**.

2. In **Payer Authentication** Mode, choose one of these options:

    - `Yes`: All transactions will process with 3-D Secure.

    - `No`: No transactions will process with 3-D Secure.

    - `Data Only + Yes`: Data Only will be used for Visa and Mastercard/Maestro. All other card brands will process with 3-D Secure.

    - `Data Only + No`: Data Only will be used for Visa and Mastercard/Maestro. All other card brands will process without 3-D Secure.

3. **IsSCAEnabled**: Enable this option to enforce Strong Consumer Authentication (3-D Secure Challenge) when a customer is saving their payment card for future transactions.

Tokenization

Tokenization enables your customers to save their payment cards securely for future payments.

1. To enable tokenization, go to **Merchant Tools > Site Preferences > Custom Preferences > Cybersource_Tokenization**.

2. Enable the **Enable Tokenization Services** option to turn on Tokenization.

3. Enable the **Enable Limiting Saved Card**option to set the limits associated to saving cards.

4. In the **Saved Cards Allowed**option, enter the number of cards a customer can save in the defined time limit.

5. In the **Reset Interval** option, specify the number of hours before the saved card limit resets.

6. Enable the **Network Token Updates** option to prompt the cartridge to subscribe for Token Life Cycle Updates webhooks when your Cybersource MID is configured for network tokens.

7. Go to **Merchant Tools > Custom objects > Custom Object Editor** and verify that the custom object type Network Tokens Webhook exists.

Fraud Screening

Enabling Fraud Screening alerts the cartridge to look for fraud screening responses. Fraud Screening profiles must be set up in the Business Center.

1. Go to **Merchant Tools > Site Preferences > Custom Preferences > Cybersource_DecisionManager** and set these options:

    a. Enable the **Enable Decision Manager Services** option.

    b. **Conversion Detail Report Lookback Time**: If you are using REVIEW rules and configure the Decision Manager Update Job, set the number of hours to look back for updates to transactions in REVIEW status. The maximum is 24 hours.

2. To enable the Decision Manager Update Job to poll for updates to the reviewed transactions, go to **Administration > Operations > Jobs** and select **Payment: Decision Manager Order Update** and set these values:

    - **ID**: Enter a job ID.
    - **Description**: Enter the job description.
    - **ExecuteScriptModule.Module**: int_cybs_sfra_base/cartridge/scripts/jobs/DMOrderStatusUpdate.js
    - **ExecuteScriptModule.FunctionName**: orderStatusUpdate
    - **ExecuteScriptModule.Transactional**:
        - `True`: All changes occur as a single atomic operation. If any error occurs during the job, the system rolls back all changes to maintain data consistency.
        - `False`: No automatic rollback is applied. Merchants must handle transaction logic manually. This is often preferred for large batch jobs.
    - **ExecuteScriptModule.TimeoutInSeconds**: Set the function timeout value.

Device FingerPrint

Device FingerPrinting collects information about the device used when paying for an order and can assist in fraud screening decisions.

1. Go to **Merchant Tools > Site Preferences > Custom Preferences > Cybersource_DeviceFingerprint**.

2. Enable the **Enable DeviceFingerprint Service** option.

3. In the **Organization ID** field, enter the Organization ID. Contact support if you do not know this value.

4. In the **ThreatMetrix URL** field, enter the URL that points to the JavaScript that generates and retrieves the fingerprint of the device.

5. In the **TTL (Time to Live)**field, enter how many milliseconds to wait before generating a new fingerprint for any given customer session.

Delivery Address Verification

To verify the customers shipping address during checkout, configure Delivery Address Verification services.

1. Go to **Merchant Tools > Site Preferences > Custom Preferences > Cybersource_DeliveryAddressVerification**.
2. Enable the **Delivery Address Verification Services** option.

Tax Calculation

To calculate local taxes once the customer enters their address at checkout, configure the Tax Calculation services.

1. Go to **Merchant Tools > Site Preferences > Custom Preferences > Cybersource_TaxConfiguration** and set these options:
2. Enable the **Enable Tax Calculation** field.
3. Configure these tax settings:
    - **List of Nexus States**: List the states to calculate tax for.
    - **List of Nexus States to Exclude**: List the states to not calculate tax for.
    - **Merchants VAT Registration Number**: Enter your VAT registration number if you have one.
    - **Default Product Tax Code**: Enter the default tax code to use for products in the basket without a tax code.
    - **Purchase Order Acceptance City**
    - **Purchase Order Acceptance State Code**
    - **Purchase Order Acceptance Zip Code**
    - **Purchase Order Acceptance Country Code**
    - **Purchase Order Origin City**
    - **Purchase Order Origin State Code**
    - **Purchase Order Origin Zip Code**
    - **Purchase Order Origin Country Code**
    - **Ship From City**

- **Ship From State Code**
- **Ship From Zip Code**
- **Ship From Country Code**

> **Important:** If you enable Tax Calculation and do not specify any states in List of Nexus States or List of Nexus States to Exclude, Tax Calculation assumes every state or province is taxable. You can leave either the **List of Nexus States** or the **List of Nexus States to Exclude** as empty, but both cannot be empty.

Message Level Encryption

Message Level Encryption (MLE) uses certificates to ensure each message is securely encrypted and tied to the sender's verified identity, without needing to share secret keys in advance.

MLE provides stronger authentication, easier key management, and better protection against fraud or tampering.

A shared secret uses the same key for both sending and receiving messages, meaning both parties must securely exchange and protect that key in advance. While MLE can be simpler, it offers less identity verification and can be more vulnerable if the key is compromised.

> **Important:** Message Level Encryption requires that a .p12 certificate to be created.

1. Extract and convert the p12 certificate to the *.pem* format using this command:

   ```
   openssl pkcs12 -in <key filename>.p12 -cacerts -nokeys -out <key
    filename>.crt
   ```

   > **Important:** Be sure to note the serial number of the Cybersource_SJC_US certificate.

2. Import the certificate, by going to **Administration > Operations > Private Keys and Certificates** and importing the extracted *.crt*. Make a note of the alias.
3. Enable Message Level Encryption, by going to **Merchant Tools > Site Preferences > Custom Preferences > Cybersource_MLE**.

4. Enable the **Enable Message-Level Encryption** option.
5. In the **Alias of the Certificate**field, enter the Alias from when the certificate was imported.
6. In the **Certificate Serial Number**field, enter the serial number from the Cybersource_SJC_US certificate.

Order Management

Salesforce B2C Commerce does not natively support order management functions. This cartridge has functions that can be utilized to process captures and authorization reversals.

> **Important:** These functions must be customized before use in the Salesforce B2C Commerce user interface.

Capture

The capture function can be found in the script *scripts/http/capture.js*. A working example is available in the ServiceFrameworkTest-TestCaptureService controller.

Reference the capture.js object and make this request:

```
var captureObj = require("~/cartridge/scripts/http/capture.js");
var serviceResponse = captureObj.httpCapturePayment(requestID, merchantRefCode,
 paymentTotal, currency);
```

The resulting serviceResponse object contains the full response object generated by the request. The contents of this object determine your logic in handling errors and successes. These are the Capture request parameters:

Capture Request Parameters:

- requestID: The Cybersource Request ID from the initial authorization.
- merchantRefCode: The Salesforce Order Number.
- purchaseTotal: The capture amount.
- currency: Currency Code.

Function Signature:

```
httpCapturePayment(requestID, merchantRefCode, purchaseTotal, currency)
```

Authorization Reversal

The authorization reversal function can be found in the script called *scripts/http/authReversal.js*. A working example is in the ServiceFrameworkTest-TestAuthReversal controller.

Reference the AuthReversal.js object and make this request:

```
var reversalObj = require("~/cartridge/scripts/http/authReversal.js");
var serviceResponse = reversalObj.httpAuthReversal(requestID, merchantRefCode,
 paymentTotal, currency);
```

The resulting serviceResponse object contains the full response object generated by the request. The contents of this object determine your logic in handling errors and successes. These are the Authorization reversal request parameters:

Authorization Reversal Request Parameters:

- requestID: The Cybersource Request ID from the initial authorization.
- merchantRefCode: The Salesforce Order Number
- purchaseTotal: The reversal amount
- currency: Currency Code

Customization

The Cybersource cartridge for Salesforce B2C Commerce has built-in custom hooks that can be utilized to customize the request data that is sent to each service.

These hooks can send additional custom data, such as, if you want to include Merchant Defined Data in your authorization requests.

How Custom Hooks Work

After a request for a particular service is built, there is a check for any code registering to the hook `app.payment.modifyrequest`. If present, the hook is called for that specific request and the request object is passed into the hook. The return value of the hook is sent to Cybersource as the final request object. Through this process, you can inject your own data into the request object from the custom code you write in a separate cartridge.

Implementation

To customize request objects, register the hook `app.payment.modifyrequest` in your cartridge's *hooks.json* file. An example would look like this, replacing the script path with your own script:

```
{
    "name": "app.payment.modifyrequest",
    "script": "./cartridge/scripts/hooks/modifyRequestExample"
}
```

You can copy the *scripts/hooks/modifyRequestExample* script from this cartridge into your own to use as a template for extending and modifying service request objects. Note that every hook must return a valid request object for the given service. Refer to the Cybersource Developer Guide for information about any field you want to customize or add.

Support & Troubleshooting

Getting Support

If you require support with this extension, visit https://support.visaacceptance.com to raise a support case.

Required Information for Support Cases

Provide this information for your support case:

- Summary of the issue.
- Steps to reproduce the issue.
- Cybersource B2C Commerce cartridge version.
- Cybersource Merchant ID.
- Configuration screenshots: Provide screenshots of custom preference configurations.
- Log file and other relevant data: Download the logs from **Administration > Site Development > Development Setup > Log files**.

Upgrade

To upgrade to a later version of our cartridge, follow these steps.

1. Download the code from the ISV Integration Toolkits section on GitHub.
2. Zip *payments_metadata* folder.
3. Go to **Administration > Site Development > Site Import & Export** and upload *payments_metadata.zip* file.
4. Import the uploaded zip file.
5. Check release notes for any configuration parameters that might have changed.

The cartridge is successfully upgraded to the latest version.

Index

Numerics

3D-Secure
17

A

address verification
20
alternative payment methods
17
API functions
22
Apple Pay
4, 5, 14, 15
authorization reversal
22

B

bank transfer
17
bug fixes
6
build
10

C

capture
22
cartridge
4, 10
cartridge path
12
certificates
21
checkout verification
20
Click to Pay
4, 5, 14
compatibility
5
configuration
12, 15, 17, 24, 25
credit cards
4
custom hooks
23
customization
23
Cybersource
4

D

Decision Manager
4, 5, 18
delivery address verification
20
device fingerprint
18, 19
digital payment methods
14
domain registration
15

E

eCheck
4, 17
encryption
21
enhancements
6
environment
17

F

Fraud Management Essentials
4, 5
fraud screening
18, 19

G

GitHub
10, 25
Google Pay
4, 5, 14, 17

H

help
24
hooks.json
23

I

installation
10

J

job scheduling
18

L

local taxes

20
log files
24
M
merchant defined data
23
merchant ID
15, 17
message level encryption
21
Message-Level Encryption
5
metadata
12, 25
MLE
21
N
network tokens
18
new features
6
nexus states
20
O
order management
22
organization ID
19
P
p12 certificate
21
Payer Authentication
4, 5, 17
payment methods
4, 12
payment processing
22
payments
4
prerequisites
5
product tax code
20
purchase order
20
R
release notes
6
request modification
23
requirements
5
REST Shared Secret Key
5
review rules
18
S
Salesforce
B2C Commerce
4
Salesforce
Business Manager
15
Salesforce
SFRA
5
Salesforce
Business Manager
12
saved cards
18
SCA
17
services
12
setup
10
shipping address
20
site preferences
12
standalone
14, 15, 17
Store Front Reference Architecture
5
Strong Consumer Authentication
17
support
24
support case
24
supported features
4
supported versions
5
T
tax calculation
20

ThreatMetrix
19
token lifecycle
18
tokenization
4, 5, 18
transaction type
17
troubleshooting
24
TTL
19

U

Unified Checkout
5, 14, 17
update
25
updates
6
upgrade
25
upload
10

V

VAT registration
20
version
25
version history
6
Visa Acceptance Platform
4

W

webhooks
18
workspace
10