Cybersource for Salesforce B2C Commerce REST v26.1.0

cybersource
A Visa Solution

© 2025. Cybersource Corporation. All rights reserved.

Cybersource Corporation (Cybersource) furnishes this document and the software described in this document under the applicable agreement between the reader of this document (You) and Cybersource (Agreement). You may use this document and/or software only in accordance with the terms of the Agreement. Except as expressly set forth in the Agreement, the information contained in this document is subject to change without notice and therefore should not be interpreted in any way as a guarantee or warranty by Cybersource. Cybersource assumes no responsibility or liability for any errors that may appear in this document. The copyrighted software that accompanies this document is licensed to You for use only in strict accordance with the Agreement. You should read the Agreement carefully before using the software. Except as permitted by the Agreement, You may not reproduce any part of this document, store this document in a retrieval system, or transmit this document, in any form or by any means, electronic, mechanical, recording, or otherwise, without the prior written consent of Cybersource.

Restricted Rights Legends

For Government or defense agencies: Use, duplication, or disclosure by the Government or defense agencies is subject to restrictions as set forth the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 and in similar clauses in the FAR and NASA FAR Supplement.

For civilian agencies: Use, reproduction, or disclosure is subject to restrictions set forth in subparagraphs (a) through (d) of the Commercial Computer Software Restricted Rights clause at 52.227-19 and the limitations set forth in Cybersource Corporation's standard commercial agreement for this software. Unpublished rights reserved under the copyright laws of the United States.

Trademarks

Authorize.net and The Power of Payment are registered trademarks of Cybersource Corporation. Cybersource and Cybersource Decision Manager are trademarks and/or service marks of Cybersource Corporation. Visa, Visa International, Cybersource, the Visa logo, the Cybersource logo, and 3-D Secure are the registered trademarks of Visa International in the United States and other countries. All other trademarks, service marks, registered marks, or registered service marks are the property of their respective owners.

Contents

Introduction 4
Supported Features 5
Supported Versions 6
Cybersource Prerequisites 7
Release Notes 8
Install Cybersource for Salesforce B2C Commerce 12
Configure Cybersource for Salesforce B2C Commerce 14
Optional Configuration 16
Digital Payment Methods 16
Apple Pay Standalone Configuration 16
Google Pay Standalone Configuration 18
Alternative Payment Methods 19
Payer Authentication/3D-Secure 19
Tokenization 20
Fraud Screening 20
Device FingerPrint 21
Delivery Address Verification 21
Tax Calculation 21
Message Level Encryption 22
Order Management 24
Customization 26
Support & Troubleshooting 27
Upgrade 28
Index a

Introduction

The Cybersource cartridge for Salesforce B2C Commerce allows merchants to connect their Salesforce B2C Commerce store to the Visa Acceptance Platform to directly take credit/debit card, Apple Pay, Google Pay, Click to Pay, and eCheck payments.

Supported Features

The Cybersource cartridge for Salesforce B2C Commerce supports various payment methods and features.

Payment Methods

- Credit/Debit cards
- Apple Pay
- Google Pay
- Click to Pay
- eCheck

Security and Fraud Management

- Payer Authentication / 3-D Secure
- Tokenization
- Cybersource Decision Manager and Fraud Management Essentials

Additional Services

- Cybersource Delivery Address Verification
- Cybersource Tax Calculation

Supported Versions

The Cybersource extension is compatible with specific versions of Salesforce Store Front Reference Architecture (SFRA).

Compatibility

Our Cybersource extension is compatible with Salesforce Store Front Reference Architecture (SFRA) version 7.0 and below.

Cybersource Prerequisites

Before implementing the Cybersource cartridge, ensure you have the required and optional Cybersource products configured.

Mandatory

You must have a REST Shared Secret Key

Optional

These Cybersource products are optional, but need to be enabled and configured for your Merchant ID if you choose to use them:

- Unified Checkout
- Payer Authentication for 3-D Secure
- Tokenization
- Apple Pay (standalone or through Unified Checkout)
- Google Pay (standalone or through Unified Checkout)
- Click to Pay (through Unified Checkout only)
- Cybersource Decision Manager
- Cybersource Fraud Management Essentials

You can also choose to enable Message-Level Encryption (MLE) for additional security. A REST Certificate is required for MLE.

Rules based Payer Authentication is also supported and requires both Payer Authentication and Decision Manager to be enabled.

Release Notes

Release history and updates for the Cybersource Salesforce B2C Commerce cartridge.

Version 26.1.0 (January 2026)

- Added support for 3D-Secure Data Only

Version 25.4.0 (December 2025)

- Added support for Unified Checkout v0.32 (Card Payments, Apple Pay, Google Pay, Click to Pay, and eCheck)
- End of support for Click to Pay legacy

Version 25.3.0 (May 2025)

New Features:

- Added Payer Authentication support for Google Pay.
- Added multi-currency support for Google Pay

Bug Fixes:

- Handled session variables in SCA flow.
- Removed encryption type from Microform v2 request.

Version 25.2.0 (March 2025)

New Feature:

- Message-Level Encryption (MLE).

Enhancement:

- Added support for Cartes Bancaires, Elo, China Union Pay, and JCrew

Version 25.1.0 (January 2025)

New Feature:

- Replaced Microform v0.11 with v2.

Bug Fixes:

- Added webhook subscription deletion if subscription is deleted at Cybersource or Salesforce custom object.
- Handled undefined exception scenario for 3-D Secure transactions.

Version 24.4.0 (September 2024)

New Feature:

- DMPA support.

Enhancement:

- Upgraded to jQuery v3.7.0.

Version 24.3.0 (August 2024)

Enhancements:

- Upgraded the cartridge to support SFRA v7.0.
- Added MOTO Commerce Indicator

Version 24.2.1 (May 2024)

Bug Fixes:

- Checkmarx issues fixed.
- Device fingerprint bug fixed.

Version 24.2.0 (April 2024)

New Features:

- Network Token support

Enhancements:

- Implemented Direct API integration for Payer Authentication, adding Payer Auth Setup and Device Data Collection.
- Enhanced Strong Consumer Authentication (SCA).

Version 24.1.0 (February 2024)

New Features:

- Added Strong Customer Authentication retries for card payments

Enhancements:

- SFRA v6.3 support
- Salesforce B2C Commerce Release 22.7 support
- Renamed Visa SRC to Click to Pay.
- Implemented Sale functionality for Credit Card, Google Pay, Click to Pay and Apple Pay.
- Updated flex script referring to from v0.11.0 to v0.11.
- Updated API header in Http Signature Authentication.

Version 21.1.0 (June 2021)

Enhancements:

- Improved Payer Authentication screen (modal).

Bug Fixes:

- Added descriptive error messages on certain fail cases and invalid inputs.
- Reloading on final confirmation page does not result on failed authorization.

Version 20.2.0 (Feb 2021)

New Features:

- Google Pay
- Visa Secure Remote Commerce payment method
- Improved security on "My Account" page by adding Microform to tokenize payment cards.

Bug Fixes:

- Improved security of keys by changing data type of password fields from "String" to "password".
- Added more security to exposed parameters of device fingerprint.

Version 20.1.1 (Nov 2020)

Bug Fixes:

- Improved security on accessing and modifying sensitive fulfilment-related actions on an order (e.g., order acceptance, cancelling etc.).

Version 20.1.0 (Aug 2020)

Initial release supporting:

- Credit/Debit cards
- Apple Pay
- Payer Authentication / 3D Secure
- Delivery Address Verification service
- Tax Calculation service
- Authorization, Capture, Authorization Reversal

Install Cybersource for Salesforce B2C Commerce

Download and install the Cybersource cartridge for Salesforce B2C Commerce.

Before beginning installation, ensure you have:

- Access to your Salesforce B2C Commerce instance
- Node.js installed on your development machine
- Appropriate IDE (VSCode recommended with Prophet Debugger extension)

1. Download Cybersource cartridge for Salesforce B2C Commerce from GitHub
2. Set up workspace
   a. Create a "Cybersource" folder in your Salesforce workspace and copy the downloaded cartridge (int_cybs_sfra and int_cybs_sfra_base) to the workspace.
   b. If the project's base path is different from the one available in Cybersource's package.json, open the file '/package.json' and modify the paths.base value to point to your 'app_storefront_base' cartridge. This path is used by the JS and SCSS build scripts.
3. Configure IDE (VSCode)
   If you use VSCode, install the extension Prophet Debugger and include these lines in dw.json():

```
{
    "hostname": "your-sandbox-hostname.demandware.net",
    "username": "yourlogin",
    "password": "yourpwd",
    "version": "version_to_upload_to",
    "cartridge": [
        "int_cybs_sfra",
        "int_cybs_sfra_base",
        "app_storefront_base",
        "modules"
    ]
}
```

   If you are using a different IDE, please refer to the respective guide to set up your workspace.

4. Build and Upload Code

a. Install the node in the "Cybersource" folder

b. Install sgmf-scripts and copy-webpack-plugin with this command:

```
npm install sgmf-scripts && npm install copy-webpack-plugin
```

c. Compile JS and SCSS with this command:

```
npm run compile:js && npm run compile:scss
```

d. Upload the code to Salesforce Commerce Cloud instance:

```
npm run uploadCartridge
```

The Cybersource cartridge is now installed and ready for configuration in your Salesforce B2C Commerce environment.

Configure Cybersource for Salesforce B2C Commerce

Configure the Cybersource cartridge in Salesforce B2C Commerce Salesforce Business Manager

After installation, configure the cartridge through Salesforce Business Manager to enable payment processing capabilities.

1. Base Configuration

    a. Set up cartridge path
    In Salesforce Business Manager, go to Administration > Sites > Manage Sites > [yourSite] > Settings.
    For Cartridges, enter int_cybs_sfra:int_cybs_sfra_base:app_storefront_base and click Apply.

    b. Upload metadata
    Go to the folder Cybersource/metadata/payments_metadata/sites/.

        i. Rename folder yourSiteID with your site ID from Salesforce Business Manager (this can be found by looking up Administration->Sites->Manage Sites).

        ii. Zip payments_metadata folder.

        iii. Go to Administration->Site Development->Site Import & Export and upload payments_metadata.zip file.

        iv. Import the uploaded zip file.

    Upon successful import, this metadata is created:

        - Site Preferences: Cybersource_Core, Cybersource_DeliveryAddressVerification, Cybersource_DeviceFingerprint, Cybersource_PayerAuthentication, Cybersource_TaxConfiguration, Cybersource_Tokenization, Cybersource_DecisionManager, Cybersource_MLE, Cybersource_ApplePay, Cybersource_GooglePay, VisaAcceptance_SecureIntegrationConfiguration

        - Service: PaymentHttpService

        - Payment Processor

        - Payment Method

        - Job: Payment :Decision Manager Order Update

2. Minimum Configuration

a. Cybersource Core
   Go to Merchant Tools > Site Preferences > Custom Preferences > Cybersource Core and set these configuration parameters:

   - Enable Cybersource Cartridge: Set to enable to enable the cartridge
   - Cybersource Merchant ID: The transacting Merchant ID (MID) assigned to you
   - Cybersource REST KeyId: The Key from your REST API Shared Secret Key
   - Cybersource REST Secret Key: The Shared Secret from your REST API Shared Secret Key
   - Commerce Indicator: Use internet for eCommerce transactions. Set to MOTO if you are using the store for call center transactions only

b. Services
   The target endpoint needs to be set to send transactions to test or production (live).

   Go to Administration > Operations > Services > Payment Credentials and enter the appropriate URL:

   - Test: https://apitest.cybersource.com
   - Production (live): https://api.cybersource.com

3. Accept Payment Cards

   Prerequisite: Go to Merchant Tools > Ordering > Payment Methods, select CREDIT_CARD and check that Payment Processor is PAYMENTS_CREDIT

   a. Select Card Capture Method
      Our cartridge supports these card capture methods: Unified Checkout, Microform, Direct API

      If you choose to enable Apple Pay, Google Pay, and/or Click to Pay in Unified Checkout, these payment methods will be displayed in a single widget.

      Unified Checkout and Microform may allow you to qualify for PCI-DSS SAQ:A as the card number is collected in secure fields and never touch your server.

      If you need access to the card number, select Direct API. Note that this will increase your PCI burden.

      To select the card capture method, go to Merchant Tools > Site Preferences > Custom Preferences > Secure Integration Configuration

The Cybersource cartridge is now configured with basic settings. Additional optional configurations can be applied based on your specific requirements.

Optional Configuration

Digital Payment Methods

You can offer Apple Pay and Google Pay as standalone options, or you can offer them alongside Click to Pay within Unified Checkout.

You can configure digital payment methods in two ways: through Unified Checkout or as standalone options.

Unified Checkout Configuration

a. Go to Merchant Tools > Site Preferences > Custom Preferences > Secure Integration Configuration and set these parameters:
    - Digital Payment Methods in Unified Checkout: Choose from Apple Pay, Google Pay and/or Click to Pay
    - Enable Unified Checkout for Cart and Mini Cart: Enable this to display digital payment methods for quick checkout on the cart and mini cart pages

b. Go to Merchant Tools > Ordering > Payment Methods and confirm these are set/enabled for the methods you want to accept:
    - DW_APPLE_PAY – check Payment Processor is PAYMENTS_APPLEPAY
    - DW_GOOGLE_PAY – check it is enabled and Payment Processor is PAYMENTS_CREDIT
    - CLICK_TO_PAY – check Payment Processor is PAYMENTS_CLICK_TO_PAY

Important: If you are using Unified Checkout for digital payment methods, they must be enabled for your Merchant ID in Business Center. See here for details

Apple Pay Standalone Configuration

To offer Apple Pay outside of Unified Checkout, follow these steps to enable Apple Pay in your Salesforce B2C Commerce store.

Please follow the steps documented here first, then follow these steps to enable Apple Pay in your Salesforce B2C Commerce store.

1. Salesforce Business Manager Configuration

   a. Go to: Merchant Tools > Site Preferences > Apple pay.

   b. Check "Apple Pay Enabled?"

   c. Fill in the "Onboarding" form:

      - Ensure "Apple Merchant ID" and "Apple Merchant Name" match settings in your Apple account.
      - Ensure all other fields match your supported Cybersource settings.
      - Country Code: Enter the country code for the locale of your site. The country code is a two letter ISO 3166 country code (e.g. US).
      - Merchant Capabilities: Check box for 3-D Secure, leave other fields unchecked
      - Supported Networks: Select the types of payment you support: Amex, MasterCard, and Visa are supported by Cybersource.
      - Required Shipping Address Fields: Select the fields that are required on the shipping form. Cybersource recommends Email, Name, Phone, and Postal Address
      - Required Billing Address Fields: Select Name and Postal Address

   d. Fill in the "Storefront Injection" form:

      Select where Apple Pay buttons should be displayed on your site.

   e. Fill in "Payment Integration" form:

      - Use Commerce Cloud Apple Pay Payment API? Checked
      - Payment Provider URL: Test: https://apitest.cybersource.com/partner/demandware/payments/v1/authorizations Production: https://api.cybersource.com/partner/demandware/payments/v1/authorizations
      - Payment Provider Merchant ID: Enter your Cybersource merchant ID
      - API Version: v1
      - Use Basic Authorization? Unhecked
      - Payment Provider User: Not Applicable

- Payment Provider Password: Not Applicable
- Use JWS? == Yes
- JWS Private Key Alias: Merchant's.p12 Key Alias

The private key alias is created when a merchant uploads their .p12 key file (from Cybersource self-serve) to Commerce Cloud's Salesforce Business Manager Module, Private Keys and Certificates (Administration > Operations > Private Keys and Certificates)

f. Click "Submit".

2. Domain Registration in Salesforce Business Manager

   a. Go to: Merchant Tools > Site Preferences > Apple Pay.

   b. Under Domain Registration section

      - Click on Register Apple Sandbox under Apple Sandbox section to register Salesforce B2C to Apple Sandbox account.
      - Click on Register Apple Production under Apple Production section to register Salesforce B2C to Apple Production account.

3. Transaction Type

   Go to Merchant Tools > Site Preferences > Custom Preferences > Apple Pay and choose Authorization or Sale.

Google Pay Standalone Configuration

To offer Google Pay outside of Unified Checkout, follow these steps to enable Google Pay in your Salesforce B2C Commerce store.

1. Go to Merchant Tools > Site Preferences > Custom Preferences > Google Pay

2. Configure Google Pay settings:

   a. Enable Google Pay: set to Enable to enable Google Pay

   b. Enable Google Pay on Mini Cart: set to Enable to show Google Pay as a checkout option in the mini cart

   c. Enable Google Pay on Cart: set to Enable to show Google Pay as a checkout option in the cart

d. Google Pay Merchant Id: Enter your Google Pay merchant ID (for live processing only)

e. Google Pay Environment: Set to Test for testing and Production for live

f. Google Pay Transaction Type: Choose Authorization or Sale

Alternative Payment Methods

Configure alternative payment methods such as eCheck for your Salesforce B2C Commerce store.

eCheck Configuration
eCheck can be enabled as a payment option within Unified Checkout.

a. Go to Merchant Tools > Site Preferences > Custom Preferences > Secure Integration Configuration

b. Enable eCheck: set to Yes to enable eCheck

c. Go to Merchant Tools > Ordering > Payment Methods and confirm this is set/enabled:

   BANK_TRANSFER – check Payment Processor is BANK_TRANSFER

Payer Authentication/3D-Secure

Configure Payer Authentication/3D-Secure for enhanced transaction security.

1. Go to Merchant Tools > Site Preferences > Custom Preferences > Cybersource_PayerAuthentication
2. Payer Authentication Mode:
   - Yes: All transactions will process with 3D-Secure
   - No: No transactions will process with 3D-Secure
   - Data Only + Yes: Data Only will be used for Visa and Mastercard/Maestro. All other card brands will process with 3D-Secure
   - Data Only + No: Data Only will be used for Visa and Mastercard/Maestro. All other card brands will process without 3D-Secure
3. IsSCAEnabled: Set to Enable to enforce Strong Consumer Authentication (3D-Secure Challenge) when a customer is saving their payment card for future transactions

Tokenization

Tokenization allows you to offer the ability for your customers to save their payment cards securely for future payments.

1. To enable tokenization, go to Merchant Tools > Site Preferences > Custom Preferences > Cybersource_Tokenization
2. Enable Tokenization Services: Set to Enable to turn on Tokenization
3. Enable Limiting Saved Card: Set to Enable to set the limits associated to saving cards
4. Saved Cards Allowed: Enter the number of cards a customer can save in the defined time limit
5. Reset Interval: The number of hours before the saved card limit resets
6. Network Token Updates: If your Cybersource MID is configured for Network Tokens, enabling this will inform the cartridge to subscribe for Token Life Cycle Updates webhooks
7. Go to Merchant Tools > Custom objects > Custom Object Editor and check the custom object type "Network Tokens Webhook" exists

Fraud Screening

Enabling Fraud Screening tells the cartridge to look for fraud screening responses. Fraud Screening profiles need to be set up in the Business Center.

1. Go to Merchant Tools > Site Preferences > Custom Preferences > Cybersource_DecisionManager and set these:
    a. Enable Decision Manager Services: set to Enable to turn on
    b. Conversion Detail Report Lookback Time: If you are using REVIEW rules and configure the Decision Manager Update Job, set the number of hours to look back for updates to transactions in REVIEW status. The maximum is 24 hours.
2. To enable the Decision Manager Update Job to poll for updates to the reviewed transactions:
    a. Go to Administration > Operations > Jobs and select Payment: Decision Manager Order Update and set these values:
        - ID: Enter a job ID
        - Description: Enter the job description
        - ExecuteScriptModule.Module: int_cybs_sfra_base/cartridge/scripts/jobs/DMOrderStatusUpdate.js

- ExecuteScriptModule.FunctionName: orderStatusUpdate
- ExecuteScriptModule.Transactional: True: All changes occur as a single atomic operation. If any error occurs during the job, the system rolls back all changes to maintain data consistency. False: No automatic rollback is applied. Merchants will need to handle transaction logic manually. This is often preferred for large batch jobs
- ExecuteScriptModule.TimeoutInSeconds: set the function timeout value

Device FingerPrint

Device FingerPrinting collects information about the device used when paying for an order and can assist in fraud screening decisions.

Go to Merchant Tools > Site Preferences > Custom Preferences > Cybersource_DeviceFingerprint and set these:

a. Enable DeviceFingerprint Service: set to Enable to turn on

b. Organization ID: Enter the Organization ID – contact support if you do not know this value

c. ThreatMetrix URL: This URL points to the JavaScript that generates and retrieves the fingerprint of the device

d. TTL (Time to Live): Enter the amount of milliseconds to wait before generating a new fingerprint for any given customer session

Delivery Address Verification

To have the customers shipping address verified during checkout, configure Delivery Address Verification services.

Go to Merchant Tools > Site Preferences > Custom Preferences > Cybersource_DeliveryAddressVerification and set Enable Delivery Address Verification Services to Enable

Tax Calculation

To calculate local taxes once the customer has entered their address on the checkout, configure Tax Calculation services.

Go to Merchant Tools > Site Preferences > Custom Preferences > Cybersource_TaxConfiguration and set these:

a. Enable Tax Calculation: Set to Enable to turn on

b. Configure tax settings:

- List of Nexus States: List of states to calculate tax for
- List of Nexus States to Exclude: List of states to not calculate tax for
- Merchants VAT Registration Number: Enter your VAT registration number if you have one
- Default Product Tax Code: Default tax code to use if products in the basket do not have a tax code
- Purchase Order Acceptance City
- Purchase Order Acceptance State Code
- Purchase Order Acceptance Zip Code
- Purchase Order Acceptance Country Code
- Purchase Order Origin City
- Purchase Order Origin State Code
- Purchase Order Origin Zip Code
- Purchase Order Origin Country Code
- Ship From City
- Ship From State Code
- Ship From Zip Code
- Ship From Country Code

Important: If you enable Tax Calculation and do not set List of Nexus States or List of Nexus States to Exclude, Tax Calculation will assume every state or province is taxable. You can only set List of Nexus States or List of Nexus States to Exclude, not both.

Message Level Encryption

Message Level Encryption uses certificates that ensures each message is securely encrypted and tied to the sender's verified identity, without needing to share secret keys in advance.

This provides stronger authentication, easier key management, and better protection against fraud or tampering.

A shared secret uses the same key for both sending and receiving messages, meaning both parties must securely exchange and protect that key in advance. While it can be simpler, it offers less identity verification and can be more vulnerable if the key is compromised.

Using Message Level Encryption requires a .p12 certificate to be created

1. Extract Certificate
   Convert the p12 certificate to .pem format using this command:

   ```
   openssl pkcs12 -in <key filename>.p12 -cacerts -nokeys -out <key
    filename>.crt
   ```

   Make a note of the Serial Number of the Cybersource_SJC_US certificate

2. Import Certificate
   Go to Administration > Operations > Private Keys and Certificates and import the extracted .crt and make a note of the alias

3. Enable Message Level Encryption

   a. Go to Merchant Tools > Site Preferences > Custom Preferences > Cybersource_MLE

   b. Enable Message-Level Encryption: set to Enable

   c. Alias of the Certificate: enter the Alias from when the certificate was imported

   d. Certificate Serial Number: enter the Serial Number from the Cybersource_SJC_US certificate

Order Management

Salesforce B2C Commerce does not natively support order management functions. This cartridge has functions that can be utilized to process captures and authorization reversals.

> **Important:** These functions are not available to use in the Salesforce B2C Commerce UI without customisation

Capture

The capture function can be found in the script scripts/http/capture.js and there is a working example in the ServiceFrameworkTest-TestCaptureService controller.

Reference the capture.js object and make the call as follows:

```
var captureObj = require("~/cartridge/scripts/http/capture.js");
var serviceResponse = captureObj.httpCapturePayment(requestID, merchantRefCode,
 paymentTotal, currency);
```

The resulting serviceResponse object will contain the full response object generated by the request. The contents of this object will determine your logic in handling errors and successes.

Capture Request Parameters:

- requestID: The Cybersource Request ID from the initial authorization
- merchantRefCode: The Salesforce Order Number
- purchaseTotal: The capture amount
- currency: Currency Code

Function Signature:

```
httpCapturePayment(requestID, merchantRefCode, purchaseTotal, currency)
```

Authorization Reversal

The authorization reversal function can be found in the script scripts/http/authReversal.js and there is a working example in the ServiceFrameworkTest-TestAuthReversal controller.

Reference the AuthReversal.js object and make the call as follows:

```
var reversalObj = require("~/cartridge/scripts/http/authReversal.js");
var serviceResponse = reversalObj.httpAuthReversal(requestID, merchantRefCode,
 paymentTotal, currency);
```

The resulting serviceResponse object will contain the full response object generated by the request. The contents of this object will determine your logic in handling errors and successes.

Authorization Reversal Request Parameters:

- requestID: The Cybersource Request ID from the initial authorization
- merchantRefCode: The Salesforce Order Number
- purchaseTotal: The reversal amount
- currency: Currency Code

Customization

The Cybersource cartridge for Salesforce B2C Commerce has built-in custom hooks that can be utilized to customize request data that is sent to each service.

These can be utilized to send additional custom data, for example, if you want to include Merchant Defined Data in your authorization requests.

How Custom Hooks Work

After a request for a particular service is built, there is a check for any code registering to the hook 'app.payment.modifyrequest'. If present, the hook will be called for that specific request and the request object is passed into the hook. The return value of the hook is sent to Cybersource as the final request object. Through this process, you can inject your own data into the request object from the custom code you write in a separate cartridge.

Implementation

To customize request objects, register the hook 'app.payment.modifyrequest' in your cartridge's 'hooks.json' file. An example would look like this, replacing the script path with your own script:

```
{
    "name": "app.payment.modifyrequest",
    "script": "./cartridge/scripts/hooks/modifyRequestExample"
}
```

You can copy the 'scripts/hooks/modifyRequestExample' script from this cartridge into your own to use as a template for extending and modifying service request objects. Note, every hook must return a valid request object for the given service. Please refer to the Cybersource Developer Guide for any field you want to customize or add.

Support & Troubleshooting

If you require support with this extension, please visit https://support.visaacceptance.com to raise a support case.

Getting Support

If you require support with this extension, please visit https://support.visaacceptance.com to raise a support case.

Required Information for Support Cases

Please provide this information:

- Summary of the issue.
- Steps to reproduce the issue.
- Cybersource B2C Commerce cartridge version.
- Cybersource Merchant ID.
- Configuration screenshots: Please provide screenshots of Custom Preference Configurations.
- Log file and other relevant data: Download the logs from Administration -> Site Development -> Development Setup -> Log files.

Upgrade

To upgrade to a later version of our cartridge please follow these steps.

1. Download the code from GitHub
2. Zip payments_metadata folder.
3. Go to Administration->Site Development->Site Import & Export and upload payments_metadata.zip file.
4. Import the uploaded zip file.
5. Please check release notes for any configuration parameters that may have changed.

The cartridge has been successfully upgraded to the latest version.

Index

Numerics

3D-Secure
19

A

address verification
21
alternative payment methods
19
API functions
24
Apple Pay
5, 7, 16, 16
authorization reversal
24

B

bank transfer
19
bug fixes
8
build
12

C

capture
24
cartridge
4, 12
cartridge path
14
certificates
22
checkout verification
21
Click to Pay
5, 7, 16
compatibility
6
configuration
14, 16, 18, 27, 28
credit cards
5
custom hooks
26
customization
26
Cybersource
4

D

Decision Manager
5, 7, 20
delivery address verification
21
device fingerprint
20, 21
digital payment methods
16
domain registration
16

E

eCheck
5, 19
encryption
22
enhancements
8
environment
18

F

Fraud Management Essentials
5, 7
fraud screening
20, 21

G

GitHub
12, 28
Google Pay
5, 7, 16, 18

H

help
27
hooks.json
26

I

installation
12

J

job scheduling
20

L

local taxes

21
log files
27
M
merchant defined data
26
merchant ID
16, 18
message level encryption
22
Message-Level Encryption
7
metadata
14, 28
MLE
22
N
network tokens
20
new features
8
nexus states
21
O
order management
24
organization ID
21
P
p12 certificate
22
Payer Authentication
5, 7, 19
payment methods
5, 14
payment processing
24
payments
4
prerequisites
7
product tax code
21
purchase order
21
R
release notes
8
request modification
26
requirements
7
REST Shared Secret Key
7
review rules
20
S
Salesforce
B2C Commerce
4
Salesforce
Business Manager
16
Salesforce
SFRA
6
Salesforce
Business Manager
14
saved cards
20
SCA
19
services
14
setup
12
shipping address
21
site preferences
14
standalone
16, 16, 18
Store Front Reference Architecture
6
Strong Consumer Authentication
19
support
27
support case
27
supported features
5
supported versions
6
T
tax calculation
21

ThreatMetrix
21
token lifecycle
20
tokenization
5, 7, 20
transaction type
18
troubleshooting
27
TTL
21
U
Unified Checkout
7, 16, 19
update
28
updates
8
upgrade
28
upload
12
V
VAT registration
21
version
28
version history
8
Visa Acceptance Platform
4
W
webhooks
20
workspace
12