

Guide to Upgrade SAP Commerce for Multi-Mid Support via P12

Guide to Upgrade SAP Commerce for Multi-Mid Support via P12	1
Steps to Upgrade for Mult-Mid Support.....	3
1. Update the FlexMicroformController.java	3
2. Update the IsvPaymentHybrisModule.java.....	3
3. Update CreditCardPaymentFacade.java.....	4
4. Update CreditCardPaymentFacadeImpl.java	4
5. Update external-dependencies.xml.....	5
6. Update isvpayment-integration-spring.xml	5
7. Update Configuration Properties (project.properties)	6
8. ISV-Payment-API dependency update	6
9. Update unmanaged-dependencies.txt	6

Steps to Upgrade for Mult-Mid Support

1. Update the FlexMicroformController.java

File Path:

hybris/bin/<env>/isvb2cpaymentaddon/acceleratoraddon/web/src/isv/sap/payment/addon/b2c/controllers/pages/checkout/payment/flex/FlexMicroformController.java

Updated Code:

- **Changes in newJwk method:**

- a. Replace this line `final Map<String, String> captureContext = flexService.createKey(targetOrigin);` with

```
final Map<String, String> captureContext = flexService.createKey(targetOrigin,
creditCardPaymentFacade.getMerchantIdForCaptureContext());
```

- **Changes in verifyToken method:**

- a. Replace the return statement

```
return flexService.verifyAndGet(captureContext, sanitizedFlexToken
    .map(transientToken -> ResponseEntity.ok(transientToken.getId()))
    .orElse(ResponseEntity.status(UNPROCESSABLE_ENTITY).build());
```

with:

```
return flexService.verifyAndGet(sanitizedFlexToken
    .map(transientToken -> ResponseEntity.ok(transientToken))
    .orElse(ResponseEntity.status(UNPROCESSABLE_ENTITY).build());
```

- **Remove import:**

```
import com.cybersource.flex.sdk.CaptureContext;
```

2. Update the IsvPaymentHybrisModule.java

File Path:

hybris/bin/<env>/isvpayment/src/isv/sap/payment/modules/common/IsvPaymentHybrisModule.java

Updated Code:

- **Changes in configure method:**

a. Replace this line

`bind(Credentials.class).annotatedWith(named("isv.sap.payment.flexCredentials")).toInstance(flexCredentials);` with

`bind(FlexService.class).to(DefaultFlexService.class);`

- **Add Import:**

`import isv.cjl.payment.service.flex.DefaultFlexService;`

`import isv.cjl.payment.service.flex.FlexService;`

- **Remove Instance variable with injection:**

`@Resource(name = "isv.sap.payment.flexCredentials")
private Credentials flexCredentials;`

- **Remove import:**

`import com.cybersource.flex.sdk.Credentials;`

3. Update CreditCardPaymentFacade.java

File Path:

hybris/bin/<env>/isvpaymentaddon/src/isv/sap/payment/addon/facade/CreditCardPaymentFacade.java

Updated Code:

- **Changes in CreditCardPaymentFacade interface**

a. Add this abstract function

`/**`

`* Returns current merchant ID`

`*`

`* @return String`

`*/`

`String getMerchantIdForCaptureContext();`

4. Update CreditCardPaymentFacadeImpl.java

File Path:

hybris/bin/<env>/isvpaymentaddon/src/isv/sap/payment/addon/facade/impl/CreditCardPaymentFacadeImpl.java

Updated Code:

- **Changes in CreditCardPaymentFacadeImpl class**

- a. Add this function

```
@Override
public String getMerchantIdForCaptureContext()
{
    return getMerchantID(CREDIT_CARD);
}
```

5. Update external-dependencies.xml

File Path:

hybris/bin/<env>/isvpayment/external-dependencies.xml

Updated Code:

- **Remove cybersource flex dependency**

```
<dependency>
    <groupId>com.cybersource</groupId>
    <artifactId>flex-server-sdk</artifactId>
    <version>0.11.0</version>
</dependency>
```

6. Update isvpayment-integration-spring.xml

File Path:

hybris/bin/<env>/isvpayment/resources/payment/isvpayment-integration-spring.xml

Updated Code:

- a. **Remove flex credentials bean configuration**

```
<alias name="isv.sap.payment.defaultFlexCredentials"
alias="isv.sap.payment.flexCredentials" />
<bean id="isv.sap.payment.defaultFlexCredentials"
class="com.cybersource.flex.sdk.CredentialsImpl">
    <constructor-arg name="environment"
value="#{configurationService.configuration.getProperty('isv.payment.customer.fle
x.microform.api.env')}" />
    <constructor-arg name="mid"
value="#{configurationService.configuration.getProperty('isv.payment.customer.pa
yment.type.CREDIT_CARD.merchantId')}" />
```

```

<constructor-arg name="keyId"
value="#{configurationService.configuration.getProperty('isv.payment.customer.flex.microform.api.key.id')}" />
<constructor-arg name="sharedSecret"
value="#{configurationService.configuration.getProperty('isv.payment.customer.flex.microform.shared.secret').toCharArray()}" />
</bean>

```

7. Update Configuration Properties (project.properties)

File Path:

hybris/bin/<env>/isvpayment/project.properties

Changes Made:

a. Updating the Configuration for p12 certificate to support multi mid:

```

isv.payment.p12.<merchantID>.merchantId= <merchantID>
isv.payment.p12.<merchantID>.libVersion= <Lib Version>
isv.payment.p12.<merchantID>.keyAlias= <Key Alias>
isv.payment.p12.<merchantID>.keyFile= <p12 File>
isv.payment.p12.<merchantID>.keyPass=<p12 File Password>
isv.payment.p12.<merchantID>.keysDirectory= <key Directory>

```

b. Remove properties which are related to flex:

```

isv.payment.customer.flex.microform.api.SANDBOX.host
isv.payment.customer.flex.microform.api.SANDBOX.path
isv.payment.flex.microform.sdk.url
isv.payment.customer.flex.microform.api.key.id
isv.payment.customer.flex.microform.shared.secret
isv.payment.customer.flex.microform.api.env

```

8. ISV-Payment-API dependency update

- **Replace the isv-payment-api jar**

Update the existing Cybersource API version located at:

hybris/bin/ <env> /isvpayment/lib/isv-payment-api-3.0.7.jar

9. Update unmanaged-dependencies.txt

File Path:

hybris/bin/ <env> /isvpayment/unmanaged-dependencies.txt

- **Replace with below version:**

isv-payment-api-3.0.7.jar

NOTE: <env> holds either “b2b” or “b2c”