

Unleashing the Power of AI/ML Research: A Journey Through Text Generation using Research Papers

Group-3

Our Team

Pranav Padhiyar

101410404

Pinkush Gaba

101411794

Mohit Kothari

101411645

Pratik Gupta

101412106

Shalma Soni

101417610

01

Multisensory object-centric perception

Multisensory object-centric perception, reasoning, and interaction is state-of-the-art computation to the stae-of-the-art simple and the simulations of the proposed

GRU

Multisensory object-centric perception.

In this article, we will look at some of the most important aspects of visual perception and how they can be used to improve your perception of your surroundings. We will also discuss how you can use this knowledge to help you better understand the world around you.



Multisensory object-centric perception refers to the ability of the brain to integrate information from multiple sensory modalities (such as vision, touch, hearing, etc.) to form a single, coherent representation of objects in the environment. This allows us to perceive objects not just as individual visual features, but as integrated wholes with properties that can be perceived through multiple senses. For example, an object that is seen, felt, and heard can be perceived as a single, unified entity rather than separate visual, tactile, and auditory stimuli. This type of perception is thought to play a critical role in our ability to navigate and interact with the world around us.



02

Biases in ChatGPT

Home / Innovation / AI & Robotics

ChatGPT is changing everything. But it still has its limits

The AI chatbot has proven to be very capable of technical tasks, such as writing and coding. But it can't do everything - yet.



Written by **Sabrina Ortiz**, Associate Editor on Jan. 29, 2023

News / Technology

How good is ChatGPT? Controversial bot writes two HSC English essays and gets below average mark



By **Mark Saunokonoko** • Senior Journalist | 12:14pm Feb 1, 2023

The AI-generated essay, however, lacks textual evidence (quotations from the text) and textual analysis, which is a discriminating factor that teachers look for to assess understanding of a text.

Providing textual evidence, analysis and synthesis between ideas is a very important part of a quality essay. Essays like the examples generated by AI would likely receive a "developing" outcome which equates to approximately a 9/20 or lower.

High-performing English essays also generally require an analytical and authentic personal voice which AI cannot (yet) accomplish.

03

Introduction

Problem Statement:

We all are aware of various AI based generative models, and ChatGPT is one of those. It is a text generation and summarization tool, but it is more generalized. There are many biases in ChatGPT itself, and here we are trying to eliminate on one such bias.

We are creating an AI generation tool for ML/AI practitioners, where they will get more accurate text when asked any question regarding ML/AI research.

Goals:

The goal of the project is to create a text generation system that provides accessibility to the insights and findings in AI/ML research papers.

Approach:

This project takes a deep learning approach for text generation, using Recurrent Neural Network(RNN) model trained on a large corpus of AI/ML research papers.

The problem domain addressed by our project is to provide a solution for accessibility of the insights and findings in AI/ML research papers. By generating meaningful content using summaries of these papers, the project aims to offer a comprehensive overview of the latest advancements in the field and their potential applications.

04

Background

This —————>  TensorFlow

K Keras

————> Text Generation

Artificial intelligence and machine learning are rapidly growing fields with numerous applications in areas such as computer vision, natural language processing, and robotics. As the amount of research in these fields increases, it becomes increasingly challenging for individuals to keep up with the latest advancements and trends.

The problem domain addressed by our project is to **provide a solution for accessibility of the insights and findings in AI/ML research papers**. By generating meaningful content using summaries of these papers, the project aims to offer a comprehensive overview of the latest advancements in the field and their potential applications.

Relevant deep learning concepts for this project include **language generation models such as Recurrent Neural Networks (RNNs) and Transformer-based architectures like Generative Pre-trained Transformers (GPTs)**. These models use large amounts of text data to learn patterns in language and generate new text based on that learning.

In the case of our project, the deep learning models are trained on a corpus of 25000+ AI/ML research paper (~29 million characters) summaries, learning to generate concise and informative summaries of these papers based on the patterns and insights present in the data. The approach leverages the power of deep learning to analyze and distill the complex information in these papers into more accessible and understandable snippets.

05

Dataset

arXiv AI/ML Research Papers

arXiv is a community-supported public resource maintained by Cornell University. It provides open access to scholarly articles across STEM.

Our input dataset(arXiv ML-AI dataset) is a .json file containing the following fields:

- **id**: ArXiv ID (can be used to access the paper, see below)
- **submitter**: Who submitted the paper
- **authors**: Authors of the paper
- **title**: Title of the paper
- **comments**: Additional info, such as number of pages and figures
- **journal-ref**: Information about the journal the paper was published in
- **doi**: [<https://www.doi.org>](Digital Object Identifier)
- **abstract**: The abstract of the paper
- **categories**: Categories / tags in the ArXiv system
- **versions**: A version history

Out of all these fields, we would only be using **title** & **abstract** field for our preprocessing.

Preprocessing on the dataset

The following preprocessing steps were performed on our dataset:

1. Removal of undesired characters - '\n', extra spaces
2. Unique Character Indexing
3. Database Creation for Character-based Text Generation

's proposed to improve the predict quality. An empirical study shows that the PSO can be a good choice to build defect pre'

'diction software models. Reducing the Effects of Detrimental Instances filtering, label noise, instance weighting Not all'

' instances in a data set are equally beneficial for inducing a model of the data. Some instances (such as outliers or noi'

'se) can be detrimental. However, at least initially, the instances in a data set are generally considered equally in mach'

Picture shows how the text is divided into sequences

- For each input sequence, the corresponding targets contain the same length of text, except shifted one character to the right.

```
sequences = char_dataset.batch(seq_length+1, drop_remainder=True)

for item in sequences.take(30):
    print(repr(''.join(idx2char[item.numpy()]))))
    print("-"*10)
✓ 0.7s

Output exceeds the size limit. Open the full output data in a text editor
'Learning problems commonly exhibit an interesting feedback mechanism wherein the population data
competing deci'


'sion makers\' actions. This paper formulates a new game theoretic framework for this phenomenon.
"multi-player perf'
```

```
for input_example, target_example in dataset.take(1):
    print('Input data: ', repr(''.join(idx2char[input_example.numpy()]))))
    print('Target data: ', repr(''.join(idx2char[target_example.numpy()]))))

[16] ✓ 0.1s
...
Input data: 'Learning problems commonly exhibit an interesting feedback mechanism wherein the population data
reacts to competing dec'
Target data: 'earning problems commonly exhibit an interesting feedback mechanism wherein the population data
reacts to competing deci'
```


Recurrent Neural Networks

- Recurrent Neural Networks (RNN) are designed to work with sequential data. Sequential data(can be time-series) can be in form of text, audio, video etc.
- RNN uses the previous information in the sequence to produce the current output
- It takes input from the previous step and current input. Here tanh is the activation function, instead of tanh you can use other activation function as well.



Base Model 1 - GRU

- The workflow of GRU is same as RNN but the difference is in the operations inside the GRU unit. Let's see the architecture of it.
- Inside GRU it has two gates 1)reset gate 2)update gate
- Gates are nothing but neural networks, each gate has its own weights and biases(but don't forget that weights and bias for all nodes in one layer are same).



```
def build_model(vocab_size, embedding_dim, rnn_units, batch_size):
    """
    Utility to create model object
    Parameters:
        vocab_size: number of unique characters
        embedding_dim: size of embedding vector. This is basically in power of 2
        rnn_units: number of GRU units to be used
        batch_size: batch size for training model.
    Returns:
        tf.keras model object
    """

    model = tf.keras.Sequential([
        tf.keras.layers.Embedding(vocab_size, embedding_dim, batch_input_shape=[batch_size, None]),
        tf.keras.layers.GRU(rnn_units, return_sequences=True,
                           stateful=True, recurrent_initializer='glorot_uniform'),
        tf.keras.layers.Dense(vocab_size)
    ])
    return model
```

```
model.summary()
✓ 0.4s
Model: "sequential"
+-----+
Layer (type)          Output Shape         Param #
+-----+
embedding (Embedding) (64, None, 256)      25344
gru (GRU)              (64, None, 1024)     3938304
dense (Dense)          (64, None, 99)       101475
+-----+
Total params: 4,065,123
Trainable params: 4,065,123
Non-trainable params: 0
```

GRU - Outputs

```
[1] print(generate_text(model, context_string=u"The memory characteristic of the proposed recurrent attention units are",num_generate=100,temperature=0.01)) #Best result
MagicPython
... The memory characteristic of the proposed recurrent attention units are for example of its efficiency. Moreover, different stages of MKRL can be seamlessly integrated into
```



```
[44] print(generate_text(model, context_string=u"Deep reinforcement learning (DRL)",num_generate=200,temperature=0.5))
MagicPython
✓ 1.8s
... Deep reinforcement learning (DRL) has bituning of the complexity of the present of the performance and data a man a model and constrated on the generated adotion task solution problem convex both spical problem in the combining g
```



```
[46] print(generate_text(model, context_string=u"enhanced meta-heuristic (ML-ACO) that combines machine learning (ML) and ant colony optimization (ACO)",num_generate=200,temperature=0.1))
MagicPython
✓ 1.9s
... enhanced meta-heuristic (ML-ACO) that combines machine learning (ML) and ant colony optimization (ACO) and a computational to demonstrate the problem and the structure show that the model and subs the problem of the structure. We also the model and such as a general distribution of the proposed the grad
```



```
[48] ▶ print(generate_text(model, context_string=u"deep convolutional neural network for performing note-level instrument assignment",num_generate=200,temperature=0.7))
MagicPython
✓ 1.8s
... deep convolutional neural network for performing note-level instrument assignment only ot different design the set potents comperation an accurate contribitional paper problems. We explordger loss in that the difficant embed in guart premental losles studied performance. The betw
```




```
[50] print(generate_text(model, context_string=u"Straight-Through (ST) estimator is a widely used technique for back-propagating gradients",num_generate=200,temperature=0.3))
MagicPython
✓ 1.7s
... Straight-Through (ST) estimator is a widely used technique for back-propagating gradients and the compared to the consider the states and the contral that contral framework proble active complex on the model with the supervised compared to provide interproted design comperation a contrati
```

Base Model 2 - LSTM





LSTM (Long Short Term Memory) is specifically designed to handle long-term dependencies in sequential data, such as text, speech, and time series data. They introduce memory cells and gates that control the flow of information into and out of the cells.

We use keras Sequential function for creating stack of layers. Our sequential model uses 3 main layers for handling and processing the input, and we use Keras library for implementation:

- An **Embedding layer** to convert the **characters into numerical representations** (embeddings).
- The **LSTM layer** takes the embedded representation of the input data as input, and returns a hidden state that represents the information from previous time steps.
- A **Dense layer** with a number of units equal to the `vocab_size`(103 in our case) to make predictions for the next character.



GRU vs LSTM (Accuracy & Losses)



07

Observations

- Adding an additional LSTM layer
- Tweaking hyperparameters
- Sequence Length
- Embedding Dimensions
- RNN Units

Hugging Face Transformer

What?

library of pre-trained machine learning models that can perform tasks such as text classification, text generation, question answering, and more.

Why?

It simplifies & speeds up the process of building NLP systems compared to training from scratch using LSTMs or GRUs.

How?

We can choose a pretrained model and fine-tune it based on our dataset of AI/ML research papers. In our case, we utilized the **DistilGPT-2 pretrained model** best suitable for text-generation and fine-tuned according to our dataset, performed the steps given below and as per expectations, it gave **better outputs** based on the seeds/inputs provided.

Steps followed:

Import Data & libraries -> Perform Split -> Add tokenization -> Compiling, Fitting & Evaluating the model(loss) -> Generating Text

Optimizer = Adam optimizer, Cross Entropy-loss = 2.2371 , Perplexity = 9.37

'Multisensory object-centric perception.\n\nIn this article, we will look at some of the most important aspects of visual perception and how they can be used to improve your perception of your surroundings. We will also discuss how you can use this knowledge to help you better understand the world around you.'

09 Conclusion

In conclusion, precise text generation models are progressing AI technology at a quick rate and have the potential to have a substantial impact on many different fields and applications.

These models are able to produce high-quality outputs that are frequently challenging to differentiate from human writing because they employ deep learning techniques to generate human-like language based on copious quantities of training data.

It's crucial to remember that text generation models still have flaws and limits, such as the potential for producing biased or absurd results. In order to make sure that these models can be used successfully and ethically, the AI community must continue to create and enhance them.

Future Scope

Text generation models can be combined with other AI systems like recommendation engines, chatbots, and voice assistants to create more personalised and human-like interactions.

- **Improved Natural Language Understanding**: Models will get better at interpreting context and sentiment, enabling the creation of more complex and nuanced writing.
- **Increased Personalization**: Models will get better at tailoring their outputs to each user, their preferences, and their linguistic patterns.
- **Enhanced Creativity**: Researchers are looking into how to create models that can produce imaginative or creative stuff, like poetry and fiction.
- **Increased Computational Efficiency**: This will allow models to run faster and be used in real-time applications.

Vanilla RNN



Show me the best text generation approach



I said the best

PERFECT