




Cyberk Media Team: Media Source Management & NAS Storage Policy

1. Executive Summary & Purpose

This Standard Operating Procedure (SOP) defines the operational guidelines for media asset storage, folder structuring, file naming conventions, and raw footage pruning for the Cyberk Media Team.

The primary objectives of this policy are to:

- Establish a uniform directory taxonomy on the Network Attached Storage (NAS).
 - Ensure rapid asset retrieval and chronological organization across all media projects.
 - Optimize NAS storage capacity by mandating pre-archival trimming of raw source files.
-

2. Scope & Applicability

This policy applies to all members of the Cyberk Media Team, including videographers, photographers, video editors, motion graphic designers, and media managers handling content for Cyberk and its associated brand channels.

Supported asset categories include:

- Raw video footage (b-roll, A-roll, raw camera files)
 - Event photography, posters, key visuals, and graphics
 - Final rendered social media video deliverables
-

3. NAS Directory Taxonomy & Naming Conventions

All media files transferred to the Cyberk NAS must strictly adhere to the designated folder architecture. Manual or arbitrary folder creation outside this specification is prohibited.

```
Cyberk Media NAS Root/
├── sources/
│   ├── YYYY-MM-DD/
│   │   └── [Trimmed raw video footage]
├── events/
│   ├── YYYY-MM-DD-event-name/
│   │   └── [Event photos, posters, graphics]
└── social/
    ├── YYYY-MM-DD/
    │   └── video-name.ext
```

3.1. Video Source Footage (`sources/`)

Raw footage collected during shoots must be stored within date-based directories.

- **Directory Path Format:** `sources/YYYY-MM-DD`
- **Example Path:** `sources/2026-08-12/`
- **Rules:**
 - `YYYY` represents 4-digit year, `MM` 2-digit month, `DD` 2-digit day of the recording date.
 - Sub-folders inside a specific date (e.g., `Cam_A`, `Cam_B`, `Audio`) are permitted if multi-camera shoots require clear segregation.

3.2. Event Photos & Visual Assets (`events/`)

Photography captured during corporate events, offline meetups, workshops, along with promotional posters and key visual graphics, are stored under the `events/` hierarchy.

- **Directory Path Format:** `events/YYYY-MM-DD-event-name`
- **Example Path:** `events/2026-08-12-cyberk-townhall/`
- **Rules:**
 - Event names must use lowercase letters with hyphen-separated words (`kebab-case`).
 - Contains high-resolution RAW photos, edited JPEG/PNG exports, and raw design deliverables.

3.3. Final Social Media Deliverables (`social/`)

Completed, fully edited video deliverables designed for publication across social media channels (Telegram, YouTube, TikTok, Facebook, LinkedIn) must be saved in the `social/` directory.

- **Directory Path Format:** `social/YYYY-MM-DD/video-name.ext`
- **Example Paths:**
 - `social/2026-08-12/cyberk-handbook-ep05.mp4`
 - `social/2026-08-12/tech-update-reels.mov`
- **Supported File Formats:** `.mp4`, `.mov`, `.mkv`, `.webm`
- **Rules:**
 - The date `YYYY-MM-DD` represents the completion or scheduled publishing date.

- Video filenames must be descriptive and follow `kebab-case`.

4. Storage Capacity Constraint & Raw Source Trimming Policy

4.1. Storage Capacity Warning

NAS storage capacity is finite. Storing unedited, raw 4K/8K camera clips, setup blunders, out-takes, and focus test footage rapidly exhausts storage infrastructure and slows network transfer rates.

4.2. Mandatory Pre-Archival Trimming Requirement

Before any video footage is copied or archived to the NAS `sources/` folder, the editor or videographer in charge **must perform a mandatory pre-archival trim (footage pruning)**.

Footage Pruning Checklist:

1. **Remove Invalid Takes:** Delete out-of-focus shots, accidental ground recordings, camera setup sequences, slate errors, and false starts.
 2. **Trim Head and Tail Buffers:** Cut excessive static tail and head padding before and after spoken content or key action sequences.
 3. **Filter Audio Errors:** Discard clips containing clipped audio distortion, unintended background noise spikes, or silent test tracks.
 4. **Retain High-Value Assets Only:** Keep only selected A-roll takes, crisp B-roll sequences, and usable footage intended for current or future re-use.
-

5. Media Lifecycle Workflow

Stage	Step	Action Required	Responsible Party
Stage 1: Production	Ingestion	Copy raw camera files to local editing workstation scratch disk	Videographer / Editor
Stage 2: Selection	Pruning	Review raw clips; trim invalid sequences, bad takes, and extra padding	Editor
Stage 3: NAS Transfer	Archiving	Move trimmed clips to NAS under <code>sources/YYYY-MM-DD</code> OR <code>events/YYYY-MM-DD-event-name</code>	Editor / Media Lead
Stage 4: Post-Production	Editing	Construct timelines referencing trimmed sources on NAS or local cache	Editor
Stage 5: Delivery	Export	Render final master deliverable and save to <code>social/YYYY-MM-DD/video-name.ext</code>	Editor

6. Verification & Quality Control

Prior to completing any project transfer to NAS, team members must verify:

- Folder path exactness against the date and event format rules.
- Pre-archival trimming has been executed (no raw dump of unedited camera cards).
- Video exports play correctly with accurate audio-video synchronization.
- Filenames contain no spaces, special characters, or non-English script.

7. Document Control & Revisions

- **Owner:** Cyberk Media Lead
- **Approved By:** Anderson (CEO & Founder)
- **Effective Date:** August 12, 2026