




GUARDIANEYE

Revolutionizing Industrial Safety with Edge AI Vision

The Future is Today: Intelligent safety and automation system



PIONEERING EDGE AI

Built in Pune, India. Deploying
Worldwide.

CURRENT INDUSTRIAL VISION SYSTEMS

HIGH COST

- Requires expensive industrial PCs, GPUs, and licensed software
- High installation and maintenance costs
- Cost increases significantly when scaling to multiple production lines

BULKY SYSTEMS

- Depend on industrial PCs or server cabinets for AI processing
- Large hardware footprint with higher power consumption
- Complex installation, wiring, and cooling requirements

GENERIC ALGORITHMS

- Designed for broad applications rather than specific industrial environments.
- Limited adaptability to unique operational workflows.
- Often require extensive retraining and tuning to maintain accuracy under changing conditions.

Unlike Cabinet PCs, our SBC architecture handles concurrent video analytics and industrial-grade signal processing.

INTRODUCING THE GUARDIAN EYE SYSTEM

INTELLIGENT VISION SHIELD

GuardianEye is a state-of-the-art and versatile intelligent AI camera system designed for industrial and commercial use.

By integrating **Computer Vision** and **Real-time Control**, it provides an essential safety layer for any industrial/commercial system.



| GUARDIAN EYE VARIANTS

GUARDIAN EYE NANO

- 1 TOPS NPU + CPU
- INT 8 AI Inference
- Application :- Cost-effective anomaly detection and quality inspection

GUARDIAN EYE PLUS

- Higher-Performance NPU (Multi-TOPS)
- NT8/Hybrid Edge AI Inference
- Application :- Multi-camera monitoring, complex defect detection, real-time industrial analytics

GUARDIAN EYE PRO

- High-Performance AI Accelerator + CPU/GPU
- FP32 Precision Processing
- Application :- Large enterprises, mission-critical inspection, high-precision AI

LIMITLESS INDUSTRIAL USE CASES

MANUFACTURING QA

Detects microscopic PCB solder cracks and assembly defects directly on the conveyor belt with sub-millisecond latency.

PRECISION AGRICULTURE

Lightweight, power-sipping design easily mounts to drones for real-time crop disease mapping and GPS-denied navigation.

EDGE SECURITY

Video anomaly detection runs natively on-device, flagging intrusions without ever uploading private video feeds.

SUBSEA MARINE

Integrates perfectly into underwater ROVs for autonomous pipeline, dam, and structural weld inspections.

COST COMPARISON

Traditional AI system

2-10 lakh rupees

Guardian EYE

Fractional cost

Feature	Our AI System	Traditional AI Systems
Hardware Unit Cost	Ultra Low-Cost (\$)	High Cost (\$\$\$\$).
Deployment Type	100% Modular	Closed Monolithic.
Compute Location	Pure Edge (On-Device)	Bulky PC cabinets.
Power Footprint	Micro-Watt (Solar/Batt)	High AC Power Draw.
Algorithm State	Pruned LTH (INT8)	Unoptimized Models.

COMPUTING ARCHITECTURE



INDUSTRIAL SBC

Powered by a high-performance **ARM-based Single Board Computer**, optimized for edge computing in rugged environments.



ONBOARD NPU

Features an integrated **Neural Processing Unit (NPU)** capable of billions of operations per second for deep learning inference.




EDGE INFERENCE

Zero-latency processing. Human detection models run locally on hardware, ensuring a **<80ms** total response time.

Unlike standard controllers, our SBC architecture handles concurrent video analytics and industrial-grade signal processing.

SENSOR & CONTROL HARDWARE



INTEGRATED I/O & SENSING

Optical Sensor Hardware High-definition CMOS sensor designed for motion-blur reduction in fast-moving vehicles.

Industrial Control Interface , Relay (NO/NC), Digital I/O, Modbus, CAN protocol for direct integration.

Rugged Enclosure Precision-engineered IP67 housing providing dust and water protection for the core electronics.

| HOW GUARDIANEYE WORKS

01. DETECT



Continuously scans with AI to identify human forms in the field of view.

02. ANALYZE



Onboard NPU confirms presence within safety zones in milliseconds.

03. ACT




Triggers immediate halting, alarms, or configured safety protocols.

TECHNICAL SPECIFICATIONS

Parameter	GuardianEye (VR-GE-001) Detail
Power Supply	9-48V DC (Industrial Standard Compatibility)
Detection Accuracy	95+%
Operating Temp	0°C to 85°C (Extreme Environment Resilience)
Protection Rating	IP67 (Dust & Water Resistant)
Output Signals	Relay (NO/NC), Modbus, CAN, Digital I/O.

IMPLEMENTATION ROADMAP



MISSION AND RESEARCH-DRIVEN INNOVATION

ABOUT VERSALIFE ROBOTICS

Driven by innovation and purpose, we are an ambitious startup on a mission to build systems that protect people across **medical, industrial, and defense** sectors.

GuardianEye is our first step toward a future where robotics work seamlessly — and safely — alongside humans.

📍 Ravet, Pune, Maharashtra

🔧 Specialized in Embedded Edge AI and Robotics.



JOIN THE REVOLUTION



versaliferobotics@gmail.com



+91 8767305818



Ravet, Pune, India - 412101