List Bots	⇕

JUMP TO	⌘/

RECALL.AI API

Authentication

API Errors

Webhooks

Idempotency

BOT

List Bots

⊹ ⌄

GET   https://us-east-1.recall.ai/api/v1/bot/

Get a list of all bots

This endpoint is rate limited to:

- 60 requests per min per workspace

⚷ **LOG IN TO SEE FULL REQUEST HISTORY**

TIME	STATUS	USER AGENT	
		Make a request to see history.	
0 Requests This Month			

Ask AI 🔵

> ## 🚧 Meeting URL response shape
>
> Meeting URL's are currently improperly reflected in the API spec for **meeting URL's in responses**. For proper meeting URL shapes in API responses, please see Meeting URL's.
>
> `meeting_url`'s that are provided as a **parameter** to the API are reflected accurately in the API spec as strings.

Relevant links:

- [Meeting Metadata & Participants](#)

Custom Metadata Filtering

To filter bots by metadata, add query params in the form `metadata__KEY=VALUE`. When a metadata key / value pair is used only bots with all of the key / value pairs as metadata will be returned.

QUERY PARAMS

---

join_at_after date-time

---

join_at_before date-time

---

meeting_url string

---

page integer

A page number within the paginated result set.

---

platform array of strings

- `zoom` - Zoom
- `google_meet` - Meet
- `goto_meeting` - Goto
- `microsoft_teams` - Teams
- `microsoft_teams_live` - Teams Live
- `webex` - Webex
- `chime_sdk` - Chime Sdk
- `zoom_rtms` - Zoom Rtms
- `google_meet_media_api` - Google Meet Media Api
- `slack_authenticator` - Slack Authenticator
- `slack_huddle_observer` - Slack Huddle Observer

Ask AI ⬤

ADD STRING	+

status array of strings

- `ready` - Ready
- `joining_call` - Joining Call
- `in_waiting_room` - In Waiting Room
- `in_call_not_recording` - In Call Not Recording
- `recording_permission_allowed` - Recording Permission Allowed
- `recording_permission_denied` - Recording Permission Denied
- `in_call_recording` - In Call Recording
- `recording_done` - Recording Done
- `call_ended` - Call Ended
- `done` - Done
- `fatal` - Fatal
- `media_expired` - Media Expired
- `analysis_done` - Analysis Done
- `analysis_failed` - Analysis Failed

ADD STRING	+

RESPONSE

○ **200**	>

LANGUAGE

Shell	Node	Ruby	PHP	Python	⋮

CREDENTIALS ⃝   **HEADER** ⓘ

Header	Authorization	🔒

URL

Base URL ⌄	https://us-east-1.recall.ai/api/v1/bot/

Ask AI ⬤

CURL REQUEST ⌄

```
1  curl --request GET \
2       --url https://us-east-1.recall.ai/api/v1/bot/ \
3       header 'accept: application/ison'
```

Try It!

RESPONSE   EXAMPLES ⌄

Click **Try It!** to start a request and see the response here!
Or choose an example:

application/json

⊙ **200**

← **Idempotency**   **Create Bot** →

Did this page help you?   👍 **Yes**   👎 **No**

Ask AI ⬤