

# UX Series Interactive

## Flat Panel Display



75'



Andorid 11  
Operating System



20 Point  
Touch Screen

**4K**  
ULTRAHD

4K Ultra High  
DEFINATION

**8 GB**

Available upto 8gb  
System Memory

**128GB**

Upto 128GB  
System Storage



Wireless Screen  
Sharing Upto 4  
Devices



3 Years  
Warranty



CBSC/ICSE Boards  
Digital Content

## Specifications

UX-Series 4K Ultra HD Panel with Android 11.0			
LCD	LCD Size	75"	
	Active Area	1650mm × 928mm	
	Backlight	DLED	
	Resolution	3840×2160 pixels	
	Brightness	350 cd/m²	
	Pixel Pitch	0.429x0.429mm	
	Contrast Ratio	5000:1	
	Response Time	8.0ms	
	Aspect Ratio	16:9	
	Touch Screen Type	IR	
	Touch Points	20 Points	
	Frame Frequency	60Hz	
	Angle of View	178°	
	LED Panel Life	≥50,000 Hours	
Android System	Tempered Glass	Physical Tempered Mohs7 explosion-proof Anti-Glare glass	
	CPU	Octa-Core (A73*4 + A53*4)	
	GPU	Quad-Core	
	RAM	4GB; Customize: 8GB (Max.), DDR4	
	ROM	32GB; Customize: 128GB (Max.), eMMC	
	System Version	Android 11.0	
I/O Interfaces	Front Ports	USB3.0*3/HDMI*1/Touch*1/TYPE-C*1	
	Rear Ports	<b>Side:</b> HDMI IN*2/ TOUCH USB*1/HDMI OUT*1/MICIN*1/ ANDROID USB*1/ USB3.0*2/ OTG USB*1	
		<b>Bottom Side:</b> TYPEC*1/VGA*1/EARPHONE OUT*1/RJ45 IN*1/RJ45 OUT*1/SPDIF*1/TOUCH USB*1/DP IN*1	
Power	Power Supply	100 V ~ 240 V, 50-60 Hz	
	Power Consumption	≤320W	
	Standby Power	≤0.5W	
	Built-in Speakers	2 X 8Ω15W	
	AC Input	×1	
	Power Switch	×1	
Dimensions & Weight	Net Weight	61.8 Kg	
	Gross Weight	81.3 Kg	
	Dimensions	1707.1*91.8*1022.7mm	
	Package Dimensions	1873*270*1197mm	
	Shell Material	Aluminum Alloy	
Software Features	Interactive Board Software	Fully Functional White Board Software integrated in Android	

\*the above details are approximate in nature & may vary slightly (upto +-5)

## TECHNOCLASS EDTECH PVT. LTD.

**Office Address :** Unit No.- 406, Tower - B, Bestech Business Towers, Sector 66, Mohali - 160066

**+91 79861 87294** ✉ [technoclass.edtech@gmail.com](mailto:technoclass.edtech@gmail.com) 🌐 [www.technoedtech.com](http://www.technoedtech.com)