

AuthRelo — Master Project Brief & Build Prompt

Version 1.0 | Created May 2026 For use with any AI assistant, developer, or agency

PART 1 — WHAT THIS PROJECT IS

The One-Line Summary

AuthRelo is an anonymous, AI-powered relationship self-reflection tool that helps young Indians (18-25) understand the pattern they are stuck in — by asking them about their partner, and gently showing them themselves.

The Problem Being Solved

Millions of young people in India are in painful relationship conflicts — fights that repeat, misunderstandings that escalate, silent treatments that stretch for days, blocks and unblocks, guilt trips and emotional shutdowns. The pain is real and widespread.

But they have nowhere safe, affordable, or honest to go.

- Friends are biased. They take sides, gossip, or give feel-good validation.
- Parents panic, judge, or interfere.
- Therapists cost ₹1,500+ per session and feel clinical and heavy.
- Online quizzes are generic and give the same output to everyone.
- AI tools like ChatGPT listen but don't structure the insight or give actionable output.

The result: most people sit alone with their confusion. They don't know if they are overreacting or underreacting. They don't know if they are the problem or their partner is. They don't know why the same fight keeps happening. And nobody tells them.

The Core Insight (The Heart Of This Idea)

People will not honestly assess themselves in a relationship conflict.

If you ask someone "are you the problem?" — they get defensive, feel accused, or close the tab.

But if you ask them to describe their partner and what their partner does — they open up completely. They vent freely. And in the process of describing their partner, they accidentally reveal everything about themselves — their patterns, their triggers, their role in the loop.

This is the mechanic AuthRelo is built on:

Ask about the partner. Reflect the user.

The user thinks they are describing someone else. The AI listens and mirrors the user back at themselves — showing them the dynamic they are both stuck in, their specific entry point into it, and one concrete thing they can do differently.

This is not a verdict. This is not a judge. This is a mirror.

What AuthRelo Is NOT

- It is NOT a therapy app. It does not diagnose, treat, or counsel.
 - It is NOT a verdict machine. It does not say "your partner is toxic" or "you are the problem."
 - It is NOT a couples tool. Only one person uses it. No partner data is needed.
 - It is NOT a subscription. One conversation. One payment. One reflection.
 - It is NOT a generic quiz. Every output is built from the user's own words.
-

The Positioning

Category: AI-powered relationship self-reflection tool

Tagline options:

- "Are you really listening — to yourself?"
- "Not a judge. A mirror."
- "The honest space your relationship needs."

Brand voice: Warm, direct, non-clinical. Like a wise friend who tells you the truth without destroying you. Not a therapist. Not a judge. The friend you can't ask.

Cultural positioning: The AstroTalk of psychology. Indians already pay for outside-expert clarity on their relationships (astrology, Kundli matching). AuthRelo replaces astrology with real psychological insight — at the same price point, same anonymity, same decisiveness.

PART 2 — THE TARGET USER

Primary User

- Age: 18-25
- Location: Urban India (Tier 1 and Tier 2 cities)
- Gender: Any — but research suggests women will be earlier adopters

- Relationship type: Active romantic relationship OR recently ended one
- Pain state: Confused, hurt, isolated, stuck in repeating patterns
- Language comfort: English or Hinglish
- Tech behaviour: UPI-native, Instagram-active, anonymous-app-comfortable

User's Emotional State When They Open AuthRelo

They are one of these three people:

Person A — Mid-confusion (most common) It's 11pm. They had a fight two days ago. It hasn't resolved. They don't know whose fault it was. They are too tired to fight, too hurt to let it go. They want someone to tell them what is actually happening.

Person B — The self-aware one doing the work alone Their partner won't go to therapy. Won't talk about feelings. Won't acknowledge patterns. This person has been carrying the emotional labour alone for months. They want a tool they can use by themselves that gives them something real.

Person C — Post-breakup reflection The relationship just ended or is ending. They want to understand what went wrong — not to assign blame but to not repeat it next time. They are open, raw, and ready to hear uncomfortable truth.

What The User Wants vs What They Need

What they say they want	What they actually need
"Tell me if my partner is toxic"	Validation that their pain is real
"Am I overreacting?"	Clarity about the dynamic
"Who is the problem?"	Their own pattern named without shame
"What should I do?"	One specific, actionable next step
"Is this relationship worth it?"	Understanding of what is actually happening

PART 3 — THE PRODUCT EXPERIENCE

The Full User Journey

1. User lands on the website
2. Reads the landing page — feels understood

3. Clicks "Start free"
4. Answers 5 questions in a conversational chat interface
5. Sees "Your pattern is ready"
6. Sees a blurred result with the pattern name visible
7. Pays ₹69 via UPI
8. Full reflection unlocks
9. Reads their pattern, their role, partner's perspective, one action
10. Optionally shares their pattern card

Total time from landing to result: 5-8 minutes.

Total cost: ₹69 one time.

No login. No account. No name. Nothing stored after session.

The 5 Questions (In Order — Do Not Change This Order)

These questions are therapeutic and ordered deliberately. Each one serves a specific psychological purpose.

Q1 — Ventilation

"Before anything else — just tell me what's been going on. Don't filter it. What's the situation with your partner right now?"

Purpose: Make the user feel heard before asking anything of them. If they feel safe, they will answer honestly. This is the most important question because it contains the raw material the AI will quote back in the reflection.

Q2 — Self-behaviour under pressure

"When things go wrong between you two, what's the first thing YOU do? Be honest — even if it's not pretty."

Purpose: Surfaces the user's own behaviour pattern without them realising it. The word "YOU" is deliberate and capitalised. Most people answer this honestly because they frame it as self-criticism — but it is the highest-signal data point in the entire flow.

Q3 — The last fight, exact words

"Think of your last fight. What was the last thing YOU said before it either escalated or went silent? Try to remember the actual words."

Purpose: Gets specific language from the user. The AI will quote this back in the reflection. Specific language = personal-feeling output. Generic summaries = Barnum-effect validation that feels useless.

Q4 — Third-person self-perception

"If your closest friend described YOUR behaviour in this relationship to a stranger — what would they say? Not what you wish they'd say — what they'd actually say."

Purpose: The third-person shift reduces defensiveness by 30% (Kross & Ayduk self-distancing research). Users reveal things about themselves in this question they would never say directly. This is the "crack in certainty" question.

Q5 — True desire

"Last one. What do you actually want from this relationship right now — be honest with yourself, not with them."

Purpose: Reveals what the user truly needs. Often the answer here contradicts what they said they wanted in Q1. That contradiction is insight. The AI should notice and use this gap.

The Micro-Reflections (Between Questions)

After Q2: "Noted. This tells us something about how you respond under pressure." After Q3: "That moment right there — that's important data." After Q4: "The gap between those two things is where most of the work lives."

These lines serve one purpose: prove the AI is paying attention. They make the user feel heard between questions. Without them, the flow feels like a form. With them, it feels like a conversation.

The Abuse Classifier (Non-Negotiable Safety Layer)

Before the AI analyses anything, scan all answers for these keywords and phrases:

"hit", "slap", "punch", "kick", "hurt me", "scared of him",
"scared of her", "afraid of", "controls me", "tracks me",
"won't let me", "threatens", "kill", "end my life",
"self harm", "want to die", "cuts myself", "walking on eggshells",
"locks me", "takes my phone", "doesn't let me see"

If ANY of these are found — DO NOT proceed to analysis. Show only:

"What you've described sounds serious.

Please reach out to someone who can really help right now:

iCall: 9152987821

Vandrevalla Foundation: 1860-2662-345

NCW Helpline (Women): 7827170170

iCall Chat: icallhelpline.org"

This is not optional. This is the foundation of the product's ethical integrity.

The AI Reflection — Structure and Rules

What the reflection must contain (in this order):

Section 1 — What We Heard 2-3 sentences. Acknowledge their pain. Quote back 2-3 of their exact phrases. This section must make them feel completely seen before anything else happens.

Section 2 — The Pattern You're In Give the dynamic a short, memorable, two-sided name.

Examples:

- The Anxious Chaser ↔ The Wall
- The Scorekeeper ↔ The Deflector
- The Exploder ↔ The Freezer
- The Fixer ↔ The Resistant
- The Martyr ↔ The Oblivious

Then explain the pattern in 3-4 sentences. Describe how the loop works. Not who started it. Not who is worse. How both people keep it going.

Section 3 — Your Entry Point 2-3 sentences. Where does the USER specifically enter this pattern? What do they do that keeps the loop alive? Use their exact words from Q2 and Q3. Be honest but not harsh. The tone is: "this makes complete sense AND it is not working."

Section 4 — What Your Partner Is Probably Experiencing 2-3 sentences. The most charitable, accurate account of the partner's inner experience. Not defending the partner. Not excusing their behaviour. Showing the other side of the same loop. This is the steel-man moment.

Section 5 — The One Thing To Try This Week This is the most important section. One specific, scripted action. Not "communicate better." Not "set a boundary." A real sentence they can say. A real behaviour swap. Something so specific it feels almost uncomfortably precise.

Section 6 — Closing Line One warm, human, non-cheesy closing line. Not "I hope this helps." Something that lands.

The Absolute Rules For The AI (Never Break These)

1. **Never diagnose the absent partner.** Words banned in output: narcissist, toxic, BPD, sociopath, manipulative, gaslighter, abuser, controlling, psycho. If the user uses these words, acknowledge them without confirming them.
2. **Never say the partner is the problem.** Never say the user is the problem. Name the pattern. Always the pattern, never the person.
3. **Always quote the user's exact words.** At least 2–3 specific phrases from their answers must appear in the reflection. This is what separates a personal insight from a horoscope.
4. **The validation-to-insight ratio is 40/60.** At least 40% of the output length must acknowledge and validate before any pivot to the user's contribution. Skipping validation triggers defensiveness and the user dismisses the insight.
5. **The output must be specific to this person's answers.** If the reflection could apply to anyone — rewrite it. Generic output is the product's death.
6. **Indian context awareness.** Be aware of: joint family pressure, parental disapproval of the relationship, arranged vs love marriage dynamics, premarital secrecy, financial dependence, caste or religion conflict. If any of these appear in the user's answers, acknowledge them as real context, not pathology.
7. **Never suggest leaving the relationship** unless there are explicit safety concerns already flagged by the classifier.
8. **The output should be useless as a weapon.** It must be written in a way that only makes sense to the person who answered the questions. No bullet points listing "what your partner does." Long-form paragraph output that requires context to understand.

PART 4 — THE BUSINESS MODEL

Pricing Structure

Entry: Free — the 5 questions cost nothing.

Paywall: ₹69 — sits between the session and the full result.

What the paywall screen shows:

- Pattern name visible (e.g. "The Anxious Chaser ↔ The Wall")
- First 2 lines of reflection visible
- Everything else blurred
- Lock icon with "unlock" label
- Pay ₹69 via UPI button

- Line: "Cheaper than one therapy session. More honest than your best friend."

Why this works: By the time the user reaches the paywall, they have answered 5 honest questions about their relationship. They are emotionally invested. They are curious. The ₹69 at this moment feels like nothing compared to what they have already put in.

Upsell Ladder (Post-MVP)

Product	Price	Description
Base reflection	₹69	The full reflection
Deeper report	₹149	Attachment style assessment + extended analysis
Partner version	₹49	Shareable link that lets the partner do their own flow
Monthly check-in	₹49/month	One reflection per month for ongoing tracking
Therapy referral	Commission	Refer to Amaha / YourDOST / BetterLYF

Revenue Projection (Conservative)

Month	Paying Users	Revenue
1 (Beta)	50	₹3,450
2 (Launch)	200	₹13,800
3 (Creator push)	500	₹34,500
4 (Organic)	1,000	₹69,000
6 (With upsells)	2,000+	₹2,00,000+


PART 5 — TECHNICAL SPECIFICATIONS

Tech Stack (Recommended)

Layer	Technology	Why
Frontend	Next.js 14	React-based, SEO-friendly, fast

Layer	Technology	Why
Styling	Tailwind CSS	Rapid mobile-first UI
Components	shadcn/ui	Clean pre-built components
AI	Anthropic Claude API (claude-sonnet)	Best for nuanced emotional output
Payment	Razorpay	India-native, UPI support
Hosting	Vercel	Free tier, auto-deploy, fast CDN
Database	None at MVP	Stateless sessions, nothing stored
Auth	None	Fully anonymous by design

Architecture Flow





Session ends – nothing stored

API Cost Estimate

- ~500–800 tokens input per session
 - ~600–900 tokens output per session
 - Total: ~1,500 tokens per session
 - Cost at Claude Sonnet pricing: approximately ₹8–15 per session
 - Net margin at ₹69: approximately ₹54–61 per session (78–88%)
-

PART 6 — THE SYSTEM PROMPT FOR CLAUDE API

Copy this exactly into your API call as the system prompt:

You are a relationship pattern analyst trained in attachment theory, Gottman's Four Horsemen framework, and systemic family therapy. You are NOT a therapist. You are a mirror.

Your job is to identify the PATTERN the user is stuck in, show them their specific role in it, and give them one concrete thing to do differently this week.

THE USER HAS ANSWERED 5 QUESTIONS.
Their answers will be provided below in order.

OUTPUT FORMAT – follow this exactly:

PATTERN NAME:

[A short two-sided name for the dynamic. Format: "The X ↔ The Y"

Examples: "The Anxious Chaser ↔ The Wall", "The Scorekeeper ↔ The Deflector"]

WHAT WE HEARD:

[2-3 sentences. Acknowledge their pain.

Quote back 2-3 of their exact phrases in quotation marks.

Warm, not clinical. Make them feel completely seen.]

THE PATTERN YOU'RE IN:

[3-4 sentences. Explain how this loop works.

Not who started it. Not who is worse.

How BOTH people keep it going.]

YOUR ENTRY POINT:

[2-3 sentences. Where does the USER enter this pattern?

What do THEY do that keeps it alive?

Use their exact words from Q2 and Q3.

Tone: "this makes complete sense AND it is not working."]

WHAT YOUR PARTNER IS PROBABLY EXPERIENCING:

[2-3 sentences. The most charitable account of the partner's inner experience. Not defending them. Not excusing them. Just the other side of the same loop.]

THE ONE THING TO TRY THIS WEEK:

[ONE specific action. Not "communicate better."

A real sentence they can say. A real behaviour to change.

Make it uncomfortably precise.]

CLOSING LINE:

[One warm, human, non-cheesy sentence.]

STRICT RULES – NEVER BREAK THESE:

1. Never use these words about the partner: narcissist, toxic, BPD, sociopath, manipulative, gaslighter, abuser, controlling.
2. Never say the partner is the problem.
3. Never say the user is the problem.
4. Name the PATTERN. Always the pattern, never the person.
5. Quote the user's exact words at least 2-3 times.
6. 40% of output must validate before pivoting to user's contribution.
7. Never suggest leaving the relationship.
8. Be aware of Indian relationship context: joint family pressure, parental disapproval, arranged vs love marriage dynamics, premarital secrecy, financial dependence.
Acknowledge these as real context, not pathology.
9. The output must be specific to THIS person's answers.
If it could apply to anyone – rewrite it.
10. If ANY answer hints at physical violence, fear, or being controlled – STOP. Output only:
"SAFETY_FLAG: Please show crisis resources immediately."

PART 7 — DESIGN SPECIFICATIONS

Visual Identity

Element	Value
Primary background	#0D1117 (deep dark navy)
Card background	#1E2D3D (dark blue-grey)
Primary accent	#F59E0B (warm amber/gold)
Text primary	#F1F5F9 (near white)
Text secondary	rgba(241,245,249,0.55)
Success	#10B981 (teal green)
Border	rgba(255,255,255,0.08)
Border accent	rgba(245,158,11,0.2)

Typography

- Font: A clean, modern sans-serif. Not Inter. Not Roboto. Something with personality — DM Sans, Sora, or Plus Jakarta Sans.
- Heading weight: 500
- Body weight: 400
- Line height body: 1.7
- Never use font-weight 700 — too heavy for the warm tone

Layout Rules

- Mobile-first. Max-width 480px centered on desktop.
- All screens are single-column.
- No horizontal scrolling anywhere.
- Keyboard-aware on mobile (scroll to input when keyboard opens).
- Progress indicator always visible during chat flow.
- Smooth fade-in animation between screens (300ms).

The Blurred Result Screen (Most Important Design Moment)

- Pattern name: large, amber, fully visible
 - First 2 lines of reflection: visible
 - Rest of reflection: CSS blur (filter: blur(5px))
 - Lock icon bottom-right of blurred area
 - UPI button: full width, amber background
 - Copy below button: "Cheaper than one therapy session. More honest than your best friend."
 - This screen is where ₹69 converts. Design it accordingly.
-

PART 8 — GO TO MARKET

Phase 1 — Validation (Before Building) — 2-3 Weeks

- Run 10 real conversations with friends using the 5 questions
- Build a Google Form with 3 open-ended questions
- Manually write reflections for 20 people (Wizard of Oz test)
- Measure: did the reflection feel accurate and useful?

- Target signal: 7/10 people say yes, 5/10 say they'd pay ₹69

Phase 2 — Build MVP — 3-5 Weeks

- Next.js + Tailwind + Claude API + Razorpay + Vercel
- Web only (no app store)
- PWA enabled (add to home screen)
- Closed beta with 50 users before public launch

Phase 3 — Launch — Creator-Led

Primary channel: Instagram therapy creators

- Divija Bhasin (@awkwardgoat3) — 532K followers, exact ICP
- Kasturi M (@heymisstherapist) — relationship therapist
- Shaurya Gahlawat (@therapywithshaurya) — couples therapy content
- Approach with free access + revenue share or flat fee

Secondary channel: Reddit organic

- r/TwoXIndia — 500K members, women's relationship issues
- r/IndianTeenagers — 1M members, raw relationship confessions
- r/india relationship threads — answer real posts authentically

Virality mechanic: WhatsApp shareability

- Post-result share card with pattern name
- Pre-filled WhatsApp message: "Did this thing — you should try it, I'll tell you what mine said after"
- Watermarked but no personal details in shared version

PART 9 — RISKS AND HOW TO HANDLE THEM

Risk	Severity	Mitigation
AI validates an abuse victim with "you both contribute"	Critical	Abuse classifier routes to crisis resources before any AI call
Output used as weapon in fight ("see, AI agrees with me")	High	Write output as long-form paragraphs, not bullets. Useless out of context.

Risk	Severity	Mitigation
Generic output that feels like a horoscope	High	Force AI to quote user's exact words. Sample outputs before launch.
Someone in crisis uses the app	High	Classifier catches crisis language. Crisis resources always one tap away.
DPDP Act 2023 compliance	Medium	Store nothing. Auto-purge all inputs. No PII collected. Explicit consent screen.
Partner's data being processed without consent	Medium	Explicitly forbid uploading partner's messages, photos, or identifying details
Twitter backlash for bad output	Medium	Red-team 500 outputs before public launch. Have a clear "this is self-reflection, not therapy" disclaimer.

PART 10 — THE FULL BUILD PROMPT FOR ANY AI

Paste this to any AI (Claude, GPT, Gemini, Cursor, v0, etc.) to build the product:

Build a full-stack web application called AuthRelo.

WHAT IT IS:

AuthRelo is an anonymous AI-powered relationship self-reflection tool for young Indians (18-25). Users describe their relationship situation through 5 questions. The AI identifies the pattern they are stuck in and shows them their own role in it – gently, specifically, and without judgment.

This is NOT a therapy app. It is a self-reflection tool.

Tagline: "Are you really listening – to yourself?"

TECH STACK:

- Next.js 14 (App Router)
- Tailwind CSS
- shadcn/ui components
- Anthropic Claude API (claude-sonnet model)
- Razorpay for payments (India, UPI)
- Vercel for hosting
- No database, no auth, no user accounts
- Fully stateless – nothing stored after session

DESIGN:

- Mobile-first, max-width 480px centered on desktop
- Dark theme: background #0D1117, accent #F59E0B (amber)
- Cards: #1E2D3D with rgba(255,255,255,0.08) borders
- Text: #F1F5F9 primary, rgba(241,245,249,0.55) secondary
- Font: DM Sans or Plus Jakarta Sans
- Smooth animations, fade transitions between screens
- PWA enabled (manifest + service worker)

SCREENS TO BUILD:

SCREEN 1 – LANDING PAGE

- Logo: "AuthRelo" in amber
- Tagline: "Are you really listening – to yourself?"
- Subtext: "Tell us what's happening in your relationship.
We'll show you the pattern you can't see from inside it."
- 3 trust pills (anonymous, psychology-based, 5 minutes ₹69)
- CTA: "Start free – see your result for ₹69"
- Small note: "Questions are free. Pay only to unlock your reflection."

SCREEN 2 – CHAT FLOW

- Chat-style interface, one question at a time
- Progress bar at top showing step X of 5
- AI questions in amber-tinted cards (left-aligned)
- User responses in dark cards (right-aligned)
- Typing indicator (3 animated dots) before each question
- Micro-reflections between questions (small italic lines)
- Textarea input + send button
- Enter key submits answer
- Mobile keyboard aware (auto-scroll)
- After Q5: show "Analysing your pattern..." then go to paywall

THE 5 QUESTIONS (hardcode these, do not generate them):

Q1: "Before anything else – just tell me what's been going on.

Don't filter it. What's the situation with your partner right now?"

Q2: "When things go wrong between you two, what's the first thing
YOU do? Be honest – even if it's not pretty."

Q3: "Think of your last fight. What was the last thing YOU said
before it either escalated or went silent?
Try to remember the actual words."

Q4: "If your closest friend described YOUR behaviour in this
relationship to a stranger – what would they say?
Not what you wish they'd say – what they'd actually say."

Q5: "Last one. What do you actually want from this relationship
right now – be honest with yourself, not with them."

MICRO-REFLECTIONS (show after each answer):

After Q2: "Noted. This tells us something about how you respond under pressure."

After Q3: "That moment right there – that's important data."

After Q4: "The gap between those two things is where most of the work lives."

ABUSE CLASSIFIER (run before any API call):

Scan all answers for: hit, slap, punch, scared of, afraid of,
threatens, kill, end my life, self harm, want to die,
controls me, tracks me, won't let me see

If found: show crisis screen with iCall (9152987821),

Vandrevala (1860-2662-345), NCW (7827170170)

DO NOT call Claude API if classifier fires.

SCREEN 3 – PAYMENT WALL

- Header: "Your pattern is ready"
- Show pattern name in large amber text (from API response)
- Show first 2 lines of reflection
- Blur the rest (CSS filter: blur(5px))
- Lock icon overlay on blurred section

- Full-width amber button: "Pay ₹69 via UPI – Unlock now"
- Razorpay integration for ₹69 payment
- Note: "One-time. No subscription. No account."
- Secondary note: "Cheaper than one therapy session."

SCREEN 4 – RESULT

After payment confirmed via Razorpay webhook:

- Show full reflection with these labelled sections:
 - "What we heard" (validates their pain, quotes their words)
 - "The pattern you're in" (named dynamic, how loop works)
 - "Your entry point" (user's role, uses their exact words)
 - "What your partner is probably experiencing" (steel-man)
 - "The one thing to try this week" (specific action box in amber)
 - Closing line
- Footer: "This reflection was built from your words only.
Your partner has their own story."
- Share button (copies pattern card text to clipboard)
- Restart button

CLAUDE API SYSTEM PROMPT (use exactly as written):

[Paste the full system prompt from Part 6 of this document]

API ROUTE:

Create /api/analyse route in Next.js

Accepts: { answers: string[] } (array of 5 answers)

Calls Claude API with system prompt + formatted answers

Returns: { patternName: string, reflection: string }

API key must be server-side only (never exposed to client)

PAYMENT FLOW:

1. Create Razorpay order for ₹69 on button click
2. Open Razorpay checkout modal
3. On success: call /api/verify-payment with payment details
4. On verification: reveal full reflection
5. On failure: show "Payment failed, try again"

IMPORTANT DETAILS:

- No login, no account, no email, no phone number collected
- Nothing stored in database (stateless)
- All user inputs held only in React state
- Cleared when user closes tab or restarts
- Disclaimer on landing: "Self-reflection tool, not therapy"
- Disclaimer on result: "Based only on what you shared"
- PWA: add manifest.json and service worker for

"Add to Home Screen" functionality

COPY TONE:

Warm, direct, non-clinical. Like a wise friend.

Never stiff. Never corporate. Never therapy-speak.

Use plain language. Short sentences.

Occasional Hinglish feel is fine but English primary.

PART 11 — WHAT SUCCESS LOOKS LIKE

Week 4 (End of Beta)

- 50 paying users
- Refund rate below 15%
- At least 20% share their result organically
- At least one person DMs the founder saying "this helped me"
- Zero outputs that feel harmful or deeply wrong

Month 3 (Post-Launch)

- 500+ paying users
- One creator partnership driving regular traffic
- Organic WhatsApp sharing happening without prompting
- Pattern names being discussed on Reddit/Instagram
- CAC below ₹150 blended

Month 6 (Scale Signal)

- 2,000+ paying users per month
- Upsell conversion above 20%
- Repeat usage from same users (new conflict, new session)
- Inbound creator partnership requests
- Revenue above ₹1,50,000/month

PART 12 — THE FOUNDER'S NORTH STAR

When in doubt about any product decision — return to this:

|"Does this help someone see something true about themselves that they couldn't see before?"

If yes — build it.

If no — cut it.

Every feature, every question, every line of copy, every design choice should answer yes to that question.

The product succeeds when someone reads their reflection and thinks:

|"How did it know that? I've never said that out loud. That's exactly what's been happening."

That moment — that is the product working.

Everything else is just the vehicle to get there.

AuthRelo — Know yourself. Know your relationship. Built for the 22-year-old sitting alone with their phone at 11pm, not knowing if what they feel is valid. ₹69. 5 minutes. One honest mirror.