



CYCLEX WHITEPAPER v3.0

Trust-first. Security-first. Code-enforced.

CycleX is a security-first Web3 ecosystem built to reduce wallet exposure before losses occur. Its core products - Firewall and Security Hub - help users detect hidden permissions, understand on-chain risk, and act before vulnerabilities become losses.

TOTAL SUPPLY

99B CYCX

99,000,000,000 total supply

INITIAL FLOAT

100M

100,000,000 at launch

LOCKED TREASURY

98.9B

Locked in the token contract

March 2026 | cyclex.network

EXECUTIVE SUMMARY

A proactive security layer for self-custody wallets

The current Web3 experience is still largely reactive. Users often discover risk only after a wallet has already been exposed, assets have already been drained, or a malicious approval has already been granted. CycleX is designed to change that sequence.

Instead of treating security as an after-the-fact cleanup problem, CycleX introduces a proactive layer built around visibility, monitoring, exposure mapping, and actionable control. The goal is simple: make hidden risk visible before it becomes loss.

CycleX combines a product layer and an ecosystem layer. The product layer includes CycleX Firewall, Security Hub, Wallet Watch, and Wallet Passport. The ecosystem layer is aligned through CYCX, which functions as the access key for advanced monitoring, premium protection capabilities, and long-term participation in the network.

The firewall is the product. The token is the access key.

THE MISSION

Close the open doors before they are exploited

Most users do not lose assets because they willingly choose bad outcomes. They lose assets because they operate through interfaces that hide real intent, leave permissions open indefinitely, and make it difficult to understand blast radius before damage occurs.

CycleX exists to reduce that gap. The mission is to provide clear, usable, and verifiable security tooling for everyday Web3 users while keeping the underlying protocol rules transparent, auditable, and code-enforced.

THE PROBLEM CYCLEX SOLVES

Users are not always hacked. They are often left exposed.

The most common wallet failures are frequently operational, not cinematic. Risk accumulates through invisible permissions, unsafe transaction prompts, and exposure users cannot accurately map until the wallet is already at risk.



Invisible permissions

Forgotten approvals can leave assets exposed long after a transaction is complete.



Unsafe signatures

Transaction prompts can hide real intent when users cannot clearly preview what they approve.



Unknown exposure

Most users do not see the true blast radius of a risky spender until funds are already at risk.

Two product pillars. One security network.

CycleX delivers advanced wallet protection through two core pillars: CycleX Firewall and Security Hub. Together, they are designed to help users detect hidden permissions, understand on-chain risk, reduce attack surface, and move through Web3 with greater operational clarity.

A. CycleX Firewall

Blast Radius Analysis: Measures the financial exposure linked to wallet permissions and contract reach.

Fix Mode: Provides a clear 3-step action path for reducing dangerous permissions.

Wallet Watch: Adds active monitoring and browser alerts for ongoing threat awareness.

Wallet Passport: Issues a cryptographically signed wallet-bound security passport reflecting wallet security posture and long-term integrity.

B. Security Hub (Hybrid)

Quick Scan: Runs rapid on-chain analysis for wallets, tokens, and smart contracts.

Tx Decoder: Creates human-readable transaction previews before users confirm a signature.

RPC Health Checker: Helps identify unhealthy or suspicious routing conditions before activity is sent through a network endpoint.

Hybrid Design: Inspection uses public on-chain data, with protected server-side evaluation where needed. No seed phrases or unnecessary wallet permissions.

ARCHITECTURE & PRODUCT MODEL

Client-side inspection, protected evaluation, on-chain rules

CycleX is built around a layered model. Basic inspection tools are designed to remain broadly accessible so users can check wallets, tokens, contracts, and transaction intent without unnecessary friction.

Advanced capabilities - such as full Firewall access, deeper monitoring, and Wallet Passport issuance - are aligned through the ecosystem access layer.

This structure keeps the platform useful as a public security network while still allowing premium capabilities to be tied to aligned participation. On-chain logic governs the reward engine, claim verification, treasury actions, and contract-based protocol mechanics. Product interfaces and analytics continue to expand around that core.

THE ACCESS LAYER (CYCX)

Utility aligned behind the security network

CYCX is the access key to the CycleX ecosystem. The token is not positioned as the product itself; it sits behind the product layer and unlocks advanced capabilities for users who want deeper protection, broader monitoring, and long-term alignment with the network.

Basic tools remain important because a safer Web3 benefits everyone. Advanced access is designed around holding at least 100 CYCX or 1 PASS. This includes premium Firewall capabilities, Wallet Passport issuance, and enhanced monitoring functionality as the ecosystem expands.

THE 9% REWARD ENGINE

A code-governed cycle designed around long-term participation

CycleX uses a quarterly reward framework designed to align long-term holding, self-custody, and ecosystem participation. The reward engine is not described as a guaranteed return. It is a protocol mechanism governed by eligibility rules, cycle logic, and on-chain execution.

For each cycle, 9% is distributed to eligible holders. For every 1.0 CYCX distributed, an equal 1.0 CYCX is burned on a 1:1 basis, and an additional 0.2 CYCX is allocated to Development & Operations. Claiming is performed independently through Merkle-proof verification, and each address can claim only once per cycle after contract verification.

Eligibility is designed around long-term, self-custody participation. Tokens must be held for a minimum 60-day period in a self-custody Web3 wallet. Exchange balances do not qualify. Reward cycles are scheduled at the end of March, June, September, and December, with announcements published only through official CycleX channels.

HOLDER DISTRIBUTION	9% each cycle Distributed to eligible holders according to cycle rules.
TREASURY BURN	1:1 vs distributed amount For every 1.0 CYCX distributed, 1.0 CYCX is burned.
DEV & OPERATIONS	0.2 per 1.0 distributed Allocated from the treasury for development and operations.
CLAIM METHOD	Merkle-proof verification Users claim independently through the protocol interface or a compatible client.

TOKENOMICS OVERVIEW

Controlled float. Locked treasury. Contract-based ecosystem mechanics.

CycleX uses a dual-layer supply structure designed around market-float discipline and treasury-controlled protocol mechanics.

TOTAL SUPPLY	99,000,000,000 CYCX The full supply exists at the token-contract level.
INITIAL CIRCULATING SUPPLY	100,000,000 CYCX Released to the market at launch.
LOCKED CONTRACT TREASURY	98,900,000,000 CYCX Remains locked in the contract and serves as the base for reward distributions, token burns, and Development & Operations allocations.
UTILITY	Access, security, ecosystem participation CYCX aligns premium access with long-term participation in the CycleX network.

At launch, 100,000,000 CYCX enter circulation. The remaining 98,900,000,000 CYCX stay locked inside the token contract and function as the treasury base for ecosystem mechanics. This treasury design is intended to keep initial float controlled while making the source of future reward distributions, burn actions, and development allocations transparent at the contract level.

TRANSPARENCY, SECURITY & OPERATIONAL NOTES

Verifiable rules over discretionary promises

CycleX is designed around transparent contract behavior, public verification, and minimized discretionary control. Users should verify official domains before connecting a wallet, avoid seed-phrase disclosure under all circumstances, and treat private messages, unofficial support, or manual-claim instructions as suspicious by default.

For long-term holdings, self-custody practices such as hardware-wallet use, domain verification, and careful transaction review remain essential. CycleX is designed to improve visibility and control; it does not remove the need for operational discipline.

RISKS & DISCLAIMER

A security-first protocol still operates in a high-risk environment

- CycleX is a utility-based Web3 ecosystem. Nothing in this document should be interpreted as financial advice, investment advice, or a guaranteed-return statement.
- Token price volatility may be significant. Market conditions may affect usage, adoption, and perception independently of protocol design.
- Smart-contract risk remains real. Vulnerabilities, exploits, implementation errors, or unexpected behaviors may occur despite best efforts and ongoing review.
- Network risk may include congestion, forks, unstable RPC conditions, chain-level issues, or infrastructure failures that affect user access.
- Operational risk may include front-end downtime, browser-extension issues, third-party service interruptions, or user-side signing mistakes.
- Regulatory interpretations may change over time. Users remain responsible for complying with the laws and regulations applicable to them.

OFFICIAL CHANNELS & ANTI-SCAM NOTICE

Trust only verified CycleX communication paths

CycleX announcements should be treated as official only when published through verified CycleX channels. Admins will never DM first. Users should not trust private messages offering help, airdrops, recovery services, or manual claims. If there is uncertainty, do not connect the wallet and do not sign the transaction.

CycleX is built on a simple belief: Web3 security should begin before the loss, not after it.

The firewall is the product. The token is the access key.