Indian Statistical Institute

BSDS IInd Year

Academic Year 2025 - 2026: Semester I

Course: Probability II

Instructor: Antar Bandyopadhyay

Assignment #4

Date Given: September 03, 2025

Date Due: September 12, 2025

Total Points: 10

- **Problem # 1** Suppose $X_1, X_2, X_3, \dots, X_n$ are *i.i.d.* Normal random variables with mean $\mu \in \mathbb{R}$ and variance $\sigma^2 > 0$. Then show that the two *statistics*, $\bar{X}_n := \frac{1}{n} \sum_{i=1}^n X_i$ and $s_n^2 := \frac{1}{n} \sum_{i=1}^n \left(X_i \bar{X}_n \right)^2$ are independent. Find the distributions of \bar{X}_n and s_n^2 .
- Problem # 2 Give five different examples of non-negative integer valued discrete random variables with mean infinity and give five different examples of non-negative real valued continuous random variables with mean infinity.
 - **6.3.24** A box contains four tickets, numbered 0, 1, 1 and 2. Let S_n be the sum of the numbers obtained from n draws at random with replacement from the box.
 - (a) Display the distribution of S_n in a suitable table.
 - (b) Find $P(S_{50} = 50)$ approximately.
 - (c) Find an exact formula for $\mathbf{P}(S_n = k)$ for $k = 0, 1, 2, \cdots$.
 - **6.3.25 Equality in Chebychev's Inequality:** Let μ, σ and k be three numbers, with $\sigma > 0$ and $k \ge 1$. Let X be a random variable with the following distribution:

$$\mathbf{P}(X=x) = \begin{cases} \frac{1}{2k^2} & \text{if } x = \mu + k\sigma \text{ or } x = \mu - k\sigma \\ 1 - \frac{1}{k^2} & \text{if } x = \mu \\ 0 & \text{otherwise.} \end{cases}$$

- (a) Sketch the histogram of this distribution for $\mu = 0, \sigma = 10, k = 1, 2, 3$.
- (b) Show that $\mathbf{E}[X] = \mu$, $\mathbf{Var}(X) = \sigma^2$ and $\mathbf{P}(|X \mu| \ge k\sigma) = \frac{1}{k^2}$. (So there is an equality in Chebychev's inequality for this distribution of X. This means Chebychev's inequality cannot be improved without additional hypothesis on the distribution of X.)
- (c) Show that if Y has $\mathbf{E}[Y] = \mu$, $\mathbf{Var}(Y) = \sigma^2$ and $\mathbf{P}(|Y \mu| < \sigma) = 0$, then Y has the same distribution as X described above for k = 1.