


## How to reset the CxAudit login issue

Scenario:

User exit the CxAudit improperly manner.

Example using Windows Task Manager to <End Task>, or exit CxAudit while scanning is hang.

Then the user cannot login after that



The image shows a screenshot of SQL Server Enterprise Manager. On the left, the 'Object Explorer' pane shows a tree view of database objects, with 'dbo.LoggedinUser' selected. On the right, the 'JASONK-LAPTOP\S...dbo.LoggedinUser' table is displayed in a grid view. The table has columns: SessionID, Name, UserID, LoginTime, Language, and ClientType. The row with SessionID '9963677768321...' is highlighted.

SessionID	Name	UserID	LoginTime	Language	ClientType
9963677599922...	NULL	2	2018-11-14 05:3...	NULL	WebPortal
9963677693974...	NULL	2	2018-11-13 08:1...	NULL	Other
9963677719526...	NULL	2	2018-11-13 15:2...	NULL	Other
9963677761630...	NULL	2	2018-11-14 03:0...	NULL	Other
9963677768321...	NULL	2	2018-11-14 05:1...	NULL	Audit
9963677768324...	NULL	2	2018-11-14 04:5...	NULL	Other
NULL	NULL	NULL	NULL	NULL	NULL

Object Explorer

Connect

- dbo.Jobs
- dbo.Languages
- dbo.LdapServersConfigurati
- dbo.Libraries
- dbo.LoggedinUser
  - Columns
  - Keys
  - Constraints
  - Triggers
  - Indexes
  - Statistics
- dbo.LoggedinUserTokens
- dbo.NodeResults
- dbo.OpenSourceLicenseForl
- dbo.OpenSourceLicenses
- dbo.OpenSourceProjectVulr
- dbo.OpenSourceSeverity
- dbo.OpenSourceSummary
- dbo.OpenSourceUnresolved
- dbo.Origins
- dbo.PartialSASTScans

JASONK-LAPTOP\S...dbo.LoggedinUser

SessionID	Name	UserID	LoginTime	Language	ClientType
9963677599922...	NULL	2	2018-11-14 05:3...	NULL	WebPortal
9963677693974...	NULL	2	2018-11-13 08:1...	NULL	Other
9963677719526...	NULL	2	2018-11-13 15:2...	NULL	Other
9963677761630...	NULL	2	2018-11-14 03:0...	NULL	Other
9963677768321...	NULL	2	2018-11-14 05:1...	NULL	Audit
9963677768324...	NULL	2	2018-11-14 04:5...	NULL	Other
NULL	NULL	NULL	NULL	NULL	NULL

Context menu options:

- Execute SQL (Ctrl+R)
- Cut (Ctrl+X)
- Copy (Ctrl+C)
- Paste (Ctrl+V)
- Delete (Del)
- Pane
- Clear Results
- Properties (Alt+Enter)

Object Explorer

Connect

- dbo.Jobs
- dbo.Languages
- dbo.LdapServersConfigurati
- dbo.Libraries
- dbo.LoggedinUser
  - Columns
  - Keys
  - Constraints
  - Triggers
  - Indexes
  - Statistics
- dbo.LoggedinUserTokens
- dbo.NodeResults
- dbo.OpenSourceLicenseForl
- dbo.OpenSourceLicenses
- dbo.OpenSourceProjectVulr
- dbo.OpenSourceSeverity
- dbo.OpenSourceSummary
- dbo.OpenSourceUnresolved
- dbo.Origins
- dbo.PartialSASTScans

JASONK-LAPTOP\S...dbo.LoggedinUser

SessionID	Name	UserID	LoginTime	Language	ClientType
9963677599922...	NULL	2	2018-11-14 05:3...	NULL	WebPortal
9963677693974...	NULL	2	2018-11-13 08:1...	NULL	Other
9963677719526...	NULL	2	2018-11-13 15:2...	NULL	Other
9963677761630...	NULL	2	2018-11-14 03:0...	NULL	Other
9963677768321...	NULL	2	2018-11-14 05:1...	NULL	Audit
9963677768324...	NULL	2	2018-11-14 04:5...	NULL	Other
NULL	NULL	NULL	NULL	NULL	NULL

Microsoft SQL Server Management Studio

You are about to delete 1 Row(s).

Click Yes to permanently delete these rows. You won't be able to undo those changes.

Yes No Help

Object Explorer

Connect

- dbo.Jobs
- dbo.Languages
- dbo.LdapServersConfigurati
- dbo.Libraries
- dbo.LoggedinUser
  - Columns
  - Keys
  - Constraints
  - Triggers
  - Indexes
  - Statistics
- dbo.LoggedinUserTokens
- dbo.NodeResults
- dbo.OpenSourceLicenseForl
- dbo.OpenSourceLicenses
- dbo.OpenSourceProjectVulr
- dbo.OpenSourceSeverity
- dbo.OpenSourceSummary

JASONK-LAPTOP\S...dbo.LoggedinUser

SessionID	Name	UserID	LoginTime	Language	ClientType
9963677599922...	NULL	2	2018-11-14 05:3...	NULL	WebPortal
9963677693974...	NULL	2	2018-11-13 08:1...	NULL	Other
9963677719526...	NULL	2	2018-11-13 15:2...	NULL	Other
9963677761630...	NULL	2	2018-11-14 03:0...	NULL	Other
9963677768324...	NULL	2	2018-11-14 04:5...	NULL	Other
NULL	NULL	NULL	NULL	NULL	NULL

Note:

Only one instance of CxAudit is executable on one machine

Valid HID license file is required to run the CxAudit