




Securitize BUIDL-I Deploy Diff Audit Report

Prepared by [Cyfrin](#)

Version 1.0

Lead Auditors

[JesJupyter](#)

[Nate](#)

September 9, 2026

Contents

1	About Cyfrin	2
2	Disclaimer	2
3	Risk Classification	2
4	Protocol Summary	2
5	Audit Scope	2
6	Executive Summary	3
6.1	Summary	3
6.2	Review target	4
6.3	BUIDL-I deployment identification and scope	4
6.4	Commit-by-commit result	6
6.5	Proxy history	7
6.6	Deployed-code correspondence	8
6.6.1	Covered proxies and implementations	8
6.6.2	Build and bytecode comparison	9
6.6.3	IssuerMulticall source qualification	10
6.6.4	Deployment inputs and configuration	10
6.7	Current privileged addresses	11
6.8	Observations and items requiring confirmation	12
6.8.1	Scope and correspondence	12
6.8.2	Deployment-configuration observations	12
6.8.3	Privilege and trust observations	12

1 About Cyfrin

Cyfrin is a Web3 security company dedicated to bringing industry-leading protection and education to our partners and their projects. Our goal is to create a safe, reliable, and transparent environment for everyone in Web3 and DeFi. Learn more about us at cyfrin.io.

2 Disclaimer

The Cyfrin team makes every effort to find as many vulnerabilities in the code as possible in the given time but holds no responsibility for the findings in this document. A security audit by the team does not endorse the underlying business or product. The audit was time-boxed and the review of the code was solely on the security aspects of the in-scope code being audited. Unless the scope explicitly notes otherwise, the review is limited to the application layer and does not extend to the correctness of API/SDK/execution environment implementations, compilers, standard and third-party libraries, underlying operating systems and hardware.

3 Risk Classification

	Impact: High	Impact: Medium	Impact: Low
Likelihood: High	Critical	High	Medium
Likelihood: Medium	High	Medium	Low
Likelihood: Low	Medium	Low	Low

4 Protocol Summary

DSToken is an upgradeable, rebasing ERC-20 security-token system that coordinates investor registration, transfer restrictions, compliance rules, privileged roles and issuance through a registry of supporting services.

5 Audit Scope

The audit scope was limited to reviewing the Ethereum mainnet on-chain state of the BUIDL-I smart contracts to determine:

- which commit(s) the deployed BUIDL-I smart contracts match
- which, if any, of the following commits have a security impact on the deployed BUIDL-I smart contracts:

Commit	Date	Summary
e07f193f	2024-08-07	bulk operator
ec720473	2024-08-07	swap
27a64559	2024-08-08	swap test
705b59b0	2024-08-08	swap test migrated completely
61022c93	2024-08-08	npmrc and console.log cleanup
ff3c53bf	2024-08-08	changeset / publish commands
efffddc5	2024-08-08	pipeline update
8e8eb4c7	2024-08-09	package.json version 3.1.1

Commit	Date	Summary
580ab1c1	2024-08-13	added gap pattern
03d673ca	2024-08-14	merge (PR #164)
d6424fff	2024-10-15	update transaction relay
1ef40806	2024-10-17	add getComplianceTransferableToken in compliance interface
440eb4f9	2024-10-17	bump version 3.1.2
d8356d27	2024-10-17	merge, complete compliance interface (PR #166)
63c800a3	2024-10-18	preserve interface in CS for backward compatibility
d7ba5f6a	2024-10-23	gitignore zksync artifacts
366f8515	2024-10-23	merge (PR #167)
fac63e9a	2024-10-31	SPDX GPL-3.0 → Apache-2.0, add disclaimer
851a4f37	2024-11-01	adhoc deploy libraries task
9bb8ad15	2024-11-01	fix loggers
5ead44c6	2024-11-03	merge (PR #169)
d78d34a3	2024-11-03	merge dev (PR #170) — target

6 Executive Summary

Over the course of 2 days, the Cyfrin team conducted an audit on the [BUIDL-I Deploy Diff](#) code provided by [Securitize](#).

6.1 Summary

Review area	Conclusion
Repository and review range	securitize-io/dstoken . Range: 262370ae..d78d34a3.
Changes affecting BUIDL-I	Functional changes affecting BUIDL-I are contained in e07f193f, d6424fff, 1ef40806, and 63c800a3. Related merge commits introduce no additional logic.
Security impact	No confirmed security finding affects the deployed BUIDL-I instance. TransactionRelayer's storage-layout concern would apply only to an in-place upgrade; this proxy was deployed with the current implementation and was never upgraded. The remaining items are correspondence, configuration, or privilege observations rather than established exploits.
Deployment correspondence	Executable runtime correspondence was established for all 30 scoped objects against d78d34a3. The 14 proxies are full byte-for-byte runtime matches. The 14 implementations and 2 libraries match in their executable regions after the documented deployment-specific address and metadata treatment. IssuerMulticall is subject to the qualification documented under Deployed-code correspondence.
Deployment and upgrade history	One BUIDL-I instance was identified within the stated scan coverage. Each of its 14 proxies retains the implementation installed at creation; no post-deployment upgrades were identified.

Review area	Conclusion
Deployment scope	The review covered 14 proxies, their 14 implementations, and 2 linked libraries: 30 deployed objects in total, together with the changes affecting those components.
BUIDL-I token	0x6a9da2d710bb9b700acde7cb81f10f1ff8c89041

6.2 Review target

Item	Value
Repository	securitize-io/dstoken
Branch named in the request	master
Audited baseline	262370ae848bde6bf0b5d91e6ff90ef94768709d
Review target	d78d34a3ec41ab9e139670aeeb7763133215b34c
Diff	262370ae..d78d34a3
Requested commit count	22
BUIDL-I token	0x6a9da2d710bb9b700acde7cb81f10f1ff8c89041

The request identifies d78d34a3 as the head of `master` at the time it was written. That commit is not present on the current GitHub `master`, whose head is 788bb46928cbeaafa03ef30e4b2e6e1dd4104f75 (10 August 2026). This report uses d78d34a3 as the specified review target. Later work on `master` remains out of scope.

The request lists 22 commits. A complete Git graph traversal identifies 24 because it includes side-parent commits 17ea346 and c6f3ab4; these do not represent additional changes on the reviewed path.

This is a diff review of that range against the live BUIDL-I deployment. Matching bytecode does not mean unchanged baseline code was re-audited.

6.3 BUIDL-I deployment identification and scope

Cyfrin scanned Ethereum mainnet from 1 October 2024 through 7 September 2026 for `DSServiceSet(uint256,address)` with no address filter: 858 logs from 225 emitters — 19 fully configured token proxies, 198 referenced service emitters, 6 standalone `IssuerMulticall` proxies, and 2 direct `sDEMO` tokens. Of the token candidates checked through `name()` and `symbol()`, only one returned BUIDL-I:

```
name:   BlackRock USD Institutional Digital Liquidity Fund - I Class
symbol: BUIDL-I
proxy:  0x6a9da2d710bb9b700acde7cb81f10f1ff8c89041
```

The token's `DSServiceSet` history and current `getDSService(id)` values show 12 non-zero services. `IssuerMulticall` shares that `TrustService`, holds `ISSUER` there, and has a zero token-side slot 8194. Scope is the token, those 12 services, and `IssuerMulticall` — 14 proxies.

Service ID	Component	Proxy address
—	DSToken	0x6a9da2d710bb9b700acde7cb81f10f1ff8c89041
1	TrustService	0x712244c054244432d0f9ea16a56121598eba7a2c
4	RegistryService	0xf8e91fa34311876302d36d14b4f246044fd4332a

Service ID	Component	Proxy address
8	ComplianceServiceRegulated	0xc7ca0ce7626940838a87656656c6af92b95abd00
32	WalletManager	0x1df0616fd703643411d62c34dfbfa3a261df7dab
64	InvestorLockManager	0x32708a900a740846445fd49c0c00df15701720a2
256	ComplianceConfigurationService	0x41a5f31c45fa12913e125914bd79ef49bfa1a1f
512	TokenIssuer	0xd8305ccd41fc67bd7fc0d6653a89452f4c1f7265
1024	WalletRegistrar	0x51d016b8cc89f56fd5a7970892586fb512e202a0
2048	OmnibusTBController	0xddf7b95d79872766b4c0f32284fac86155c81b3a
4096	TransactionRelayer	0xfd45dd1f78f9501b4e37b7a02e24ec29da64917f
8192	TokenReallocator	0x95e07b0682da8627decbb068cb57ae7ebe650e9e
8193	BulkOperator	0x619601b45bf5b2700ff10fa617bae7709ee63ff0
8194 is zero	IssuerMulticall	0x34b3724b16db59fdd8b98cf3b3928100b010395b

The deployed-code correspondence scope consists of 30 on-chain bytecode objects and addresses: 14 proxies, their 14 implementations, and 2 linked libraries.

Object type	Count
Proxies	14
Implementations	14
Linked libraries	2
Total	30

Library addresses are from `settings.libraries` in the verified Etherscan compiler inputs: TokenLibrary on the DSToken build, ComplianceServiceLibrary on ComplianceServiceRegulated. Local link references and the deployed consuming bytecode match those addresses.

Library	Address
TokenLibrary	0x550bcacd69c722e19eee0599ef502c358ebc97e5
ComplianceServiceLibrary	0x2a49ee732c76837b7e7e181e9c3c43946eed528c

Three later contracts also hold BUIDL-I ISSUER. They are included in the current privilege disclosure, but their source is outside 262370ae...d78d34a3 and the 30-object set:

Contract	Address	Treatment
DSTokenClassSwap	0x1e5d83ff1a6d32c53f25937664c53e9b57e37021	Post-target; outside source-review scope
DSTokenClassSwap	0xfc4392da2c4a3090431fb87f4f7de63bc6885644	Post-target; outside source-review scope

Contract	Address	Treatment
SecuritizeBridge	0x56cf2ea9a980e55b197703219bffb8206527fe	Post-target; outside source-review scope

6.4 Commit-by-commit result

The applicable changes identified below were already present in the implementations installed when the BUIDL-I proxies were created; they were not applied through later upgrades. No post-deployment `Upgraded(address)` event was observed for any of the 14 scoped proxies through block 25,931,738. Proxy history provides the supporting upgrade-history evidence, and the deployed-code correspondence qualifications apply.

Each commit was checked for whether it reaches the BUIDL-I deployment. Review concentrated on these changed components, then followed their call paths through the 14-proxy graph.

Change area	Files/components reviewed	Reason for inclusion
Bulk operations	BulkOperator and IBulkOperator	New BUIDL-I privileged issuance and burn path
Transaction relaying	TransactionRelayer	Registered BUIDL-I service with an ISSUER role and a generic signed-call path
Compliance-transferable balance	IDSComplianceService, ComplianceServiceRegulated, inherited ComplianceServiceWhitelisted code, and ComplianceServiceLibrary	Changes the interface and regulated transfer-compliance path used by BUIDL-I
Deployment configuration	BulkOperator deployment task, service registration, role setup, library deployment task, and service constants	Determines which contracts and roles are connected to BUIDL-I

Where a changed path called into DSToken, TrustService, RegistryService, TokenIssuer, WalletRegistrar, WalletManager, InvestorLockManager, ComplianceConfigurationService, OmnibusTBController, TokenReallocator, IssuerMulticall, TokenLibrary, or shared authorization code, those were reviewed as dependencies — not as a full re-audit of unchanged baseline logic.

#	Commit	Commit summary	Scope impact	Security impact
1	e07f193f	Added BulkOperator and deployment/role setup	Direct	No confirmed exploit; live service ID 8193 differs from the target constants/tasks and needs confirmation
2	ec720473	Added SecuritizeSwap	None	Out of scope; no BUIDL-I association found
3	27a64559	Swap tests	None	Test-only
4	705b59b0	Migrated swap tests	None	Test-only
5	61022c93	.npmrc and log cleanup	No runtime impact	No BUIDL-I issue; repository credential handling is outside this review

#	Commit	Commit summary	Scope impact	Security impact
6	ff3c53bf	Snapshot publishing commands	None	Release tooling only
7	efffd5c5	Pipeline update	None	CI only
8	8e8eb4c7	Package version/files	None	Package metadata only
9	580ab1c1	Storage-gap change in BaseSecuritizeSwap	None	Swap is not part of BUIDL-I
10	03d673ca	Merge of BulkOperator branch	Direct aggregate	No merge-only change or separate issue
11	d6424fff	Changed TransactionRelayer ABI and removed legacy nonce storage	Direct	Unsafe on an in-place proxy upgrade; not applicable here — this proxy was deployed with the current implementation and was never upgraded
12	1ef40806	Added compliance-transferable function to the interface	Direct interface impact	No storage change or confirmed vulnerability
13	440eb4f9	Package version 3.1.2	None	Package metadata only
14	d8356d27	Merge of compliance-interface work	Direct aggregate	No merge-only change or separate issue
15	63c800a3	Restored the compliance ABI using uint64 lock time	Direct	No confirmed issue in the current BUIDL-I configuration
16	d7ba5f6a	Ignored zkSync artifacts	None	.gitignore only
17	366f8515	Merge of .gitignore update	None	No merge-only change
18	fac63e9a	Replaced license headers	Source/metadata only	No contract-behavior change
19	851a4f37	Added an ad-hoc library deployment task	Indirect deployment impact	No deployed-code issue found
20	9bb8ad15	Fixed deployment log labels	Deployment observability only	No runtime change
21	5ead44c6	Merge of license/tooling work	Aggregate only	No merge-only change or separate issue
22	d78d34a3	Final merge into the requested target	Aggregate target integration	No merge-only code or separate issue

Substantive review was on e07f193f, d6424fff, 1ef40806, and 63c800a3. Related merges were checked and had no unique conflict-resolution logic. The rest do not change BUIDL-I runtime: unrelated swap, tests, package/release/CI, .gitignore, logging, licensing, or empty merges.

6.5 Proxy history

Cyfrin queried `Upgraded(address)` for all 14 proxies from block zero through block 25,931,738.

Check	Result
Proxies checked	14
Upgraded events per proxy	1
Events occurring in the proxy creation transaction	14/14
Initial event implementation matching the current implementation slot	14/14
Post-deployment upgrades	0

Each proxy's one Upgraded event is the initial implementation install. None were upgraded afterward. That includes TransactionRelayer: it was deployed with the current implementation, so the storage-layout concern in the diff does not apply.

6.6 Deployed-code correspondence

This section provides the requested correspondence statement for the Ethereum mainnet BUIDL-I token at 0x6a9da2d710bb9b700acde7cb81f10f1ff8c89041, reviewed against target commit d78d34a3ec41ab9e139670aeeb7763133215b34c.

The deployment identification and scope and proxy history sections establish the deployment scope and upgrade history. One BUIDL-I instance was identified within the stated scan coverage, and all 14 proxies retain the implementations installed during creation.

6.6.1 Covered proxies and implementations

Component	Proxy	Implementation
DSToken	0x6a9da2d710bb9b700acde7cb81f10f1ff8c89041	0x9e2693f54831f6f52b0bb952c2935d26919a3626
TrustService	0x712244c054244432d0f9ea16a56121598eba7a2c	0x54687c2bd1bcb739bc2e9f45ae8d9ab27b9a5623
RegistryService	0xf8e91fa34311876302d36d14b4f246044fd4332a	0x9aa37ef5b1e75e4c6f7e87f79ac2a4d06e23748a
ComplianceServiceRegulated	0xc7ca0ce7626940838a87656656c6af92b95abd00	0xb2241faa9e359d131f73537999d6579b95c04c34
WalletManager	0x1df0616fd703643411d62c34dfbf a3a261df7dab	0x487bfff0719a3a66a699b3388c103d2d4e4af748
InvestorLockManager	0x32708a900a740846445fd49c0c00df15701720a2	0xea9b5ad94fea52e092f518cd09bfff35d75c9edcc
ComplianceConfigurationService	0x41a5f31c45fa12913e125914bd79ef49bafa1a1f	0xbe729b88ba6f29fa06a76b8d7c87e11730bf8bf8
TokenIssuer	0xd8305ccd41fc67bd7fc0d6653a89452f4c1f7265	0x12af61ccbceffad492d749f97d22e2af9d7b1ee1
WalletRegistrar	0x51d016b8cc89f56fd5a7970892586fb512e202a0	0x26c1b0c7cb630e1b69cc9796021958a911cef470
OmnibusTBController	0xddf7b95d79872766b4c0f32284fac86155c81b3a	0x8f3c283825cf9882e800a8465fd006d884d89bf3

Component	Proxy	Implementation
TransactionRelayer	0xfd45dd1f78f9501b4e37b7a02e24ec29da64917f	0xa9dd4d527bb3974188a01522f888a2e38265bcc9
TokenReallocator	0x95e07b0682da8627decbb068cb57ae7ebe650e9e	0xa36c1c27df63198096366ce5f77811da0a641646
BulkOperator	0x619601b45bf5b2700ff10fa617bae7709ee63ff0	0xc71f2afd6239ee4d2275a5dd29b11426d0de3729
IssuerMulticall	0x34b3724b16db59fdd8b98cf3b3928100b010395b	0xa6e5f33b2372118ac70552c7212026d96af6f74b

Linked library	Address	Consuming implementation
TokenLibrary	0x550bcacd69c722e19eee0599ef502c358ebc97e5	DSToken
ComplianceServiceLibrary	0x2a49ee732c76837b7e7e181e9c3c43946eed528c	ComplianceServiceRegulated

6.6.2 Build and bytecode comparison

Verified compiler inputs and build settings for all 30 addresses were taken from Etherscan. Source at d78d34a3 was compiled with those settings and compared with each deployment transaction and live `eth_getCode`. Constructor and initializer payloads were decoded for all 14 proxies.

Compiler setting	Value
Solidity	0.8.20+commit.a1b79de6
Optimizer	Enabled, 200 runs
EVM version	paris
viaIR	false
OpenZeppelin contracts	5.0.2 from the target lockfile

Comparison	Result
Contract-deployment code, before constructor arguments and compiler metadata	30/30 match
Live contract code, excluding compiler metadata and expected deployment-specific address fields	30/30 match
Full proxy runtime bytecode	14/14 exact match
Implementation logic after filling the UUPS deployment address	14/14 match
Library logic after filling the library's deployed address	2/2 match
Proxy constructor and initializer decoding	14/14 successful
Unexplained contract-logic differences	0

The 14 implementations and 2 libraries differ in their IPFS metadata digests. Implementations also embed the UUPS implementation address, and each library embeds its own deployed address. These deployment-specific

fields do not change contract logic. The comparison confirms deployed runtime logic, but does not claim identical original-build metadata for those 16 objects.

6.6.3 IssuerMulticall source qualification

The Etherscan-published source bundle for IssuerMulticall is not the same source snapshot as the reviewed target. Its 19 repository source files match commit b5e71dcf0bccdd765dfb23b40df0dbf73807458e9, dated 11 June 2024, rather than d78d34a3. Specifically, the ServiceConsumerDataStore source included in that bundle contains the services mapping but omits the uint256[49] private __gap storage declaration added in commit d57162e1682e639095e00061b5aab61c84a66510. IssuerMulticall inherits this storage contract through BaseDSContract and ServiceConsumer.

The published source and the target source both reproduce the deployed IssuerMulticall runtime logic after accounting for the expected UUPS implementation-address fields and excluding Solidity metadata. The unused storage-gap declaration produces no runtime instructions, and no current storage collision was identified. Correspondence for IssuerMulticall therefore confirms runtime logic, not identical published source inputs, declared storage layouts, or exact original-build provenance.

6.6.4 Deployment inputs and configuration

All 14 proxies use ERC1967Proxy(address _logic, bytes _data). For each proxy, _logic is the implementation in the table above, agrees with the creation-time Upgraded event and current EIP-1967 implementation slot, and _data decodes against the initializer in the reviewed target ABI. All 14 creation receipts succeeded. Because the initially installed implementation logic matches the target and no implementation was later replaced, these initializer calls executed the corresponding target runtime logic.

Proxy	Decoded initialization
DSToken	<code>initialize("BlackRock USD Institutional Digital Liquidity Fund - I Class", "BUIDL-I", 6)</code>
OmnibusTBController	<code>initialize(0xf274f2d29bf6079316db034687d8c30571ef5bdd, false)</code>
BulkOperator	<code>initialize(0x6a9da2d710bb9b700acde7cb81f10f1ff8c89041)</code>
Other 11 proxies	<code>initialize()</code>

An empty initializer argument list does not mean that no state was written. In the target logic, the BaseDSContract initialization path sets the initial owner to the creation caller, while TrustService.initialize() sets that caller as both owner and initial MASTER. These state effects are part of the target-matching initializer code executed during successful proxy creation.

Service registration and later operational Trust-role assignments occurred through separate post-creation transactions, not through the proxy constructors. DSServiceSet history, current getDSService(id) reads, Trust role events, and current role reads were checked separately. The functional 12-service graph corresponds to the reviewed contracts, subject to two configuration qualifications: the live token maps service ID 8193 to BulkOperator even though that ID is absent from the target constants and deployment task, while service ID 8194 is zero even though IssuerMulticall shares the BUIDL-I TrustService and holds ISSUER there.

The 3 post-target privileged contracts identified in BUIDL-I deployment identification and scope and Current privileged addresses are part of the current privilege disclosure, but not the 30-object correspondence set.

Correspondence statement Executable runtime correspondence was established for all 30 scoped objects against target commit d78d34a3ec41ab9e139670aeeb7763133215b34c. The 14 proxies are full byte-for-byte runtime matches. The 14 implementations and 2 libraries match in their executable regions after accounting for the documented deployment-specific addresses and excluding compiler metadata. No unexplained executable difference was identified. This conclusion is subject to the

IssuerMulticall published-source and storage-layout qualification above and excludes the 3 post-target privileged contracts identified in the deployment scope and current privileged addresses sections.

6.7 Current privileged addresses

TrustService is `getDSService(1)` on the token. Role-add/remove events were scanned from creation; `getRole(address)` and `eth_getCode` were then called at block 25,932,550 for every holder. Roles: MASTER = 1, ISSUER = 2, TRANSFER_AGENT = 8.

Role	Holder	Type	Identification
MASTER (1)	0xe01605f6b6dc593b7d2917f4a0940db2a625b09e	EOA	Current TrustService master
ISSUER (2)	0xd8305ccd41fc67bd7fc0d6653a89452f4c1f7265	Contract / proxy	TokenIssuer
ISSUER (2)	0x51d016b8cc89f56fd5a7970892586fb512e202a0	Contract / proxy	WalletRegistrar
ISSUER (2)	0xddf7b95d79872766b4c0f32284fac86155c81b3a	Contract / proxy	OmnibusTBController
ISSUER (2)	0xfd45dd1f78f9501b4e37b7a02e24ec29da64917f	Contract / proxy	TransactionRelayer
ISSUER (2)	0x34b3724b16db59fdd8b98cf3b3928100b010395b	Contract / proxy	IssuerMulticall
ISSUER (2)	0x619601b45bf5b2700ff10fa617bae7709ee63ff0	Contract / proxy	BulkOperator
ISSUER (2)	0x71fa7800a09e7faf295da8b886ebf52b7e6ed849	EOA	External issuer
ISSUER (2)	0x5072ed40eba6be38c2370cad1cb1df0202924e53	EOA	External issuer
ISSUER (2)	0x1e5d83ff1a6d32c53f25937664c53e9b57e37021	Contract / proxy	Post-target DSTokenClassSwap
ISSUER (2)	0xfc4392da2c4a3090431fb87f4f7de63bc6885644	Contract / proxy	Post-target DSTokenClassSwap
ISSUER (2)	0x56cf2ea9a980e55b197703219bffbbb8206527fe	Contract / proxy	Post-target SecuritizeBridge
TRANSFER_AGENT (8)	0x95e07b0682da8627decbb068cb57ae7ebe650e9e	Contract / proxy	TokenReallocator
TRANSFER_AGENT (8)	0xa9994621f1c3ee59846df756488229e8efdc8bf	EOA	External transfer agent

Current totals: 1 MASTER, 11 ISSUER, 2 TRANSFER_AGENT, and 0 EXCHANGE.

Proxy ownership and upgrade control are separate from the Trust role list:

Controlled contracts	Direct owner/root	Type	Upgrade position
12 scoped proxies (all except TrustService and WalletRegistrar)	0xe01605f6b6dc593b7d2917f4a0940db2a625b09e	EOA	Direct owner and Trust MASTER
TrustService	0xe01605f6b6dc593b7d2917f4a0940db2a625b09e	EOA	Sole current MASTER; authorizes TrustService upgrade
WalletRegistrar	0xc5377f5530f25b246606d1a9c60b697f89bd9765	Contract	Direct owner; 0xe01605f6b6dc593b7d2917f4a0940db2a625b09e can also upgrade through Trust MASTER
WalletRegistrar owner controller	0xd69fefe5df62373dcbde3e1f9625cf334a2dae78	EOA	Owens the custom controller; currently has Trust role 0

All 14 endpoints are ERC-1967 proxies with UUPS-capable implementations. All 14 EIP-1967 admin slots are zero. There is no ProxyAdmin, Safe, multisig, or timelock on the upgrade path. The two libraries are not proxies and have neither owner nor Trust role.

6.8 Observations and items requiring confirmation

No confirmed security finding affects the deployed BUIDL-I change set. The following items document unresolved scope and correspondence questions, deployment-configuration observations, and privilege or trust assumptions. None is presented as an established exploit.

6.8.1 Scope and correspondence

1. **IssuerMulticall source provenance.** The Etherscan-published IssuerMulticall source bundle corresponds to b5e71dcf0bcdd765dfb23b40df0dbf73807458e9 rather than the reviewed target d78d34a3, although both reproduce the deployed runtime logic after the documented treatment. Confirm why the published verification used this earlier source bundle and whether the source and storage-layout difference was intentional.

6.8.2 Deployment-configuration observations

2. **BulkOperator service ID 8193.** The live token maps 8193 to 0x619601b45bf5b2700ff10fa617bae7709ee63ff0, set at original deployment. Target source has no 8193 constant, and the deployment task does not register this slot. Bytecode still matches because the mapping accepts arbitrary IDs. Confirm how this entry was set.
3. **IssuerMulticall service ID 8194.** getDSService(8194) is zero on BUIDL-I. IssuerMulticall still shares TrustService, holds ISSUER, and reaches the token through TokenIssuer, so the path works without a token-side 8194 entry. Confirm that this configuration is intentional and clarify the intended purpose of the constant.

6.8.3 Privilege and trust observations

4. **Centralized authority.** EOA 0xe01605f6b6dc593b7d2917f4a0940db2a625b09e can upgrade all 14 proxies and directly owns 12. Two other EOAs hold ISSUER; one holds TRANSFER_AGENT. That is a single-key custody risk unless off-chain controls exist that are not visible on-chain.
5. **Unverified owner contract.** WalletRegistrar is owned by 0xc5377f5530f25b246606d1a9c60b697f89bd9765, a custom Ownable/Pausable contract not in the verified source set. Standard Gnosis Safe interface calls revert. Owner is EOA 0xd69fefe5df62373dcbde3e1f9625cf334a2dae78. Source and intended role are needed.

6. **Later privileged contracts.** The two DSTokenClassSwap proxies and SecuritizeBridge currently hold BUIDL-I ISSUER. They were deployed after the target and have no source in this range. They are included in the privilege disclosure but are outside the requested source review.

Summary

Project Name	BUIDL-I Deploy Diff
Repository	dstoken
Commit	d78d34a3ec41...
Audit Timeline	Sep 7th - Sep 8th, 2026
Methods	Manual Review