

HyperLiquid Audit Summary

Prepared by Cyfrin

Version 2.1

Lead Auditors

Giovanni Di Siena

Hans

April 11, 2023

Contents

1 About Cyfrin 2

2 About This Document 2

3 Disclaimer 2

4 Copyright and License 2

5 Audit Overview 3

6 Audit Scope 3

7 Risk Classification 4

8 Protocol Summary 4

9 Attestation 4

1 About Cyfrin

Cyfrin is a Web3 security company dedicated to bringing industry-leading protection and education to our partners and their projects. Our goal is to create a safe, reliable, and transparent environment for everyone in Web3 and DeFi. Learn more about us at cyfrin.io.

2 About This Document

This document is a public summary of the security audit Cyfrin performed for HyperLiquid on HyperLiquid. It records the repositories and commits reviewed, the timeline, auditors, in-scope files, and the number and final status of findings by severity. It closes with Cyfrin's attestation of the review's scope and final remediation status.

It is deliberately abbreviated: the technical detail of individual findings is not reproduced here. The complete audit report, version 2.1 dated April 11, 2023, was delivered to HyperLiquid, who retain it as the full record of the engagement. This summary was issued on October 29, 2026.

3 Disclaimer

The Cyfrin team makes every effort to find as many vulnerabilities in the code as possible in the given time but holds no responsibility for the findings in this document. A security audit by the team does not endorse the underlying business or product. The audit was time-boxed and the review of the code was solely on the security aspects of the in-scope code being audited. Unless the scope explicitly notes otherwise, the review is limited to the application layer and does not extend to the correctness of API/SDK/execution environment implementations, compilers, standard and third-party libraries, underlying operating systems and hardware.

4 Copyright and License

© 2026 Cyfrin Inc. All rights reserved. Material from HyperLiquid or third parties remains the property of its owners.

This summary may be shared only in complete and unmodified form, so that any copy can be checked against the hash in its attestation. Short quotations with attribution to Cyfrin are permitted, provided they do not misrepresent this summary's scope or results. Except as permitted by applicable law, no part of this summary may otherwise be copied, modified, adapted, sold or sublicensed, or used to create derivative works, without Cyfrin's prior written permission.

Cyfrin and the Cyfrin logo are trademarks of Cyfrin Inc. and may not be used to suggest that Cyfrin has reviewed or endorses anything outside this summary's scope, or to misrepresent its results.

5 Audit Overview

Over the course of 3 days, the Cyfrin team conducted an audit on the HyperLiquid code provided by HyperLiquid. The findings consist of 2 Medium & 1 Low severity issues with the remainder being informational.

Summary

Project Name	HyperLiquid
Repository	hyperliquid-dex/contracts
Commit	e0aff464865a...
Fix Commit	f045dbf
Audit Timeline	Mar 16th - Mar 20th, 2023

Issues Found

Severity	Found	Resolved	Acknowledged
Critical Risk	n/a	0	0
High Risk	0	0	0
Medium Risk	2	2	0
Low Risk	1	0	1
Informational	15	10	5
Gas Optimizations	0	0	0
Total	18	12	6

Informational / Non-Critical findings are counted as Informational.

6 Audit Scope

The HyperLiquid bridge contracts in the hyperliquid-dex/contracts repository, at commit `e0aff46`:

```
Bridge.sol
Signature.sol
```

The test file `example.rs` in the `tests` directory was out of scope.

The fixes were reviewed at commit `f045dbf`.

7 Risk Classification

This report used the following severity criteria.

- **High:** Assets can be stolen, lost or compromised directly (or indirectly if there is a valid attack path that does not have hand-wavy hypotheticals).
- **Medium:** Assets not at immediate risk, but the function of the protocol or its availability could be impacted, or leak value with a hypothetical attack path with stated assumptions but external requirements.
- **Low:** Low impact and low or medium likelihood events where assets are not at risk (or a trivial amount of assets are), state handling might be off, functions are incorrect regarding NatSpec, issues with comments, etc.
- **Informational** / **Non-Critical:** A non-security issue, like a suggested code improvement, a comment, a renamed variable, etc.
- **Gas:** Gas saving and performance suggestions.

8 Protocol Summary

The HyperLiquid bridge contract runs on Arbitrum, operating alongside the HyperLiquid L1, which runs Tendermint consensus. Validator set updates happen at the end of each epoch, whose duration was still to be decided at the time of the audit (likely between one day and one week).

The contracts currently only support USDC, though the logic extends to deposits and withdrawals of any other ERC20 token on Arbitrum.

9 Attestation

Cyfrin attests that it performed a security review of the HyperLiquid code provided by HyperLiquid.

The repositories, commits, review period and findings with their final status are in the Summary and Issues Found tables in Section 5, and the in-scope files in Section 6. This attestation is limited to the documented scope, audited commits and mitigations specifically reviewed by Cyfrin.

Cyfrin publishes this document and its SHA-256 hash at https://github.com/Cyfrin/cyfrin-audit-reports. To check a copy on macOS or Linux, run the following in the folder that contains it; it prints `OK` when the copy matches. If the copy was renamed, set F to its file name. Before running it, check that the URL is Cyfrin's repository.

```
U=https://github.com/Cyfrin/cyfrin-audit-reports/raw/main/reports/sha256
N=2023-04-11-cyfrin-hyperliquid-dex-report.pdf
F=$N
H=$(curl -fsSL $U/$N.sha256 | cut -d' ' -f1)
echo "$H *$F" | shasum -a 256 -c
```

Cyfrin's full audit report with all findings provided to HyperLiquid has the SHA-256 hash and file name below. To check a copy of it, first check this document as above, then run the following in the folder that contains the full report; it prints `OK` when the copy matches. If the copy was renamed, set F to its file name.

```
H=e766831ed6cb0d75dad14b55248a9dc895257a3fb8e3d80963bf63c24f48ed2f
F=2023-04-11-cyfrin-hyperliquid-dex-report-full.pdf
echo "$H *$F" | shasum -a 256 -c
```

On Linux, `sha256sum -c` can be used in place of `shasum -a 256 -c`. On Windows, run `Get-FileHash <file> -Algorithm SHA256` in PowerShell and compare the result with the hash.