

Some Tables

Table without TableModel

The following Table is declared using `beginTable("l l l")` so it has three left-aligned columns.

| | | |
|--------------------------|--------------------------|-------------------------|
| first cell in first row | second cell in first row | last cell in first row |
| first cell in second row | | last cell in second row |
| first cell in last row | second cell in last row | last cell in last row |

The following Table is declared using `beginTable("r c j l")`.

| r | c | j | l |
|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| a right aligned column a right aligned column a right aligned column a right aligned column a right aligned column | a centered column a centered column a centered column a centered column a centered column | a justified column a justified column a justified column a justified column a justified column | a left aligned column a left aligned column a left aligned column a left aligned column a left aligned column |

Table with known (labeled) columns

Here is a table with a TableModel an specified columns. Some of them have been told their width, others not. Those latter columns get the same width, sharing the width remaining after subtracting the known widths.

| ID | Description | Beschreibung | Price |
|----|-------------|--------------|-------|
| 1 | Chair | Stuhl | 12,50 |
| 2 | Table | Tisch | 62,50 |

Note that the text of ID and Price columns is aligned right.

Table with known (unlabeled) columns

| | | |
|--------------------------|--------------------------|---------------------------------------|
| this column is 20mm wide | this column is 30mm wide | this column gets the remaining width. |
|--------------------------|--------------------------|---------------------------------------|

Another way

The following table is a total of an invoice.

The middle row shows a common trap and known bug: if you start a table cell implicitly (without an explicit `beginCell()`), then the first paragraph of this cell won't get the expected column `paraStyle` but the tables default `paraStyle`.

| | | |
|---------|----------------------------------------------|--------|
| | Total: | 100,00 |
| V.A.T.: | | |
| | This is a second paragraph in the same cell. | 21,00 |
| | Total incl. VAT: | 121,00 |