Homework and midterm review

Overview

Answering additional questions about the exam material

Quick homework 6 review

Permutation tests for multiple means using an F-statistic

Parametric test for multiple means using an F-statistic (ANOVA)

Review of probability functions in R

Questions about anything?



Homework 6 review

COVID-19 county trends app:


https://asterius.hampshire.edu:3939/covid_usa/

Linear regression

In linear regression we fit a line to the data, called the regression line

Votes for Buchanan vs. population size 2000 presidential election

County population size



$$\hat{y} = b_0 + b_1 \cdot x$$

R:
$$lm(y \sim x)$$

$$b_0 = 47$$

$$b_1 = .0049$$

$$\hat{y} = 47 + .0049 \cdot x$$


Residuals

The **residual** at a data value is the difference between the observed (y) and predicted value of the response variable

Residual = Observed - Predicted = $y - \hat{y}$

Regression analysis

Votes for Buchanan vs. population size 2000 presidential election



County population size

What is the residual for Palm Beach county?

Actual - predicted

$$= y - \hat{y}$$


$$= 3,407 - 870$$

$$= 2,537 \text{ votes}$$


i.e., Gore likely should have had ~2,500 more votes

Regression caution #3: Be aware of outliers and high leverage points. They can have an huge effect on the regression line.

The butterfly ballot




Votes for Buchanan vs population size 2000 presidential election



Q: What do we do when we have outliers?

A: Investigate!

Side note: what was the outcome of the 2000 presidential election?



Official final Florida vote count:

Total votes Bush = 2,912,790

Total votes Gore = 2,912,253


Office vote count difference:

= 2,912,790 - 2,912,253

= 537


Residual votes: 2,537

Conclusions?



Results of the 2000 presidential election

Electoral vote map for 2000



32

Final official electoral vote count




Conclusions?

Gore

Bush

Politics is boring!



Hope College and Sudokus!

Let's review the permutation test for comparing more than 2 means

Are the mean completion times for all majors the same?

- Applied science (as)
- Natural science (ns)
- Social science (ss)
- Arts/humanities (ah)

	5	3	2		7			8
6		1	5					2
2			ø,	1	3		5	
7	1	4	6	9	2			
	2						6	
			4	5	1	2	9	7
	6		3	2	5			9
1					6	3		4
8			1		9	6	7	


Reivew: Densities, probabilities and quantiles for **normal distributions**

We can plot the density curve using:

dnorm(x_vec, mu, sigma)

We can get the probability that we would get a random value less than x using:

pnorm(x_vec, mu, sigma)



We can get the quantile values using:

qnorm(area, mu, sigma)