
Advice for Applying Machine Learning

Quiz, 5 questions

1 point

1.

You train a learning algorithm, and find that it has unacceptably high error on the test set. You plot the learning curve, and obtain the figure below. Is the algorithm suffering from high bias, high variance, or neither?



- High variance
- High bias

Quiz, !	5 questions
1 poin	t
2.	
Suppo	se you have implemented regularized logistic regression
to clas	sify what object is in an image (i.e., to do object
recogr	nition). However, when you test your hypothesis on a new
set of	images, you find that it makes unacceptably large
errors	with its predictions on the new images. However, your
hypoth	nesis performs well (has low error) on the
trainin	g set. Which of the following are promising steps to
take? (Check all that apply.
	Try increasing the regularization parameter λ .
	Try decreasing the regularization parameter λ .

Advice for Applying Machine Learning

3_{Quiz, 5 questions}

Suppose you have implemented regularized logistic regression

to predict what items customers will purchase on a web

shopping site. However, when you test your hypothesis on a new

set of customers, you find that it makes unacceptably large

errors in its predictions. Furthermore, the hypothesis

performs **poorly** on the training set. Which of the

following might be promising steps to take? Check all that

apply.

Try to obtain and use additional features.

Try using a smaller set of features.

Try increasing the regularization parameter λ .

Try adding polynomial features.

1 point

4.



Which of the following statements are true? Check all that apply.

Adv Quiz, 5	is ρ for ρ
	The performance of a learning algorithm on the training set will typically be better than its performance on the test set.
	Suppose you are training a regularized linear regression model. The recommended way to choose what value of regularization parameter λ to use is to choose the value of λ which gives the lowest cross validation error.
	Suppose you are training a regularized linear regression model. The recommended way to choose what value of regularization parameter λ to use is to choose the value of λ which gives the lowest training set error.
1 point	
5. Which	of the following statements are true? Check all that apply.
	When debugging learning algorithms, it is useful to plot a learning curve to understand if there is a high bias or high variance problem.
	If a neural network has much lower training error than test error, then adding more layers will help bring the test error down because we can fit the test set better.
	A model with more parameters is more prone to overfitting and typically has higher variance.
	If a learning algorithm is suffering from high bias, only adding more training examples may not improve the test error significantly.

I understand that submitting work that isn't my own may result in permanent failure of to Coursera account. Learn more about Coursera's Honor Code Advice for Applying Machine Learning Diogo Vasconcelos Quiz, 5 questions	his course or deactivation of my
Submit Quiz	

