




Multi

COLOUR

ACRYLIC CATALOGUE





BEGINNING **OF**
TREND

FOR YOUR RELIABLE SURFACES



www.rubiklam.com



About COMPANY

Rubik Represent A fresh of air in the acrylic industry with our innovative bent in all aspects of the business. our laminate collection represents the latest in contemporary designs because we look to the global design industry at large. our service is unparalleled as we work closely with every architect, designer and developer, providing prompt response and excellent sales support. our quality of high pressure laminates is now well-known throughout the industry as they are manufactured under stringent control. this is due in no small part to our pursuit of perfection.it's all about being inspired. you can see the result in our product you can even feel it through our ongoing product design and development process, which underscores our commitments to innovation and getting you

1220 X 2440 MM (8 X 4 Ft)

These dimensions are standard in the industry, and they are suitable for a variety of applications, such as countertops, cabinets, furniture surfaces, and more. The choice of size depends on the specific project requirements, the area to be covered, and personal preferences.






COLLECTION
About the

APPLICATIONS

Laminate is widely used in construction and design, popular for its versatility. It's commonly applied in countertops, cabinetry, furniture, flooring, wall panels, doors, and various commercial settings like retail displays and educational facilities. Known for its durability, cost-effectiveness, and easy maintenance, laminate remains a preferred choice across a range of applications, offering both functional and aesthetic benefits.



Laminate finds versatile applications in the realms of construction and design, serving as a popular surfacing material in various contexts. Widely utilized for countertops, it provides a durable and economical alternative to natural stone, complementing its use in cabinetry surfaces and furniture, including tables and desks.

design
FOR YOUR
RELIABLE SURFACES





6H ANTI
SCRATCH



WATER
RESISTANT



ANTI
YELLOW

100% 100% PURE
ACRYLIC




Solid
collection

RK 001



RK 002






03

6H ANTI
SCRATCHWATER
RESISTANTANTI
YELLOW100% 100% PURE
ACRYLIC

Solid
collection



RK 003



RK 004

design
COLLECTION



04



05

6H ANTI
SCRATCHWATER
RESISTANTANTI
YELLOW100% 100% PURE
ACRYLIC

Solid
collection



RK 005



RK 006

design
COLLECTION




06



Solid
collection



RK 007



RK 008

design
COLLECTION



6H ANTI
SCRATCH



WATER
RESISTANT



ANTI
YELLOW

100% 100% PURE
ACRYLIC



6H ANTI
SCRATCH



WATER
RESISTANT



ANTI
YELLOW

100% 100% PURE
ACRYLIC



Solid
collection



RK 009



RK 010



RK 011

design
COLLECTION





6H ANTI
SCRATCH



WATER
RESISTANT



ANTI
YELLOW

100% 100% PURE
ACRYLIC




Solid
collection



RK 012



RK 013



RK 014

design
COLLECTION





6H ANTI SCRATCH


WATER RESISTANT

ANTI YELLOW

100% 100% PURE ACRYLIC

Rubik™
ACRYLICS REDEFINED

Solid
collection



RK 015




RK 016




RK 017

design
COLLECTION





Solid
collection



RK 018




RK 019



RK 020

design
COLLECTION



6H ANTI
SCRATCH



WATER
RESISTANT



ANTI
YELLOW

100% 100% PURE
ACRYLIC




 6H ANTI SCRATCH


 WATER RESISTANT

 ANTI YELLOW

100% 100% PURE ACRYLIC



design
COLLECTION





6H ANTI SCRATCH


WATER RESISTANT

ANTI YELLOW

100% 100% PURE ACRYLIC

Rubik™
ACRYLICS REDEFINED

Solid
collection



RK 025




RK 026



RK 027

design
COLLECTION





6H ANTI SCRATCH

WATER RESISTANT

ANTI YELLOW


100% 100% PURE ACRYLIC



Solid collection



RK 028



RK 029



RK 030

design
COLLECTION






Solid
collection



RK 031



RK 032



RK 033

design
COLLECTION



6H ANTI
SCRATCH



WATER
RESISTANT



ANTI
YELLOW

100% 100% PURE
ACRYLIC



6H ANTI SCRATCH

WATER RESISTANT

ANTI YELLOW


100% 100% PURE ACRYLIC

**design
COLLECTION**

Rubik
ACRYLICS REDEFINED

Solid
collection

RK 034



RK 035



RK 036





 6H ANTI SCRATCH

 WATER RESISTANT

 ANTI YELLOW


100% 100% PURE ACRYLIC



Solid
collection



RK 037



RK 038



RK 039

design
COLLECTION





6H ANTI
SCRATCH




WATER
RESISTANT



ANTI
YELLOW

100% 100% PURE
ACRYLIC



Solid
collection



RK 040



RK 041



RK 042

design
COLLECTION





Solid
collection



RK 043



RK 044



RK 045



RK 046

design
COLLECTION



6H ANTI
SCRATCH



WATER
RESISTANT



ANTI
YELLOW

100% 100% PURE
ACRYLIC



6H ANTI SCRATCH

WATER RESISTANT

ANTI YELLOW


100% 100% PURE ACRYLIC



Matt
collection




RK 047



RK 048

design
COLLECTION





6H ANTI SCRATCH

WATER RESISTANT

ANTI YELLOW

100% 100% PURE ACRYLIC

Rubik
ACRYLICS REDEFINED



Matt
collection




RK 049



RK 050



RK 051



RK 052

design
COLLECTION





Rubik
ACRYLICS REDEFINED



Matt
collection



RK 053



RK 054



RK 055

design
COLLECTION





Matt
collection



RK 056



RK 057



RK 058



RK 059

design
COLLECTION



6H ANTI
SCRATCH



WATER
RESISTANT



ANTI
YELLOW

100% 100% PURE
ACRYLIC



 6H ANTI SCRATCH


 WATER RESISTANT

 ANTI YELLOW

100% 100% PURE ACRYLIC



Sparkle
collection



RK 060



RK 061



RK 062



RK 063

design
COLLECTION





6H ANTI SCRATCH


WATER RESISTANT

ANTI YELLOW

100% 100% PURE ACRYLIC

Rubik
ACRYLICS REDEFINED

Sparkle
collection



RK 064



RK 065



RK 066



RK 067

design
COLLECTION





6H ANTI SCRATCH

WATER RESISTANT

ANTI YELLOW

100% 100% PURE ACRYLIC



Metalic
collection




RK 068



RK 069

design
COLLECTION





Metalic
collection



RK 070



RK 071



RK 072

design
COLLECTION



6H ANTI
SCRATCH

WATER
RESISTANT

ANTI
YELLOW

100%
100% PURE
ACRYLIC



6H ANTI SCRATCH

WATER RESISTANT

ANTI YELLOW

100% 100% PURE ACRYLIC

design
COLLECTION


Rubik
ACRYLICS REDEFINED



Wooden
collection



RK 073



RK 074





6H ANTI SCRATCH

WATER RESISTANT

ANTI YELLOW


100% 100% PURE ACRYLIC



Wooden
collection



RK 075



RK 076

design
COLLECTION






53

6H ANTI
SCRATCHWATER
RESISTANTANTI
YELLOW100% 100% PURE
ACRYLIC

Marble
collection



RK 077



RK 078

design
COLLECTION




54



Marble *collection*



RK 079




RK 080



RK 081

design
COLLECTION



6H ANTI
SCRATCH



WATER
RESISTANT



ANTI
YELLOW

100% 100% PURE
ACRYLIC



57

 6H ANTI SCRATCH


 WATER RESISTANT

 ANTI YELLOW

100% 100% PURE ACRYLIC




Mirror
collection




SILVER



GREY



ROSE COLD



GOLD

design
COLLECTION



58

GENERAL USE & CARE GUIDE

These laminates are manufactured with aesthetics and durability in mind. When used as recommended and with appropriate care, our laminates will last through

LAMINATES

- Cleaning should be done with water and clean, non-abrasive cloth.
- To remove more stubborn stains, use mild household cleansers like colin to gently wipe down with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solutions as these may damage the surface of the laminate.
- Do not place hot cookware directly on the laminate. Prolonged exposure to temperatures above 30 degrees Celsius may cause damage to the laminate surface.
- Do not use the laminate for purposes that it is not intended for (E.g. do not iron chop, hammer or expose the laminate to open flame)
- Outdoor application of the laminate with exposure to direct sunlight and weather conditions are not recommended.
- UV rays may de shape the laminate.
- Gloss surfaces are recommended only for vertical application.
- Do not use thinner and toluene on the surface of the this laminates, this may cause decolourisation of the surface.
- Store the laminates at temperature below 30 degrees celsius.
- Typically confirmed to internationally recognized technical standards.
- Have a thickness balance of +/-10%.
- Peel off the protective film after processing.


No Guarantee in any circumstances.

like crack, Bubble, Color Fade and color Variation

Please check material when delivered.



PANEL STRUCTURE




DISCLAIMER


The Information provided in this catalog is for reference and serves as a guide only. Company dose not warrant the accuracy and completeness of this information nor guarantee any of the properties of the product set out here. Suitability of design and application for use are to be determined by the client in consultations with its professional advisers. Company reserves the right to amend or update product description at any time. Company reserves the right to determine that the alleged defect complained about is insubstantial or trivial company is not liable for any damage arising from or related to reliance on this catalog. The intellectual property in this catalog belong to its manufacturers




design
COLLE
CTION




Acrylic are bonded in extremely humid conditions




Use of water base synthetic resin adhesive any other the PEVA (Polyethylene Vinyl Acetate Co-polymer)




When substrate loses moisture after installation



Debonding in certain areas because of uneven substrate surface




Insufficient or lack of pressing during the bonding period of laminate



Use of extremely large acrylic/PVC laminate sheets (more than 8 ft x 2 ft long)

To avoid delamination / air bubbles in between ply and laminate the above steps should be taken care of.
Bonding Of acrylic sheets shouldn't be completed under high humidity.

Reasons for air bubble formations on Acrylic Sheets



Limited Warranty

Rubik Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. we recommend customers to inspect properly before installing. RUBIK warranty in one way covers defects and non-compliance from or otherwise attributable to any other causes, including without limitation the following:

- Improper handling / transportation / storage of RUBIK
- Improper installation of RUBIK
- Improper or unintended usage of RUBIK
- Improper maintenance of RUBIK
- Exposure to high temperatures
- Unauthorized alteration to the products
- Outdoor applications

- There will be no guarantee or exchange under any circumstances
- color variations in products from different batches are possible
- We recommend using products from same batch to avoid color variations
- This brochure is for presentation purpose only. Actual colors may differ.

- Exposure to direct sunlight can gravely affect the laminate's appearance
- Use of inferior or sub-standard dipped plywood or dipped lipping patti, which may chemically react the adhesive.
- Prolonged exposure to high temperature (above 300C-350C)
- If hot cookware or utensils are directly placed on the laminate
- To avoid the inside cracks & stretch line Do not store acrylic sheet in roll form.



Disclaimer

- Do not use plywood with high moisture content
- Do not use ply with uneven surface
- Avoid using inferior quality adhesive
- Apply sufficient pressure
- We do not recommend pasting of sheets on the printed/branding area of the plywood
- Don't use synthetic rubber adhesives such as SR / Jat Pat, Bostic, Heatex, Etc.

SPECIFICATIONS

Parameters	Acrylic Laminate	High Gloss Laminate Mica	PU Coating / Duco Paint	Back Painted Glass
Gloss Level	>90	>70	>85	>85
Scratch Proof	6H Anti Scratch	No	No	No
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	No	Yes	Yes	No
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	No	Yes	Yes	Yes




"Recommended Adhesive For ACRYLIC SHEETS



Special Wood Adhesive for PVC, Acrylic & Charcoal Sheet

* There can be colour variation in material from different batches. It is advised to use same batch material to avoid colour variations.

Actual colour of the Acrylic sheet may vary from this brochure.





+91 95862 43608 | +91 97372 31141

info@rubiklam.com

www.rubiklam.com