




Supar white

		DIM	ENSION AN	D WEIGHT		
PARTICULARS		uom	ALIGNED			
			2.5 x 2.5 cm	y 5 x 5 cm	# 5 x 10 cm	# 10 x 10 cm
Mosaic	Nominal Size	cm	2.5 x 2.5 cm	_# 5 x 5 cm	# 5 x 10 cm	# 10 x 10 cm
	Actual Size	cm	2.5 cm	4.8 cm	4.5 X 9.5 cm	9.6 X 9.6 cm
	Thickness	mm	6	6	6	6
Sheet	Mosaic Pcs.	Pc.	121	36	18	9
	Nominal Size	cm	30 X 30	30 X 30	34 X 28.8	30 X 30
	Actual Size	cm	30 X 30	30.3 X 30.3	34 X 28.8	30 X 30
	Joint Gap	mm	2.5 mm	3 mm	3 mm	3 mm
	Coverage	m ²	0.09	0.09	0.0838	0.09
		ft	0.97	0.99	0.90	0.99
	Weight	Kg.	0.95	1	0.95	1
Square Feet	No.of Sheets	No.	1	1	1	1
	Weight*	Kg.	0.98	1	1	1
		F	ACKING DE	TAILS		
Carton	No.of sheets	No.	20	20	20	20
	Coverage	m ²	1.8	1.82	1.68	1.82
	Weight	Kg.	19	20	20	20


	TECHNICAL CHARACTERISTI	CS & TEST DATA	
	WATER ABSORPTION	ISO 10545-3	≤ 0.5% Passes Passes Resistant
<u><</u>	BREAKING STRENGTH	ISO 10545-4	
$\left[\begin{array}{c} \downarrow \\ \uparrow \uparrow \end{array}\right]$	MODULUS OF RUPTURE	ISO 10545-4	
	RESISTANCE TO SURFACE ABRASION	ISO 10545-7	
〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇〇	RESISTANCE TO THERMAL SHOCK	ISO 10545-9	
	RESISTANCE TO GLAZE CRACKING	ISO 10545-11	Resistant
紫	RESISTANCE TO FROST	ISO 10545-12	Resistant
	RESISTANCE TO CHEMICAL ATTACK	ISO 10545-13	Resistant
(\$g)	RESISTANCE TO STAIN	ISO 10545-14	Resistant
	LIGHT AND COLOUR FASTNESS	DIN 51094 / SS301	Passes






supar white Series :

■ 2.5 x 2.5 cm | 5 x 5 cm | 10 x 10 cm ■ 5 x 10 cm




supar white Series :

■ 2.5 x 2.5 cm | 5 x 5 cm | 10 x 10 cm ■ 5 x 10 cm



supar white Series :

■ 2.5 x 2.5 cm | 5 x 5 cm | 10 x 10 cm ■ 5 x 10 cm



supar white Series :

■ 2.5 x 2.5 cm | 5 x 5 cm | 10 x 10 cm ■ 5 x 10 cm

