Independent study lab

This is an independent, free, learning-only student project. It respects every company and vendor. Trademarks belong to their owners. It is not affiliated with or endorsed by Amazon Web Services, Cisco, Genesys, or any other company. If you have a concern, the page will be removed or corrected promptly through the contact form. Nothing here is sold. There are no ads. The author is happy to volunteer for any organization.

Contact: **https://cyphermonkeylabs.com/#contact**

Flashcards

Contact

One interaction: a call, chat, task, or email. A transfer usually creates another contact linked by PreviousContactId and NextContactId.

Source: Flow language concepts

Instance

The Connect container in one Region. It holds users, flows, queues, and numbers. A new account starts at two instances per Region.

Source: Service quotas

Contact flow

The visual program a contact runs. The JSON form is the flow language.

Source: Flow language

Flow module

A published, reusable piece of a flow. Invoke module runs it. Return ends it. Default quota is 200 modules.

Source: Flow block definitions

Contact attribute

A string key and value stored on the contact. Lambda, Lex, and Set contact attributes write them. Screen pop reads them.

Source: Contact attributes

Customer queue flow

The interruptible flow that runs while the customer waits, before an agent joins.

Source: Flow types

Whisper flow

Audio played to one party immediately before the customer and agent are joined.

Source: Flow types

Working queue

The queue selected by Set working queue. Transfer to queue uses it.

Source: Transfer to queue

Routing profile

The list of queues an agent can receive, with channel concurrency, priority, and delay.

Source: Routing profiles

Priority

A number on a queue inside a routing profile. A lower number is served first.

Source: Routing profiles

Delay

Seconds a contact must wait before an agent with that profile can receive it.

Source: Routing profiles

Routing criteria

Ordered steps that tighten or relax who can take the contact. The successor idea to precision-queue steps.

Source: Set routing criteria

Proficiency

A level on a predefined attribute for an agent. Default quota is 10 proficiencies per agent.

Source: Service quotas

Queue

Where a contact waits. Standard queues hold customers. Agent queues hold transfers to a specific user, 10 contacts each by default.

Source: Queues

Hours of operation

The weekly schedule and time zone attached to a queue. Check hours of operation reads it. Overrides cover holidays.

Source: Hours of operation

Quick connect

A one-click transfer target: a user, a queue, or an external number.

Source: Quick connects

DID

A direct inward dial number. In the US it is carried by one carrier and priced per day plus per minute.

Source: Voice channel

Toll-free number

A number the caller does not pay long-distance to dial. US toll-free numbers are registered with SOMOS and can use more than one carrier.

Source: Voice channel

UIFN

Universal International Freephone number. One of the four number types Connect sells, with DID, toll-free, and shared cost.

Source: Pricing appendix

Porting

Moving a number from another carrier onto Connect. The quota page points you at the same Support form used for quota increases.

Source: Service quotas

CCP

Contact Control Panel. The browser phone and contact UI the agent uses.

Source: Set up your network

Agent workspace

The fuller desktop around the CCP: profiles, cases, step-by-step views, and third-party apps.

Source: Agent workspace

Streams API

The amazon-connect-streams library. It embeds or replaces the CCP and listens to agent and contact events.

Source: amazon-connect-streams

Softphone media

The WebRTC audio path. It needs outbound UDP 3478 to the Regional TurnNlb domain.

Source: How CCP uses WebRTC

TURN

The relay used when the browser cannot send media directly. The error text names turn:TurnNlb-....elb.region.amazonaws.com:3478.

Source: CCP issues

Lex V2

The bot service Get customer input calls. Connect stores intent and slots on the contact.

Source: Amazon Lex

Intent

What Lex thinks the caller wants. The flow branches on it.

Source: Amazon Lex

Slot

A value Lex fills, such as an order id. The flow copies it into an attribute.

Source: Amazon Lex

Agent assist

The 4 Aug 2026 name for the feature previously called Amazon Q in Connect, which itself included Wisdom.

Source: Connect timeline, 25 Sep 2026

Amazon Q in Connect

The 2023 name for generative assistance. The admin guide renamed it agent assist on 4 Aug 2026. IAM still shows the wisdom prefix.

Source: Connect assistant block

Wisdom

The 2020 preview name for agent search and recommendations. Folded into Amazon Q in Connect on 28 Nov 2023.

Source: AWS News Blog, 1 Dec 2020

Connect assistant block

Associates an AI agents domain with the contact so recommendations can run.

Source: Flow block definitions

Agentic CX

A block that hands the contact to an Agentic CX Designer application and routes on the exit condition.

Source: Flow block definitions

Live Sync

The 4 Aug 2026 name for Voice+. Priced at 0.01 USD per minute on top of the channel. Trial through 30 Nov 2026 is not billed.

Source: Pricing appendix

Conversational analytics

The 4 Aug 2026 name for Contact Lens: transcripts, sentiment, redaction, summaries, and categories.

Source: Contact Lens GA, 23 Jul 2020

Contact Lens

The former name of conversational analytics. The product page says the function remains.

Source: Connect timeline, 25 Sep 2026

Real-time analytics

Rules on a live contact, announced 1 Dec 2020. Default quota is 300 concurrent real-time analytics calls.

Source: AWS News Blog, 1 Dec 2020

Post-contact summary

A generated summary after the contact. Preview 28 Nov 2023, generally available 25 Mar 2024.

Source: Connect timeline, 25 Sep 2026

Evaluation form

A quality scorecard. Preview 29 Nov 2022, generally available 26 Apr 2023. Now part of performance evaluations.

Source: Connect timeline, 25 Sep 2026

CTR

Contact trace record. The JSON document for a finished contact, streamed to Kinesis or Firehose.

Source: re:Post, Kinesis integration

Agent event stream

Near real-time Kinesis stream of login, logout, status, and contact join. This is the WFM adherence feed.

Source: Agent event streams

Flow log

A CloudWatch log of each block. Set logging behavior turns it on. The log group is under the instance.

Source: re:Post, flow errors

Lambda synchronous timeout

At most 8 seconds. The function's own timeout can be longer. The flow still takes the Error or Timeout branch at 8 seconds.

Source: Lambda block

Lambda asynchronous mode

The flow continues without waiting. You can wait up to 60 seconds with a Wait block. A sequence of Lambda calls must finish within 20 seconds.

Source: Lambda block

String map

A flat object of string keys and string values. One of the two Lambda response shapes.

Source: re:Post, flow errors

Customer Profiles

The profile store. Connect-generated profiles are priced differently from profiles that contain imported data.

Source: Pricing appendix

Identity resolution

The rules that merge profile records from CRM, orders, and contacts into one customer.

Source: Customer Profiles

Case

A durable issue that can span many contacts. Cases became generally available on 3 Oct 2022.

Source: Connect timeline, 25 Sep 2026

Task

A unit of work with no live media. Default concurrent quota is 2500. Tasks can be scheduled up to 90 days ahead.

Source: Service quotas

Security profile

What a user may do in the admin site and the CCP. Different from an IAM policy.

Source: Security profiles

IAM policy

What an AWS principal may call. Connect, Profiles, Cases, and agent assist use different IAM prefixes.

Source: Service authorization, connect

Service-linked role

The role AWS creates so Connect can write to S3, CloudWatch, and other services you name.

Source: Service-linked role

KMS key policy

The key's own allow list. Recordings stay unreadable if the key does not trust the Connect role.

Source: Encryption at rest

SAML

The federated sign-in option. The assertion must carry the routing profile, security profile, and role.

Source: Configure SAML

IAM Identity Center

A common identity provider in front of Connect. It still speaks SAML to the instance.

Source: Configure SAML

Global Resiliency

The supported multi-Region design. Pairs are us-east-1 with us-west-2, eu-central-1 with eu-west-2, and ap-northeast-1 with ap-northeast-3.

Source: Set up Global Resiliency

Traffic distribution group

The object that splits telephony and agent sign-in across the two Regions in 10 percent steps.

Source: Set up Global Resiliency

Replica instance

The linked instance created by ReplicateInstance. Flows, users, queues, and profiles are copied. S3 prompts are not.

Source: Create a replica

Connect Customer

The name used from 28 Apr 2026 for the contact center product previously called Amazon Connect.

Source: Connect timeline, 25 Sep 2026

Connect Customer Basic

The form of the product that does not include every Connect Customer feature. Voice on this form is listed at 0.018 USD per minute plus telephony.

Source: Pricing appendix

Voice ID

Caller authentication and a fraudster watchlist. New customers stopped 20 May 2025. Support ended 20 May 2026.

Source: Voice ID end of support

Outbound campaign

Proactive voice, SMS, or email. The name replaced high-volume outbound communications on 20 Jun 2022. Voice minutes are 0.045 USD on Connect Customer.

Source: Pricing appendix

Check call progress

The block that branches on answering-machine detection. Campaign flows only.

Source: Flow block definitions

Persistent chat

A chat that can go quiet without holding a concurrent-chat slot the way an abandoned idle chat does.

Source: Service quotas

WhatsApp

A third-party messaging channel counted inside the concurrent chat quota. Connect Customer prices the message at 0.014 USD before delivery fees.

Source: Service quotas

Email thread

Replies within 90 days stay on the same thread. Later replies start a new one.

Source: Service quotas

Data table

Rows the Data Table block can read or write inside a flow. Defaults: 100 tables, 5 primary attributes, 1000 values.

Source: Service quotas

Show view

Renders a step-by-step view in the agent workspace.

Source: Flow block definitions

External Tool

Invokes a tool through an Amazon Bedrock AgentCore gateway.

Source: Flow block definitions

Start media streaming

Sends live customer audio to Kinesis Video Streams for a third-party recorder or bot.

Source: Flow block definitions

Screen recording

Records the agent desktop. On the Basic price list it is 0.006 USD per minute.

Source: Pricing appendix

Forecasting and agent scheduling

The 4 Aug 2026 name for native WFM: forecast, capacity, schedules, and adherence.

Source: Forecasting and scheduling

Schedule adherence

How closely an agent's actual status matched the published schedule. Native metrics appear after schedules are published. Third-party WFM reads agent events.

Source: Forecasting and scheduling

Shrinkage

The fraction of paid time that is not handling contacts. Erlang staffing divides raw agents by one minus shrinkage.

Source: Forecasting and scheduling

Service level

The share of contacts answered inside a target wait. Queue.Duration on the CTR is the usual clock.

Source: Metrics

Occupancy

Handle time plus ACW, divided by signed-in time that was available for work. Agent events supply the clocks.

Source: Agent event streams

ACW

After contact work. The agent is still busy after the customer leaves. It counts in occupancy and in the concurrent task and email quotas.

Source: Agent event streams

E911

US enhanced 911. For a US agent, Connect can send a validated civic address with a direct 911 call from the CCP.

Source: US emergency calling

933

The test number that reads back the originating number and the address. Use it instead of a real 911 test. A non-emergency 911 call is described as a 100 USD penalty.

Source: US emergency calling

CivicAddress

The contact attribute that carries the E911 address as a JSON string. Keys include country, A1, A3, HNO, RD, STS, and PC.

Source: E911 address format

ValidateE911Address

The Amazon Chime API that checks an address against the Master Street Address Guide before you store it.

Source: Store an agent address

Salesforce CTI Adapter

A managed package plus a serverless app that embeds the CCP in Salesforce.

Source: Embed the CCP in Salesforce

SCC-AC

Salesforce Contact Center with Amazon Connect. Voice stays on Connect. Messaging can be Connect or Salesforce.

Source: SCC-AC blog

ServiceNow Voice

The ServiceNow integration that imports flows, maps queues to Advanced Work Assignment, and can attach AI voice agents.

Source: ServiceNow Voice

Teams chat bridge

A published pattern: a Teams app, Azure Bot Service, API Gateway, Lambda, and StartChatContact. It is chat, not a phone trunk.

Source: Teams integration blog

External voice connector

Analytics on audio that stays on another platform. The appendix lists 0.032 USD per minute and 100 USD per connector per day.

Source: Pricing appendix

CloudWatch

Metrics and flow logs. Alarm at 80 percent of a quota, which is the operations guidance in the email quota note.

Source: Service quotas

Kinesis Data Streams

The durable stream for CTRs and agent events when more than one consumer must read them.

Source: re:Post, Kinesis integration

Kinesis Data Firehose

The delivery path into S3. It buffers. Silence for five minutes is the point to check the error prefix.

Source: re:Post, Kinesis integration

Kinesis Video Streams

Live audio for third-party recorders. Start media streaming opens it. Customer and agent audio are separate tracks.

Source: Live media streaming

EventBridge

The bus for contact events if you want a rule, not a stream consumer.

Source: Contact events

S3 recording object

The WAV Connect writes when recording is on. Third-party QM tools often import this object plus the CTR.

Source: Recording behavior

Erlang

The unit of traffic. One Erlang is one hour of call time in one hour. Calls per hour times AHT in hours.

Source: Forecasting and scheduling

Erlang C

The probability a contact waits when there are N agents and A Erlangs, assuming infinite queue and random arrivals.

Source: Forecasting and scheduling

AHT

Average handle time. Talk plus hold plus ACW, unless your report defines it more narrowly. Say which one you used.

Source: Metrics

Region pair

The only Regions Global Resiliency links. Osaka is a replica Region for Tokyo, and inbound delivery there can take up to 20 seconds.

Source: Create a replica

Option 1 network allow list

Domains instead of the whole EC2 and CloudFront IP ranges. Recommended. Test more than 200 calls. An error rate above 2 percent means the proxy may be the problem.

Source: Set up your network

Stateless firewall

Must allow the browser's ephemeral UDP range back in, or media fails even when 3478 is allowed outbound.

Source: Set up your network

my.connect.aws

The current instance domain. awsapps.com is the old domain the docs say is going away.

Source: Set up your network

Concurrent calls quota

Default 10 active PSTN and WebRTC calls. This is the first capacity gate on a new instance.

Source: Service quotas

Quota lead time

Small raises can be hours. Large ones can take up to three weeks. A worldwide raise can take months.

Source: Service quotas

Cloud Practitioner

The foundational AWS Certification. It covers the shared vocabulary of accounts, Regions, and billing. It is not a Connect exam.

Source: AWS Certification

Solutions Architect - Associate

The associate exam that best matches the AWS services a Connect design uses.

Source: AWS Certification

Communications Specialist badge

A Skill Builder and Credly badge. Pass mark is 80 percent. It is not an AWS Certification exam.

Source: Learning plans and badges

Advanced Networking - Specialty

The networking specialty exam. Last day to take it is 31 December 2026.

Source: Advanced Networking - Specialty

Calling search space

CUCM's list of partitions a phone may dial. The Connect cousin is a routing profile, and they do not configure each other.

Source: Routing profiles

CSQ

A UCCX contact service queue. Map it to a Connect queue, not to a routing profile.

Source: Queues

Precision queue

A UCCE queue with attribute steps. Map the steps to routing criteria, not to one flat skill group.

Source: Set routing criteria

Finesse

The Cisco agent desktop. The Connect cousins are the CCP, the agent workspace, and a Streams application.

Source: amazon-connect-streams

CUIC

Cisco Unified Intelligence Center. The Connect cousins are real-time metrics, historical metrics, and the CTR.

Source: Metrics

VDN

An Avaya vector directory number. Map it to a phone number plus the flow that number starts.

Source: Voice channel

Partition

CUCM's dial-plan bucket. Connect has no partitions. Numbers are claimed, ported, or reached with Transfer to phone number.

Source: Voice channel

Shared responsibility

AWS runs the Region, the softphone service, and the multi-tenant platform. You run flows, IAM, keys, numbers, quotas, and the agent network.

Source: Security in Connect

Flow language action

One JSON step. Types are contact, participant, interaction, or flow control.

Source: Flow language concepts

Error branch

The path a block takes when it fails. An unconnected error branch ends the contact.

Source: re:Post, flow errors

Screen pop

Opening the customer record when the contact arrives. Connect does this with attributes, Profiles, and a workspace app. It is not a CTI cable.

Source: Salesforce integration

AppIntegrations

The account-level service that attaches data and event integrations. Default is 20 data integrations per Region.

Source: Service quotas

Hook

A supported place to attach the next system: a stream, an event, a block, or a workspace view. Build on a hook instead of scraping the CCP.

Source: Contact events

Mind map

The one-page picture of which system owns telephony, the agent, the record, the score, and the emergency call.

Source: Security in Connect

Quality management

Scoring contacts against a form, coaching from the score, and keeping the recording that proves it.

Source: Evaluation forms

Redaction

Removing sensitive data from a transcript or recording. Conversational analytics can redact. Confirm the rule before you promise a regulator it is on.

Source: Contact Lens GA

Category

A rules match on words, sentiment, or silence. Supervisors subscribe to categories. They are not intents.

Source: AWS News Blog, 1 Dec 2020

Intraday forecast

A rest-of-day volume prediction. Native forecasting updates it every 15 minutes.

Source: Forecasting product page

Capacity plan

How many agents you need for a service level, a handle time, and a shrinkage assumption.

Source: Forecasting and scheduling

Time-off rule

The constraint native scheduling uses when an agent requests leave. It is not the same object as hours of operation.

Source: Forecasting and scheduling

Origination number

The caller ID sent with an outbound or 911 call. Responders can call it back only if that number accepts inbound calls.

Source: US emergency calling

Master Street Address Guide

The address database ValidateE911Address checks. A free-typed address is not enough.

Source: Store an agent address

On-site notification

The task the 911 whisper flow creates so security or HR knows a 911 call was placed.

Source: US emergency calling

Dual-run

Keeping the old platform and Connect both able to receive the number while you compare flows, reports, and failover.

Source: Global Resiliency

Rollback

The tested path back to the old platform or the other Region. A port without a rollback date is not a plan.

Source: Service quotas

Get metrics block

Reads real-time queue and agent metrics into attributes so a flow can branch on them.

Source: Flow block definitions

Interrupt agent

Offers a contact to a named agent even if that agent is at maximum concurrency or in a custom status.

Source: Flow block definitions

Touchtone buffer

Lets the caller type ahead. Set Touchtone Buffer Behavior controls it.

Source: Flow block definitions

Distribute by percentage

Sends a share of contacts down each branch. Use it for a measured pilot, not for skills.

Source: Flow block definitions

Analytics data lake

Zero-ETL contact data that Athena or QuickSight can query. Previewed 28 Nov 2023.

Source: Connect timeline, 25 Sep 2026

GetMetricDataV2

The metrics API you want for new dashboards. It is the current metrics call, as opposed to the older GetMetricData.

Source: GetMetricDataV2

Historical metrics

Interval reports: 15 minutes, 30 minutes, daily, or total. They are not the real-time board.

Source: Metrics

Real-time metrics

The live agent, queue, and routing-profile board. It is eventually consistent. Do not use it as a per-call audit.

Source: Real-time metrics

CloudFormation AWS::Connect::ContactFlow

A stack resource whose content is flow-language JSON. Use it to move a flow between instances.

Source: Flow language

Terraform aws_connect_bot_association

Attaches a Lex V2 alias to the instance. The flow still has to select that alias.

Source: Terraform bot association

Resource policy

A policy on the resource, such as Lambda, that allows connect.amazonaws.com to invoke it. An identity policy on a user is not enough.

Source: re:Post, Lambda failures

32 KB response

The practical ceiling called out for a Lambda payload Connect will consume. Larger or nested payloads take the error branch when the block expects a string map.

Source: re:Post, flow errors

Claimed number

A number Connect hosts. The default quota is 10 per instance, and the first claim can still fail until Support clears it.

Source: Service quotas

Shared cost number

A number type where the caller pays a local share. Sold per day, like DID, toll-free, and UIFN.

Source: Pricing appendix

In-app calling

Voice from a web or mobile widget. Audio is an extra 0.010 USD per minute on top of the voice service charge.

Source: Pricing appendix

Video connection

0.015 USD per minute per participant in the appendix, plus the voice charge. Video calling does not support VDI.

Source: Video networking

Apple Messages for Business

Counted in the concurrent chat quota with SMS and WhatsApp.

Source: Service quotas

Campaign concurrent calls

Default quota is 0. Until you raise it, campaign calls hear a fast busy.

Source: Service quotas

User hierarchy

Up to five levels of groups for reporting lines. The quota is 500 groups across all levels.

Source: Service quotas

Agent status

Available, offline, or a custom status. The quota is 50 statuses and it is not adjustable.

Source: Service quotas

After contact work timeout

How long ACW may last. Per-channel auto-accept and ACW timeouts were called out in the February 2026 document history.

Source: Connect timeline, 25 Sep 2026

Step-by-step guide

A view that tells the agent the next click. Previewed in the workspace on 29 Nov 2022.

Source: Connect timeline, 25 Sep 2026

Knowledge base

The content agent assist searches. Default quota is 10 knowledge bases and 5000 content items each.

Source: Service quotas

Guardrail

The control that keeps a generated answer inside the knowledge you provided. If you cannot show the source article, do not treat the answer as a fact.

Source: Agent assist

Fallback intent

The Lex intent used when nothing else matches. Point it at a person, not at a loop.

Source: Amazon Lex

DTMF

Keypad tones. Get customer input and Store customer input read them. Lex can also consume them.

Source: Flow block definitions

SSML

Markup for text-to-speech. Set voice chooses the language and voice the prompt uses.

Source: Set voice

Prompt

A stored audio file or a TTS string. Default quota is 500 prompts.

Source: Service quotas

Disconnect flow

Runs after the contact ends. Use it for surveys. Do not use it to keep the caller on the line.

Source: Set disconnect flow

Hold flow

What the customer hears on hold. Loop prompts is the usual block.

Source: Flow types

Callback

Set callback number, then a queue callback, so the caller does not wait on the phone. The queue still needs agents.

Source: Set callback number

Queue callback

A contact that waits without an open media leg, then Connect dials the customer when an agent is free.

Source: Queue callbacks

Transfer to phone number

Sends the contact to the PSTN. This is how Connect reaches a CUCM route point or a Teams Phone number.

Source: Transfer to phone number

Side-by-side

CUCM or Webex keeps enterprise extensions. Connect keeps the public contact center number. They meet by transfer, not by a shared dial plan.

Source: Transfer to phone number

Webex Contact Center

A competing Cisco CCaaS. It is not a connector you install under Connect. During a move you dual-run numbers.

Source: Voice channel

Genesys Architect

The Genesys flow tool. Map each Architect task to a Connect block. Map in-queue audio to a customer queue flow.

Source: Flow types

Avaya vector

The Avaya step list. Announcements become Play prompt. Route-to becomes a transfer. Collect becomes Get customer input.

Source: Flow block definitions

Recording bucket policy

The S3 policy that lets the Connect role put objects. A private bucket with no policy produces a silent missing recording.

Source: Recording behavior

Cross-account KVS

A third-party recorder in another account needs the stream ARN from the contact event and an IAM role that can read the stream.

Source: Live media streaming

Adherence feed

Agent events in, schedule from WFM. The comparison is the adherence number. Without the stream, the WFM tool only has history.

Source: Agent event streams

Shard

A Kinesis capacity slice. One shard is a common starting point for agent events and is too small when a second consumer appears.

Source: Agent event streams

ContactId join

The key that ties the flow log, the CTR, the recording, the agent event, and the CRM activity. Lose it and the ecosystem cannot be audited.

Source: re:Post, Kinesis integration

Future hook

A supported extension point you can adopt later without rewriting the flow: EventBridge, streams, views, data tables, or External Tool.

Source: Contact events

NLX

The name on the 22 Jun 2026 preview of Agentic CX designer. Generally available 2 Sep 2026.

Source: Connect timeline, 25 Sep 2026

Nova Sonic

The speech model named in the 30 Nov 2025 agentic self-service announcement.

Source: Connect timeline, 25 Sep 2026

Manager assist

A preview assistant for supervisors asking operational questions in natural language. Announced in preview 10 Mar 2026.

Source: Connect timeline, 25 Sep 2026

Four solutions

As of the 28 Apr 2026 AWS News Blog, the Amazon Connect family is Customer, Health, Decisions, and Talent. This campus teaches Customer.

Source: Connect timeline, 25 Sep 2026

Health, Decisions, Talent

The other three solutions in the family. They are not settings inside a contact center instance.

Source: Connect timeline, 25 Sep 2026

Estimate

A price you computed from the public rate card on a named date. It is not an invoice. Taxes, surcharges, and country telephony rates still apply.

Source: Pricing appendix

Independent study lab

This is an independent, free, learning-only student project. It respects every company and vendor. Trademarks belong to their owners. It is not affiliated with or endorsed by Amazon Web Services, Cisco, Genesys, or any other company. If you have a concern, the page will be removed or corrected promptly through the contact form. Nothing here is sold. There are no ads. The author is happy to volunteer for any organization.

Contact: **https://cyphermonkeylabs.com/#contact**

CypherMonkey Labs



© 2026 CypherMonkeyLabs 🐒