Flashcards

Outbound, what comes first?

Skill groups, then users, lists, dispositions, profiles, campaigns.

Planning your implementation

Which builds add IVR?

Inbound and autodial.

Planning your implementation

What is a skill group?

Agents and supervisors for a campaign queue.

Planning your implementation

What is a domain?

The VCC tenant.

Planning your implementation

Domain boundary?

Users, lists, skills, and campaigns stay in that domain.

Planning your implementation

CUCM partition equivalent?

There isn't one. Teach domain, skills, campaigns.

Planning your implementation

Skill membership?

Agent or supervisor users, and a user may have several skills.

Planning your implementation

Multiple skills on a campaign?

Yes.

Planning your implementation

Reporting menu missing?

Check the Reporting role and a reporting permission.

Skill groups

Supervisor in a skill?

Yes, the skill topic allows it.

Skill groups

Call variable permission?

User Can Edit Call Variables.

Skill groups

Who edits IVR?

An administrator.

Skill groups

Three types?

Inbound, outbound, autodial.

Planning your implementation

Stopped inbound?

Busy signal.

Planning your implementation

What is blended?

Agents working inbound and outbound, not a fourth type.

Planning your implementation

Autodial needs?

List plus prompts and IVR, per the planning topic.

Planning your implementation

Final disposition?

Stops all numbers on that record for the campaign.

List dialing modes

Which types load lists?

Outbound and autodial.

List dialing modes

What is number1?

The first phone field the dial order can use.

List dialing modes

Does upload start dialing?

No.

List dialing modes

Default system redials?

Often five, if the default count is left in place.

Managing campaign dispositions

What does reset change?

Selected codes on lists currently loaded.

Managing campaign dispositions

Safe reset rule?

Only codes you are willing to dial.

Managing campaign dispositions

Batch update?

Manual rows or scheduled CSV.

Managing campaign dispositions

Profiles per campaign?

One.

Campaign profiles

Can a profile be shared?

Yes, across campaigns.

Campaign profiles

What can it override?

Defaults such as the ANI.

Campaign profiles

How can it change later?

Workflow rules.

Campaign profiles

Mac ARM and Java admin?

Not supported. Use the web administrator.

Technical requirements PDF

Why Plus?

Web apps do not need Java SE.

Technical requirements PDF

Plus transport?

HTTPS and WSS.

Technical requirements PDF

IE exception?

IE 11 for Oracle Service Cloud only.

Technical requirements PDF

Profile or account first?

Profile, then account.

Planning your implementation

Who joins a skill?

Agent or supervisor users.

Planning your implementation

Missing permission symptom?

It looks like a missing feature.

Planning your implementation

Call variable edits?

A named permission on the administrator role.

Planning your implementation

Inbound tab name?

Outbound Skills.

Skill groups

Outbound tab name?

Skills.

Skill groups

Multiple skills per campaign?

Yes.

Skill groups

Multiple skills per user?

Yes.

Skill groups

Prompts before scripts?

Yes, on the inbound and autodial roadmap.

Planning your implementation

Skill greeting vs Play prompt?

Different objects.

Planning your implementation

Stopped campaign?

Busy, prompt unheard.

Planning your implementation

TTS?

The query example uses a TTS prompt on Play.

Planning your implementation

IVR module?

Set DNC.

IVR modules

Is a disposition the same?

Not documented as the same object.

IVR modules

Report category?

Do Not Call Reports.

IVR modules

Product grouping?

With time-zone rules and Certified Caller.

IVR modules

Efficiency Mode?

Off for live calls.

Technical requirements PDF

Analog headsets?

Not supported.

Technical requirements PDF

5G?

Not supported.

Technical requirements PDF

ADP bandwidth?

128 kbps in the table, G.711 default.

Technical requirements PDF

Skill voicemail?

Yes, with its own greeting.

Skill groups

TCPA timeout state?

Not Ready, no auto-dial.

Skill groups

Where do dialer settings live?

On the campaign, not in a side spreadsheet.

Skill groups

Profiles and pop-ups?

Profiles can control them.

Skill groups

Stopped inbound?

Busy.

Inbound campaigns

What runs after answer?

The campaign IVR.

Inbound campaigns

What is DNIS?

The called number presented to the campaign.

Inbound campaigns

First busy check?

Is the campaign running?

Inbound campaigns

Script after agent connect?

Complete.

Inbound campaigns

Long queue options?

Voicemail and third-party forward.

Inbound campaigns

Priority?

Supported in the inbound topic.

Inbound campaigns

Branching?

In the IVR script.

Inbound campaigns

Hold vs voicemail?

Different.

Inbound campaigns

Third party module?

Third Party Transfer.

Inbound campaigns

Voicemail module?

Voicemail Transfer.

Inbound campaigns

Stopped campaign as overflow?

No. Callers hear busy.

Inbound campaigns

Where is service level?

On the skill group.

Inbound campaigns

Where is IVR priority?

Skill Transfer's priority tab.

Inbound campaigns

Are they the same knob?

No.

Inbound campaigns

Who says inbound can be prioritized?

The inbound campaign topic.

Inbound campaigns

When is the schedule set?

After scripts exist.

Planning your implementation

Nightly stop?

Causes busy, not a closed prompt.

Planning your implementation

Which types have the schedule topic?

Autodial and inbound.

Planning your implementation

Campaign state at night?

Running, with a different script.

Planning your implementation

Where?

Skill Transfer General tab.

Pause before transfer

Default?

0.

Pause before transfer

On Hold in reports?

No.

Pause before transfer

Why set it above 0?

A gap before the next call.

Pause before transfer

Are the seven checks trunk settings?

No.

Inbound campaigns

Wrong skill tab?

Empty queue.

Inbound campaigns

Night busy?

State or schedule.

Inbound campaigns

Then what?

Trunk and topology.

Inbound campaigns

Does upload dial?

No.

List dialing modes

Which lists does reset touch?

Lists loaded in the campaign.

List dialing modes

number1?

A phone field.

List dialing modes

Sales list campaign type?

Outbound or autodial.

List dialing modes

Filter vs vertical?

Different.

Campaign profiles

Profiles at once?

One.

Campaign profiles

ANI override?

On the profile.

Campaign profiles

Pop-ups?

A profile can control them.

Campaign profiles

Default list mode?

List penetration.

List dialing modes

Vertical in one sentence?

Finish one record's numbers, then move on.

List dialing modes

Compass words?

Use the definitions, not 'vertical' as a direction.

List dialing modes

Final disposition?

Stops the whole record.

List dialing modes

Reset Sale?

Only if you mean to call them again.

Managing campaign dispositions

Which lists?

Currently loaded.

Managing campaign dispositions

Position reset?

Back toward the top.

Managing campaign dispositions

Proof?

List details.

Managing campaign dispositions

US abandon window?

Rolling 30 days.

Default campaign settings

UK window?

24 hours.

Default campaign settings

Who sets US vs UK?

A Five9 representative, per the topic.

Default campaign settings

Numeric default in this lab?

Not stated. Read the domain.

Default campaign settings

Where is voice detection level?

Campaign dialing defaults.

Default campaign settings

Published accuracy?

Not in this lab.

Default campaign settings

Automatic voicemail?

Named on the outbound product page.

Default campaign settings

False machine?

A live person misses the agent.

Default campaign settings

Where is local caller ID marketed?

Outbound product page.

Outbound product page

Which object overrides ANI?

Campaign profile.

Outbound product page

Is that STIR/SHAKEN?

No. Certified Caller is separate.

Outbound product page

Unassigned profile?

No effect.

Outbound product page

Why preview?

Context before the dial.

Dialer product page

Same as TCPA?

No. TCPA removes automatic dialing.

Dialer product page

Overdial?

Not the design.

Dialer product page

Still needs a list?

Yes.

Dialer product page

One per agent?

That is the outbound page.

Outbound product page

Ten-agent hint?

Dialer page guidance, not a proven hard limit.

Outbound product page

Why low abandon?

The agent is reserved.

Outbound product page

Simulator?

Teaching model.

Outbound product page

Who sets the ratio?

The administrator.

Dialer product page

Who is it for?

Small team, large list.

Dialer product page

Extra live answer?

An abandon.

Dialer product page

Where is the brake?

Abandon monitor and max percent.

Dialer product page

Ten-agent line?

Dialer page guidance.

Dialer product page

US window?

30 days.

Dialer product page

Test article?

Mixed field note.

Dialer product page

Simulator window?

Not Five9's 30 days.

Dialer product page

Where does the mode exist?

Domains enabled for it, with no other mode.

TCPA manual touch

Paste?

Blocked.

TCPA manual touch

Dial enables when?

The typed number matches.

TCPA manual touch

Timeout?

Not Ready, no auto-dial.

TCPA manual touch

Why defaults?

A stated compliance posture.

Default campaign settings

Example warning?

Max abandon percent.

Default campaign settings

US vs UK?

30 days vs 24 hours.

Default campaign settings

Where is the legal text?

The agency rule, not this lab.

Default campaign settings

No consent?

TCPA manual touch on an enabled domain.

Dialer product page

Forty agents?

Predictive, eyes open.

Dialer product page

No drops, small team?

Progressive.

Dialer product page

System of record?

The domain dialog.

Dialer product page

What is blended?

Agents moving across inbound and outbound.

Outbound product page

Is it a campaign type?

Not in the planning list.

Outbound product page

Predictive plus shared agents?

Availability gets stolen.

Outbound product page

How do you build it?

Skills and running campaigns.

Outbound product page

Planning extras?

Prompts and IVR.

Planning your implementation

Needs a list?

Yes.

Planning your implementation

Skill tab?

Outbound Skills.

Planning your implementation

Read-first alternative?

Outbound preview.

Planning your implementation

Numeric ratio in this lesson?

None.

Inbound campaigns

Steal rule?

Write who may take the agent.

Inbound campaigns

Predictive on a shared pod?

Exposed.

Inbound campaigns

Service level?

A measure, not the dialer.

Inbound campaigns

TCPA timeout?

Not Ready, no dial.

TCPA manual touch

Count them as free?

No.

TCPA manual touch

Which report category?

Agent reports.

TCPA manual touch

Adding lines?

Makes abandon worse.

TCPA manual touch

Final code?

Stops the record.

Managing campaign dispositions

Pause vs wrap?

Different gaps.

Managing campaign dispositions

Default system redials?

Often five.

Managing campaign dispositions

Simulator wrap?

Teaching delay.

Managing campaign dispositions

Blend includes digital?

The outbound page says so.

Outbound product page

Plus promise?

One screen.

Outbound product page

Text blocked?

Antivirus is a documented suspect.

Outbound product page

Chat and predictive?

The agent is busy.

Outbound product page

No screen, no design?

Correct.

Outbound product page

Simulator equals domain?

No.

Outbound product page

US window?

30 days.

Outbound product page

Dedicated pod?

Outside the steal rule.

Outbound product page

Is Hangup in the chapter list?

Not in the list this lab read.

IVR modules

When does Skill Transfer finish the script?

When an agent connects.

IVR modules

Bench JSON?

Not a VCC import.

IVR modules

Menu exists?

Yes.

IVR modules

ZIP module?

Input.

IVR modules

Why No Match?

Wrong input needs an exit.

IVR modules

Speech modules?

Voice Input and Natural Language Processing.

IVR modules

TTS?

Yes, in the example.

IVR modules

Two ways?

If/Else.

If/Else module

Three ways?

Case.

If/Else module

Who writes the condition?

You do.

If/Else module

Caller choice?

Menu, not If/Else.

If/Else module

Either skill or both?

Either.

Skill Transfer functions

Report recommendation?

One skill per module.

Skill Transfer functions

No skill?

Default queue.

Skill Transfer functions

Article's default disposition?

Abandon.

Skill Transfer functions

Example request?

XML web service POST.

XML web service IVR example

Why script variables?

No agent on that call.

XML web service IVR example

History backfill?

No.

XML web service IVR example

Lookup exists?

Yes.

XML web service IVR example

Jump to another script?

Foreign Script.

IVR modules

Opt out?

Set DNC.

IVR modules

Digital keys?

Build permission plus a task key.

IVR modules

Third party stays on your skill?

No.

IVR modules

Which header?

X-Frame-Options.

Technical requirements PDF

Trust the old browser table?

No. Retest.

Technical requirements PDF

Who turns it on?

A VCC administrator.

Technical requirements PDF

Voice versus visual?

Different surfaces.

Technical requirements PDF

Membership?

Agent or supervisor.

Skill groups

Empty skill?

No delivery.

Skill groups

Service level?

On the skill.

Skill groups

Several skills per user?

Yes.

Skill groups

Inbound tab?

Outbound Skills.

Skill groups

Ready but wrong tab?

No offer.

Skill groups

Autodial?

Same tab as inbound.

Skill groups

Where documented?

Skill groups topic.

Skill groups

Any or all?

Any one skill.

Skill Transfer functions

Report tip?

One skill.

Skill Transfer functions

Deliberate pool?

Allowed if intended.

Skill Transfer functions

No selection?

Default.

Skill Transfer functions

Same number?

No.

Skill Transfer functions

What does ignore-order do?

Uses agent skill level.

Skill Transfer functions

Click-path quoted here?

No.

Skill Transfer functions

Switch off?

List order stands.

Skill Transfer functions

No selection?

Default queue.

Skill Transfer functions

Label?

Default.

Skill Transfer functions

User with no skills?

Catch-all eligible.

Skill Transfer functions

Safe pattern?

Name the skill.

Skill Transfer functions

Target without people?

Still misses.

Skill groups

What steers?

Priority.

Skill groups

Where is the target?

The skill.

Skill groups

Easier target?

A new definition, not new staff.

Skill groups

Greeting object?

Skill audio.

Skill groups

Default callback code?

Abandon. Replace it.

Skill groups

Why a specific code?

So the promise is visible.

Skill groups

Cell mailbox?

Not this object.

Skill groups

Form factor?

One screen.

Agent Desktop

Transcription source?

Engage page.

Agent Desktop

Adapter voice stack?

Same underlying technology, per the desktop page.

Agent Desktop

Assist bandwidth?

12 kbps extra.

Agent Desktop

Adapter transport?

HTTPS and WSS.

Technical requirements PDF

Proxy?

Must support WSS.

Technical requirements PDF

TLS 1.1?

Not supported.

Technical requirements PDF

Pop down, voice up?

Look at WSS.

Technical requirements PDF

Where is Assist named?

Engage.

Five9 Engage

Studio's first named app?

Summaries, among Agent Assist.

Five9 Engage

Universal model name?

Do not assume one.

Five9 Engage

Why the same screen?

So the agent sees it.

Five9 Engage

What does Plus show from WEM?

Schedules, adherence, time off, evaluations.

Agent Desktop

Break equals idle?

No.

Agent Desktop

CRM path?

WFO connectors, per the desktop page.

Agent Desktop

Adherence?

Plan versus actual.

Agent Desktop

Avast example means?

AV can block text.

Technical requirements PDF

Blank text suspect?

Antivirus.

Technical requirements PDF

Dropped call suspect?

Efficiency Mode, among others.

Technical requirements PDF

Change both at once?

No.

Technical requirements PDF

Analog?

Not supported.

Technical requirements PDF

5G agent path?

Not supported.

Technical requirements PDF

Default codec in that table?

G.711.

Technical requirements PDF

One-way latency?

Under 150 ms.

Technical requirements PDF

One-way audio next stop?

NAT and SIP.

Agent Desktop

Efficiency Mode?

Desktop review.

Agent Desktop

WSS?

Desktop review.

Agent Desktop

Skip the schedule?

You will mis-count people.

Agent Desktop

Verint?

A named partner path, not the only path.

Workforce engagement management

Data sheet pieces?

Recording, QM, WFM, analytics, surveys, connectors.

Workforce engagement management

Who upgrades?

Five9, per the page.

Workforce engagement management

Guess the vendor?

No.

Workforce engagement management

Does WFM pick preview vs power?

No. It staffs.

Workforce engagement management

Break?

Not available.

Workforce engagement management

Adherence?

Plan versus actual.

Workforce engagement management

Service level needs?

The people.

Workforce engagement management

Where do agents read evaluations?

Plus, per the desktop page.

Workforce engagement management

Hold recorded?

Yes, per the EULA.

Workforce engagement management

Who handles consent?

The customer, per the EULA.

Workforce engagement management

Wrong form?

Teaches the wrong work.

Workforce engagement management

Survey versus abandon?

Different.

Workforce engagement management

A topic without an owner?

A poster.

Workforce engagement management

Screens identical?

Do not assume.

Workforce engagement management

Surveys in the data sheet?

Yes.

Workforce engagement management

VCC audio rule?

30 days or successful offload, or the contract.

Data retention

Failed copy?

The clock continues.

Data retention

E911 audio?

30 days on that page.

Data retention

Agent data?

60 days on that page.

Data retention

Time off in Plus?

Named.

Agent Desktop

Shift bidding?

Named, rules not copied here.

Agent Desktop

Bid without a schedule change?

The dialer never sees it.

Agent Desktop

Second login?

Connector probably unused.

Agent Desktop

Approve time off here?

No.

Workforce engagement management

Pacing bench?

A model.

Workforce engagement management

Roster of record?

The suite.

Workforce engagement management

Recording after the clock?

The offload.

Workforce engagement management

Region matters?

Yes. Use the matching portal.

Technical requirements PDF

Legacy hosts listed?

Yes.

Technical requirements PDF

How to find SIP?

DNS SRV.

Technical requirements PDF

Paste Studio ports onto every trunk?

No. Confirm the family.

Technical requirements PDF

Digital key permission?

Build.

Studio digital IVA with VCC

Task type in that article?

ChatBot.

Studio digital IVA with VCC

Where does the key go?

The VCC side.

Studio digital IVA with VCC

Same as voice?

Do not assume.

Studio digital IVA with VCC

No failure branch?

The caller is stranded.

Five9 Engage

No skill selected?

Default.

Five9 Engage

History?

Enable a reporting call variable. New calls only.

Five9 Engage

Engage handoff?

With context.

Five9 Engage

Engine-agnostic?

Yes.

GenAI Studio

First named app?

Agent Assist summaries.

GenAI Studio

Test data?

Real calls, per the page.

GenAI Studio

Untested prompt?

Not the control the page describes.

GenAI Studio

Same block?

No.

IVR modules

Studio handoff?

IVA Transfer.

IVR modules

Short speech menu?

An IVR module can do it.

IVR modules

Wrong name?

Wrong system.

IVR modules

Prompt edit?

A release.

GenAI Studio

Test on?

Call data.

GenAI Studio

Same as a WAV?

No.

GenAI Studio

Invented policy?

Not ready.

GenAI Studio

Skip region?

The review is incomplete.

Studio digital IVA with VCC

Build permission source?

The digital IVA article.

Studio digital IVA with VCC

Why the clock?

Audio expires.

Studio digital IVA with VCC

Does this lab host Studio?

No.

Studio digital IVA with VCC

ServiceNow listed?

Yes.

Web adapter requirements

Homegrown CRM?

CRM SDK.

Web adapter requirements

URL pop versus adapter?

Name which one.

Web adapter requirements

Proxy?

Must support WSS.

Web adapter requirements

Is 2.46 forever?

No. Recheck the PDF.

Technical requirements PDF

SAML?

2.0 in that PDF.

Technical requirements PDF

Lightning?

Supported.

Technical requirements PDF

IE 11 remains for Salesforce?

No. The exception is Oracle Service Cloud.

Technical requirements PDF

Workspaces?

Service Operations and Configurable.

Technical requirements PDF

Those three names?

Releases in the PDF.

Technical requirements PDF

Off-list release?

Do not call it supported.

Technical requirements PDF

Forever?

No.

Technical requirements PDF

Epic listed?

Yes.

Technical requirements PDF

Salesforce package fixes Zendesk?

No.

Technical requirements PDF

NetSuite package in this lab?

Not stated.

Technical requirements PDF

IE exception scope?

Oracle Service Cloud only.

Technical requirements PDF

SDK named?

Yes.

APIs and SDKs

Connectors named?

Yes.

APIs and SDKs

Who retests custom code?

You.

APIs and SDKs

URL pop scope?

Smaller than a full adapter.

APIs and SDKs

Voice proves the pop?

No.

Technical requirements PDF

Profiles and pop-ups?

Yes, they can control them.

Technical requirements PDF

TLS 1.1?

Unsupported.

Technical requirements PDF

Dead URL?

Blank screen.

Technical requirements PDF

IVR Salesforce module?

A script block.

IVR modules

Einstein module?

Named in the chapter.

IVR modules

ZIP example?

Query, not the Salesforce module.

IVR modules

After connect?

The adapter.

IVR modules

Five9 ITSP?

One of the three stories.

Technical requirements PDF

Customer ITSP lands on?

Five9 SBCs.

Technical requirements PDF

Gateway names?

Avaya, Cisco, Asterisk.

Technical requirements PDF

Does Cisco here import UCCX?

No.

Technical requirements PDF

DNS?

SRV preferred.

Technical requirements PDF

Default codec?

G.711.

Technical requirements PDF

20 ms?

Practitioner, uncertain, not a PDF quote here.

Technical requirements PDF

Digit RFC?

4733.

Technical requirements PDF

Plus?

128 kbps.

Technical requirements PDF

Java agent?

88 kbps.

Technical requirements PDF

Assist?

About +12.

Technical requirements PDF

Satellite?

Not supported.

Technical requirements PDF

Double NAT?

No.

Technical requirements PDF

UDP idle?

30 seconds.

Technical requirements PDF

Shorter timer?

Keepalives.

Technical requirements PDF

Split tunnel?

Do not exclude Five9.

Technical requirements PDF

Handoff?

Layer 3.

Technical requirements PDF

Failover?

BGP.

Technical requirements PDF

London?

LD5 in that PDF.

Technical requirements PDF

Is the list forever?

No.

Technical requirements PDF

TLS floor?

1.2.

Technical requirements PDF

TLS 1.1?

Not supported.

Technical requirements PDF

Studio 5060 on every trunk?

No.

Technical requirements PDF

5061 caveat?

Beta in that PDF.

Technical requirements PDF

Headset?

USB noise-canceling.

Technical requirements PDF

Analog?

Not supported.

Technical requirements PDF

Wireless at scale?

Not recommended.

Technical requirements PDF

Efficiency Mode?

Can drop live calls.

Technical requirements PDF

Web2Campaign?

A named API.

APIs and SDKs

Reporting versus Statistics?

Both named, not the same label.

APIs and SDKs

Homegrown CRM?

CRM SDK.

APIs and SDKs

SOAP or REST?

Do not guess per family.

APIs and SDKs

Role?

Reporting, plus a permission.

Generating standard reports

IVR category?

Yes.

Generating standard reports

Admin without the role?

No standard reports.

Generating standard reports

Digital versus Legacy Digital?

Both named.

Generating standard reports

Three layouts?

Tabular, Summary, Matrix.

Generating standard reports

Matrix to CSV?

Not directly.

Generating standard reports

Row-level?

Tabular.

Generating standard reports

Totals?

Summary.

Generating standard reports

Call log window?

About 60 days unless extended, per that article.

Call log filters

Audio?

30 days, offload, or contract — whichever is sooner.

Call log filters

Same clock?

No.

Call log filters

Why date the article?

The window can change.

Call log filters

Backfill?

No.

Call variables for reporting

Permission name?

User Can Edit Call Variables.

Call variables for reporting

All dispositions includes custom?

No.

Call variables for reporting

Both switches?

Permission and the reporting flag.

Call variables for reporting

Prebuilt names?

Zoom Phone and Teams, among the product lines.

APIs and SDKs

Local Teams client?

About 320 kbps.

APIs and SDKs

URL pop?

Web Connector.

APIs and SDKs

Does prebuilt erase bandwidth?

No.

APIs and SDKs

Agent data?

60 days.

Data retention

Campaign state?

120 days.

Data retention

DIDs after closure?

90 days.

Data retention

Disabled domain?

120 days after closure.

Data retention

Official importer?

None cited here.

Planning your implementation

Cisco in the PDF?

A gateway type.

Planning your implementation

Build order?

Skills through profiles, then campaigns.

Planning your implementation

Blended?

Not a fourth campaign type.

Planning your implementation

CSQ maps toward?

A skill group, as a teaching map.

Skill groups

Partitions?

Not in Five9. Use domains.

Skill groups

Two tenants?

Two domains.

Skill groups

Precision attributes?

Redesign, do not invent a paste field.

Skill groups

Import the .aef?

No.

IVR modules

Greeting?

Play.

IVR modules

Queue?

Skill Transfer.

IVR modules

Builder JSON?

Learning model only.

IVR modules

Mode names?

Preview, progressive, power, predictive, manual touch.

Dialer product page

Simulator?

A teaching model.

Dialer product page

Copy the Cisco ratio into abandon %?

No.

Dialer product page

Numeric default?

Not stated here.

Dialer product page

Lists in the script file?

No.

Planning your implementation

ANI lives on?

The campaign profile.

Planning your implementation

Certified Caller?

A separate project.

Planning your implementation

Stopped inbound?

Does not answer.

Planning your implementation

INVITE failures?

Check both sides.

Technical requirements PDF

Extensions as DNIS?

Do not assume it.

Technical requirements PDF

20 ms?

Uncertain practitioner note.

Technical requirements PDF

SRV?

Preferred on the Five9 side.

Technical requirements PDF

Busy DNIS?

Campaign not running.

Planning your implementation

E911 address?

Where the agent is.

Planning your implementation

Test one path first?

Yes.

Planning your implementation

Why test the pop?

It is a separate channel.

Planning your implementation

Prefix?

None. Dial 911.

E911 data sheet

Partner on the sheet?

RedSky.

E911 data sheet

Wrong address?

The EULA says the call can fail.

E911 data sheet

Same map on both docs?

No. Cite which one.

E911 data sheet

Dispatchable?

Where responders can find the person.

E911 data sheet

History fields?

Time, user, number, location, recording, SIP invite.

E911 data sheet

History instead of registration?

No.

E911 data sheet

A move?

Register again.

E911 data sheet

Who owns notice?

The customer.

End user license agreement

Hold recorded?

The EULA says it can be.

End user license agreement

Transfer?

Can still be recorded.

End user license agreement

Universal script?

No.

End user license agreement

E911 recordings?

30 days.

Data retention

Agent data?

60 days.

Data retention

DIDs?

90 days after closure.

Data retention

Audio?

Sooner of 30 days, offload, or contract.

Data retention

Certified Caller?

STIR/SHAKEN program.

Certified Caller

Profile ANI equals attestation?

No.

Certified Caller

Regulators named?

FCC and CRTC.

Certified Caller

Can you say the profile signs calls?

No.

Certified Caller

Warning?

Yes, if you change the max abandon percentage.

Default campaign settings

US window?

Rolling 30 days.

Default campaign settings

UK window?

24 hours.

Default campaign settings

Who sets the window?

A Five9 representative.

Default campaign settings

Paste?

Blocked.

TCPA manual touch

When does Dial enable?

When the typed number matches.

TCPA manual touch

Timeout?

Not Ready, no auto dial.

TCPA manual touch

Skip permission?

User Can Skip Contact Records in TCPA Manual Touch.

TCPA manual touch

WEM equals the dialer?

No.

Agent Desktop

E911?

Its own location service.

Agent Desktop

Pop equals trunk?

No.

Agent Desktop

Uncited boxes?

Leave them off.

Agent Desktop

What does the page include?

WFM, QM, analytics, surveys, recording, Verint.

Workforce engagement management

Scores move skills by themselves?

No.

Workforce engagement management

Who upgrades the delivered solution?

Five9, per the page.

Workforce engagement management

Which retention text?

The retention page.

Workforce engagement management

Wallboard versus report?

Different pipes.

Workforce engagement management

Statistics API?

A named family.

Workforce engagement management

Reporting role?

Gates standard reports.

Workforce engagement management

Matrix as CSV?

No.

Workforce engagement management

Default model named here?

No.

Five9 Engage

IVA Transfer?

A real module.

Five9 Engage

Digital handoff?

A Studio task key.

Five9 Engage

No exit?

A dead end.

Five9 Engage

Epic listed?

Yes.

Technical requirements PDF

Local Teams?

About 320 kbps.

Technical requirements PDF

Blank card, live voice?

Adapter incident.

Technical requirements PDF

SDK?

Unlisted CRMs.

Technical requirements PDF

No page?

Mark the word local.

Generating standard reports

Two profiles?

Different objects.

Generating standard reports

Blended?

Not a campaign type.

Generating standard reports

Partition?

A visiting word.

Generating standard reports

Missing row?

No citation yet.

APIs and SDKs

RedSky versus ITSP?

Different roles.

APIs and SDKs

Studio versus Equinix?

Different lists.

APIs and SDKs

Two Salesforces?

Module versus adapter.

APIs and SDKs

Exam code in this lab?

None.

Five9 University

Formats?

Online, webinars, ILT, train-the-trainer, custom.

Five9 University

Assessments?

Mentioned, no code quoted.

Five9 University

Invented codes?

Ignore them.

Five9 University

What is the badge?

IVA sales, for partners.

IVA Sales Certified badge

Questions?

20.

IVA Sales Certified badge

Pass mark?

80 percent.

IVA Sales Certified badge

Admin substitute?

No.

IVA Sales Certified badge

Practice equals the planning order?

Yes.

Planning your implementation

Stopped campaign?

Busy DNIS.

Planning your implementation

Invent a percent?

No.

Planning your implementation

Reporting role?

Separate.

Planning your implementation

2.46?

Dated PDF fact.

Technical requirements PDF

ServiceNow names?

Australia, Zurich, Yokohama, in that reading.

Technical requirements PDF

JRE updates?

421, 451, 461.

Technical requirements PDF

Curriculum brief equals the JRE list?

No.

Technical requirements PDF

Four beats?

Object, behavior, page, gap.

Planning your implementation

Invent a port?

No. Stop.

Planning your implementation

Cisco map?

A teaching bridge.

Planning your implementation

Versions?

Dated.

Planning your implementation

Session goal?

Object plus the page.

Five9 University

Skip uncertain notes?

No.

Five9 University

Campaign types?

Three.

Five9 University

Boss logs?

Synthetic.

Five9 University

Can the lab edit your domain?

No.

Five9 University

IVR export?

Learning file.

Five9 University

Outage?

Five9 support.

Five9 University

Uncertain?

Confirm before you depend on it.

A note from the student behind this lab

This is an **independent, free, learning-only student project**. It respects every company and vendor, and every trademark belongs to its owner. It is **not affiliated with or endorsed by** any of them.

If anyone has a concern, the content will be removed or corrected promptly via the contact form at https://cyphermonkeylabs.com/#contact. Nothing here is sold. Happy to volunteer for any organization.

Confirm before relying on a number, a port, or a vendor case-study claim. Product behavior belongs to the cited page.

CypherMonkey Labs



© 2026 CypherMonkeyLabs 🐒 · MIT code, CC BY-NC-SA content