# Signal Floor flashcards

Five

Standard, predictive, bullseye, preferred, conditional.

Default

Standard.

Predictive fallback

Standard.

Preferred fallback

Standard, bullseye, or conditional.

All

Longest idle with every skill.

Best

Top 100 longest idle, then proficiency.

Disregard

Skills do not filter.

7 days

Inactive agents drop out.

60,000 ms

One conversation-score point.

Priority score

Value first, time second.

Cross queue

Priority-score queues take precedence.

Do not inflate

If all priorities match, you bought nothing.

5 rings

The cap.

2 seconds to 72 hours

# Signal Floor flashcards

The delay range.

50 skills

The removal cap.

Two styles

Lower proficiency groups, or remove skills.

Member + On Queue

Both are required.

Skills

Not required for a preferred agent.

Utilization

Full means skip.

Email

Last-agent routing does not apply.

Three modes

Comparison, all interactions, 80/20 monitoring.

80/20

Fixed.

30 days

No traffic disables it.

Fallback

Standard.

Rule

KPI plus availability.

Five

Maximum rules.

Protect the donor

Do not steal a failing queue?s agents.

# Signal Floor flashcards

Still ACD
On Queue and utilization remain.

Defaults
1 call, 1 email, 1 callback, 4 chats, 4 messages, 4 workitems.

Alert
7?59 seconds, then Not Responding.

Auto answer
No alerting timeout. Audio alert remains.

Non-ACD
Excluded unless you opt in.

Bot
Faces the customer.

Copilot
Faces the agent.

CX 4
Where the overview places Copilot.

QA
STA plus a form, not a bot.

Example
Balance or branch.

Action
Call Bot Flow.

Intent
A branch in the inbound flow.

Failure
A queue.

# Signal Floor flashcards

Type
Digital Bot Flow.

Action
Call Digital Bot Flow.

Error queue
Still required.

Human
Still required.

No match
A path.

Timeout
A path.

Error
A path.

Vendor
Confirm in product. Still draw the exit.

Sources
Knowledge you maintain.

Panel
Transcript, script, next action.

Notes
Reason, resolution, possible wrap-up.

Transfer
Help can remain. Digits still must not.

30
Named allotment on the overview.

39

# Signal Floor flashcards

Concurrent allotment.

20

FAQ?s evaluations per scoring token. Re-read.

Bots

No invented token price.

GPE & GPR

Course 17671. One exam.

Digital bots

Course 18174. One exam.

STA

A specialist row.

Codes

No invented GCX- prefix.

Explorer

Does not send.

Illustration

Not a capture.

Host

Only US East is printed here.

Secret

Never in the browser sample.

Service

Client credentials.

User

Authorization code.

SSO

SAML2 Bearer.

# Signal Floor flashcards

Implicit
Deprecated after 25 May 2026.

Basic
Id and secret at the login host.

Bearer
The API host.

users/me
Wrong grant.

Subset
No privilege escalation.

Date
25 May 2026 on the article.

User
Code and PKCE.

Service
Client credentials.

Inventory
Including partners.

US East
login.mypurecloud.com / api.mypurecloud.com.

US West
login.usw2.pure.cloud. Confirm the API host.

FedRAMP
login.use2.us-gov-pure.cloud. Confirm the API host.

Satellite
Not an org home.

# Signal Floor flashcards

Pair
Role plus division.

All
Org-wide, on purpose.

Home
Cannot be deleted.

Creator
Caps the client.

Client
Its own OAuth client.

Roles
Provision, not everything.

Secret
A vault.

After
Queues and On Queue.

200
Maximum flow name length.

Per type
Names are unique inside a type only.

Tabs
Call, message, email, chat, bot, in-queue, secure, workflow, survey, and others.

Refresh
Creation lag is expected.

Actions
Play, collect, decide, transfer, dip, disconnect.

Exit

# Signal Floor flashcards

Queue, bot, or disconnect.

Secure

Blind transfer, not consultation VXML.

Data dip

A first-class Architect idea.

Publish

The default call flow is inert until then.

No menus

In-queue call flows are tasks and states, not menus.

Email

No built-in default. Inbound response launches it.

Republish

Edits do not ride the last publish.

Data action

A call out of the flow.

Participant data

What the agent is allowed to see.

Salesforce auth

Client credentials, not username-password.

Failure branch

Required. The caller will not wait politely.

Type

Common module is its own tab.

Inputs

Pass the queue. Do not hide it.

Uniqueness

Inside the common-module type.

# Signal Floor flashcards

In-queue
No reusable tasks there.

Purpose
Hide a sensitive entry from recording and from the agent.

Blind
Not a consultation VXML transfer.

Do not log
Participant data would leak the digits.

Policy
Still decides whether the rest of the call is recorded.

Two bot types
Dialog Engine and digital.

Call action
Match the action to the type.

Failure
Always a queue.

Insights
After publish, read what ran.

Save
Draft.

Publish
Runtime version.

Route
What actually invokes it.

Division
Who is allowed to see it.

# Signal Floor flashcards

You bring

The carrier contract.

Public

Address and ports.

RTP

Across the internet.

Emergency

Not copied from GCV.

Two types

Carrier and PBX.

Three carrier subtypes

Generic, Verizon, WhatsApp Business Calling.

Base first

Advanced only when required.

Message flow

A different object from the WhatsApp calling trunk.

Order

Location, trunk, route, plans.

DCVP

For new trunks.

Assign

Default routes are not finished.

Location

Not optional.

Test first

A new trunk.

ACL

# Signal Floor flashcards

Egress ranges.

Trust

Amazon root CAs and ciphers.

Then toggle

High capacity outbound, then ingress targets.

200

Plans per site.

DID

No custom plan required for basic routing.

988

Default plan to +18002738255. Re-read before you depend on it.

Normalize

Intra-country and inter-country. Not digit length.

200 OK

Dialog, not audio.

Monitor page

Cloud media.

Far end

ACL, CA, ingress.

Insights

The flow can be innocent.

GCV

Genesys is the carrier. Read the region and country tables.

BYOC

You are the carrier?s customer.

Emergency

Does not cross over by itself.

# Signal Floor flashcards

Features
CX voice features are not the same decision as the trunk.

Listing
A candidate.

Install
The moment it exists.

Client
Scope it.

Unknown CRM
Marketplace, not fiction.

Embed
Pop, dial, log.

Assist
As the page states.

Data action
Separate OAuth.

Schema
Yours to map.

Leave
Username and password.

Bring
Key, secret, My Domain.

Keep
The action body, then re-test.

Other page
CX Cloud OAuth settings.

# Signal Floor flashcards

Source
The Zendesk article.

Not
The Salesforce My Domain steps.

Client
If it calls the API.

Gap
Say unconfirmed.

Unknown
No invented list.

Build
OAuth and data actions.

Timeout
The call continues.

Cite
A page you opened.

Timeout
Then queue.

Status
Name the CRM.

403
Check the division pair.

Pop
Can fail while ACD works.

Path
Entry, flow, queue, agent.

Neighbors

# Signal Floor flashcards

WEM, CRM, AI.

Packages

CX 1 through CX 4.

Toggles

A picture, not a switch on your org.

WFM

Schedules.

QM

Forms and recordings.

E911

A tested route.

Glossary

A pointer, not the law.

Two links

Cisco and Genesys.

Caps

Stay on their own page.

Webex

Attach or abstain.

CUCM

Still the PBX.

GC-GCP

Professional. One exam.

GC-GCD

Developer. One exam.

Specialists

Names, not invented codes.

# Signal Floor flashcards

Announcement
Webcam and practice. Re-read.

Object
Name it.

Limit
Or look it up.

Cite
A real article.

Abstain
EOL, unconfirmed CRMs, Webex.

Prices
Link only.

IPs
Current article only.

Codes
Catalog only.

Conflict
The live page wins.

Group
Share phones and trunks.

Inherit
The Edge takes the group?s phone trunks.

Cloud vs premises
AWS versus an Edge.

Emergency
Still your carrier if the trunk is BYOC.

# Signal Floor flashcards

Same site

The preferred path.

Three exceptions

Offline, capacity, missing resource.

Low latency

What a group is for.

Plans

Live on the site.

Inherit

Confirm it.

Pin

An override with a reason.

WebRTC

A phone trunk.

Test

Both Edges.

Three exceptions

Offline, capacity, missing resource.

Cloud path

Independent of the Edge.

Nowhere to go

The other site must hold the resource.

Steady state

Overflow should not be normal.

Per number

Name the model.

Cloud

# Signal Floor flashcards

Public carrier, internet RTP.

Premises

Edge, local trunks.

GCV

Genesys is the carrier.

WebRTC

A phone trunk.

Path

VPN, split, or local. Choose.

Console

Edge or cloud media.

Flow last

If signaling is already fine.

Group

Low latency.

Inherit

Every Edge.

Site

Trunk, plans, location.

Two tests

Edge down, and a cloud DID.

Warning

BYOC emergency is not Genesys? service.

No copy

GCV records do not move to the BYOC carrier.

Internet

Power and broadband can remove the path.

# Signal Floor flashcards

Configure
Number plan and emergency route.

911 and 933
US and Canada defaults.

142
Swiss example.

Route
Still required.

988
Default destination is documented. Re-read it.

Physical
Not a nickname.

Carrier
You send it for BYOC.

Site
Attaches the location.

Door test
Could someone find it.

Row
DID, toll-free, domestic, international.

FedRAMP
US voice services.

ESR
Boundary is the commitment.

Coming
Stay coming until the page changes.

# Signal Floor flashcards

Intra-country

Adds the country code.

Extension

No rewrite.

E.164 list

Plus required, no rewrite.

Twice

Possible, and often a bug.

Simulator

First.

Carrier

Owns the live method.

Outage

Write the broadband-down action.

Log

Model, route, result.

CX 1

Voice package: inbound and outbound voice, secure IVR, callbacks, campaigns.

CX 3

Adds WEM and voice transcription minutes on top of CX 1 and CX 2.

CX 4 tokens

30 named, 39 concurrent, as published on the overview.

Old matrix

A dated PDF is not the source for the current CX 4 description.

Core vs satellite

Core hosts the org. Satellite hosts media paths and cannot be the org region.

US East login

# Signal Floor flashcards

https://login.mypurecloud.com for us-east-1.

US West login

https://login.usw2.pure.cloud for us-west-2.

Voice coverage

Read the Genesys Cloud Voice region article before you promise numbers.

SIP

RFC 3261. Session setup, not the audio packets.

RTP

RFC 3550. The audio stream.

SRTP

RFC 3711. Encrypted RTP.

DTMF

RFC 4733 telephone events, when digits must not depend on in-band audio.

Queue

The waiting line. Unique name, no special characters, 5,000 members.

On Queue

The status that makes an agent eligible for ACD work.

Routing method

Standard, predictive, bullseye, preferred, or conditional group.

Alerting

7 to 59 seconds on voice, then Not Responding.

In-queue call

A default exists. It does nothing until you publish it.

In-queue email

No built-in default. Create the flow.

Default voice cap

One call.

# Signal Floor flashcards

Default message cap

Up to four messages.

Home

Always present. Cannot be deleted. Objects can move.

Move, not copy

A queue belongs to one division.

Role + division

That pair is what lets a user see the objects.

Transactional

Conversations and recordings carry division context too.

Catalog header

GC-GCP professional, GC-GCD developer.

Do not invent codes

Specialist names are cited. Extra codes are not.

Client credentials

Not a user. /api/v2/users/me is out of scope for that token.

Fair use

Link the policy. Do not freeze a price in a lesson.

Order

Location, trunk, outbound route, number plan.

DCVP

Use it for new BYOC Cloud trunks.

Public address

The carrier or PBX must be reachable.

Emergency warning

BYOC emergency is your carrier?s service, not Genesys?.

# Signal Floor flashcards

Rebuild
The default.

Studio
A map, not a converter.

Journey
Sentences first.

Publish
Or it does not run.

Strategy
Behavior, not a file format.

Queues
Recreated.

Date
A Genesys notice.

WEM
Its own workstream.

Menu
Architect tasks.

Hold
Published in-queue flow.

Dip
Data action plus failure.

Cisco
Source of the old behavior only.

Members
Who may answer.

Skills

# Signal Floor flashcards

What they must match.

Rings

Up to five.

Analogy

Not a converter.

Script

Architect.

CSQ

Queue.

Desktop

Workspace or a cited embed.

Test

Before the trunk cut.

Cluster

Stays until you remove it.

Cloud

BYOC and DCVP.

Edge

If phones are local.

Emergency

A real test, not a guess.

Blank

Better than a bad link.

Door

BYOC or Edge.

Flows

Rebuilt.

# Signal Floor flashcards

Week
Re-read both sides.

Lab
First call.

Emergency
Before the DID.

One number
Then the rest.

Rollback
A person and a clock.

Org home
One core region and its login URL.

Satellite
Media and recordings, not the org.

GCV
Separate availability table.

FedRAMP
A different login host and US-only voice.

Pair
Role plus division, not role alone.

Subset
An OAuth client cannot exceed its creator.

/users/me
Needs a user token.

Implicit
Deprecated after 25 May 2026 in the OAuth article.

# Signal Floor flashcards

30 minutes

Shorter peaks are ignored.

One org

Do not sum peaks across orgs.

Highest level

The priciest assignment in the period wins.

Fair use

Monthly pool, no rollover. Read the live table.

CX 1

Voice.

CX 2

Digital and quality.

CX 3

WEM and transcription minutes.

Copilot

Knowledge, transcript, scripts, next best action, forms, notes.

5,000

Members per queue.

Three joins

User, division grant, queue membership.

Name

Unique, no special characters.

Phones

Edge group work, not the first org task.

Pool

Monthly, across users, no rollover.

Meters

# Signal Floor flashcards

IVR, API, storage, BYOC, transcription, SMS, and others.

Do not copy rates

The policy page is the quote.

API

Client-credentials calls still count.

Publish

Or the hold experience does not exist.

Narrow client

Subset of the creator, one division.

Package

Match CX 1?4 to the scope.

Home

Keep it.

Site

Visitor behavior.

Not ACD

Predictive routing is the queue method.

Offers

Messaging, chat, content, flow.

Outcomes

On a published deprecation.

Messaging

Messenger snippet.

Web chat

Legacy tracking snippet.

One of them

Remove the snippet when Messenger tracks.

# Signal Floor flashcards

Live Now
Proof that events arrived.

One condition
Minimum.

More conditions
Fewer visitors.

Not shared
Copy what you need.

Examples
Not a complete attribute list.

Action
Messaging, chat, content, or flow.

Trigger
Segment, activity, or outcome.

Priority
Chooses among qualified maps.

Queue
Optional, for chat and messaging offers.

Announced
2026-05-18.

Planned end
2026-06-29.

Scoring
Not in Customer Outcomes.

Unverified live
This lab did not open an org.

# Signal Floor flashcards

Four actions
Messaging, chat, content, flow.

No field list
Open the Salesforce topic.

Skipped branch
getJourneyOutcome.

Fallback
Queue or another offer.

Live Now
Events are arriving.

Activity
Devices, segments.

Map report
Did the offer run.

Outcomes
Export, then let them go.

Forms
The score.

Policy
What gets recorded.

Coach
What you do with the score.

Package
QM from CX 2. WFM from CX 3.

Weight
What moves the score.

Calibrate

# Signal Floor flashcards

Graders must agree.

Observable

If it is not in the interaction, do not score it.

AI

Does not replace the rubric.

Policy

Which calls, how long.

Screen

Agent screen, ACD.

Secure

A segment, not the policy.

Storage

A fair-use meter.

Show the score

Or it does not coach.

Appointment

A real meeting.

Dispute

A path, not a threat.

In progress

Allowed.

Three gates

STA, QM, tokens.

Ratio

See the FAQ. Do not freeze it blindly.

No double bill

Copilot summary reused by Virtual Supervisor.

# Signal Floor flashcards

Rubric
Still yours.

Reason
Why the copy exists.

Lifecycle
When the copy dies.

Meter
Storage still counts.

Lab
Synthetic here. Real audio stays in the org.

Name
Unique, no special characters.

5,000
Member cap.

Division
Chosen at create.

Copy
Review routing after.

Tag vs number
All-skills cares about the tag. Best-available cares about the number.

7 days
Inactive agents drop out.

WEM style
Lower proficiency, same skill.

Extra skills
Do not impersonate the required one.

# Signal Floor flashcards

Optional
Agent may skip.

TIMEOUT
Timer won.

LOGOUT
Logoff setting won.

Callbacks
Always need a code.

Same division
Queue and codes.

Role
Limits the picker.

On behalf
Inherits ACW.

Direct internal
The documented escape.

Pair
Percentage and seconds.

Per media
Voice is not email.

Routing
Conditional rules need the KPI.

WEM
Templates should agree with the queue.

Slot
One callback by default.

No interrupt

# Signal Floor flashcards

Calls and callbacks stay apart.

Code

Required even if ACW is Optional.

Last agent

Do not promise it for inbound callbacks.

Copy

Review routing immediately.

On Queue

The door.

5,000

Still the cap.

Test

Before the DID.

Voice scope

IVR through voicemail, as the page lists it.

Digital

Email, message, chat.

Package

Transcription minutes at CX 3.

Tables

Re-read dialects and prices.

Label

Not a verdict.

Listen

Then coach.

Form

Still QM.

# Signal Floor flashcards

Scope
Only queues you will read.

Phrase
The words.

Topic
One intent.

Program
The dictionary for a queue.

Test
Search before you trust a chart.

Model
Flags language.

Form
Defines the behavior.

Calibrate
Humans agree.

Automate
Only with a documented filter.

Search
Did the words exist?

Topic
Did the dictionary include them?

Leg
IVR, agent, voicemail.

Privacy
Transcripts stay in the org.

# Signal Floor flashcards

Final
After the interaction.

Sooner
Notifications API.

Triggers
Only listed filters.

Streaming
Confirm the connector. Do not invent one.

CX 3
Where WEM starts.

WFM objects
Business units, management units, goals, plans, schedules, adherence, time off.

Sibling
QM and STA are not the schedule.

Cert
Workforce Management, with the listed course.

Business unit
Planning container.

Management unit
People you schedule.

Queue
People who can be offered work.

Align skills
Forecast what you route.

Template
The planning promise.

Queue

# Signal Floor flashcards

The reported promise.

Match them

Or you staff the wrong target.

Erlang

Not claimed as the Genesys engine.

Activity

What they should be doing.

On Queue

What ACD requires.

Membership

Still separate.

Schedule

Does not edit rings.

Intraday

Today.

Adherence

Plan versus actual.

Count On Queue

Before you edit routing.

Historical

Also documented.

Request

In WFM.

Schedule

Must show the absence.

Status

Not On Queue.

# Signal Floor flashcards

Membership
Unchanged.

Name
Workforce Management Certification.

Prep
WEM ? Workforce Management.

Not GC-GCP
Different exam.

Practice
Genesys? own, 25?30, no voucher.

Short-term
Up to six weeks, can schedule.

Long-term
Seasonality, cannot schedule.

AHT
Talk, hold, ACW.

Volume
Interactions offered.

Three methods
With forecast, without, or blank.

Cover the dates
Short-term weeks must include the schedule.

One at a time
Per business unit.

Reschedule
A forecast swap does not move shifts by itself.

# Signal Floor flashcards

CypherMonkey Labs
' 2026 CypherMonkeyLabs ?
https://cyphermonkeylabs.com
https://github.com/CypherMonkeyLabs
https://linktr.ee/cypherMonkey
https://github.com/CypherMonkeyLabs/genesys-cloud-lab-free-university-mesmerizing
This is an independent, free, learning-only student project. It respects every company and vendor, and every t
MIT code. CC BY-NC-SA content. No tracking.