CHEAT CODE

Twelve cited cards

The JSON files next to this page hold the full cited deck (88) and the idea-pool deck (1384). This page is the one-page pass.

QUESTION	ANSWER	CITE
What does a SIP REGISTER request ask the registrar to store?	A binding from an address-of-record to one or more Contact URIs, for an expiry time. It does not create a call.	RFC 3261 section 10
On a REGISTER, what is the difference between the Request-URI, To, and Contact?	The Request-URI is the registrar domain, such as sip:example.com. To is the address-of-record being registered. Contact is the device URI to bind to that address.	RFC 3261 section 10
Why is the first REGISTER often answered with 401?	The registrar is issuing a digest challenge. WWW-Authenticate carries the realm and nonce. The phone sends a new REGISTER with Authorization.	RFC 3261 section 22
How is 401 different from 407?	401 comes from the registrar and uses WWW-Authenticate. 407 comes from a proxy and uses Proxy-Authenticate. The matching response headers are Authorization and Proxy-Authorization.	RFC 3261
What does Expires: 0 do on a REGISTER Contact?	It removes that binding. Contact: * with Expires: 0 removes all bindings for the address-of-record.	RFC 3261 section 10
Does a successful registration mean media can reach the phone?	No. Registration publishes a signaling Contact. NAT, firewalls, and the SDP addresses used later are separate problems.	RFC 3261
What identifies a SIP dialog?	The Call-ID plus the local tag and the remote tag. From carries the UAC's tag. To carries the UAS's tag once a response creates it.	RFC 3261 section 12
When is a dialog early, and when is it confirmed?	A provisional response with a To tag creates an early dialog. The dialog is confirmed when the UAC receives a 2xx to the INVITE.	RFC 3261
Is 100 Trying forwarded end to end?	No. 100 Trying is hop-by-hop. A proxy generates its own 100 toward the caller so the caller stops retransmitting the INVITE.	RFC 3261
How does ACK for a 2xx differ from ACK for a failure such as 486?	ACK for a 2xx is a new end-to-end transaction and follows the dialog route set. ACK for a non-2xx final response is hop-by-hop and belongs to the INVITE transaction.	RFC 3261 section 17
What does Record-Route change about later requests?	It builds a route set so that in-dialog requests such as ACK for the 2xx, re-INVITE, and BYE still pass through that proxy. Without it, they go to the remote Contact.	RFC 3261
Where is the SDP in a typical early-offer call, and where is it in a delayed offer?	Early offer: offer in the INVITE, answer in a reliable 18x or in the 200 OK. Delayed offer: the INVITE has no SDP, the offer is in the 200 OK, and the answer is in the ACK.	RFC 3261 and RFC 3264

Independent educational project, not affiliated with vendors. Trademarks belong to their owners. MIT code, CC BY-NC-SA content.