Labs home · Linktree · Repo · dev.to · Hugging Face · X

Flow Designer

One page pulled from the Canon rooms named in the source column. Open the room before you quote a number in a design. This is not a copy of a Cisco document.

Check	What the room says	Source
What does Flow Designer route?	Real-time calls, including how agents are assigned and what happens at each stage. [cite:1]	T8-R01-flow-designer-essentials.html
Can you delete Start Flow?	No. It is on the main canvas by default. [cite:1]	T8-R01-flow-designer-essentials.html
What is true while the validation toggle is off?	Errors do not appear, and Publish stays disabled. [cite:1]	T8-R01-flow-designer-essentials.html
When does Success fire on Get Queue Info?	When both EWT and PIQ are positive. [cite:1]	T8-R01-flow-designer-essentials.html
When does Insufficient Information fire?	PIQ is valid and EWT is −1. [cite:1]	T8-R01-flow-designer-essentials.html
When is EWT always −1?	Queues with team assignment and skills assigned in the flow. EWT does not apply. [cite:1]	T8-R01-flow-designer-essentials.html
What priority is used if the variable is 12?	10. Only 1 through 9 are in range. [cite:1]	T8-R01-flow-designer-essentials.html

Back to the lab · Cheat Codes

CypherMonkey · Webex Lab Free University

Independent educational project. Not affiliated with or endorsed by any vendor. Trademarks belong to their owners. MIT code. CC BY-NC-SA content. Study notes, not a vendor document.

cyphermonkeylabs.com · linktr.ee/cyphermonkey · repo · dev.to · Hugging Face · X · Report a concern · Work with us

Other labs: UC · AI · SIP Universe · Microsoft Voice · Amazon Connect · Genesys Cloud · Five9 · NICE CXone