INDEF MATERIAL HANDLING PRODUCTS

WITH EFFECT FROM

March 2025 Ver 17.02

INDEF MANUFACTURING LIMITED

www.indef.com

CTS No. 43/2B, Savroli - Kharpada Road, Khalapur, Khopoli, Raigad, Maharashtra - 410 202, INDIA CIN : U29308MH2022PLC390286

Tel : 091 - 02192 662502 Mail : enquire@indef.com

INDEF MANUFACTURING LIMITED (Resulting company from demerged Hercules Hoists Limited)	
Subject:	Inclusion of SMD Wire Rope Hoist height of lift.
Reference:	Design Bulletin IML/DB/0003, dated 03.03.2025
Issued by:	Design and Development

Dear Valued Business Partners,

In response to feedback received from Sales, and Authorised Business Partners and to better align with competitor offerings, we've included following hoist height of lift option in price list in SMD Wire Rope Hoist Category.

ITEM_CODE	DESCRIPTION
26100004	WIRE ROPE HOIST, SMD-5, 40M(H4), 5T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26100006	WIRE ROPE HOIST, SMD-5, 60M(H6), 5T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26100008	WIRE ROPE HOIST, SMD-5, 80M(H8), 5T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26100154	WIRE ROPE HOIST, SMD-5, 40M(H4), 5T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26100156	WIRE ROPE HOIST, SMD-5, 60M(H6), 5T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26100158	WIRE ROPE HOIST, SMD-5, 80M(H8), 5T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26200003	WIRE ROPE HOIST, SMD-10, 30M(H3), 10T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26200005	WIRE ROPE HOIST, SMD-10, 50M(H5), 10T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26200007	WIRE ROPE HOIST, SMD-10, 70M(H7), 10T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26200008	WIRE ROPE HOIST, SMD-10, 80M(H8), 10T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26200153	WIRE ROPE HOIST, SMD-10, 30M(H3), 10T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26200155	WIRE ROPE HOIST, SMD-10, 50M(H5), 10T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26200157	WIRE ROPE HOIST, SMD-10, 70M(H7), 10T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26200158	WIRE ROPE HOIST, SMD-10, 80M(H8), 10T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26300003	WIRE ROPE HOIST, SMD-15, 30M(H7), 15T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26300006	WIRE ROPE HOIST, SMD-15, 50M(H10), 15T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26300009	WIRE ROPE HOIST, SMD-15, 70M(H13), 15T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26300010	WIRE ROPE HOIST, SMD-15, 80M(H15), 15T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26300153	WIRE ROPE HOIST, SMD-15, 30M(H7), 15T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26300156	WIRE ROPE HOIST, SMD-15, 50M(H10), 15T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26300159	WIRE ROPE HOIST, SMD-15, 70M(H13), 15T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26300160	WIRE ROPE HOIST, SMD-15, 80M(H15), 15T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26300044	WIRE ROPE HOIST, SMD-20, 30M(H7), 20T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26300047	WIRE ROPE HOIST, SMD-20, 51M(H10), 20T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26300050	WIRE ROPE HOIST, SMD-20, 70M(H13), 20T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26300051	WIRE ROPE HOIST, SMD-20, 80M(H15), 20T, CLASS II, FIX SUSPENSION, EMM ON/OFF, 4/2 FALL,
26300163	WIRE ROPE HOIST, SMD-20, 30M(H7), 20T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26300166	WIRE ROPE HOIST, SMD-20, 50M(H10), 20T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26300169	WIRE ROPE HOIST, SMD-20, 70M(H13), 20T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,
26300170	WIRE ROPE HOIST, SMD-20, 80M(H15), 20T, CLASS II, BOGGIE ET, 12MPM, CTLS & EMM ON/OFF WITH MC, STD CT BRAKE, 4/2 FALL,

This decision reflects our unwavering commitment to supporting our ABPs and helping you thrive in the competitive landscape. We believe these changes will not only make our products more accessible but also empower you to capture more orders and expand our collective market share.

The change in price list will be effective from March 04th, 2025.

Company: INDEF MANUFACTURING LIMITED (Resulting company from demerged Hercules Hoists Limited)
T: +91 22 45417301 | **F:** +91 2192 274125 | **E:** indef@indef.com | **U:** www.indef.com
Corporate Office: 501-504, Shelton Cubix, Sector 15, Plot #87, CBD Belapur, Navi Mumbai 400614, INDIA
Works: Khalapur, Chakan | **Regional Offices:** Pune, Delhi, Chennai, Kolkata
Registered Office: Bajaj Bhawan, 2nd Floor, 226, Jamnalal Bajaj Marg, Mumbai 400 021, INDIA
CIN: U29308MH2022PLC390286

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
STIER 'S' PRO RATCHET LEVER HOIST					
LILLIPUT RLH WITH COVER	250	1.5	059025015	11540	
		3	059025030	12710	
RATCHET LEVER HOIST	1500	1.5	0550150015	17230	
		3	0550150030	19020	
	3000	1.5	0560300015	23690	
		3	0560300030	27060	
	6000	1.5	0570600015	38390	
		3	0570600030	45150	
	9000	1.5	0580900015	54580	
		3	0580900030	64710	
INDEF U GEARED TROLLEY					
GEARED TROLLEY FW 64-203 MM FLANGE THK 28 MM	1T	3	11501203	10130	400
GEARED TROLLEY FW 88-203 MM FLANGE THK 28 MM	2T	3	11602203	13870	410
GEARED TROLLEY FW 100-203 MM FLANGE THK 28 MM	3T	3	11603203	15240	410
GEARED TROLLEY FW 114-203 MM FLANGE THK 25 MM	5T	3	13505203	32190	450
GEARED TROLLEY FW 124-203 MM FLANGE THK 15 MM	10T	3	13510203	51250	450
GEARED TROLLEY FW 64-305 MM FLANGE THK 28 MM	1T	3	11501303	11420	400
GEARED TROLLEY FW 88-305 MM FLANGE THK 28 MM	2T	3	11602303	15070	410
GEARED TROLLEY FW 100-305 MM FLANGE THK 28 MM	3T	3	11603303	16600	410
GEARED TROLLEY FW 114-305 MM FLANGE THK 25 MM	5T	3	13505303	35780	450
GEARED TROLLEY FW 124-305 MM FLANGE THK 15 MM	10T	3	13510303	54840	450
INDEF U PUSH PULL TROLLEY					
PUSH PULL TROLLEY FW 64-203 MM FLANGE THK 28 MM	1T	3	11500021	7190	
PUSH PULL TROLLEY FW 88-203 MM FLANGE THK 28 MM	2T	3	11600022	8150	
PUSH PULL TROLLEY FW 100-203 MM FLANGE THK 28 MM	3T	3	11600023	11180	
PUSH PULL TROLLEY FW 64-305 MM FLANGE THK 28 MM	1T	3	11500031	9950	
PUSH PULL TROLLEY FW 88-305 MM FLANGE THK 28 MM	2T	3	11600032	11090	
PUSH PULL TROLLEY FW 100-305 MM FLANGE THK 28 MM	3T	3	11600033	12220	
INDEF C Chain Pulley Blocks 1T – 10T (ISI Marked)					
CHAIN PULLEY BLOCKS (ISI MARKED)	1 T	3	52201003	10730	700
	2 T	3	52202003	15500	1170
	3 T	3	52303003	21730	1090
	5 T	3	52305003	30050	1910
	8 T	3	52308003	45880	2710
	10 T	3	52310003	55210	3510
INDEF C Chain Pulley Blocks 1T – 10T (ISI Marked) WITH LOOSE CHAIN					
CHAIN PULLEY BLOCKS LOOSE CHAIN (ISI MARKED)	1 T	3	52201003LC	10730	700
	2 T	3	52202003LC	15500	1170
	3 T	3	52303003LC	21730	1090
	5 T	3	52305003LC	30050	1910
	8 T	3	52308003LC	45880	2710
	10 T	3	52310003LC	55210	3510
CHAIN PULLEY BLOCK, INDEF-C, 1T, 1 FALL, 3 MTRS, HOOK SUSPENSION, WITH CHAIN.					
CHAIN PULLEY BLOCKS	1 T	3	92201003	10260	620
CHAIN PULLEY BLOCKS	2 T	3	92202003	14760	970
CHAIN PULLEY BLOCKS	3 T	3	92303003	20530	810
CHAIN PULLEY BLOCKS	5 T	3	92305203	28040	1360
CHAIN PULLEY BLOCKS	8 T	3	92308003	44000	1840
CHAIN PULLEY BLOCKS	10 T	3	92310003	50300	2380
Indef - ZP CHAIN PULLEY BLOCKS 1 T - 10 T					
CHAIN PULLEY BLOCK	1T	4	20700041	25400	
		6	20700061	28990	
		8	20700081	32560	
	2T	4	20700042	31870	
		6	20700062	36180	
		8	20700082	40490	
	3T	4	20700043	46940	
		6	20700063	51190	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		8	20700083	55430	
	5T	4	20700045	55920	
		6	20700065	60460	
		8	20700085	65000	
	7.5 T	4	20700047	79520	
		6	20700067	84910	
		8	20700087	90300	
	10 T	4	20700410	108410	
		6	20700610	116670	
		8	20700810	124920	
Indef - M CHAIN PULLEY BLOCKS 1 T - 10 T (ISI MARKED)					
CHAIN PULLEY BLOCK (ISI MARKED)	1.00T		32201003	16620	700
	2.00T		32202003	22430	1170
	3.00T		32203003	29580	1090
	5.00T		32305003	40890	1910
	8.00T		32308003	59180	2710
	10.00T		32310003	81410	3510
Indef - M CHAIN PULLEY BLOCKS 1 T - 10 T					
CHAIN PULLEY BLOCK	1.00T		12201003	15460	620
	2.00T		12202003	20200	970
	3.00T		12302503	28040	810
	5.00T		12305003	37230	1360
	8.00T		12308003	53930	1840
	10.00T		12310003	72440	2380
Indef - M CHAIN PULLEY BLOCKS 1 T - 10 T WITH LOOSE CHAIN					
CHAIN PULLEY BLOCK WITH LOOSE CHAIN	1.00T		12201003LC	15460	620
	2.00T		12202003LC	20200	970
	3.00T		12302503LC	28040	810
	5.00T		12305003LC	37230	1360
	8.00T		12308003LC	53930	1840
	10.00T		12310003LC	72440	2380
Indef - M CHAIN PULLEY BLOCKS 16T - 20T					
With upper and lower swivel hooks	16T		12316103	168110	3570
With upper swivel hook lower fixed supension	16T		12316203	155960	3480
With upper fixed suspension & lower swivel hook	16T		12316303	155960	3480
Upper suitable to trolley suspension & lower swivel hook	16T		12316403	160690	3480
Upper suitable to trolley suspension & lower fixed suspn	16T		12316503	150020	3480
Upper & lower fixed suspension	16T		12316603	144810	3480
With upper and lower swivel hooks	20T		12320103	212510	4860
With upper swivel hook lower fixed supension	20T		12320203	191900	4860
With upper fixed suspension & lower swivel hook	20T		12320303	191900	4860
Upper suitable to trolley suspension & lower swivel hook	20T		12320403	196870	4860
Upper suitable to trolley suspension & lower fixed suspn	20T		12320503	173340	4860
Upper & lower fixed suspension	20T		12320603	171600	4860
Indef - M GEARED TROLLEYS 16T - 20T					
Without Hook Suspension plate Range 1	140 -180 mm		12920103	114680	770
With Hook Suspension plate Range 1	140 -180 mm		129201103	134940	770
Without Hook Suspension plate Range 2	190 -210 mm		12920203	124090	770
With Hook Suspension plate Range 2	190 -210 mm		129202103	144310	770
Indef - P CHAIN PULLEY BLOCKS 1 T - 10 T (ISI MARKED)					
CHAIN PULLEY BLOCK (ISI MARKED)	1		30101003	17840	660
	2		30102003	22600	1020
	3		30203003	32190	1170
	5		30205003	44940	2310
	7.5		30275003	70320	3470
	10		30210003	89110	4650
Indef - P CHAIN PULLEY BLOCKS 1 T - 10 T					
CHAIN PULLEY BLOCK	1		20101003	17280	660
	2		20102003	21930	1010

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
	3.0-1Fall	20203003	31230	1090
	5	2020512003	43650	1860
	7.5	2027512003	68280	2570
	10	20210003	86520	3260
ULTRA S. H. R. C.P.B. WITH TROLLEY	3	06703003	135370	1450
	6	06706003	212670	2230
	10	06710003	347150	3670

Notes : Indef M Trolley also suitable for Indef P Chain Pulley Block. Please mention Beam Details along with USHR Order

Indef - P CHAIN PULLEY BLOCKS 1 T - 10 T WITH LOOSE CHAIN

CHAIN PULLEY BLOCK WITH LOOSE CHAIN	1	20101003LC	17280	660
	2	20102003LC	21930	1010
	3.0-1Fall	20203003LC	31230	1090
	5	2020512003LC	43650	1860
	7.5	2027512003LC	68280	2570
	10	20210003LC	86520	3260

Indef - P CHAIN PULLEY BLOCKS 15T - 40T & GEARED TROLLEYS 16T - 40T

With upper and lower swivel hooks	15T	20215103	234080	5290
With upper swivel hook lower fixed supension	15T	20215203	195570	5080
With upper fixed suspension & lower swivel hook	15T	20215303	195570	5080
Upper suitable to trolley suspension & lower swivel hook	15T	20215403	201480	5080
Upper suitable to trolley suspension & lower fixed suspn	15T	20215503	167060	5080
Upper & lower fixed suspension	15T	20215603	181620	5080
With upper and lower swivel hooks	20T	20220103	287420	6500
With upper swivel hook lower fixed supension	20T	20220203	240410	6500
With upper fixed suspension & lower swivel hook	20T	20220303	240410	6500
Upper suitable to trolley suspension & lower swivel hook	20T	20220403	246660	6500
Upper suitable to trolley suspension & lower fixed suspn	20T	20220503	217130	6500
Upper & lower fixed suspension	20T	20220603	214960	6500
With upper and lower swivel hooks	25T	20225103	357920	8110
With upper swivel hook lower fixed supension	25T	20225203	327000	7890
With upper fixed suspension & lower swivel hook	25T	20225303	327000	7890
Upper suitable to trolley suspension & lower swivel hook	25T	20225403	322000	7890
Upper suitable to trolley suspension & lower fixed suspn	25T	20225503	293640	7890
Upper & lower fixed suspension	25T	20225603	298380	7890
With upper and lower swivel hooks	30T	20230103	720950	10680
With upper swivel hook lower fixed supension	30T	20230203	604600	10040
With upper fixed suspension & lower swivel hook	30T	20230303	604600	10040
Upper suitable to trolley suspension & lower swivel hook	30T	20230403	604600	10040
Upper suitable to trolley suspension & lower fixed suspn	30T	20230503	487890	10040
Upper & lower fixed suspension	30T	20230603	487890	10040
With upper and lower swivel hooks	40T	20240103	872150	12870
With upper swivel hook lower fixed supension	40T	20240203	671930	12870
With upper fixed suspension & lower swivel hook	40T	20240303	671930	12870
Upper suitable to trolley suspension & lower swivel hook	40T	20240403	671930	12870
Upper suitable to trolley suspension & lower fixed suspn	40T	20240503	526550	12870
Upper & lower fixed suspension	40T	20240603	526550	12870

Indef - P GEARED TROLLEYS 15T - 40T

Without Hook Suspension plate Range - 1	140-180 mm	15 T / 20 T	129201203	113500	770
With Hook Suspension plate Range - 1	140-180 mm	15 T / 20 T	129201303	133530	770
Without Hook Suspension plate Range - 2	190-210 mm	15 T / 20 T	129202303	122800	770
With Hook Suspension plate Range - 2	190-210 mm	15 T / 20 T	129202403	142860	770
Without Hook Suspension plate Range - 1	180-210 mm	25 T / 30 T	12930103	282180	770
With Hook Suspension plate Range - 1	180-210 mm	25 T / 30 T	129301303	314720	770
Without Hook Suspension plate Range - 1	180-210 mm	40 T	12940103	343850	770
With Hook Suspension plate Range - 1	180-210 mm	40 T	129401303	384570	770

Notes :
1) When chain pulley block with upper swivel hook is required to be mounted on the geared trolley, then Geared trolley with hook suspension plate to be ordered.
2) 25T - No. of Falls = 10 Total Blocks = 2
3) 30T - No. of Falls = 12 Total Blocks = 4,15T-2Nos blocks tested seperately at HHL.Assembly to be done by Clients at site.
4) 40T - No. of Falls = 16 Total Blocks = 4,20T-2Nos blocks tested seperately at HHL.Assembly to be done by Clients at site.

CHAIN PULLEY BLOCK, INDEF-M WITH SHORT HEADE ROOM

WITH SHR GT TRAVEL PATH IS STRAIGHT R1, ISMB FW58-150	1T	3	21601103	26860	1010

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
WITH SHR GT TRAVEL PATH IS STRAIGHT R2, ISMB FW150-210	1T	3	21601203	28150	1010
WITH SHR GT TRAVEL PATH IS STRAIGHT R3, ISMB FW210-305	1T	3	21601303	29430	1010
WITH SHR GT TRAVEL PATH IS STRAIGHT R1, ISMB FW90-160	2T	3	21602103	35770	1380
WITH SHR GT TRAVEL PATH IS STRAIGHT R2, ISMB FW160-220	2T	3	21602203	36970	1380
WITH SHR GT TRAVEL PATH IS STRAIGHT R3, ISMB FW220-305	2T	3	21602303	38170	1380
WITH SHR GT TRAVEL PATH IS STRAIGHT R1, ISMB FW90-160	3T	3	21703103	45430	1210
WITH SHR GT TRAVEL PATH IS STRAIGHT R2, ISMB FW160-220	3T	3	21703203	46800	1210
WITH SHR GT TRAVEL PATH IS STRAIGHT R3, ISMB FW220-305	3T	3	21703303	48170	1210
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW114-203	5T	3	217052203	68840	1810
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW204-305	5T	3	217052303	72420	1810
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW114-203	8T	3	21708203	108450	2290
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW204-305	8T	3	21708303	112040	2290
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW114-203	10T	3	21710203	129870	2830
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW204-305	10T	3	21710303	133450	2830
CHAIN PULLEY BLOCK, INDEF-P WITH SHORT HEADE ROOM					
WITH SHR GT TRAVEL PATH IS STRAIGHT R1, ISMB FW58-150	1T	3	29101103	28780	1050
WITH SHR GT TRAVEL PATH IS STRAIGHT R2, ISMB FW150-210	1T	3	29101203	30060	1050
WITH SHR GT TRAVEL PATH IS STRAIGHT R3, ISMB FW210-305	1T	3	29101303	31340	1050
WITH SHR GT TRAVEL PATH IS STRAIGHT R1, ISMB FW90-160	2T	3	29102103	37590	1420
WITH SHR GT TRAVEL PATH IS STRAIGHT R2, ISMB FW160-220	2T	3	29102203	38790	1420
WITH SHR GT TRAVEL PATH IS STRAIGHT R3, ISMB FW220-305	2T	3	29102303	39990	1420
WITH SHR GT TRAVEL PATH IS STRAIGHT R1, ISMB FW90-160	3T	3	29203103	48790	1500
WITH SHR GT TRAVEL PATH IS STRAIGHT R2, ISMB FW160-220	3T	3	29203203	50150	1500
WITH SHR GT TRAVEL PATH IS STRAIGHT R3, ISMB FW220-305	3T	3	29203303	51520	1500
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW114-203	5T	3	292052203	75580	2300
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW204-305	5T	3	292052303	79160	2300
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW114-203	10T	3	29210203	129870	3710
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW204-305	10T	3	29210303	148240	3710
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW114-203	7.5T	3	29275203	123520	2290
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW204-305	7.5T	3	29275303	127110	2290
CHAIN PULLEY BLOCK, INDEF-C WITH SHORT HEADE ROOM					
WITH SHR GT TRAVEL PATH IS STRAIGHT R1, ISMB FW58-150	1T	3	57201103	21410	1090
WITH SHR GT TRAVEL PATH IS STRAIGHT R2, ISMB FW150-210	1T	3	57201203	22690	1090
WITH SHR GT TRAVEL PATH IS STRAIGHT R3, ISMB FW210-305	1T	3	57201303	23980	1090
WITH SHR GT TRAVEL PATH IS STRAIGHT R1, ISMB FW90-160	2T	3	57202103	30060	1580
WITH SHR GT TRAVEL PATH IS STRAIGHT R2, ISMB FW160-220	2T	3	57202203	31250	1580
WITH SHR GT TRAVEL PATH IS STRAIGHT R3, ISMB FW220-305	2T	3	57202303	32450	1580
WITH SHR GT TRAVEL PATH IS STRAIGHT R1, ISMB FW90-160	3T	3	57303103	37550	1500
WITH SHR GT TRAVEL PATH IS STRAIGHT R2, ISMB FW160-220	3T	3	57303203	38910	1500
WITH SHR GT TRAVEL PATH IS STRAIGHT R3, ISMB FW220-305	3T	3	57303303	40280	1500
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW114-203	5T	3	573052203	64820	2360
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW204-305	5T	3	573052303	68410	2360
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW114-203	8T	3	57308203	104560	3160
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW204-305	8T	3	57308303	108150	3160
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW114-203	10T	3	57310203	106630	3950
WITH SHR GT TRAVEL PATH IS STRAIGHT ISMB FW204-305	10T	3	57310303	110210	3950
Indef - M SP SPARK PROOF CHAIN PULLEY BLOCKS 1 T - 10 T					
CHAIN PULLEY BLOCK	1		42201003	32770	600
	2		42302003	40820	940
	3		42403003	66470	1000
	5		42505003	87500	1310
	8		42608003	106220	1780
	10		42710003	120310	2300
Indef - P SPARK PROOF CHAIN PULLEY BLOCKS 1 T - 10 T					
CHAIN PULLEY BLOCK	1		20301003	37130	770
	2		20302003	46910	1190
	3.0-1 Fall		20503003	74310	1270
	5		2040512003	106010	2340
	7.5		2047512003	133240	3240
	10		20410003	144290	3800

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
ULTRA S. H. R. C.P.B. WITH TROLLEY	3	06803003	374740	1640
	6	06806003	428720	2490
	10	06810003	739760	4420
Indef - M SPARK PROOF TRAVELLING TROLLEYS SUITABLE FOR Indef - P SPARK PROOF CHAIN PULLEY BLOCK				
PULL PUSH TROLLEYS RANGE 1 50-130	0.50 T	13200011	14780	
PULL PUSH TROLLEYS RANGE 1 58-150	1.00 T	13300001	19520	
PULL PUSH TROLLEYS RANGE 1 90-160	2.0/3.0 T	13400001	28880	
PULL PUSH TROLLEYS RANGE 2 140-200	0.50 T	13200013	17080	
	1.00 T	13300003	21810	
PULL PUSH TROLLEYS RANGE 2 150-210	2.0/3.0 T	13400002	31250	
PULL PUSH TROLLEYS RANGE 3 210-305	0.50 T	13200014	19310	
	1.00 T	13300004	24070	
PULL PUSH TROLLEYS RANGE 3 220-305	2.0/3.0 T	13400005	33470	
GEARED TROLLEYS RANGE 1 WITH HAND CHAIN 58-150	1.00 T	13301103	33040	400
GEARED TROLLEYS RANGE 2 WITH HAND CHAIN 150-210	1.00 T	13301203	33410	400
GEARED TROLLEYS RANGE 3 WITH HAND CHAIN 210-305	1.00 T	13301303	36340	400
GEARED TROLLEYS RANGE 1 WITH HAND CHAIN 90-160	2.0/3.0 T	13403103	46010	400
GEARED TROLLEYS RANGE 2 WITH HAND CHAIN 160-220	2.0/3.0 T	13403203	46440	400
GEARED TROLLEYS RANGE 3 WITH HAND CHAIN 220-305	2.0/3.0 T	13403303	50360	400
GEARED TROLLEYS RANGE 1 WITH HAND CHAIN 110-150	5.00 T	13005103	111410	490
GEARED TROLLEYS RANGE 2 WITH HAND CHAIN 160-220	5.00 T	13005203	118200	490
GEARED TROLLEYS RANGE 3 WITH HAND CHAIN 215-265	5.00 T	13005303	120910	490
GEARED TROLLEYS RANGE 1 WITH HAND CHAIN 140-180	8.0/10 T	13010103	176680	490
GEARED TROLLEYS RANGE 2 WITH HAND CHAIN 190-210	8.0/10 T	13010203	180120	490
GEARED TROLLEYS RANGE 3 WITH HAND CHAIN 215-245	8.0/10 T	13010303	182810	490
Indef Spark Proof Trolleys suitable for Spark Proof - P Model 15T - 40T				
Without Hook Suspension plate Range - 1 140-180 mm	15 T / 20 T	13020103	355240	990
With Hook Suspension plate Range - 1 140-180 mm	15 T / 20 T	130201103	381550	990
Without Hook Suspension plate Range - 2 190-210 mm	15 T / 20 T	130202103	371150	990
With Hook Suspension plate Range - 2 190-210 mm	15 T / 20 T	130202203	395130	990
Without Hook Suspension plate Range - 1 180-210 mm	25 T/ 30 T	13025103	645580	990
With Hook Suspension plate Range - 1 180-210 mm	25 T / 30 T	130251103	687630	990
Without Hook Suspension plate Range - 1 180-210 mm	40 T	13040103	724880	990
With Hook Suspension plate Range - 1 180-210 mm	40 T	130401103	777510	990

Notes :
1) When chain pulley block with upper swivel hook is required to be mounted on the geared trolley, then Geared trolley with hook suspension plate to be ordered.
2) 25T - No. of Falls = 10 Total Blocks = 2
3) 30T - No. of Falls = 12 Total Blocks = 4,15T-2Nos blocks tested seperately at HHL.Assembly to be done by Clients at site.
4) 40T - No. of Falls = 16 Total Blocks = 4,20T-2Nos blocks tested seperately at HHL.Assembly to be done by Clients at site.

ACCESSORIES FOR Indef - P CHAIN PULLEY BLOCK			
THRUST BEARING IN LOWER BLOCK FOR CPB WITH STANDARD BEARING	1	1190	
	2	1640	
	3	2460	
	5	4350	
	7.5	7340	
	10	9180	
	15.0 / 20.0	7730	
	25	12870	
LOCKING ARRANGEMENT FOR PREVENTING SWIVELLING OF BOTTOM HOOK ALONG WITH THRUST BEARING LOWER BLOCK WITH STANDARD BEARING	1	4900	
	2	5220	
	3	6120	
	5	7730	
	7.5	10740	
	10	12530	
	15.0 / 20.0	7730	
	25	17050	
THRUST BEARING IN LOWER BLOCK FOR CPB WITH SKF BEARING	1	1800	
	2	2670	
	3	4100	
	5	6010	
	7.5	9380	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
	10		12260	
	15.0 / 20.0		18650	
	25		22700	
LOCKING ARRANGEMENT FOR PREVENTING SWIVELLING OF BOTTOM HOOK ALONG WITH THRUST BEARING LOWER BLOCK WITH SKF BEARING	1		5560	
	2		6200	
	3		7720	
	5		9390	
	7.5		12750	
	10		15580	
	15.0 / 20.0		20230	
	25		28360	
SKF BEARING IN LIEU OF STD FOR CPB	1.0 TO 3.0		940	
	5.0 TO 10.0		1430	
EPOXY PAINTING FOR CPB (40 MICRON DFT)	1 TO 5.0		1330	
	7.5 TO 10.0		1630	
	15.0 TO 25.0		2180	
EPOXY PAINT FOR CPB (100-120 MICRON DFT)	1		3250	
	2		3250	
	3		3250	
	5		6460	
	7.5		6460	
	10		6460	
EPOXY PAINTING FOR TROLLEY 40 MICRONS DFT	1.0 TO 10.0		1330	
	15.0 TO 25.0		2180	
EPOXY PAINT FOR TR0LLEY (100-120 MICRON DFT)	1		3250	
	2		3250	
	3		3250	
	5		8580	
	7.5		8580	
	10		8580	
D. P. TEST/MPI TEST/ ULTRASONIC TEST OF TWO HOOKS OF CPB	1.0 TO 3.0		2610	
	5.0 TO 10.0		3880	
BRONZE COATED UPPER HOOK (EXTRA CHARGES FOR HOOK) FOR SPARKPROOF CPB	1		4080	
	2		4420	
	3		7050	
	5		7460	
	7.5		18410	
	10		19840	
	15.0/20/25		47760	
	30		200260	
BRONZE COATED LOWER HOOK (EXTRA CHARGES FOR HOOK) FOR SPARKPROOF CPB	1		4080	
	2		4420	
	3		7050	
	5		7460	
	7.5		18410	
	10		19840	
	15.0/20/25		47760	
	30		200260	
IN ADDITION TO EXTRA F.W. CHARGES				
STRAIGHT/FLAT TREAD WHEEL	5 T - 10 T		2060	
FOR STRAIGHT/FLAT FLANGE BEAM	15 T - 40 T		4100	
Indef - GC CHAIN ELECTRIC HOIST WITH FIXED SUSPENSION				
GC K2DN1D	500	54205001003	173370	2400
GC K3DV1D *	500	54305001003	215760	
GCK3EN1D	1000	54310001003	221540	
GCK4FN1D	2000	54420001003	308210	4300
Indef - GC CHAIN ELECTRIC HOIST WITH PT RANGE 1				
GC K2DN1D	500	54200122	181040	
GC K3DV1D *	500	54300122	223210	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
GCK3EN1D	1000	54300123	230810	
GCK4FN1D	2000	54400122	322000	
Indef - GC CHAIN ELECTRIC HOIST WITH PT RANGE 2				
GC K2DN1D	500	54200132	182420	
GC K3DV1D *	500	54300132	224660	
GCK3EN1D	1000	54300133	232320	
GCK4FN1D	2000	54400132	323270	
Indef - GC CHAIN ELECTRIC HOIST WITH GT RANGE 1				
GC K2DN1D	500	54205003203	187430	2610
GC K3DV1D *	500	54305003203	230390	
GCK3EN1D	1000	54310003203	236170	
GCK4FN1D	2000	54420003203	326540	4570
Indef - GC CHAIN ELECTRIC HOIST WITH ET RANGE 1				
GC K2DN1D	500	54205004203	223210	2490
GC K3DV1D *	500	54305004203	265560	
GCK3EN1D	1000	54310004203	271340	
GCK4FN1D	2000	54420004203	364690	4400
Notes :	High Speed Model delivery 6 weeks more than standard			
Indef - HC CHAIN ELECTRIC HOIST WITH HOOK SUSPENSION				
HC2025NH	250	142025012003	105810	2380
HC2025DH	250	142025032003	144010	2380
HC2050NL	500	142050022003	106460	2380
HC2050DL	500	142050042003	144010	2380
HC3050NH	500	143050012003	121520	2700
HC3050DH	500	143050032003	170430	2700
HC3100NL	1000	143100022003	122130	2700
HC3100DL	1000	143100042003	170430	2700
HC4100NH	1000	144100012003	184330	4390
HC4100DH	1000	144100032003	222030	4390
HC4200NL	2000	144200022003	185360	4410
HC4200DL	2000	144200042003	224610	4410
HC5300NL	3000	145300022003	248890	8330
HC5300DL	3000	145300042003	286470	8330
HC6500NL	5000	152500022003	295400	8330
HC6500DL	5000	152500042003	358590	8330
Notes :	Hook Suspension Hoist is for fixed location apllications only and not be supplied for mounting on trolleys in as it is condition.stock hoists and trolleys, so as to supply customers correct product. (Fix suspension Hoist and Trolley) For Hoist with trolley application refer page 15 & 16 It is advisable, AMA should keep stock of trolley suspension plate to modify			
Indef - HC CHAIN ELECTRIC HOIST WITH FIX SUSPENSION				
HC2025NH	250	142025011003	98410	2390
HC2025DH	250	142025031003	143990	2390
HC2050NL	500	142050021003	103360	2390
HC2050DL	500	142050041003	143990	2390
HC3050NH	500	143050011003	121520	2700
HC3050DH	500	143050031003	170430	2700
HC3100NL	1000	143100021003	121520	2700
HC3100DL	1000	143100041003	170430	2700
HC4100NH	1000	144100011003	184320	4390
HC4100DH	1000	144100031003	222030	4390
HC4200NL	2000	144200021003	186240	4410
HC4200DL	2000	144200041003	216240	4410
HC4200NH	2000	144200011003	222030	4390
HC4200DH	2000	144200031003	256500	4390
HC5300NL	3000	145300021003	248820	8360
HC5300DL	3000	145300041003	286470	8360
HC6500NL	5000	152500021003	295400	8360
HC6500DL	5000	152500041003	358590	8360
Indef - HC CHAIN ELECTRIC HOIST WITH PT RANGE 1				
HC2025NH	250	142025013103	114140	2390
HC2025DH	250	142025033103	152330	2390

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
HC2050NL	500	142050023103	114460	2390
HC2050DL	500	142050043103	152330	2390
HC3050NH	500	143050013103	129620	2700
HC3050DH	500	143050033103	178550	2700
HC3100NL	1000	143100023103	131650	2700
HC3100DL	1000	143100043103	180510	2700
HC4100NH	1000	144100013103	195280	4390
HC4100DH	1000	144100033103	232980	4390
HC4200NL	2000	144200023103	195480	4640
HC4200DL	2000	144200043103	231630	4640
HC4200NH	2000	144200013103	237090	4390
HC4200DH	2000	144200033103	274450	4390
HC5300NL	3000	145300023103	263920	8360
HC5300DL	3000	145300043103	307740	8360
Indef - HC CHAIN ELECTRIC HOIST WITH PT RANGE 2				
HC2025NH	250	142025013203	115620	2380
HC2025DH	250	142025033203	153810	2380
HC2050NL	500	142050023203	115980	2390
HC2050DL	500	142050043203	153800	2390
HC3050NH	500	143050013203	131240	2700
HC3050DH	500	143050033203	180140	2700
HC3100NL	1000	143100023203	133310	2700
HC3100DL	1000	143100043203	182170	2700
HC4100NH	1000	144100013203	196710	4390
HC4100DH	1000	144100033203	234400	4390
HC4200NL	2000	144200023203	196870	4410
HC4200DL	2000	144200043203	230680	4410
HC4200NH	2000	144200013203	237690	4390
HC4200DH	2000	144200033203	273680	4390
HC5300NL	3000	145300023203	265190	8630
HC5300DL	3000	145300043203	306230	8630
Indef - HC CHAIN ELECTRIC HOIST WITH GT RANGE 1				
HC2025NH	250	142025014103	119150	2790
HC2025DH	250	142025034103	157410	2790
HC2050NL	500	142050024103	120220	2790
HC2050DL	500	142050044103	157410	2790
HC3050NH	500	143050014103	134940	3060
HC3050DH	500	143050034103	183780	3060
HC3100NL	1000	143100024103	134940	3060
HC3100DL	1000	143100044103	183780	3060
HC4100NH	1000	144100014103	197880	4990
HC4100DH	1000	144100034103	235680	4990
HC4200NL	2000	144200024103	194840	4820
HC4200DL	2000	144200044103	233880	4820
HC4200NH	2000	144200014103	238280	4390
HC4200DH	2000	144200034103	275630	4390
HC5300NL	3000	145300024103	266050	8720
HC5300DL	3000	145300044103	310020	8720
HC6500NL	5000	152500024103	365370	8990
HC6500DL	5000	152500044103	447980	8990
Indef - HC CHAIN ELECTRIC HOIST WITH GT RANGE 2				
HC2025NH	250	142025014203	121760	2790
HC2025DH	250	142025034203	160050	2790
HC2050NL	500	142050024203	121840	2790
HC2050DL	500	142050044203	160050	2790
HC3050NH	500	143050014203	137550	3060
HC3050DH	500	143050034203	186370	3060
HC3100NL	1000	143100024203	138240	3060
HC3100DL	1000	143100044203	186370	3060
HC4100NH	1000	144100014203	200680	4790

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
HC4100DH	1000	144100034203	238430	4790
HC4200NL	2000	144200024203	201520	5030
HC4200DL	2000	144200044203	234400	5030
HC4200NH	2000	144200014203	241000	4390
HC4200DH	2000	144200034203	278490	4390
HC5300NL	3000	145300024203	268800	8720
HC5300DL	3000	145300044203	312900	8720
HC6500NL	5000	152500024203	365400	8720
HC6500DL	5000	152500044203	447900	8720
Indef - HC CHAIN ELECTRIC HOIST WITH ET RANGE 1				
HC2025NH	250	142025015103	157860	2610
HC2025DH	250	142025035103	196160	2610
HC2050NL	500	142050025103	158210	2610
HC2050DL	500	142050045103	196160	2610
HC3050NH	500	143050015103	173700	2850
HC3050DH	500	143050035103	222540	2850
HC3100NL	1000	143100025103	174570	2850
HC3100DL	1000	143100045103	222540	2850
HC4100NH	1000	144100015103	236380	4570
HC4100DH	1000	144100035103	278300	4570
HC4200NL	2000	144200025103	237270	4870
HC4200DL	2000	144200045103	279620	4870
HC4200NH	2000	144200015103	280710	4390
HC4200DH	2000	144200035103	324920	4390
HC5300NL	3000	145300025103	313690	8700
HC5300DL	3000	145300045103	367080	8700
HC6500NL	5000	152500025103	397940	8820
HC6500DL	5000	152500045103	483130	8820
Indef - HC CHAIN ELECTRIC HOIST WITH ET RANGE 2				
HC2025NH	250	142025015203	159960	2610
HC2025DH	250	142025035203	198330	2610
HC2050NL	500	142050025203	157540	2610
HC2050DL	500	142050045203	198330	2610
HC3050NH	500	143050015203	175840	2850
HC3050DH	500	143050035203	224690	2850
HC3100NL	1000	143100025203	175840	2850
HC3100DL	1000	143100045203	224690	2850
HC4100NH	1000	144100015203	238500	4570
HC4100DH	1000	144100035203	281860	4570
HC4200NL	2000	144200025203	239340	4610
HC4200DL	2000	144200045203	281760	4610
HC4200NH	2000	144200015203	282540	4390
HC4200DH	2000	144200035203	327150	4390
HC5300NL	3000	145300025203	315800	8960
HC5300DL	3000	145300045203	369340	8960
Indef - HC BARE CHAIN ELECTRIC HOIST WITH HOOK SUSPENSION (CHAIN & CABLE LENGTH CLUBBED)				
HC2025NH	250	142025012003B	105810	2380
HC2025DH	250	142025032003B	144010	2380
HC2050NL	500	142050022003B	106460	2380
HC2050DL	500	142050042003B	144010	2380
HC3050NH	500	143050012003B	121520	2700
HC3050DH	500	143050032003B	170430	2700
HC3100NL	1000	143100022003B	122130	2700
HC3100DL	1000	143100042003B	170430	2700
HC4100NH	1000	144100012003B	184330	4390
HC4100DH	1000	144100032003B	222030	4390
HC4200NL	2000	144200022003B	185360	4410
HC4200DL	2000	144200042003B	224610	4410
HC5300NL	3000	145300022003B	248890	8330
HC5300DL	3000	145300042003B	286470	8330

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
HC6500NL	5000	152500022003B	295400	8330
HC6500DL	5000	152500042003B	358590	8330

Notes : Hook Suspension Hoist is for fixed location apllications only and not be supplied for mounting on trolleys in as it is condition.stock hoists and trolleys, so as to supply customers correct product. (Fix suspension Hoist and Trolley)
For Hoist with trolley application refer page 15 & 16
It is advisable, AMA should keep stock of trolley suspension plate to modify

Indef - HC BARE CHAIN ELECTRIC HOIST WITH FIX SUSPENSION (CHAIN & CABLE LENGTH CLUBBED)				
HC2025NH	250	142025011003B	98410	2390
HC2025DH	250	142025031003B	143990	2390
HC2050NL	500	142050021003B	103360	2390
HC2050DL	500	142050041003B	143990	2390
HC3050NH	500	143050011003B	121520	2700
HC3050DH	500	143050031003B	170430	2700
HC3100NL	1000	143100021003B	121520	2700
HC3100DL	1000	143100041003B	170430	2700
HC4100NH	1000	144100011003B	184320	4390
HC4100DH	1000	144100031003B	222030	4390
HC4200NL	2000	144200021003B	186240	4410
HC4200DL	2000	144200041003B	216240	4410
HC4200NH	2000	144200011003B	222030	4390
HC4200DH	2000	144200031003B	256500	4390
HC5300NL	3000	145300021003B	248820	8360
HC5300DL	3000	145300041003B	286470	8360
HC6500NL	5000	152500021003B	295400	8360
HC6500DL	5000	152500041003B	358590	8360
Indef - HC+ CHAIN ELECTRIC HOIST WITH HOOK SUSPENSION				
HC+1025NL	250	241025022003	98410	2270
HC+1025DL	250	241025042003	133920	2380
Indef - HC+ CHAIN ELECTRIC HOIST WITH FIX SUSPENSION				
HC+1025NL	250	241025021003	98410	2270
HC+1025DL	250	241025041003	133920	2380
Indef - HC+ CHAIN ELECTRIC HOIST WITH PT RANGE 1				
HC+1025NL	250	241025023103	106150	2270
HC+1025DL	250	241025043103	141680	2380
Indef - HC+ CHAIN ELECTRIC HOIST WITH PT RANGE 2				
HC+1025NL	250	241025023203	107510	2270
HC+1025DL	250	241025043203	143030	2380
Indef - HC+ CHAIN ELECTRIC HOIST WITH GT RANGE 1				
HC+1025NL	250	241025024103	110790	2700
HC+1025DL	250	241025044103	146410	2790
Indef - HC+ CHAIN ELECTRIC HOIST WITH GT RANGE 2				
HC+1025NL	250	241025024203	113250	2700
HC+1025DL	250	241025044203	148850	2790
Indef - HC+ CHAIN ELECTRIC HOIST WITH ET RANGE 1				
HC+1025NL	250	241025025103	146820	2460
HC+1025DL	250	241025045103	182420	2570
Indef - HC+ CHAIN ELECTRIC HOIST WITH ET RANGE 2				
HC+1025NL	250	241025025203	148760	2460
HC+1025DL	250	241025045203	184450	2570
Indef - HC+ BARE CHAIN ELECTRIC HOIST BARE WITH FIX SUSPENSION (POLE CHANGING MOTOR)				
HC2025DH	0.25 T	742025031003B	107740	2300
HC3050DH	0.5 T	743050031003B	126760	2590
HC4100DH	1 T	744100031003B	192920	4220
HC4200DH	2 T	744200031003B	230550	4220
Indef - HC+ BARE CHAIN ELECTRIC HOIST BARE WITH HOOK SUSPENSION (POLE CHANGING MOTOR)				
HC2025DH	0.25 T	742025032003B	109900	2290
HC2050DL	0.5 T	742050042003B	110980	2290
HC3050DH	0.5 T	743050032003B	133100	2590
HC3100DL	1 T	743100042003B	134360	2590

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
HC4100DH	1 T	744100032003B	191440	4220
Indef - HC+ CHAIN ELECTRIC HOIST WITH ET RANGE 1 (POLE CHANGING MOTOR)				
HC2025DH	0.25 T	742025035103	164850	2510
HC2050DL	0.5 T	742050045103	167000	2510
HC3050DH	0.5 T	743050035103	179990	2740
HC3100DL	1 T	743100045103	182780	2740
HC4100DH	1 T	744100035103	250790	4390
HC4200DH	2 T	744200035106	304270	4220
HC4200DL	2 T	744200045103	252040	4690
HC5300DL	3 T	745300045103	330110	8360
Indef - HC+ CHAIN ELECTRIC HOIST WITH ET RANGE 2 (POLE CHANGING MOTOR)				
HC2025DH	0.25 T	742025035203	166500	2510
HC2050DL	0.5 T	742050045203	168670	2510
HC3050DH	0.5 T	743050035203	182150	2740
HC3100DL	1 T	743100045203	184610	2740
HC4100DH	1 T	744100035203	253300	4390
HC4200DH	2 T	744200035203	294560	4220
HC4200DL	2 T	744200045203	254560	4430
HC5300DL	3 T	745300045203	333410	8620
HC6500DL	5 T	746500045103	435200	8480
Indef - HC+ CHAIN ELECTRIC HOIST WITH FIX SUSPENSION (POLE CHANGING MOTOR)				
HC2025DH	0.25 T	742025031003	107740	2300
HC2050DL	0.5 T	742050041003	107740	2300
HC3050DH	0.5 T	743050031003	126760	2590
HC3100DL	1 T	743100041003	130560	2590
HC4100DH	1 T	744100031003	192920	4220
HC4200DH	2 T	744200031003	230550	4220
HC4200DL	2 T	744200041003	195380	4240
HC5300DL	3 T	745300041003	257900	8040
HC6500DL	5 T	746500041003	322370	8040
Indef - HC+ CHAIN ELECTRIC HOIST WITH GT RANGE 1 (POLE CHANGING MOTOR)				
HC2025DH	0.25 T	742025034103	123910	2690
HC2050DL	0.5 T	742050044103	124450	2690
HC3050DH	0.5 T	743050034103	141970	2940
HC3100DL	1 T	743100044103	146230	2940
HC4100DH	1 T	744100034103	206420	4790
HC4200DH	2 T	744200034103	248990	4220
HC4200DL	2 T	744200044103	211010	4630
HC5300DL	3 T	745300044103	278530	8390
HC6500DL	5 T	746500044103	402970	8640
Indef - HC+ CHAIN ELECTRIC HOIST WITH GT RANGE 2 (POLE CHANGING MOTOR)				
HC2025DH	0.25 T	742025034203	126060	2690
HC2050DL	0.5 T	742050044203	127140	2690
HC3050DH	0.5 T	743050034203	144500	2940
HC3100DL	1 T	743100044203	148840	2940
HC4100DH	1 T	744100034203	210280	4610
HC4200DH	2 T	744200034203	251290	4220
HC4200DL	2 T	744200044203	209060	4830
HC5300DL	3 T	745300044203	281110	8390
HC6500DL	5 T	746500044203	402970	8390
Indef - HC+ CHAIN ELECTRIC HOIST WITH HOOK SUSPENSION (POLE CHANGING MOTOR)				
HC2025DH	0.25 T	742025032003	109900	2290
HC2050DL	0.5 T	742050042003	110980	2290
HC3050DH	0.5 T	743050032003	133100	2590
HC3100DL	1 T	743100042003	134360	2590
HC4100DH	1 T	744100032003	191440	4220
HC4200DL	2 T	744200042003	201240	4240
HC5300DL	3 T	745300042003	257900	8010
HC6500DL	5 T	746500042003	322370	8010

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
Indef - HC+ CHAIN ELECTRIC HOIST WITH PT RANGE 1 (POLE CHANGING MOTOR)				
HC2025DH	0.25 T	742025033103	118520	2300
HC2050DL	0.5 T	742050043103	118520	2300
HC3100DL	1 T	743100043103	137090	2590
HC4100DH	1 T	744100033103	202560	4220
HC4200DH	2 T	744200033103	246680	4220
HC4200DL	2 T	744200043103	209060	4460
HC5300DL	3 T	745300043103	275950	8040
Indef - HC+ CHAIN ELECTRIC HOIST WITH PT RANGE 2 (POLE CHANGING MOTOR)				
HC2025DH	0.25 T	742025033203	119920	2290
HC2050DL	0.5 T	742050043203	120490	2300
HC3050DH	0.5 T	743050033203	139750	2590
HC3100DL	1 T	743100043203	139750	2590
HC4100DH	1 T	744100033203	203910	4220
HC4200DH	2 T	744200033203	246500	4220
HC4200DL	2 T	744200043203	208110	4240
HC5300DL	3 T	745300043203	275740	8290
Indef - HC+ CHAIN ELECTRIC HOIST WITH FIX SUSPENSION WITH CGL MAKE MOTOR				
HC2025NH	0.25 T	842025011003	88570	2390
HC2025DH	0.25 T	842025031003	129590	2390
HC2050NL	0.5 T	842050021003	93020	2390
HC2050DL	0.5 T	842050041003	129590	2390
HC3050NH	0.5 T	843050011003	109370	2700
HC3050DH	0.5 T	843050031003	153380	2700
HC3100NL	1 T	843100021003	109370	2700
HC3100DL	1 T	843100041003	153380	2700
HC4100NH	1 T	844100011003	165890	4390
HC4100DH	1 T	844100031003	199820	4390
HC4200NH	2 T	844200011003	199820	4390
HC4200NL	2 T	844200021003	167620	4410
HC4200DH	2 T	844200031003	230850	4390
HC4200DL	2 T	844200041003	194620	4410
HC5300NL	3 T	845300021003	223940	8360
HC5300DL	3 T	845300041003	257820	8360
HC6500NL	5 T	846500021003	265860	8360
HC6500DL	5 T	846500041003	322730	8360
Indef - HC+ CHAIN ELECTRIC HOIST WITH HOOK SUSPENSION WITH CGL MAKE MOTOR				
HC2025NH	0.25 T	842025012003	95230	2380
HC2025DH	0.25 T	842025032003	129610	2380
HC2050NL	0.5 T	842050022003	95810	2380
HC2050DL	0.5 T	842050042003	129610	2380
HC3050NH	0.5 T	843050012003	109370	2700
HC3050DH	0.5 T	843050032003	153380	2700
HC3100NL	1 T	843100022003	109920	2700
HC3100DL	1 T	843100042003	153380	2700
HC4100NH	1 T	844100012003	165900	4390
HC4100DH	1 T	844100032003	199820	4390
HC4200NL	2 T	844200022003	166820	4410
HC4200DL	2 T	844200042003	202150	4410
HC5300NL	3 T	845300022003	224000	8330
HC5300DL	3 T	845300042003	257820	8330
HC6500NL	5 T	846500022003	265860	8330
HC6500DL	5 T	846500042003	322730	8330
Indef - HC+ CHAIN ELECTRIC HOIST WITH PT RANGE 1 WITH CGL MAKE MOTOR				
HC2025NH	0.25 T	842025013103	102730	2390
HC2025DH	0.25 T	842025033103	137100	2390
HC2050NL	0.5 T	842050023103	103020	2390
HC2050DL	0.5 T	842050043103	137100	2390
HC3050NH	0.5 T	843050013103	116660	2700
HC3050DH	0.5 T	843050033103	160690	2700

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
HC3100NL	1 T	843100023103	118480	2700
HC3100DL	1 T	843100043103	162460	2700
HC4100NH	1 T	844100013103	175760	4390
HC4100DH	1 T	844100033103	209680	4390
HC4200NH	2 T	844200013103	213380	4390
HC4200NL	2 T	844200023103	175930	4640
HC4200DH	2 T	844200033103	247000	4390
HC4200DL	2 T	844200043103	208470	4640
HC5300NL	3 T	845300023103	237530	8360
HC5300DL	3 T	845300043103	276960	8360
Indef - HC+ CHAIN ELECTRIC HOIST WITH PT RANGE 2 WITH CGL MAKE MOTOR				
HC2025NH	0.25 T	842025013203	104060	2380
HC2025DH	0.25 T	842025033203	138430	2380
HC2050NL	0.5 T	842050023203	1159750	2390
HC2050DL	0.5 T	842050043203	138420	2390
HC3050NH	0.5 T	843050013203	118120	2700
HC3050DH	0.5 T	843050033203	162120	2700
HC3100NL	1 T	843100023203	119980	2700
HC3100DL	1 T	843100043203	163960	2700
HC4100NH	1 T	844100013203	177040	4390
HC4100DH	1 T	844100033203	210960	4390
HC4200NH	2 T	844200013203	213920	4390
HC4200NL	2 T	844200023203	177180	4410
HC4200DH	2 T	844200033203	246310	4390
HC4200DL	2 T	844200043203	207610	4410
HC5300NL	3 T	845300023203	238670	8630
HC5300DL	3 T	845300043203	275610	8630
Indef - HC+ CHAIN ELECTRIC HOIST WITH GT RANGE 1 WITH CGL MAKE MOTOR				
HC2025NH	0.25 T	842025014103	107230	2790
HC2025DH	0.25 T	842025034103	141670	2790
HC2050NL	0.5 T	842050024103	108200	
HC2050DL	0.5 T	842050044103	141670	2790
HC3050NH	0.5 T	843050014103	121450	3060
HC3050DH	0.5 T	843050034103	165400	3060
HC3100NL	1 T	843100024103	121450	3060
HC3100DL	1 T	843100044103	165400	3060
HC4100NH	1 T	844100014103	178090	4990
HC4100DH	1 T	844100034103	212110	4990
HC4200NH	2 T	844200014103	214450	4390
HC4200NL	2 T	844200024103	175350	4820
HC4200DH	2 T	844200034103	248060	4390
HC4200DL	2 T	844200044103	210500	4820
HC5300NL	3 T	845300024103	239450	8720
HC5300DL	3 T	845300044103	279020	8720
HC6500NL	5 T	846500024103	328830	8990
HC6500DL	5 T	846500044103	403180	8990
Indef - HC+ CHAIN ELECTRIC HOIST WITH GT RANGE 2 WITH CGL MAKE MOTOR				
HC2025NH	0.25 T	842025014203	109580	2790
HC2025DH	0.25 T	842025034203	144040	2790
HC2050NL	0.5 T	842050024203	109650	2790
HC2050DL	0.5 T	842050044203	144040	2790
HC3050NH	0.5 T	843050014203	123790	3060
HC3050DH	0.5 T	843050034203	167730	3060
HC3100NL	1 T	843100024203	124410	3060
HC3100DL	1 T	843100044203	167730	3060
HC4100NH	1 T	844100014203	180620	4790
HC4100DH	1 T	844100034203	214590	4790
HC4200NH	2 T	844200014203	216900	4390
HC4200NL	2 T	844200024203	181370	5030
HC4200DH	2 T	844200034203	250640	4390

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
HC4200DL	2 T	844200044203	210960	5030
HC5300NL	3 T	845300024203	241920	8720
HC5300DL	3 T	845300044203	281610	8720
HC6500NL	5 T	846500024203	328860	8720
HC6500DL	5 T	846500044203	403110	8720
Indef - HC+ CHAIN ELECTRIC HOIST WITH ET RANGE 1 WITH CGL MAKE MOTOR				
HC2025NH	0.25 T	842025015103	142070	2610
HC2025DH	0.25 T	842025035103	176550	2610
HC2050NL	0.5 T	842050025103	142390	2610
HC2050DL	0.5 T	842050045103	176550	2610
HC3050NH	0.5 T	843050015103	156330	2850
HC3050DH	0.5 T	843050035103	200290	2850
HC3100NL	1 T	843100025103	157120	2850
HC3100DL	1 T	843100045103	200290	2850
HC4100NH	1 T	844100015103	212740	4570
HC4100DH	1 T	844100035103	250470	4570
HC4200NH	2 T	844200015103	252640	4390
HC4200NL	2 T	844200025103	213550	4870
HC4200DH	2 T	844200035103	292420	4390
HC4200DL	2 T	844200045103	251660	4870
HC5300NL	3 T	845300025103	282320	8700
HC5300DL	3 T	845300045103	330370	8700
HC6500NL	5 T	846500025103	358150	8820
HC6500DL	5 T	846500045103	434810	8820
Indef - HC+ CHAIN ELECTRIC HOIST WITH ET RANGE 2 WITH CGL MAKE MOTOR				
HC2025NH	0.25 T	842025015203	143970	2610
HC2025DH	0.25 T	842025035203	178490	2610
HC2050NL	0.5 T	842050025203	141780	2610
HC2050DL	0.5 T	842050045203	178490	2610
HC3050NH	0.5 T	843050015203	158260	2850
HC3050DH	0.5 T	843050035203	202220	2850
HC3100NL	1 T	843100025203	158260	2850
HC3100DL	1 T	843100045203	202220	2850
HC4100NH	1 T	844100015203	214650	4570
HC4100DH	1 T	844100035203	253670	4570
HC4200NH	2 T	844200015203	254290	4390
HC4200NL	2 T	844200025203	215400	4610
HC4200DH	2 T	844200035203	294440	4390
HC4200DL	2 T	844200045203	253580	4610
HC5300NL	3 T	845300025203	284220	8960
HC5300DL	3 T	845300045203	332410	8960
Indef - HC+ BARE CHAIN ELECTRIC HOIST BARE WITH FIX SUSPENSION WITH CGL MAKE MOTOR				
HC2025NH	0.25 T	842025011003B	88570	2390
HC2025DH	0.25 T	842025031003B	129590	2390
HC2050NL	0.5 T	842050021003B	93020	2390
HC2050DL	0.5 T	842050041003B	129590	2390
HC3050NH	0.5 T	843050011003B	109370	2700
HC3050DH	0.5 T	843050031003B	153380	2700
HC3100NL	1 T	843100021003B	109370	2700
HC3100DL	1 T	843100041003B	153380	2700
HC4100NH	1 T	844100011003B	165890	4390
HC4100DH	1 T	844100031003B	199820	4390
HC4200NH	2 T	844200011003B	199820	4390
HC4200NL	2 T	844200021003B	167620	4410
HC4200DH	2 T	844200031003B	230850	4390
HC4200DL	2 T	844200041003B	194620	4410
HC5300NL	3 T	845300021003B	223940	8360
HC5300DL	3 T	845300041003B	257820	8360
HC6500NL	5 T	846500021003B	265860	8360
HC6500DL	5 T	846500041003B	322730	8360

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
Indef - HC+ BARE CHAIN ELECTRIC HOIST BARE WITH HOOK SUSPENSION WITH CGL MAKE MOTOR				
HC2025NH	0.25 T	842025012003B	95230	2380
HC2025DH	0.25 T	842025032003B	129610	2380
HC2050NL	0.5 T	842050022003B	95810	2380
HC2050DL	0.5 T	842050042003B	129610	2380
HC3050NH	0.5 T	843050012003B	109370	2700
HC3050DH	0.5 T	843050032003B	153380	2700
HC3100NL	1 T	843100022003B	109920	2700
HC3100DL	1 T	843100042003B	153380	2700
HC4100NH	1 T	844100012003B	165900	4390
HC4100DH	1 T	844100032003B	199820	4390
HC4200NL	2 T	844200022003B	166820	4410
HC4200DL	2 T	844200042003B	202150	4410
HC5300NL	3 T	845300022003B	224000	8330
HC5300DL	3 T	845300042003B	257820	8330
HC6500NL	5 T	846500022003B	265860	8330
HC6500DL	5 T	846500042003B	322730	8330
Indef - M ELECTRIC TROLLEY				
ELECTRIC TROLLEY RANGE -1 58-150	1000	125011103	51270	
ELECTRIC TROLLEY RANGE -1 90-160	2000/3000	125031103	58470	
ELECTRIC TROLLEY RANGE -2 150-210	1000	125012103	53380	
ELECTRIC TROLLEY RANGE -2 160-220	2000/3000	125032103	60550	
ELECTRIC TROLLEY RANGE -3 210-305	1000	125013103	55410	
ELECTRIC TROLLEY RANGE -3 220-305	2000/3000	125033103	62620	
ELECTRIC TROLLEY RANGE -1 58-150 (Without Control Panel and Pendant)	1000	12500017	39370	
ELECTRIC TROLLEY RANGE -1 90-160 (Without Control Panel and Pendant)	2000/3000	12600037	46610	
ELECTRIC TROLLEY RANGE -2 150-210 (Without Control Panel and Pendant)	1000	12500018	41420	
ELECTRIC TROLLEY RANGE -2 160-220 (Without Control Panel and Pendant)	2000/3000	12600038	48630	
ELECTRIC TROLLEY RANGE -3 210-305 (Without Control Panel and Pendant)	1000	12500019	43530	
ELECTRIC TROLLEY RANGE -3 220-305 (Without Control Panel and Pendant)	2000/3000	12600039	50700	
ACCESSORIES - EXTRA FOR Indef - M ELECTRIC TROLLEY				
ET FOR HC MODEL	5000		94070	140
GT FOR HC MODEL	5000		64150	340
Indef - CHAIN ELECTRIC HOIST (EH II - "BABY")				
EH II WITH HOOK SUSPENSION	0.5	07200510103	87540	530
	1	0720101003	97890	1050
	2	0720201003	117910	1860
EH II WITH PT RANGE 1	0.5	07200521103	94580	530
	1	0720102103	106130	1050
	2	0720202103	131690	1860
EH II WITH PT RANGE 2	0.5	07200522103	96150	530
	1	0720102203	108630	1050
	2	0720202203	132940	1860
EH II WITH GT RANGE 1	0.5	07200531103	98490	690
	1	0720103103	110090	1370
	2	0720203103	133700	2150
EH II WITH GT RANGE 2	0.5	07200532103	100990	690
	1	0720103203	112520	1370
	2	0720203203	136240	2150
EH II WITH ET RANGE 1	0.5	07200541103	130530	600
	1	0720104103	145570	1200
	2	0720204103	161210	1990
EH II WITH ET RANGE 2	0.5	07200542103	132090	600
	1	0720104203	147520	1200
	2	0720204203	163090	1990
Indef CHAIN ELECTRIC HOIST (EH II - "BABY") FLAME PROOF				
FLP EH II WITH HOOK SUSPENSION	1	0750101003	245490	1200
	2	0750201003	262870	2150
FLP EH II WITH PT RANGE 1	1	0750102103	261100	1200
	2	0750202103	285940	2150

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
FLP EH II WITH PT RANGE 2	1	0750102203	262940	1200
	2	0750202203	287830	2150
FLP EH II WITH GT RANGE 1	1	0750103103	265100	1580
	2	0750203103	290770	2520
FLP EH II WITH GT RANGE 2	1	0750103203	266960	1580
	2	0750203203	292640	2520
FLP EH II WITH ET RANGE 1	1	0750104103	471540	1370
	2	0750204103	498340	2320
FLP EH II WITH ET RANGE 2	1	0750104203	473470	1370
	2	0750204203	500300	2330
FLP ET WITH PANEL AND PENDENT - RANGE 1	1 T	133011103	226210	670
FLP ET W/O CPANEL & PENDENT - RANGE 1	1 T	133011203	193480	670
FLP ET WITH PANEL AND PENDENT RANGE 1	2 T/3 T	134021103	235630	770
FLP ET W/O CPANEL & PENDENT - RANGE 1	2 T/3 T	134021203	195840	770
FLP ET WITH PANEL AND PENDENT - RANGE 2	1 T	133012103	228150	700
FLP ET W/O CPANEL & PENDENT - RANGE 2	1 T	133012203	193480	670
FLP ET WITH PANEL AND PENDENT RANGE 2	2 T/3 T	134022103	237610	770
FLP ET W/O CPANEL & PENDENT - RANGE 2	2 T/3 T	134022203	195840	770
Indef CHAIN ELECTRIC HOIST - CH III (ELECTRON)				
WITH FIXED SUSPENSION	2.5	074025103	290390	1080
	5	074050103	307480	1890
	7.5	074075103	341640	2770
	10	074100103	365730	3580
WITH UPPER HOOK SUSPENSION	2.5	074025203	329670	1080
	5	074050203	346760	1890
	7.5	074075203	355730	2770
	10	074100203	388880	3580
WITH GEARED TROLLEY	2.5	074025303	330530	1080
	5	074050303	368790	1890
	7.5	074075303	458610	3140
	10	074100303	482740	3950
WITH ELECTRIC TROLLEY	2.5	074025403	390630	1160
	5	074050403	413590	1890
	7.5	074075403	523380	2770
	10	074100403	547770	3580
Indef CHAIN ELECTRIC HOIST - CH IV (PROTON)				
WITH FIXED SUSPENSION	5	076050103	488890	3320
	10	076100103	608190	6620
	15	076150103	727220	9940
	20	076200103	859810	13200
WITH UPPER HOOK SUSPENSION	5	076050203	502090	3320
	10	076100203	627930	6620
	15	076150203	753540	9940
	20	076200203	892690	13200
WITH GEARED TROLLEY	5	076050303	541050	3320
	10	076100303	699850	6620
	15	076150303	858860	9940
	20	076200303	1057300	13200
WITH ELECTRIC TROLLEY	5	076050403	580570	3320
	10	076100403	752510	6620
	15	076150403	977390	9940
	20	076200403	1188980	13200

Notes : ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION & IP-55 PROTECTION.
ALL MOTORS WILL BE PROVIDED WITH MCB & O/L RELAY PROTECTION FOR CH III MODELS ONLY

ACCESSORIES - EXTRA CHARGES FOR OPTIONAL FEATURES FOR Indef CHAIN ELECTRIC HOIST (EH II) & Indef - HC	
EPOXY PAINTING	5830
TROLLEY SPEED 10/5/3 MPM	6460

ACCESSORIES - EXTRA CHARGES FOR OPTIONAL FEATURES FOR Indef - CHAIN ELECTRIC HOIST CH III / CH IV 2.5 T TO 5 T	
CREEP SPEED THROUGH VVFD FOR CH - III	103920
CREEP SPEED THROUGH VVFD FOR CH - IV	169710
LOCKABLE PUSH BUTTON	4230

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
2/3 OF STD. HOIST SPEED (1000 RPM. MOTOR) *			8580	
1/2 OF STD. HOIST SPEED (750 RPM. MOTOR) *			26760	
TROLLEY SUITABLE TO HIGHER F.W. 211 - 360 MM ** FURNISH BEAM SKETCH FOR ORDER BOOKING			5830	
TROLLEY SUITABLE TO HIGHER F.W. 361 - 420 MM ** FURNISH BEAM SKETCH FOR ORDER BOOKING			11380	
TROLLEY SUITABLE TO HIGHER F.W. 421 - 540 MM ** FURNISH BEAM SKETCH FOR ORDER BOOKING			6460	
EPOXY PAINTING			6460	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			6460	
TROLLEY SPEED OF 8.5/4.25/2.8 MPM.			4970	
CANOPY FOR HOIST MOTOR			3450	
CANOPY FOR TROLLY MOTOR			8520	
TROLLEY D.C. BRAKE			26860	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			6740	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			7100	
SWITCH FUSE UNIT WITH DOOR INTERLOCK IN CONTROL PANEL			8520	
PILOT LAMP FOR PANEL AND PUSH BUTTON			3980	
PILOT LAMP ONLY FOR PANEL			4630	
PILOT LAMP ONLY FOR PENDENT			1780	
100VA TRANSFORMER IN PLACE OF STD 50VA			2230	
CANOPY FOR PANEL			4970	

Notes :
ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION & IP-55 PROTECTION.EXACT BEAM SIZE / DRG. ALONG WITH ORDER.
ALL MOTORS WILL BE PROVIDED WITH MCB & O/L RELAY PROTECTION FOR CH III MODELS ONLY
* DELIVERY 4-6 WEEKS MORE THAN STANDARD
** PLEASE SPECIFY EXACT BEAM SIZE / DRG. ALONG WITH ORDER.

ACCESSORIES - EXTRA CHARGES FOR OPTIONAL FEATURES FOR Indef - CHAIN ELECTRIC HOIST CH III (7.5 T - 10 T) / CH IV (10 T - 20 T)

CREEP SPEED THROUGH VVFD CH - III			103920	
CREEP SPEED THROUGH VVFD CH - IV			169710	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
2/3 OF STD. HOIST SPEED (1000 RPM. MOTOR) *			30850	
1/2 OF STD. HOIST SPEED (750 RPM. MOTOR) *			12650	
EPOXY PAINTING			6950	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
TROLLEY SPEED OF 8.5/4.25/2.8 MPM.			12870	
CANOPY FOR HOIST MOTOR OR PANEL			5090	
CANOPY FOR TROLLEY MOTOR			6870	
TROLLEY D.C. BRAKE			17030	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			26860	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
SWITCH FUSE UNIT WITH DOOR INTERLOCKED MOUNTED ON PANEL			7100	
PILOT LAMP FOR PANEL AND PUSH BUTTON			7100	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
EXTRA FOR STRAIGT FLANGED WHEELS			4400	
AC BRAKE PETHE MAKE IN LIUE OF INDEF SYTCO BRAKE IN HOIST MOTOR			4970	

Notes :
ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION & IP-55 PROTECTION.EXACT BEAM SIZE / DRG. ALONG WITH ORDER.
ALL MOTORS WILL BE PROVIDED WITH MCB & O/L RELAY PROTECTION FOR CH III MODELS ONLY
* DELIVERY 4-6 WEEKS MORE THAN STANDARD
** PLEASE SPECIFY EXACT BEAM SIZE / DRG. ALONG WITH ORDER.

CHAIN

8 mm 80 grade for HHII, MHHII & EHII (MIN. 185 MTS.)		CHAL08023800	320	
9 mm 80 grade for MHHIV (MIN. 146 MTS.)		CHAL09027800	490	
12 mm 80 grade for HHIV (MIN. 104 MTS.)		CHAL12033800	670	
5 mm 80 grade for Indef - M (MIN. 100 MTS.)		CHAL05015000	490	
6.3 mm 80 grade for Indef - M (MIN. 120 MTS.)		CHAL63019000	320	
10 mm 80 grade for Indef - M (MIN. 120 MTS.)		CHAL10030000	470	
4 mm 80 grade for HC 1		CHAGS0401208	1760	
6 mm 80 grade for HC 2		CHAGS0601808	1900	
7 mm 80 grade for HC 3		CHAGS0702108	2260	
10 mm 80 grade for HC 4 / HC 5 & HC 6		CHAGS1002808	3730	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
16 mm 80 grade for CHIV			CHAL16048800	1900	
HAND CHAIN 5 mm 40 grade			CHHYN0502253	140	
HAND CHAIN 6 mm 40 grade			CHHYN0601804	180	
ALLOY CHAIN 9*27,GR 100, STIER RATCHET LEVER HOIST			CHALG09027100P	2010	
ALLOY CHAIN 13*36,GR 80, GALVANIZED,STIER RATCHET LEVER HOIST			CHALG13036080P	4530	
ALLOY CHAIN 5*15,GR 80, STIER CPB			CHALG05015080P	780	
ALLOY CHAIN 6*18,GR 80, STIER CPB			CHALG60018080P	890	
ALLOY CHAIN 8*24,GR 80,GALVANIZED STIER CPB			CHALG08024080P	1260	
ALLOY CHAIN 10*30,GR 80,GALVANIZED, STIER CPB			CHALG10030080P	1780	
ALLOY CHAIN 10*30,GR 100, STIER CPB 10 T			CHALG100300100P	2290	
ALLOY CHAIN 7.1*21,GR 80,STIER RATCHET LEVER HOIST			CHALG07121080P	1150	
Hand Chain 5*25, Blue Zinc Plated "STIER" CPB			CHHBN0502503	210	
Indef WIRE ROPE ELECTRIC HOIST WRH N-0 (UPTO LS) / WRH N-0-HL (LS 1 - LS 3)					
WITH FIXED SUSPENSION	1 T CLASS II	6.0 (L1)	03800007	184470	
		9.0 (L2)	03800008	190540	
		12.0 (LS)	03800009	196620	
		18.0 (LS1)	04100004	209110	
		25.0 (LS3)	04100005	221290	
WITH PULL PUSH TROLLEY	1 T CLASS II	6.0 (L1)	03800057	206250	
		9.0 (L2)	03800058	212640	
		12.0 (LS)	03800059	219030	
		18.0 (LS1)	04100054	232500	
		25.0 (LS3)	04100056	245360	
WITH GEARED TROLLEY	1 T CLASS II	6.0 (L1)	03800107	213590	
		9.0 (L2)	03800108	220310	
		12.0 (LS)	03800109	227400	
		18.0 (LS1)	04100104	240510	
		25.0 (LS3)	04100106	253640	
WITH ELECTRIC TROLLEY	1 T CLASS II	6.0 (L1)	03800157	242750	
		9.0 (L2)	03800158	249160	
		12.0 (LS)	03800159	257140	
		18.0 (LS1)	04100154	271840	
		25.0 (LS3)	04100156	293750	
Indef WIRE ROPE ELECTRIC HOIST WRH N (UPTO LS) / WRH N-HL (LS 1 - LS 3)					
WITH FIXED SUSPENSION	2 T CLASS II 2 FALL	5.2 (L1)	03700001	228390	
		8.2 (L2)	03700002	234710	
		11.2 (LS)	03700003	249060	
		17.2 (LS1)	04200004	284270	
		25 (LS3)	04200005	295070	
	3 T CLASS II 3 FALL	3.4 (L1)	03700016	251740	
		5.4 (L2)	03700017	272290	
		7.4 (LS)	03700018	306690	
		11.4 (LS1)	04200019	370560	
		16.5 (LS3	04200021	390910	
WITH PULL PUSH TROLLEY	2 T CLASS II 2 FALL	5.2 (L1)	03700051	252800	
		8.2 (L2)	03700052	262210	
		11.2 (LS)	03700053	272890	
		17.2 (LS1)	04200054	302560	
		25 (LS3)	04200055	311330	
	3 T CLASS II 3 FALL	3.4 (L1)	03700066	294510	
		5.4 (L2)	03700067	309770	
		7.4 (LS)	03700068	331740	
		11.4 (LS1)	04200069	381710	
		16.5 (LS3	04200071	420510	
WITH GEARED TROLLEY	2 T CLASS II 2 FALL	5.2 (L1)	03700101	262200	
		8.2 (L2)	03700102	271270	
		11.2 (LS)	03700103	284940	
		17.2 (LS1)	04200104	314580	
		25 (LS3)	04200106	338810	
	3 T CLASS II 3 FALL	3.4 (L1)	03700116	304030	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		5.4 (L2)	03700117	322160	
		7.4 (LS)	03700118	343890	
		11.4 (LS1)	04200119	411320	
		16.5 (LS3	04200121	451420	
WITH ELECTRIC TROLLEY	2 T CLASS II 2 FALL	5.2 (L1)	03700151	295680	
		8.2 (L2)	03700152	301750	
		11.2 (LS)	03700153	314590	
		17.2 (LS1)	04200154	358340	
		25 (LS3)	04200156	367770	
	3 T CLASS II 3 FALL	3.4 (L1)	03700166	334750	
		5.4 (L2)	03700167	353470	
		7.4 (LS)	03700168	375150	
		11.4 (LS1)	04200169	445050	
		16.5 (LS3	04200171	485140	
Indef WIRE ROPE ELECTRIC HOIST WRH 5 HL					
WITH BOGGIE ET	5 T CLASS II 4 FALL	20 MTRS	01600513	691730	
		27 MTRS	01600515	800030	
		38 MTRS	01600518	821190	
		45 MTRS	01600520	899650	
		55 MTRS	01600523	960870	
Indef WIRE ROPE ELECTRIC HOIST WRH - I					
WITH FIXED SUSPENSION	1 T CLASS IV	6.0 (L1)	01200001	244970	
		12.0 (L2)	01200002	260260	
		20.0 (LS)	01200003	273820	
	2 T CLASS IV	3.0 (L1)	01200016	269400	
		6.0 (L2)	01200017	282080	
		10.0 (LS)	01200018	297370	
WITH PULL PUSH TROLLEY	1 T CLASS IV	6.0 (L1)	01200051	276780	
		12.0 (L2)	01200052	289440	
		20.0 (LS)	01200053	306180	
	2 T CLASS IV	3.0 (L1)	01200066	300320	
		6.0 (L2)	01200067	312080	
		10.0 (LS)	01200068	326790	
WITH GEARED TROLLEY	1 T CLASS IV	6.0 (L1)	01200101	289690	
		12.0 (L2)	01200102	306180	
		20.0 (LS)	01200103	320890	
	2 T CLASS IV	3.0 (L1)	01200116	312080	
		6.0 (L2)	01200117	323840	
		10.0 (LS)	01200118	338560	
WITH ELECTRIC TROLLEY	1 T CLASS IV	6.0 (L1)	01200151	317980	
		12.0 (L2)	01200152	332670	
		20.0 (LS)	01200153	350380	
	2 T CLASS IV	3.0 (L1)	01200166	341520	
		6.0 (L2)	01200167	353290	
		10.0 (LS	01200168	368010	
Indef WIRE ROPE ELECTRIC HOIST WRH - II					
WITH FIXED SUSPENSION	2 T CLASS IV 2.5T CLASS II	6.6 (L1)	02200001	337040	
		11.4 (L2)	02200002	357450	
		19.2 (LS)	02200003	419860	
	4 T CLASS IV 5 T CLASS II	3.3 (L1)	02200031	385680	
		5.7 (L2)	02200032	406300	
		9.6 (LS)	02200033	465000	
WITH PULL PUSH TROLLEY	2 T CLASS IV 2.5T CLASS II	6.6 (L1)	02200051	368830	
		11.4 (L2)	02200052	391930	
		19.2 (LS)	02200053	453700	
WITH GEARED TROLLEY	2 T CLASS IV 2.5T CLASS II	6.6 (L1)	02200101	384730	
		11.4 (L2)	02200102	407600	
		19.2 (LS)	02200103	470620	
	4 T CLASS IV 5 T CLASS II	3.3 (L1)	02200131	453410	
		5.7 (L2)	02200132	479870	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		9.6 (LS)	02200133	543030	
WITH ELECTRIC TROLLEY	2 T CLASS IV 2.5T CLASS II	6.6 (L1)	02200151	413320	
		11.4 (L2)	02200152	435840	
		19.2 (LS)	02200153	504480	
	4 T CLASS IV 5 T CLASS II	3.3 (L1)	02200181	500510	
		5.7 (L2)	02200182	529920	
		9.6 (LS)	02200183	596080	
Indef WIRE ROPE ELECTRIC HOIST WRH - III					
WITH FIXED SUSPENSION	3 T CLASS IV	6.8 (L1)	03200001	459310	
		11.8 (L2)	03200002	471070	
		20.0 (LS)	03200003	494610	
	6T CLASS IV	3.4 (L1)	03200016	512300	
		5.9 (L2)	03200017	526990	
		10.0 (LS)	03200018	565270	
	7.5 T CLASS IV	4.0 (L2)	03200031	665310	
		6.0 (LS)	03200032	712450	
	10 T CLASS II	4.0 (L2)	03200041	665310	
		6.0 (LS)	03200042	712450	
WITH GEARED TROLLEY	3 T CLASS IV	6.8 (L1)	03200101	521100	
		11.8 (L2)	03200102	532900	
		20.0 (LS)	03200103	556450	
	6T CLASS IV	3.4 (L1)	03200116	580030	
		5.9 (L2)	03200117	600590	
		10.0 (LS)	03200118	632940	
	7.5 T CLASS IV	4.0 (L2)	03200131	753680	
		6.0 (LS)	03200132	797830	
	10 T CLASS II	4.0 (L2)	03200141	753680	
		6.0 (LS)	03200142	797830	
WITH ELECTRIC TROLLEY	3 T CLASS IV	6.8 (L1)	03200151	568250	
		11.8 (L2)	03200152	580030	
		20.0 (LS)	03200153	603520	
	6T CLASS IV	3.4 (L1)	03200166	618230	
		5.9 (L2)	03200167	635890	
		10.0 (LS)	03200168	671210	
	7.5 T CLASS IV	4.0 (L2)	03200181	836080	
		6.0 (LS)	03200182	883190	
	10 T CLASS II	4.0 (L2)	03200191	836080	
		6.0 (LS)	03200192	883190	

EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef WRH - N-0 & N	
SHORT HEAD ROOM : ONLY WITH ET FOR L1 (WITHOUT BOGGIE) : FURNISH BEAM SKETCH FOR ORDER BOOKING	40200
SHORT HEAD ROOM : ONLY WITH ET FOR L2 (WITHOUT BOGGIE) : FURNISH BEAM SKETCH FOR ORDER BOOKING	44670
SHORT HEAD ROOM : ONLY WITH ET FOR LS (WITHOUT BOGGIE) : FURNISH BEAM SKETCH FOR ORDER BOOKING	55840
SHORT HEAD ROOM : ONLY WITH ET FOR LS1 (WITHOUT BOGGIE) : FURNISH BEAM SKETCH FOR ORDER BOOKING	71470
SHORT HEAD ROOM : ONLY WITH ET FOR LS3 (WITHOUT BOGGIE) : FURNISH BEAM SKETCH FOR ORDER BOOKING	89310
LOCKABLE PUSH BUTTON	4390
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)	14600
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING	7170
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING	8580
EPOXY PAINTING	4860
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD	11880
TROLLEY SPEED OF 8.5/4.25/2.1, 2.8 MPM.	6720
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.	980
CANOPY FOR HOIST MOTOR	4120
CANOPY FOR CONTROL PANEL	4120
CANOPY FOR TROLLY MOTOR	3600
TROLLEY D.C. BRAKE	8900

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			23970	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7400	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7720	
100VA TRANSFORMER IN PLACE OF STD 50VA			1830	
EXTRA FOR STRAIGHT FLANGED WHEELS			2330	
AC BRAKE PETHE MAKE IN LIUE OF INDEF SYTCO BRAKE IN HOIST MOTOR			2490	

Notes : ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION,IP-55 PROTECTION,WITH MCB & O/L RELAY
* DELIVERY 4-6 WEEKS MORE THAN STANDARD MOTOR KW WILL CHANGE.
** PLEASE SPECIFY EXACT BEAM SIZE / DRG. ALONG WITH ORDER FOR SPECIAL FLANGE WIDTH AND SHR MODEL

ACCESSORIES - OPTIONAL FEATURES FOR Indef WRH I

SHORT HEAD ROOM : ONLY WITH ET FOR L1 (WITHOUT BOGGIE)*FURNISH BEAM SKETCH FOR ORDER BOOKING			46840	
SHORT HEAD ROOM : ONLY WITH ET FOR L2 (WITHOUT BOGGIE)*FURNISH BEAM SKETCH FOR ORDER BOOKING			52050	
SHORT HEAD ROOM : ONLY WITH ET FOR LS (WITHOUT BOGGIE)*FURNISH BEAM SKETCH FOR ORDER BOOKING			65060	
VFD FOR HOIST			120560	
LOCKABLE PUSH BUTTON			5100	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 190 - 210 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			5870	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			9580	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			11470	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			14490	
EPOXY PAINTING			5640	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			13820	
OVERLOAD SAFETY ARRANGEMENT			5930	
TROLLEY SPEED OF 8.5 MPM.			7820	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			850	
CANOPY FOR HOIST MOTOR			5420	
CANOPY FOR CONTROL PANEL			5420	
CANOPY FOR TROLLY MOTOR			4180	
TROLLEY D.C. BRAKE			10350	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE WRH-I			22060	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			4080	
SWITCH FUSE UNIT WITH DOOR INTERLOCKED MOUNTED ON PANEL			8620	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			8980	
PILOT LAMP FOR PANEL AND PUSH BUTTON			10350	
R,Y,B PHASE INDICATION ON PANEL			4810	
CONTROL ON INDICATION IN PENDANT			5630	
100VA TRANSFORMER IN PLACE OF STD 50VA			2120	
EXTRA FOR STRAIGHT FLANGED WHEELS			2690	
AC BRAKE PETHE MAKE IN LIUE OF INDEF SYTCO BRAKE IN HOIST MOTOR			4140	

ACCESSORIES - OPTIONAL FEATURES OF Indef WRH II & WRH N-3HL

SHORT HEAD ROOM : ONLY WITH ET FOR L1 (WITHOUT BOGGIE)*FURNISH BEAM SKETCH FOR ORDER BOOKING			59850	
SHORT HEAD ROOM : ONLY WITH ET FOR L2 (WITHOUT BOGGIE)*FURNISH BEAM SKETCH FOR ORDER BOOKING			67650	
SHORT HEAD ROOM : ONLY WITH ET FOR LS (WITHOUT BOGGIE)*FURNISH BEAM SKETCH FOR ORDER BOOKING			72850	
VFD FOR HOIST			126460	
LOCKABLE PUSH BUTTON			5100	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			8350	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			9970	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			12600	
EPOXY PAINTING			5640	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			13820	
OVERLOAD SAFETY ARRANGEMENT			6430	
TROLLEY SPEED OF 8.5 MPM.			7820	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			1610	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
CANOPY FOR HOIST MOTOR			6030	
CANOPY FOR CONTROL PANEL			6030	
CANOPY FOR TROLLY MOTOR			4180	
TROLLEY D.C. BRAKE			10350	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			14380	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			4080	
SWITCH FUSE UNIT WITH DOOR INTERLOCKED MOUNTED ON PANEL			8620	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			8980	
PILOT LAMP FOR PANEL AND PUSH BUTTON			10350	
R,Y,B PHASE INDICATION ON PANEL			4810	
CONTROL ON INDICATION IN PENDANT			5630	
100VA TRANSFORMER IN PLACE OF STD 50VA			2120	
EXTRA FOR STRAIGHT FLANGED WHEELS			2690	
AC BRAKE PETHE MAKE IN LIUE OF INDEF SYTCO BRAKE IN HOIST MOTOR			4970	

Notes :
ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION,IP-55 PROTECTION,WITH MCB & O/L RELAY
* DELIVERY 4-6 WEEKS MORE THAN STANDARD MOTOR KW WILL CHANGE.
** PLEASE SPECIFY EXACT BEAM SIZE / DRG. ALONG WITH ORDER FOR SP. F.W. AND SHR MODEL
***For VVVFD, special compatible motors and panels are provided and add extra 4/6 weeks in delivery. The panel will be bigger in size.

ACCESSORIES - OPTIONAL FEATURES FOR Indef WRH III 3T / 6T

SHORT HEAD ROOM : ONLY WITH ET FOR L1 (WITHOUT BOGGIE)*FURNISH BEAM SKETCH FOR ORDER BOOKING			78060	
SHORT HEAD ROOM : ONLY WITH ET FOR L2 (WITHOUT BOGGIE)*FURNISH BEAM SKETCH FOR ORDER BOOKING			91080	
SHORT HEAD ROOM : ONLY WITH ET FOR LS (WITHOUT BOGGIE)*FURNISH BEAM SKETCH FOR ORDER BOOKING			109280	
VFD FOR HOIST			176920	
LOCKABLE PUSH BUTTON			5100	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			8350	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			9970	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			12600	
EPOXY PAINTING			7060	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			13820	
TROLLEY SPEED OF 8.5 MPM.			7820	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			1610	
CANOPY FOR HOIST MOTOR			6520	
CANOPY FOR CONTROL PANEL			6520	
CANOPY FOR TROLLY MOTOR			4180	
TROLLEY D.C. BRAKE			10350	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			41550	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			4080	
SWITCH FUSE UNIT WITH DOOR INTERLOCKED MOUNTED ON PANEL			8620	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			8980	
PILOT LAMP FOR PANEL AND PUSH BUTTON			10350	
R,Y,B PHASE INDICATION ON PANEL			4810	
CONTROL ON INDICATION IN PENDANT			5630	
EXTRA FOR STRAIGHT FLANGED WHEELS			5360	
AC BRAKE PETHE MAKE IN LIUE OF INDEF SYTCO BRAKE IN HOIST MOTOR			6620	

Notes :
ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION,IP-55 PROTECTION,WITH MCB & O/L RELAY
* DELIVERY 4-6 WEEKS MORE THAN STANDARD MOTOR KW WILL CHANGE.
** PLEASE SPECIFY EXACT BEAM SIZE / DRG. ALONG WITH ORDER FOR SP. F.W. AND SHR MODEL
***For VVVFD, special compatible motors and panels are provided and add extra 4/6 weeks in delivery. The panel will be bigger in size.

ACCESSORIES - OPTIONAL FEATURES FOR Indef WRH III - 10 T / 7.5 T

CREEP SPEED THROUGH VVVFD (VARIABLE FREQUENCY DRIVE) ***			176920	
LOCKABLE PUSH BUTTON			5100	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			12300	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			14950	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM ** *FURNISH BEAM SKETCH FOR ORDER BOOKING			18890	
EPOXY PAINTING			7060	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			13820	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
TROLLEY SPEED OF 8.5 MPM.			7820	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			2410	
CANOPY FOR HOIST MOTOR			6520	
CANOPY FOR CONTROL PANEL			6520	
CANOPY FOR TROLLY MOTOR			8350	
TROLLEY D.C. BRAKE			10350	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			41550	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			4080	
SWITCH FUSE UNIT WITH DOOR INTERLOCKED MOUNTED ON PANEL			8620	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			8980	
PILOT LAMP FOR PANEL AND PUSH BUTTON			10350	
R,Y,B PHASE INDICATION ON PANEL			4810	
CONTROL ON INDICATION IN PENDANT			5630	
EXTRA FOR STRAIGHT FLANGED WHEELS			5360	
AC BRAKE PETHE MAKE IN LIUE OF INDEF SYTCO BRAKE IN HOIST MOTOR			6620	

Notes :
ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION,IP-55 PROTECTION,WITH MCB & O/L RELAY
* DELIVERY 4-6 WEEKS MORE THAN STANDARD MOTOR KW WILL CHANGE.
** PLEASE SPECIFY EXACT BEAM SIZE / DRG. ALONG WITH ORDER FOR SP. F.W. AND SHR MODEL
***For VVVFD, special compatible motors and panels are provided and add extra 4/6 weeks in delivery. The panel will be bigger in size.

Indef FLAME-PROOF MEDIUM DUTY WIRE ROPE ELECTRIC HOIST WRH - N & WRH -NHL (LS1 - LS3)

WITH FIXED SUSPENSION	2 T CLASS II	5.2 (L1)	03900001	324460	
		8.2 (L2)	03900002	340210	
		11.2 (LS)	03900003	366850	
		17.2 (LS1)	04300004	409580	
		25 (LS3)	04300006	451620	
	3 T CLASS II	3.4 (L1)	03900016	379820	
		5.4 (L2)	03900017	395930	
		7.4 (LS)	03900018	422580	
		11.4 (LS1)	04300069	464940	
		16.5 (LS3)	04300071	507350	
WITH PULL PUSH TROLLEY	2 T CLASS II	5.2 (L1)	03900051	359690	
		8.2 (L2)	03900053	376100	
		11.2 (LS)	03900033	402390	
		17.2 (LS1)	04300054	448540	
		25 (LS3)	04300056	494670	
	3 T CLASS II	3.4 (L1)	03900046	419100	
		5.4 (L2)	03900047	435240	
		7.4 (LS)	03900048	461850	
		11.4 (LS1)	04300079	508000	
		16.5 (LS3)	04300081	554090	
WITH GEARED TROLLEY	2 T CLASS II	5.2 (L1)	03900061	378920	
		8.2 (L2)	03900062	396560	
		11.2 (LS)	03900063	423480	
		17.2 (LS1)	04300104	466240	
		25 (LS3)	04300106	508580	
	3 T CLASS II	3.4 (L1)	03900076	438020	
		5.4 (L2)	03900077	455680	
		7.4 (LS)	03900078	482950	
		11.4 (LS1)	04300139	525300	
		16.5 (LS3)	04300141	568020	
WITH ELECTRIC TROLLEY	2 T CLASS II	5.2 (L1)	03900091	448680	
		8.2 (L2)	03900092	466340	
		11.2 (LS)	03900153	493920	
		17.2 (LS1)	04300154	524720	
		25 (LS3)	04300155	581850	
	3 T CLASS II	3.4 (L1)	03900121	516100	
		5.4 (L2)	03900122	533360	
		7.4 (LS)	03900123	560980	
		11.4 (LS1)	04300169	583780	
		16.5 (LS3)	04300171	626230	

Notes :
CONSIDER EXTRA PRICES FOR CABLES, WHEN PANEL IS SEPARATELY MOUNTED AND PENDENT IS NOT HANGING FROM HOIST
HOIST MOTOR - BBL / LHP, TROLLEY MOTOR - REMI / LHP / INDEF

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
Indef - WRH - I FLAME PROOF					
WITH FIXED SUSPENSION	1 T CLASS IV	6.0 (L1)	01300001	427840	
		12.0 (L2)	01300002	439300	
		20.0 (LS)	01300003	451630	
	2 T CLASS IV	3.0 (L1)	01300016	447970	
		6.0 (L2)	01300017	459390	
		10.0 (LS)	01300018	471460	
WITH PULL PUSH TROLLEY	1 T CLASS IV	6.0 (L1)	01300051	459390	
		12.0 (L2)	01300052	470810	
		20.0 (LS)	01300053	483550	
	2 T CLASS IV	3.0 (L1)	01300066	479230	
		6.0 (L2)	01300067	490650	
		10.0 (LS)	01300068	503330	
WITH GEARED TROLLEY	1 T CLASS IV	6.0 (L1)	01300101	471160	
		12.0 (L2)	01300102	484430	
		20.0 (LS)	01300103	499010	
	2 T CLASS IV	3.0 (L1)	01300116	490040	
		6.0 (L2)	01300117	502100	
		10.0 (LS)	01300118	515090	
WITH ELECTRIC TROLLEY	1 T CLASS IV	6.0 (L1)	01300151	568340	
		12.0 (L2)	01300152	581340	
		20.0 (LS)	01300153	595590	
	2 T CLASS IV	3.0 (L1)	01300166	609450	
		6.0 (L2)	01300167	621650	
		10.0 (LS)	01300168	635480	

Notes :
1. HOIST MOTOR IS FLAME PROOF BHARAT BIJLEE/LHP MAKE. PETHE FLAME PROOF BRAKE FOR HOIST. ABOVE PRICES ARE TENTATIVE AND ARE SUBJECT TO CHANGE.
2. TROLLEY MOTOR FLAME PROOF REMI-MAKE/LHP
3. FLAME PROOF CONTROL PANEL, PENDENT, LIMIT SWITCHES ARE OF SUDHIR/EQUIVALENT MAKE.
4. ABOVE PRICES ARE TENTATIVE AND ARE SUBJECT TO CHANGE.
5. TROLLEYS WHEELS WITH HTB-2 LINING ON TREAD.

Indef - WRH - II FLAME PROOF					
WITH FIXED SUSPENSION	2 T CLASS IV	6.6 (L1)	02300001	520390	
		11.4 (L2)	02300002	540510	
		19.2 (LS)	02300003	567110	
	2.5 T CLASS II	6.6 (L1)	02300011	520390	
		11.4 (L2)	02300012	540510	
		19.2 (LS)	02300013	567110	
	4 T CLASS IV	3.3 (L1)	02300021	555000	
		5.7 (L2)	02300022	577310	
		9.6 (LS)	02300023	603340	
	5 T CLASS II	3.3 (L1)	02300031	555000	
		5.7 (L2)	02300032	577310	
		9.6 (LS)	02300033	603340	
WITH PULL PUSH TROLLEY	2 T CLASS IV	6.6 (L1)	02300051	553770	
		11.4 (L2)	02300052	576390	
		19.2 (LS)	02300053	600220	
	2.5 T CLASS II	6.6 (L1)	02300061	553770	
		11.4 (L2)	02300062	576390	
		19.2 (LS)	02300063	600220	
WITH GEARED TROLLEY	2 T CLASS IV	6.6 (L1)	02300101	565590	
		11.4 (L2)	02300102	589970	
		19.2 (LS)	02300103	616030	
	2.5 T CLASS II	6.6 (L1)	02300111	565590	
		11.4 (L2)	02300112	589970	
		19.2 (LS)	02300113	616030	
	4 T CLASS IV	3.3 (L1)	02300121	618190	
		5.7 (L2)	02300122	640750	
		9.6 (LS)	02300123	668020	
	5 T CLASS II	3.3 (L1)	02300131	618190	
		5.7 (L2)	02300132	640750	
		9.6 (LS)	02300133	668020	
WITH ELECTRIC TROLLEY	2 T CLASS IV	6.6 (L1)	02300151	660570	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		11.4 (L2)	02300152	685040	
		19.2 (LS)	02300153	710400	
	2.5 T CLASS II	6.6 (L1)	02300161	684870	
		11.4 (L2)	02300162	710230	
		19.2 (LS)	02300163	736540	
	4 T CLASS IV	3.3 (L1)	02300171	730160	
		5.7 (L2)	02300172	753420	
		9.6 (LS)	02300173	779740	
	5 T CLASS II	3.3 (L1)	02300181	730160	
		5.7 (L2)	02300182	753420	
		9.6 (LS)	02300183	779740	

Notes :
1. HOIST MOTOR IS FLAME PROOF BHARAT BIJLEE/LHP MAKE. PETHE FLAME PROOF BRAKE FOR HOIST.
2. TROLLEY MOTOR FLAME PROOF REMI-MAKE/LHP
3. FLAME PROOF CONTROL PANEL, PENDENT, LIMIT SWITCHES ARE OF SUDHIR/EQUIVALENT MAKE.
4. ABOVE PRICES ARE TENTATIVE AND ARE SUBJECT TO CHANGE.
5. TROLLEYS WHEELS WITH HTB-2 LINING ON TREAD.

Indef - WRH - III FLAME PROOF

WITH FIXED SUSPENSION	3 T CLASS IV	7.0 (L1)	03300001	647920	
		12.0 (L2)	03300002	669860	
		20.0 (LS)	03300003	699590	
	6 T CLASS IV	3.5 (L1)	03300011	690590	
		6.0 (L2)	03300012	711040	
		10.0 (LS)	03300013	738210	
	7.5 T CLASS IV	4.0 (L2)	03300031	915920	
		6.0 (LS)	03300032	947180	
	10 T CLASS II	4.0 (L2)	03300041	915920	
		6.0 (LS)	03300042	947180	
WITH GEARED TROLLEY	3 T CLASS IV	7.0 (L1)	03300101	712880	
		12.0 (L2)	03300102	736370	
		20.0 (LS)	03300103	768830	
	6 T CLASS IV	3.5 (L1)	03300111	769520	
		6.0 (L2)	03300112	791180	
		10.0 (LS)	03300113	819680	
	7.5 T CLASS IV	4.0 (L2)	03300131	1053670	
		6.0 (LS)	03300132	1085500	
	10 T CLASS II	4.0 (L2)	03300141	1053670	
		6.0 (LS)	03300142	1085500	
WITH ELECTRIC TROLLEY	3 T CLASS IV	7.0 (L1)	03300151	850120	
		12.0 (L2)	03300152	874190	
		20.0 (LS)	03300153	906930	
	6 T CLASS IV	3.5 (L1)	03300161	877510	
		6.0 (L2)	03300162	898860	
		10.0 (LS)	03300163	927090	
	7.5 T CLASS IV	4.0 (L2)	03300181	1267500	
		6.0 (LS)	03300182	1299710	
	10 T CLASS II	4.0 (L2)	03300191	1267500	
		6.0 (LS)	03300192	1299710	

Notes :
1. HOIST MOTOR IS FLAME PROOF BHARAT BIJLEE/LHP MAKE. PETHE FLAME PROOF BRAKE FOR HOIST.
2. TROLLEY MOTOR FLAME PROOF REMI-MAKE/LHP
3. FLAME PROOF CONTROL PANEL, PENDENT, LIMIT SWITCHES ARE OF SUDHIR/EQUIVALENT MAKE.
4. ABOVE PRICES ARE TENTATIVE AND ARE SUBJECT TO CHANGE.
5. TROLLEYS WHEELS WITH HTB-2 LINING ON TREAD.

Indef WIRE ROPE ELECTRIC HOIST - HW 2 (L)

WITH FIXED SUSPENSION	1.5 T CLASS II 2 FALL	12 (H1)	15500001	328810	
		20 (H3)	15500003	350810	
		35 (H5)	15500005	394800	
		50 (H7)	15500007	440640	
	1.25 T CLASS IV 2 FALL	12 (H1)	15500016	328810	
		20 (H3)	15500018	350810	
		35 (H5)	15500020	394760	
		50 (H7)	15500022	440640	
	3 T CLASS II 4 FALL	6 (H1)	15500031	369860	
		10 (H3)	15500033	396370	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		18 (H5)	15500035	489510	
		25 (H7)	15500037	547940	
	2.5 T CLASS IV 2 FALL	6 (H1)	15500046	369860	
		10 (H3)	15500048	396370	
		18 (H5)	15500050	489510	
		25 (H7)	15500052	547940	
WITH PULL PUSH TROLLEY	1.5 T CLASS II 2 FALL	12 (H1)	15500201	349480	
		20 (H3)	15500203	371420	
		35 (H5)	15500205	397690	
		50 (H7)	15500207	456890	
	1.25 T CLASS IV 2 FALL	12 (H1)	15500216	349480	
		20 (H3)	15500218	371420	
		35 (H5)	15500220	397690	
		50 (H7)	15500222	456890	
	3 T CLASS II 4 FALL	6 (H1)	15500261	390540	
		10 (H3)	15500263	417010	
		18 (H5)	15500265	512440	
		25 (H7)	15500267	570830	
	2.5 T CLASS IV 4 FALL	6 (H1)	15500276	390540	
		10 (H3)	15500278	417010	
		18 (H5)	15500280	512440	
		25 (H7)	15500282	570830	
WITH GEARED TROLLEY	1.5 T CLASS II 2 FALL	12 (H1)	15500231	370570	
		20 (H3)	15500233	395130	
		35 (H5)	15500235	419230	
		50 (H7)	15500237	489930	
	1.25 T CLASS IV 2 FALL	12 (H1)	15500246	370570	
		20 (H3)	15500248	395130	
		35 (H5)	15500250	419230	
		50 (H7)	15500252	489930	
	3 T CLASS IV 4 FALL	6 (H1)	15500291	410580	
		10 (H3)	15500293	437360	
		18 (H5)	15500295	537410	
		25 (H7)	15500297	598610	
	2.5 T CLASS IV 4 FALL	6 (H1)	15500306	410580	
		10 (H3)	15500308	437360	
		18 (H5)	15500310	537410	
		25 (H7)	15500312	598610	
WITH ELECTRIC TROLLEY	1.5 T CLASS II 2 FALL	12 (H1)	15500061	397370	
		20 (H3)	15500063	421030	
		35 (H5)	15500065	444340	
		50 (H7)	15500067	512480	
	1.25 T CLASS IV 2 FALL	12 (H1)	15500076	397370	
		20 (H3)	15500078	421030	
		35 (H5)	15500080	444340	
		50 (H7)	15500082	512480	
	3 T CLASS II 4 FALL	6 (H1)	15500091	437740	
		10 (H3)	15500093	464430	
		18 (H5)	15500095	566630	
		25 (H7)	15500097	626840	
	2.5 T CLASS IV 4 FALL	6 (H1)	15500106	437740	
		10 (H3)	15500108	464430	
		18 (H5)	15500110	566630	
		25 (H7)	15500112	626840	
Indef HIGHER LIFT WIRE ROPE ELECTRIC HOIST - WRH N1-HL					
WITH BOOGIE ELECTRIC TROLLEY FW 90-210	1T CLASS II 4/2 FALL	50	04801050	440970	
		60	04801060	483640	
		70	04801070	540540	
		80	04801080	625880	
Indef HIGHER LIFT WIRE ROPE ELECTRIC HOIST - WRH N3-HL					

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
WITH FIXED SUSPENSION	3 T CLASS II 4/2FALL	11.5	01603301	418870	
		20.5	01603303	478430	
		29.5	01603305	538360	
		43	01603308	627820	
		51.5	01603310	687670	
		63	01603313	779490	
	3 T CLASS II 2 FALL	25	01600001	415200	
		40	01600003	474480	
		55	01600005	533810	
		75	01600008	620750	
		90	01600009	699060	
		110	01600010	834660	
WITH GEARED TROLLEY	3 T CLASS II 4/2 FALL	11.5	01603381	463990	
		20.5	01603383	526980	
		29.5	01603385	590210	
		43	01603388	684730	
		51.5	01603390	747770	
		63	01603393	843890	
	3 T CLASS II 2 FALL	25	01600101	465430	
		40	01600103	530310	
		55	01600105	595040	
		75	01600108	689960	
		90	01600109	775400	
		110	01600110	923480	
WITH ELECTRIC TROLLEY	3 T CLASS II 4/2 FALL	11.5	01604001	493510	
		20.5	01604003	555100	
		29.5	01604005	617410	
		43	01604008	709520	
		51.5	01604010	771940	
		63	01604013	866480	
	3 T CLASS II 2 FALL	25	01600151	493040	
		40	01600153	555530	
		55	01600155	617410	
		75	01600158	708140	
		90	01600159	789770	
		110	01600160	931390	
Indef WIRE ROPE ELECTRIC HOIST - HW 2					
WITH FIXED SUSPENSION	3 T CLASS II 2 FALL	12 (H2)	14700017	401610	
		20 (H4)	14700019	439010	
		35 (H6)	14700021	485600	
		50 (H9)	14700023	551050	
	2.5 T CLASS IV 2 FALL	12 (H2)	14700047	401610	
		20 (H4)	14700049	439010	
		35 (H6)	14700051	485600	
		50 (H9)	14700053	551050	
	6 T CLASS II 4 FALL	6 (H2)	14700077	445090	
		10 (H4)	14700079	484650	
		18 (H6)	14700081	548920	
		25 (H9)	14700083	655300	
	5 T CLASS IV 4 FALL	6 (H2)	14700107	445090	
		10 (H4)	14700109	484650	
		18 (H6)	14700111	548920	
		25 (H9)	14700114	655300	
	3 T CLASS II 4/2 FALL LH/RH	10 (H4)	14704003	485280	
		18 (H6)	14704005	557920	
		25 (H8)	14704006	659730	
	2.5 T CLASS IV 4/2 FALL LH/RH	10 (H4)	14704018	485280	
		18 (H6)	14704020	557920	
		25 (H8)	14704021	659730	
WITH GEARED TROLLEY	3 T CLASS II 2 FALL	12 (H2)	14700257	453880	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		20 (H4)	14700259	494360	
		35 (H6)	14700261	539530	
		50 (H9)	14700263	601730	
	2.5 T CLASS IV 2 FALL	12 (H2)	14700287	453880	
		20 (H4)	14700289	494360	
		35 (H6)	14700291	539530	
		50 (H9)	14700293	601730	
	6 T CLASS II 4 FALL	6 (H2)	14700317	506760	
		10 (H4)	14700319	548640	
		18 (H6)	14700321	615570	
		25 (H9)	14700323	730280	
	5 T CLASS IV 4 FALL	6 (H2)	14700347	506760	
		10 (H4)	14700349	548640	
		18 (H6)	14700351	615570	
		25 (H9)	14700353	730280	
	3 T CLASS II 4/2 FALL LH/RH	10 (H4)	14704063	537210	
		18 (H6)	14704065	622280	
		25 (H8)	14704066	742040	
	2.5 T CLASS IV 4/2 FALL LH/RH	10 (H4)	14704078	537210	
		18 (H6)	14704080	859570	
		25 (H8)	14704081	742040	
WITH ELECTRIC TROLLEY	3 T CLASS II 2 FALL	12 (H2)	14700137	491500	
		20 (H4)	14700139	530850	
		35 (H6)	14700141	580100	
		50 (H9)	14700143	649230	
	2.5 T CLASS IV 2 FALL	12 (H2)	14700167	491500	
		20 (H4)	14700169	530850	
		35 (H6)	14700171	580100	
		50 (H9)	14700173	649230	
	6 T CLASS II 4 FALL	6 (H2)	14700197	540210	
		10 (H4)	14700199	580120	
		18 (H6)	14700201	645830	
		25 (H9)	14700204	762400	
	5 T CLASS IV 4 FALL	6 (H2)	14700227	540210	
		10 (H4)	14700229	580100	
		18 (H6)	14700231	645830	
		25 (H9)	14700233	762400	
	3 T CLASS II 4/2 FALL LH/RH	10 (H4)	14704033	574980	
		18 (H6)	14704035	649050	
		25 (H8)	14704036	752790	
	2.5 T CLASS IV 4/2 FALL LH/RH	10 (H4)	14704048	574980	
		18 (H6)	14704050	649050	
		25 (H8)	14704051	752790	
Indef WIRE ROPE ELECTRIC HOIST - HW 3					
WITH FIXED SUSPENSION	5 T CLASS II 4 FALL	12 (H2)	14800002	686600	
		20 (H4)	14800004	758450	
		35 (H6)	14800006	807500	
		50 (H9)	14800008	905010	
	4 T CLASS IV 2 FALL	12 (H2)	14800017	686600	
		20 (H4)	14800019	758450	
		35 (H6)	14800021	807500	
		50 (H9)	14800023	905010	
	10 T CLASS II 4 FALL	6 (H2)	14800032	783070	
		10 (H4)	14800034	844050	
		18 (H6)	14800036	940520	
		25 (H9)	14800038	1018700	
	8 T CLASS IV 4 FALL	6 (H2)	14800047	783070	
		10 (H4)	14800049	844050	
		18 (H6)	14800051	940520	
		25 (H9)	14800053	1018700	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
	5 T CLASS II 4/2 FALL LH/RH	10 (H3)	14802003	806450	
		18 (H5)	14802005	943660	
		25 (H7)	14802007	1004220	
	4 T CLASS IV 4/2 FALL LH/RH	10 (H3)	14802018	806450	
		18 (H5)	14802020	943660	
		25 (H7)	14802022	1004220	
WITH GEARED TROLLEY	5 T CLASS II 2 FALL	12 (H2)	14800122	744500	
		20 (H4)	14800124	821460	
		35 (H6)	14800126	873430	
		50 (H9)	14800128	1021710	
	4 T CLASS IV 2 FALL	12 (H2)	14800137	744500	
		20 (H4)	14800139	821460	
		35 (H6)	14800141	873430	
		50 (H9)	14800143	1021710	
	10 T CLASS II 4 FALL	6 (H2)	14800152	874290	
		10 (H4)	14800154	936600	
		18 (H6)	14800156	1038350	
		25 (H9)	14800158	1121310	
	8 T CLASS IV 4 FALL	6 (H2)	14800167	874290	
		10 (H4)	14800169	936600	
		18 (H6)	14800171	1038350	
		25 (H9)	14800173	1121310	
	5 T CLASS II 4/2 FALL LH/RH	10 (H3)	14802033	863060	
		18 (H5)	14802035	1005000	
		25 (H7)	14802037	1116760	
	4 T CLASS IV 4/2 FALL LH/RH	10 (H3)	14802078	863060	
		18 (H5)	14802080	1005000	
		25 (H7)	14802082	1067140	
WITH ELECTRIC TROLLEY	5 T CLASS II 2 FALL	12 (H2)	14800062	793970	
		20 (H4)	14800064	870920	
		35 (H6)	14800066	919980	
		50 (H9)	14800068	1021710	
	4 T CLASS IV 2 FALL	12 (H2)	14800077	793970	
		20 (H4)	14800079	870920	
		35 (H6)	14800081	919980	
		50 (H9)	14800083	1021710	
	10 T CLASS II 4 FALL	6 (H2)	14800092	965490	
		10 (H4)	14800094	1026960	
		18 (H6)	14800096	1125060	
		25 (H9)	14800098	1204810	
	8 T CLASS IV 4 FALL	6 (H2)	14800107	965490	
		10 (H4)	14800109	1026960	
		18 (H6)	14800111	1125060	
		25 (H9)	14800113	1204810	
	5 T CLASS II 4/2 FALL LH/RH	10 (H3)	14802063	912960	
		18 (H5)	14802065	1055060	
		25 (H7)	14802067	1208230	
	4 T CLASS IV 4/2 FALL LH/RH	10 (H3)	14802088	912960	
		18 (H5)	14802090	1055060	
		25 (H7)	14802092	1114750	
Indef WIRE ROPE ELECTRIC HOIST - HW 4 (L)					
WITH FIXED SUSPENSION	6 T CLASS II 2 FALL	14 (H1)	14900001	836810	
		30 (H4)	14900004	884310	
		60 (H8)	14900008	1070110	
	5 T CLASS IV 2 FALL	14 (H1)	14900046	836810	
		30 (H4)	14900049	884310	
		60 (H8)	14900053	1070110	
	12 T CLASS II 4 FALL	7 (H1)	14900091	898280	
		15 (H4)	14900094	1017410	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		30 (H8)	14900098	1172180	
	10 T CLASS IV 4 FALL	7 (H1)	14900136	898280	
		15 (H4)	14900139	1017410	
		30 (H8)	14900143	1172180	
WITH GEARED TROLLEY	6 T CLASS II 2 FALL	14 (H1)	14900361	950720	
		30 (H4)	14900364	998230	
		60 (H8)	14900368	1195930	
	5 T CLASS IV 2 FALL	14 (H1)	14900406	950720	
		30 (H4)	14900409	998230	
		60 (H8)	14900413	1195930	
	12 T CLASS II 4 FALL	7 (H1)	14900451	1042900	
		15 (H4)	14900454	1168580	
		30 (H8)	14900458	1318180	
	10 T CLASS IV 4 FALL	7 (H1)	14900496	1042900	
		15 (H4)	14900499	1168580	
		30 (H8)	14900503	1318180	
WITH ELECTRIC TROLLEY	6 T CLASS II 2 FALL	14 (H1)	14900226	987630	
		30 (H4)	14900229	1030790	
		60 (H8)	14900234	1223320	
	5 T CLASS IV 2 FALL	14 (H1)	14900181	987630	
		30 (H4)	14900184	1030790	
		60 (H8)	14900188	1223320	
WITH BOGGIE ET	10T, CLASS IV 4 FALL	7M(H1)	14900316	1133070	
		15M(H4)	14900319	1257620	
		30M(H8)	14900323	1397260	
	12T, CLASS II 4 FALL	7M(H1)	14900271	1133070	
		15M(H4)	14900274	1257620	
		30M(H8)	14900278	1397260	
Indef WIRE ROPE ELECTRIC HOIST - HW4 (M)					
WITH FIXED SUSPENSION	7.5 T CLASS II 2 FALL	10 (H1)	14900016	935290	
		18 (H3)	14900018	998570	
		30 (H5)	14900020	1100570	
		50 (H9)	14900023	1287520	
	6 T CLASS IV 2 FALL	10 (H1)	14900061	935290	
		18 (H3)	14900063	998570	
		30 (H5)	14900065	1100570	
		50 (H9)	14900068	1287520	
	15 T CLASS II 4 FALL	5 (H1)	14900106	988780	
		9 (H3)	14900108	1033750	
		15 (H5)	14900110	1162460	
		25 (H7)	14900113	1328630	
	12 T CLASS IV 4 FALL	5 (H1)	14900151	988780	
		9 (H3)	14900153	1033750	
		15 (H5)	14900155	1162460	
		25 (H7)	14900158	1328630	
	7.5 T CLASS II 4/2 FALL LH/RH	10 (H4)	14904003	1029930	
		18 (H6)	14904005	1119340	
		25 (H8)	14904006	1192520	
	6 T CLASS IV 4/2 FALL LH/RH	10 (H4)	14904013	1029930	
		18 (H6)	14904015	1119340	
		25 (H8)	14904016	1192520	
WITH GEARED TROLLEY	7.5 T CLASS II 2 FALL	10 (H1)	14900376	1077720	
		18 (H3)	14900378	1144140	
		30 (H5)	14900380	1252460	
		50 (H9)	14900383	1451050	
	6 T CLASS IV 2 FALL	10 (H1)	14900421	1077720	
		18 (H3)	14900423	1144140	
		30 (H5)	14900425	1252460	
		50 (H9)	14900428	1451050	
	15 T CLASS II 4 FALL	5 (H1)	14900466	1180480	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		9 (H3)	14900468	1224730	
		15 (H5)	14900470	1356530	
		25 (H7)	14900473	1517020	
	12 T CLASS IV 4 FALL	5 (H1)	14900511	1180480	
		9 (H3)	14900513	1224730	
		15 (H5)	14900515	1356530	
		25 (H7)	14900518	1517020	
	7.5 T CLASS II 4/2 FALL LH/RH	10 (H4)	14904103	1152950	
		18 (H6)	14904105	1245060	
		25 (H8)	14904106	1320510	
	6 T CLASS IV 4/2 FALL LH/RH	10 (H4)	14904113	1152950	
		18 (H6)	14904115	1245060	
		25 (H8)	14904116	1320510	
WITH ELECTRIC TROLLEY	7.5 T CLASS II 2 FALL	10 (H1)	14900196	1139260	
		18 (H3)	14900198	1203260	
		30 (H5)	14900200	1308360	
		50 (H9)	14900203	1501080	
	6 T CLASS IV 2 FALL	10 (H1)	14900241	1139260	
		18 (H3)	14900243	1203260	
		30 (H5)	14900245	1308360	
		50 (H9)	14900248	1501080	
	15 T CLASS II 4 FALL	5 (H1)	14900286	1258270	
		9 (H3)	14900288	1335890	
		15 (H5)	14900290	1433000	
		25 (H7)	14900293	1589720	
	12 T CLASS IV 4 FALL	5 (H1)	14900331	1258270	
		9 (H3)	14900333	1335890	
		15 (H5)	14900335	1433000	
		25 (H7)	14900338	1589720	
	7.5 T CLASS II 4/2 FALL LH/RH	10 (H4)	14904153	1205010	
		18 (H6)	14904155	1296170	
		25 (H8)	14904156	1370750	
	6 T CLASS IV 4/2 FALL LH/RH	10 (H4)	14904163	1205010	
		18 (H6)	14904165	1296170	
		25 (H8)	14904166	1370750	
Indef WIRE ROPE ELECTRIC HOIST - HW 4 (H)					
WITH FIXED SUSPENSION	10 T CLASS II 2 FALL	10 (H1)	14900031	1085710	
		18 (H3)	14900033	1157470	
		30 (H5)	14900035	1274840	
		50 (H9)	14900038	1490050	
	8 T CLASS IV 2 FALL	10 (H1)	14900076	1085710	
		18 (H3)	14900078	1157470	
		30 (H5)	14900080	1274840	
		50 (H9)	14900083	1490050	
	20 T CLASS II 4 FALL	5 (H1)	14900121	1163020	
		9 (H3)	14900123	1241760	
		15 (H5)	14900125	1367840	
		25 (H9)	14900128	1571450	
	16 T CLASS IV 4 FALL	5 (H1)	14900166	1163020	
		9 (H3)	14900168	1241760	
		15 (H5)	14900170	1367840	
		25 (H9)	14900173	1571450	
	10 T CLASS II 4/2 FALL LH/RH	10 (H4)	14904019	1320690	
		18 (H6)	14904021	1355260	
		25 (H8)	14904022	1652370	
	8 T CLASS IV 4/2 FALL LH/RH	10 (H4)	14904029	1320690	
		18 (H6)	14904031	1355260	
		25 (H8)	14904032	1652370	
WITH GEARED TROLLEY	10 T CLASS II 2 FALL	10 (H1)	14900391	1215820	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		18 (H3)	14900393	1292120	
		30 (H5)	14900395	1415640	
		50 (H9)	14900398	1642180	
	8 T CLASS IV 2 FALL	10 (H1)	14900436	1215820	
		18 (H3)	14900438	1292120	
		30 (H5)	14900440	1415640	
		50 (H9)	14900443	1642180	
	20 T CLASS II 4 FALL	5 (H1)	14900481	1346400	
		9 (H3)	14900483	1424260	
		15 (H5)	14900485	1553160	
		25 (H9)	14900488	1758690	
	16 T CLASS IV 4 FALL	5 (H1)	14900526	1346400	
		9 (H3)	14900528	1424260	
		15 (H5)	14900530	1553160	
		25 (H9)	14900533	1758690	
	10 T CLASS II 4/2 FALL LH/RH	10 (H4)	14904039	1446190	
		18 (H6)	14904041	1485040	
		25 (H8)	14904042	1782700	
	8 T CLASS IV 4/2 FALL LH/RH	10 (H4)	14904049	1446190	
		18 (H6)	14904051	1485040	
		25 (H8)	14904052	1782700	
WITH ELECTRIC TROLLEY	10 T CLASS II 2 FALL	10 (H1)	14900211	1336200	
		18 (H3)	14900213	1414240	
		30 (H5)	14900215	1540900	
		50 (H9)	14900218	1773120	
	8 T CLASS IV 2 FALL	10 (H1)	14900256	1336200	
		18 (H3)	14900258	1414240	
		30 (H5)	14900260	1540900	
		50 (H9)	14900263	1773120	
	20 T CLASS II 4 FALL	5 (H1)	14900301	1456400	
		9 (H3)	14900303	1534270	
		15 (H5)	14900305	1662190	
		25 (H9)	14900308	1864020	
	16 T CLASS IV 4 FALL	5 (H1)	14900346	1456400	
		9 (H3)	14900348	1534270	
		15 (H5)	14900350	1662190	
		25 (H9)	14900353	1864020	
	10 T CLASS II 4/2 FALL LH/RH	10 (H4)	14904059	1499060	
		18 (H6)	14904061	1539860	
		25 (H8)	14904062	1833850	
	8 T CLASS IV 4/2 FALL LH/RH	10 (H4)	14904069	1499060	
		18 (H6)	14904071	1539860	
		25 (H8)	14904072	1833850	
Indef WIRE ROPE ELECTRIC HOIST - HW 4 (HIGH LIFT)					
WITH FIXED SUSPENSION	10 T CLASS IV 4FALL	30 (H2)	15600016	1630190	
		40 (H4)	15600017	1851190	
		45 (H5)	15600018	1969840	
	12 T CLASS II 4FALL	30 (H2)	15600012	1630190	
		40 (H4)	15600014	1851190	
		45 (H5)	15600015	1969840	
	15 T CLASS II 4 FALL	30 (H2)	15600022	1630190	
		40 (H4)	15600026	1851190	
	20 T CLASS II 4 FALL	30 (H2)	15600032	1630190	
		40 (H4)	15600036	1851190	
WITH GEARED TROLLEY	10 T CLASS IV 4FALL	30 (H2)	15600097	1796050	
		40 (H4)	15600098	2017300	
		45 (H5)	15600099	2136000	
	12 T CLASS II 4FALL	30 (H2)	15600092	1796050	
		40 (H4)	15600094	2017300	
		45 (H5)	15600096	2136000	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
	15 T CLASS II 4 FALL	30 (H2)	15600102	1796050	
		40 (H4)	15600106	2017300	
	20 T CLASS II 4 FALL	30 (H2)	15600112	1796280	
		40 (H4)	15600116	2017300	
WITH ELECTRIC TROLLEY	10 T CLASS IV 4FALL	30 (H2)	15600148	1888300	
		40 (H4)	15600149	2136000	
		45 (H5)	15600150	2254620	
	12 T CLASS II 4FALL	30 (H2)	15600142	1888300	
		40 (H4)	15600146	2136000	
		45 (H5)	15600147	2254620	
	15 T CLASS II 4 FALL	30 (H2)	15600152	1888300	
WITH BOGGIE ET	16T, CLASS II 4 FALL	40M(H4)	15600168	2136000	
WITH ELECTRIC TROLLEY	20 T CLASS II 4 FALL	30 (H2)	15600162	1888300	
		40 (H4)	15600166	2136000	
Indef WIRE ROPE ELECTRIC HOIST - HW 5					
WITH FIXED SUSPENSION	25 T CLASS IV 4 FALL	10 (H4)	15000018	1781230	
		18 (H6)	15000020	1975270	
		25 (H8)	15000021	2161970	
	30 T CLASS II 4 FALL	10 (H4)	15000003	1795490	
		18 (H6)	15000005	1991060	
		25 (H8)	15000007	2179270	
WITH GEARED TROLLEY	25 T CLASS IV 4 FALL	10 (H4)	15000138	2067280	
		18 (H6)	15000140	2264190	
		25 (H8)	15000148	2453750	
	30 T CLASS II 4 FALL	10 (H4)	15000123	2083810	
		18 (H6)	15000125	2282300	
		25 (H8)	15000127	2473350	
WITH ELECTRIC TROLLEY	25 T CLASS IV 4 FALL	10 (H4)	15000078	2194950	
		18 (H6)	15000080	2391900	
		25 (H8)	15000082	2581430	
	30 T CLASS II 4 FALL	10 (H4)	15000063	2212500	
		18 (H6)	15000065	2411030	
		25 (H8)	15000067	2602090	
Indef WIRE ROPE ELECTRIC HOIST - HW 5 - S					
WITH FIXED SUSPENSION	35 T CLASS IV	10 (H4)	15000033	2613710	
		18 (H7)	15000036	2826680	
	40 T CLASS II	10 (H4)	15000043	2613710	
		18 (H7)	15000046	2826680	
WITH ELECTRIC TROLLEY	35 T CLASS IV	10 (H4)	15000164	3116930	
		18 (H7)	15000167	3332800	
	40 T CLASS II	10 (H4)	15000174	3116930	
		18 (H7)	15000177	3332800	
Indef SMD WIRE ROPE HOIST - SMD 5T WIRE ROPE 11 DIA					
WITH FIXED SUSPENSION	5 T CLASS II 4/2 FALL LH/RH	20	26100002	886510	
		30	26100003	954680	
		40	26100004	1022870	
		50	26100005	1091050	
		60	26100006	1159240	
		70	26100007	1227400	
		80	26100008	1295580	
WITH BOGGIE ELECTRIC TROLLEY	5 T CLASS II 4/2 FALL LH/RH	20	26100152	1025980	
		30	26100153	1096210	
		40	26100154	1166490	
		50	26100155	1236760	
		60	26100156	1307030	
		70	26100157	1377180	
		80	26100158	1447460	

Notes :
1. HOIST SPEED - 4 MPM (LH/RH MODELS)
2. TROLLEY SPEED : 17 MPM
3. HOIST BRAKE - DC FOR ALL SMD

Indef SMD WIRE ROPE HOIST - SMD 10T WIRE ROPE 13 DIA

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
WITH FIXED SUSPENSION	10 T CLASS II 4/2 FALL LH/RH	20	26200002	1218980	
		30	26200003	1313880	
		40	26200004	1408770	
		50	26200005	1503660	
		60	26200006	1563980	
		70	26200007	1658880	
		80	26200008	1753770	
WITH BOGGIE ELECTRIC TROLLEY	10 T CLASS II 4/2 FALL LH/RH	20	26200152	1424240	
		30	26200153	1521230	
		40	26200154	1618220	
		50	26200155	1715210	
		60	26200156	1777660	
		70	26200157	1874650	
		80	26200158	1971640	

Notes :
1. HOIST SPEED - 4 MPM (LH/RH MODELS)
2. TROLLEY SPEED : 17 MPM
3. HOIST BRAKE - DC FOR ALL SMD

Indef SMD WIRE ROPE HOIST - SMD 15T WIRE ROPE 18 DIA

WITH FIXED SUSPENSION	15 T CLASS II 4/2 FALL LH/RH	20	26300002	2368950	
		30	26300003	2498320	
		40	26300005	2627690	
		50	26300006	2757060	
		60	26300008	2817390	
		70	26300009	2946760	
		80	26300010	3076120	
WITH BOGGIE ELECTRIC TROLLEY	15 T CLASS II 4/2 FALL LH/RH	20	26300152	2626550	
		30	26300153	2758280	
		40	26300155	2890010	
		50	26300156	3021740	
		60	26300158	3083110	
		70	26300159	3214850	
		80	26300160	3346580	

Notes :
1. HOIST SPEED - 4 MPM (LH/RH MODELS)
2. TROLLEY SPEED : 17 MPM
3. HOIST BRAKE - DC FOR ALL SMD

Indef SMD WIRE ROPE HOIST - SMD 20T WIRE ROPE 18 DIA

WITH FIXED SUSPENSION	20 T CLASS II 4/2 FALL LH/RH	20	26300043	2656440	
		30	26300044	2785810	
		40	26300046	2915180	
		51	26300047	3044540	
		60	26300049	3104880	
		70	26300050	3234240	
		80	26300051	3363610	
WITH BOGGIE ELECTRIC TROLLEY	20 T CLASS II 4/2 FALL LH/RH	20	26300162	2914000	
		30	26300163	3045760	
		40	26300165	3177520	
		50	26300166	3309290	
		60	26300168	3370630	
		70	26300169	3502390	
		80	26300170	3634150	

Notes :
1. HOIST SPEED - 4 MPM (LH/RH MODELS)
2. TROLLEY SPEED : 17 MPM
3. HOIST BRAKE - DC FOR ALL SMD

Indef iR WIRE ROPE HOIST

iR-010-21 WITH PULL PUSH TROLLEY	1 T CLASS II FEM 2m 2 FALL	6	IR0102106PTST	208060	
		9	IR0102109PTST	214450	
		12	IR0102112PTST	221960	
		15	IR0102115PTST	229450	
		18	IR0102118PTST	236940	
		21	IR0102121PTST	248680	
		24	IR0102124PTST	257280	
iR-020-41 WITH PULL PUSH TROLLEY	2 T CLASS II FEM 2m 4 FALL	6	IR0204106PTST	288220	
		9	IR0204109PTST	308470	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		12	IR0204112PTST	328750	
		15	IR0204115PTST	349010	
		18	IR0204118PTST	369250	
		21	IR0204121PTST	409790	
		24	IR0204124PTST	430040	
iR-016-21 WITH PULL PUSH TROLLEY	1.6 T CLASS II FEM 2m 2 FALL	6	IR0162106PTST	255770	
		9	IR0162109PTST	261880	
		12	IR0162112PTST	274030	
		15	IR0162115PTST	290240	
		18	IR0162118PTST	302390	
		21	IR0162121PTST	312520	
		24	IR0162124PTST	322660	
iR-032-41 WITH PULL PUSH TROLLEY	3.2 T CLASS II FEM 2m 4 FALL	6	IR0324106PTST	379400	
		9	IR0324109PTST	409790	
		12	IR0324112PTST	440180	
		15	IR0324115PTST	470590	
		18	IR0324118PTST	500960	
		21	IR0324121PTST	531370	
		24	IR0324124PTST	561770	
iR-020-21 WITH PULL PUSH TROLLEY	2 T CLASS II FEM 2m 2 FALL	6	IR0202106PTST	251750	
		9	IR0202109PTST	257820	
		12	IR0202112PTST	278090	
		15	IR0202115PTST	292260	
		18	IR0202118PTST	304410	
		21	IR0202121PTST	316590	
		24	IR0202124PTST	324680	
iR-025-21 WITH PULL PUSH TROLLEY	2.5 T CLASS II FEM 2m 2 FALL	6	IR0252106PTST	326720	
		9	IR0252109PTST	341890	
		12	IR0252112PTST	357110	
		15	IR0252115PTST	377370	
		18	IR0252118PTST	397640	
		21	IR0252121PTST	438160	
		24	IR0252124PTST	468560	
Indef iR WIRE ROPE HOIST					
iR-010-21 WITH FOOT MOUNTED	1 T CLASS II FEM 2m 2 FALL	6	IR0102106FSST	191030	
		9	IR0102109FSST	197450	
		12	IR0102112FSST	204950	
		15	IR0102115FSST	212440	
		18	IR0102118FSST	219920	
		21	IR0102121FSST	231690	
		24	IR0102124FSST	240240	
iR-020-41 WITH FOOT MOUNTED	2 T CLASS II FEM 2m 4 FALL	6	IR0204106FSST	274140	
		9	IR0204109FSST	294380	
		12	IR0204112FSST	314650	
		15	IR0204115FSST	334920	
		18	IR0204118FSST	355170	
		21	IR0204121FSST	395720	
		24	IR0204124FSST	415980	
iR-016-21 WITH FOOT MOUNTED	1.6 T CLASS II FEM 2m 2 FALL	6	IR0162106FSST	223460	
		9	IR0162109FSST	229540	
		12	IR0162112FSST	245740	
		15	IR0162115FSST	261980	
		18	IR0162118FSST	274140	
		21	IR0162121FSST	284250	
		24	IR0162124FSST	294380	
iR-032-41 WITH FOOT MOUNTED	3.2 T CLASS II FEM 2m 4 FALL	6	IR0324106FSST	353150	
		9	IR0324109FSST	383530	
		12	IR0324112FSST	413940	
		15	IR0324115FSST	444350	
		18	IR0324118FSST	474740	
		21	IR0324121FSST	505130	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		24	IR0324124FSST	535540	
iR-020-21 WITH FOOT MOUNTED	2 T CLASS II FEM 2m 2 FALL	6	IR0202106FSST	225490	
		9	IR0202109FSST	231580	
		12	IR0202112FSST	251840	
		15	IR0202115FSST	266010	
		18	IR0202118FSST	278160	
		21	IR0202121FSST	290340	
		24	IR0202124FSST	298440	
iR-040-41 WITH FOOT MOUNTED	4 T CLASS II FEM 2m 4 FALL	6	IR0404106FSST	379490	
		9	IR0404109FSST	405820	
		12	IR0404112FSST	430150	
		15	IR0404115FSST	454470	
		18	IR0404118FSST	478790	
		21	IR0404121FSST	503110	
		24	IR0404124FSST	527440	
iR-025-21 WITH FOOT MOUNTED	2.5 T CLASS II FEM 2m 2 FALL	6	IR0252106FSST	298830	
		9	IR0252109FSST	314040	
		12	IR0252112FSST	329240	
		15	IR0252115FSST	349470	
		18	IR0252118FSST	369750	
		21	IR0252121FSST	410260	
		24	IR0252124FSST	440660	
iR-050-41 WITH FOOT MOUNTED	5 T CLASS II FEM 2m 4 FALL	6	IR0504106FSST	404260	
		9	IR0504109FSST	465630	
		12	IR0504112FSST	527060	
		15	IR0504115FSST	568000	
		18	IR0504118FSST	608930	
		21	IR0504121FSST	629410	
		24	IR0504124FSST	649860	
iR-050-21 WITH FOOT MOUNTED	5 T CLASS II FEM 2m 2 FALL	6	IR0502106FSST	647180	
		9	IR0502109FSST	668790	
		12	IR0502112FSST	701230	
		15	IR0502115FSST	733650	
		18	IR0502118FSST	755260	
		21	IR0502121FSST	776880	
		24	IR0502124FSST	809300	
iR-100-41 WITH FOOT MOUNTED	10 T CLASS II FEM 2m 4 FALL	6	IR1004106FSST	899000	
		9	IR1004109FSST	921050	
		12	IR1004112FSST	954150	
		15	IR1004115FSST	987250	
		18	IR1004118FSST	1020360	
		21	IR1004121FSST	1064480	
		24	IR1004124FSST	1097610	
iR-063-21 WITH FOOT MOUNTED	6.3 T CLASS II FEM 2m 2 FALL	6	IR0632106FSST	876490	
		9	IR0632109FSST	886920	
		12	IR0632112FSST	897380	
		15	IR0632115FSST	918260	
		18	IR0632118FSST	949630	
		21	IR0632121FSST	991430	
		24	IR0632124FSST	1033190	
iR-125-41 WITH FOOT MOUNTED	12.5 T CLASS II FEM 2m 4 FALL	6	IR1254106FSST	937260	
		9	IR1254109FSST	979080	
		12	IR1254112FSST	1020890	
		15	IR1254115FSST	1062670	
		18	IR1254118FSST	1104440	
		21	IR1254121FSST	1146270	
		24	IR1254124FSST	1188040	
iR-075-21 WITH FOOT MOUNTED	7.5 T CLASS II FEM 2m 2 FALL	6	IR0752106FSST	1042370	
		9	IR0752109FSST	1097510	
		12	IR0752112FSST	1163730	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		15	IR0752115FSST	1229910	
		18	IR0752118FSST	1274060	
		21	IR0752121FSST	1307160	
		24	IR0752124FSST	1340260	
iR-150-41 WITH FOOT MOUNTED	15 T CLASS II FEM 2m 4 FALL	6	IR1504106FSST	1138190	
		9	IR1504109FSST	1160660	
		12	IR1504112FSST	1216840	
		15	IR1504115FSST	1261750	
		18	IR1504118FSST	1306700	
		21	IR1504121FSST	1351640	
		24	IR1504124FSST	1419050	
iR-100-21 WITH FOOT MOUNTED	10 T CLASS II FEM 2m 2 FALL	6	IR1002106FSST	1152630	
		9	IR1002109FSST	1173520	
		12	IR1002112FSST	1194420	
		15	IR1002115FSST	1215300	
		18	IR1002118FSST	1236210	
		21	IR1002121FSST	1257120	
		24	IR1002124FSST	1278030	
iR-200-41 WITH FOOT MOUNTED	20 T CLASS II FEM 2m 4 FALL	6	IR2004106FSST	1257120	
		9	IR2004109FSST	1288450	
		12	IR2004112FSST	1351140	
		15	IR2004115FSST	1424260	
		18	IR2004118FSST	1466100	
		21	IR2004121FSST	1518350	
		24	IR2004124FSST	1581030	
Indef iR WIRE ROPE HOIST					
iR-010-21 WITH GEARED TROLLEY	1 T CLASS II FEM 2m 2 FALL	6	IR0102106GTST	215110	
		9	IR0102109GTST	221520	
		12	IR0102112GTST	229030	
		15	IR0102115GTST	236490	
		18	IR0102118GTST	244000	
		21	IR0102121GTST	255770	
		24	IR0102124GTST	264310	
iR-020-41 WITH GEARED TROLLEY	2 T CLASS II FEM 2m 4 FALL	6	IR0204106GTST	296920	
		9	IR0204109GTST	317180	
		12	IR0204112GTST	337460	
		15	IR0204115GTST	357710	
		18	IR0204118GTST	377980	
		21	IR0204121GTST	418500	
		24	IR0204124GTST	438800	
iR-016-21 WITH GEARED TROLLEY	1.6 T CLASS II FEM 2m 2 FALL	6	IR0162106GTST	262480	
		9	IR0162109GTST	268560	
		12	IR0162112GTST	284760	
		18	IR0162118GTST	313130	
		21	IR0162121GTST	323260	
		24	IR0162124GTST	333400	
iR-032-41 WITH GEARED TROLLEY	3.2 T CLASS II FEM 2m 4 FALL	6	IR0324106GTST	390140	
		9	IR0324109GTST	420510	
		12	IR0324112GTST	450910	
		15	IR0324115GTST	481320	
		18	IR0324118GTST	511730	
		21	IR0324121GTST	542120	
		24	IR0324124GTST	572530	
iR-020-21 WITH GEARED TROLLEY	2 T CLASS II FEM 2m 2 FALL	6	IR0202106GTST	262480	
		9	IR0202109GTST	268560	
		12	IR0202112GTST	288820	
		18	IR0202118GTST	315140	
		21	IR0202121GTST	327300	
		24	IR0202124GTST	335410	
iR-040-41 WITH GEARED TROLLEY	4 T CLASS II FEM 2m 4 FALL	6	IR0404106GTST	416470	
		9	IR0404109GTST	442820	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		12	IR0404112GTST	467150	
		15	IR0404115GTST	491460	
		18	IR0404118GTST	515780	
		21	IR0404121GTST	540090	
		24	IR0404124GTST	564430	
iR-025-21 WITH GEARED TROLLEY	2.5 T CLASS II FEM 2m 2 FALL	6	IR0252106GTST	337460	
		9	IR0252109GTST	352650	
		12	IR0252112GTST	367850	
		18	IR0252118GTST	408390	
		21	IR0252121GTST	448870	
		24	IR0252124GTST	479310	
iR-050-41 WITH GEARED TROLLEY	5 T CLASS II FEM 2m 4 FALL 4 FALL	6	IR0504106GTST	439160	
		9	IR0504109GTST	500570	
		12	IR0504112GTST	561970	
		18	IR0504118GTST	643860	
		21	IR0504121GTST	664340	
		24	IR0504124GTST	684800	
iR-050-21 WITH GEARED TROLLEY	5 T CLASS II FEM 2m 2 FALL	6	IR0502106GTST	686400	
		9	IR0502109GTST	708010	
		12	IR0502112GTST	740420	
		15	IR0502115GTST	772860	
		18	IR0502118GTST	794470	
		21	IR0502121GTST	816090	
		24	IR0502124GTST	848500	
iR-100-41 WITH GEARED TROLLEY	10 T CLASS II FEM 2m 4 FALL	6	IR1004106GTST	965490	
		9	IR1004109GTST	987570	
		12	IR1004112GTST	1020680	
		18	IR1004118GTST	1086850	
		21	IR1004121GTST	1131000	
		24	IR1004124GTST	1164090	
iR-063-21 WITH GEARED TROLLEY	6.3 T CLASS II FEM 2m 2 FALL	6	IR0632106GTST	924760	
		9	IR0632109GTST	935190	
		12	IR0632112GTST	945660	
		15	IR0632115GTST	966570	
		18	IR0632118GTST	997880	
		21	IR0632121GTST	1039700	
		24	IR0632124GTST	1081470	
iR-125-41 WITH GEARED TROLLEY	12.5 T CLASS II FEM 2m 4 FALL	6	IR1254106GTST	1039700	
		9	IR1254109GTST	1081470	
		12	IR1254112GTST	1123280	
		15	IR1254115GTST	1165070	
		18	IR1254118GTST	1206860	
		21	IR1254121GTST	1248650	
		24	IR1254124GTST	1290450	
iR-075-21 WITH GEARED TROLLEY	7.5 T CLASS II FEM 2m 2 FALL	6	IR0752106GTST	1108940	
		9	IR0752109GTST	1164090	
		12	IR0752112GTST	1230300	
		15	IR0752115GTST	1296500	
		18	IR0752118GTST	1340670	
		21	IR0752121GTST	1373740	
		24	IR0752124GTST	1406830	
iR-150-41 WITH GEARED TROLLEY	15 T CLASS II FEM 2m 4 FALL	6	IR1504106GTST	1281880	
		9	IR1504109GTST	1304370	
		12	IR1504112GTST	1360530	
		15	IR1504115GTST	1405450	
		18	IR1504118GTST	1450390	
		21	IR1504121GTST	1495340	
		24	IR1504124GTST	1562740	
iR-100-21 WITH GEARED TROLLEY	10 T CLASS II FEM 2m 2 FALL	6	IR1002106GTST	1259120	
		9	IR1002109GTST	1280010	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		12	IR1002112GTST	1300910	
		15	IR1002115GTST	1321810	
		18	IR1002118GTST	1342690	
		21	IR1002121GTST	1363600	
		24	IR1002124GTST	1384470	
iR-200-41 WITH GEARED TROLLEY	20 T CLASS II FEM 2m 4 FALL	6	IR2004106GTST	1390760	
		9	IR2004109GTST	1422100	
		12	IR2004112GTST	1484780	
		15	IR2004115GTST	1557920	
		18	IR2004118GTST	1599750	
		21	IR2004121GTST	1651960	
		24	IR2004124GTST	1714670	
Indef iR WIRE ROPE HOIST					
iR-010-21 WITH ELECTRIC TROLLEY	1 T CLASS II FEM 2m 2 FALL	6	IR0102106BTST	239710	
		9	IR0102109BTST	246130	
		12	IR0102112BTST	253640	
		15	IR0102115BTST	261100	
		18	IR0102118BTST	268620	
		21	IR0102121BTST	280380	
		24	IR0102124BTST	288940	
iR-020-41 WITH ELECTRIC TROLLEY	2 T CLASS II FEM 2m 4 FALL	6	IR0204106BTST	320240	
		9	IR0204109BTST	340500	
		12	IR0204112BTST	360750	
		15	IR0204115BTST	381010	
		18	IR0204118BTST	401260	
		21	IR0204121BTST	441800	
		24	IR0204124BTST	462100	
iR-016-21 WITH ELECTRIC TROLLEY	1.6 T CLASS II FEM 2m 2 FALL	6	IR0162106BTST	285770	
		9	IR0162109BTST	291860	
		12	IR0162112BTST	308070	
		15	IR0162115BTST	324280	
		18	IR0162118BTST	336440	
		21	IR0162121BTST	346570	
		24	IR0162124BTST	356720	
iR-032-41 WITH ELECTRIC TROLLEY	3.2 T CLASS II FEM 2m 4 FALL	6	IR0324106BTST	415450	
		9	IR0324109BTST	445850	
		12	IR0324112BTST	476270	
		15	IR0324115BTST	506660	
		18	IR0324118BTST	537030	
		21	IR0324121BTST	567430	
		24	IR0324124BTST	597850	
iR-020-21 WITH ELECTRIC TROLLEY	2 T CLASS II FEM 2m 2 FALL	6	IR0202106BTST	287810	
		9	IR0202109BTST	293880	
		12	IR0202112BTST	314130	
		15	IR0202115BTST	328350	
		18	IR0202118BTST	340500	
		21	IR0202121BTST	352650	
		24	IR0202124BTST	360750	
iR-040-41 WITH ELECTRIC TROLLEY	4 T CLASS II FEM 2m 4 FALL	6	IR0404106BTST	441800	
		9	IR0404109BTST	468150	
		12	IR0404112BTST	492490	
		15	IR0404115BTST	516790	
		18	IR0404118BTST	541110	
		21	IR0404121BTST	565410	
		24	IR0404124BTST	589750	
iR-025-21 WITH ELECTRIC TROLLEY	2.5 T CLASS II FEM 2m 2 FALL	6	IR0252106BTST	364800	
		9	IR0252109BTST	380020	
		12	IR0252112BTST	395190	
		15	IR0252115BTST	415450	

DESCRIPTION	CAPACITY		CODES	MRP	LIFT
		18	IR0252118BTST	435730	
		21	IR0252121BTST	476270	
		24	IR0252124BTST	506660	
iR-050-41 WITH ELECTRIC TROLLEY	5 T CLASS II FEM 2m 4 FALL	6	IR0504106BTST	470860	
		9	IR0504109BTST	532310	
		12	IR0504112BTST	593710	
		15	IR0504115BTST	634650	
		18	IR0504118BTST	675570	
		21	IR0504121BTST	696060	
		24	IR0504124BTST	716540	
Indef iR WIRE ROPE HOIST					
iR-050-21 WITH ELECTRIC TROLLEY	5 T CLASS II FEM 2m 2 FALL	6	IR0502106BTST	735020	
		9	IR0502109BTST	756660	
		12	IR0502112BTST	789060	
		15	IR0502115BTST	821490	
		18	IR0502118BTST	843100	
		21	IR0502121BTST	864720	
		24	IR0502124BTST	897150	
iR-100-41 WITH ELECTRIC TROLLEY	10 T CLASS II FEM 2m 4 FALL	6	IR1004106BTST	1015140	
		9	IR1004109BTST	1037220	
		12	IR1004112BTST	1070320	
		15	IR1004115BTST	1103440	
		18	IR1004118BTST	1136510	
		21	IR1004121BTST	1180640	
		24	IR1004124BTST	1213740	
iR-063-21 WITH ELECTRIC TROLLEY	6.3 T CLASS II FEM 2m 2 FALL	6	IR0632106BTST	971770	
		9	IR0632109BTST	982230	
		12	IR0632112BTST	992670	
		15	IR0632115BTST	1013580	
		18	IR0632118BTST	1044940	
		21	IR0632121BTST	1086710	
		24	IR0632124BTST	1128520	
iR-125-41 WITH ELECTRIC TROLLEY	12.5 T CLASS II FEM 2m 4 FALL	6	IR1254106BTST	1086710	
		9	IR1254109BTST	1128520	
		12	IR1254112BTST	1170290	
		15	IR1254115BTST	1212090	
		18	IR1254118BTST	1253890	
		21	IR1254121BTST	1295680	
		24	IR1254124BTST	1337470	
iR-075-21 WITH ELECTRIC TROLLEY	7.5 T CLASS II FEM 2m 2 FALL	6	IR0752106BTST	1158580	
		9	IR0752109BTST	1213740	
		12	IR0752112BTST	1279960	
		15	IR0752115BTST	1346160	
		18	IR0752118BTST	1390300	
		21	IR0752121BTST	1423400	
		24	IR0752124BTST	1456470	
iR-150-41 WITH ELECTRIC TROLLEY	15 T CLASS II FEM 2m 4 FALL	6	IR1504106BTST	1359400	
		9	IR1504109BTST	1381870	
		12	IR1504112BTST	1438050	
		15	IR1504115BTST	1482970	
		18	IR1504118BTST	1527920	
		21	IR1504121BTST	1572870	
		24	IR1504124BTST	1640230	
iR-100-21 WITH ELECTRIC TROLLEY	10 T CLASS II FEM 2m 2 FALL	6	IR1002106BTST	1316590	
		9	IR1002109BTST	1337470	
		12	IR1002112BTST	1358350	
		15	IR1002115BTST	1379260	
		18	IR1002118BTST	1400170	

DESCRIPTION	CAPACITY	CODES		MRP	LIFT
		21	IR1002121BTST	1421070	
		24	IR1002124BTST	1441950	
iR-200-41 WITH ELECTRIC TROLLEY	20 T CLASS II FEM 2m 4 FALL	6	IR2004106BTST	1462860	
		9	IR2004109BTST	1494220	
		12	IR2004112BTST	1556880	
		15	IR2004115BTST	1630020	
		18	IR2004118BTST	1671810	
		21	IR2004121BTST	1724080	
		24	IR2004124BTST	1786760	

EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-010-21

SHORT HEAD ROOM with ET :`6 meter lift	44250
SHORT HEAD ROOM with ET : 9 meter lift	49810
SHORT HEAD ROOM with ET : 12 meter lift	55360
SHORT HEAD ROOM with ET : 15 meter lift	60910
SHORT HEAD ROOM with ET : 18 meter lift	66470
SHORT HEAD ROOM with ET : 21 meter lift	72020
SHORT HEAD ROOM with ET : 24 meter lift	77570
Hoist with variable speed 1 : 10 (For hoist through VFD)	71830
LOCKABLE PUSH BUTTON	4230
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)	12710
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 181 - 210 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING	6870
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING	8210
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING	10390
EPOXY PAINTING	4660
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD	11380
OVERLOAD SAFETY ARRANGEMENT	5300
TROLLEY SPEED OF 8.5 MPM.	6460
TROLLEY SPEED OF 4.25 MPM.	6460
TROLLEY SPEED OF 2.1 MPM.	6460
TROLLEY SPEED OF 2.8 MPM.	6460
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.	960
CANOPY FOR MOTOR	3950
CANOPY FOR CONTROL PANEL	3950
CANOPY FOR TROLLY MOTOR	3450
TROLLEY D.C. BRAKE	8520
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE	22970
ISOLATOR TPN SWITCH MOUNTED ON PANEL	3390
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED	7100
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST	7380
PILOT LAMP FOR PANEL AND PUSH BUTTON	8520
PILOT LAMP ONLY FOR PANEL	3980
PILOT LAMP ONLY FOR PENDENT	4630
100VA TRANSFORMER IN PLACE OF STD 50VA	1780
MPCB instead of MCB in hoist panel	14450
EXTRA FOR STRAIGHT FLANGED WHEELS	2230
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)	45930
Over Load Safety Arrangement	21980
Rotary Gear Limit Switch	18270
Gravity Limit Switch	8820
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr	4190

EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-020-41

SHORT HEAD ROOM with ET :`6 meter lift	47960
SHORT HEAD ROOM with ET : 9 meter lift	53510
SHORT HEAD ROOM with ET : 12 meter lift	59060
SHORT HEAD ROOM with ET : 15 meter lift	66470
SHORT HEAD ROOM with ET : 18 meter lift	70170
SHORT HEAD ROOM with ET : 21 meter lift	75720

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
SHORT HEAD ROOM with ET : 24 meter lift			81270	
Hoist with variable speed 1 : 10 (For hoist through VFD)			71830	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			12710	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 181 - 210 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			6870	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			8210	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			10390	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			22970	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			14450	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			45930	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-020-21				
SHORT HEAD ROOM with ET :`6 meter lift			47960	
SHORT HEAD ROOM with ET : 9 meter lift			53510	
SHORT HEAD ROOM with ET : 12 meter lift			59060	
SHORT HEAD ROOM with ET : 15 meter lift			66470	
SHORT HEAD ROOM with ET : 18 meter lift			70170	
SHORT HEAD ROOM with ET : 21 meter lift			75720	
SHORT HEAD ROOM with ET : 24 meter lift			81270	
Hoist with variable speed 1 : 10 (For hoist through VFD)			80440	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			12710	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 181 - 210 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			6870	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			8210	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			10390	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			22970	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			14450	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			45930	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-040-41				
SHORT HEAD ROOM with ET :`6 meter lift			56660	
SHORT HEAD ROOM with ET : 9 meter lift			64070	
SHORT HEAD ROOM with ET : 12 meter lift			72020	
SHORT HEAD ROOM with ET : 15 meter lift			79420	
SHORT HEAD ROOM with ET : 18 meter lift			86840	
SHORT HEAD ROOM with ET : 21 meter lift			94240	
SHORT HEAD ROOM with ET : 24 meter lift			101620	
Hoist with variable speed 1 : 10 (For hoist through VFD)			80440	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			12710	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 181 - 210 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			6870	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			8210	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			10390	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			22970	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			14450	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			45930	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-016-21				
SHORT HEAD ROOM with ET :`6 meter lift			47960	
SHORT HEAD ROOM with ET : 9 meter lift			53510	
SHORT HEAD ROOM with ET : 12 meter lift			59060	
SHORT HEAD ROOM with ET : 15 meter lift			66470	
SHORT HEAD ROOM with ET : 18 meter lift			70170	
SHORT HEAD ROOM with ET : 21 meter lift			75720	
SHORT HEAD ROOM with ET : 24 meter lift			81270	
Hoist with variable speed 1 : 10 (For hoist through VFD)			80440	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			12710	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			8210	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			10940	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			13630	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			22970	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			14450	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			45930	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-032-41				
SHORT HEAD ROOM with ET :`6 meter lift			56660	
SHORT HEAD ROOM with ET : 9 meter lift			64070	
SHORT HEAD ROOM with ET : 12 meter lift			72020	
SHORT HEAD ROOM with ET : 15 meter lift			79420	
SHORT HEAD ROOM with ET : 18 meter lift			86840	
SHORT HEAD ROOM with ET : 21 meter lift			94240	
SHORT HEAD ROOM with ET : 24 meter lift			101620	
Hoist with variable speed 1 : 10 (For hoist through VFD)			80440	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			12710	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			8210	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM **FURNISH			10940	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
BEAM SKETCH FOR ORDER BOOKING				
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			13630	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			22970	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			14450	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			45930	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-025-21				
SHORT HEAD ROOM with ET :`6 meter lift			55080	
SHORT HEAD ROOM with ET : 9 meter lift			62500	
SHORT HEAD ROOM with ET : 12 meter lift			69900	
SHORT HEAD ROOM with ET : 15 meter lift			77300	
SHORT HEAD ROOM with ET : 18 meter lift			84690	
SHORT HEAD ROOM with ET : 21 meter lift			92090	
SHORT HEAD ROOM with ET : 24 meter lift			99490	
Hoist with variable speed 1 : 10 (For hoist through VFD)			103920	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			12710	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			8210	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			10940	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			13630	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			22970	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			20020	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			45930	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-050-41				
SHORT HEAD ROOM with ET :`6 meter lift			60830	
SHORT HEAD ROOM with ET : 9 meter lift			68240	
SHORT HEAD ROOM with ET : 12 meter lift			75630	
SHORT HEAD ROOM with ET : 15 meter lift			83020	
SHORT HEAD ROOM with ET : 18 meter lift			90420	
SHORT HEAD ROOM with ET : 21 meter lift			97830	
SHORT HEAD ROOM with ET : 24 meter lift			105230	
Hoist with variable speed 1 : 10 (For hoist through VFD)			103920	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			12710	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			8210	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			10940	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM **FURNISH BEAM SKETCH FOR ORDER BOOKING			13630	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			34140	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			20020	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			45930	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-050-21				
SHORT HEAD ROOM with ET :`6 meter lift			112730	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
SHORT HEAD ROOM with ET : 9 meter lift			123750	
SHORT HEAD ROOM with ET : 12 meter lift			134850	
SHORT HEAD ROOM with ET : 15 meter lift			145950	
SHORT HEAD ROOM with ET : 18 meter lift			157060	
SHORT HEAD ROOM with ET : 21 meter lift			168160	
SHORT HEAD ROOM with ET : 24 meter lift			179240	
Hoist with variable speed 1 : 10 (For hoist through VFD)			182880	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			10290	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			17230	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			21390	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			34140	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			20020	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			64150	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-100-41				
SHORT HEAD ROOM with ET :`6 meter lift			114950	
SHORT HEAD ROOM with ET : 9 meter lift			126060	
SHORT HEAD ROOM with ET : 12 meter lift			137140	
SHORT HEAD ROOM with ET : 15 meter lift			148250	
SHORT HEAD ROOM with ET : 18 meter lift			160930	
SHORT HEAD ROOM with ET : 21 meter lift			171560	
SHORT HEAD ROOM with ET : 24 meter lift			184310	
Hoist with variable speed 1 : 10 (For hoist through VFD)			182880	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			10290	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			17230	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			21390	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			34140	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			20020	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			106890	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-063-21				
SHORT HEAD ROOM with ET :`6 meter lift			114950	
SHORT HEAD ROOM with ET : 9 meter lift			126060	
SHORT HEAD ROOM with ET : 12 meter lift			137140	
SHORT HEAD ROOM with ET : 15 meter lift			148250	
SHORT HEAD ROOM with ET : 18 meter lift			160930	
SHORT HEAD ROOM with ET : 21 meter lift			171560	
SHORT HEAD ROOM with ET : 24 meter lift			184310	
Hoist with variable speed 1 : 10 (For hoist through VFD)			235160	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			10290	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			17230	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			21390	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			34140	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
MPCB instead of MCB in hoist panel			20020	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			106890	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-125-41				
SHORT HEAD ROOM with ET :`6 meter lift			131350	
SHORT HEAD ROOM with ET : 9 meter lift			144540	
SHORT HEAD ROOM with ET : 12 meter lift			159650	
SHORT HEAD ROOM with ET : 15 meter lift			174080	
SHORT HEAD ROOM with ET : 18 meter lift			186850	
SHORT HEAD ROOM with ET : 21 meter lift			201090	
SHORT HEAD ROOM with ET : 24 meter lift			215780	
Hoist with variable speed 1 : 10 (For hoist through VFD)			235160	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			10290	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			17230	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			21390	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			34140	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			20020	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			106890	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-075-21				
SHORT HEAD ROOM with ET :`6 meter lift			118920	
SHORT HEAD ROOM with ET : 9 meter lift			126700	
SHORT HEAD ROOM with ET : 12 meter lift			133710	
SHORT HEAD ROOM with ET : 15 meter lift			141690	
SHORT HEAD ROOM with ET : 18 meter lift			149840	
SHORT HEAD ROOM with ET : 21 meter lift			156510	
SHORT HEAD ROOM with ET : 24 meter lift			166210	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
Hoist with variable speed 1 : 10 (For hoist through VFD)			235160	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			10290	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			17230	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			21390	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			34140	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			25560	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			106890	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-150-41				
SHORT HEAD ROOM with ET :`6 meter lift			138090	
SHORT HEAD ROOM with ET : 9 meter lift			152730	
SHORT HEAD ROOM with ET : 12 meter lift			167600	
SHORT HEAD ROOM with ET : 15 meter lift			181580	
SHORT HEAD ROOM with ET : 18 meter lift			196670	
SHORT HEAD ROOM with ET : 21 meter lift			211290	
SHORT HEAD ROOM with ET : 24 meter lift			225160	
Hoist with variable speed 1 : 10 (For hoist through VFD)			245600	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			17130	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			21770	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			24500	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			27210	
EPOXY PAINTING			9290	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			34140	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			25560	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			106890	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-100-21				
SHORT HEAD ROOM with ET :`6 meter lift			124290	
SHORT HEAD ROOM with ET : 9 meter lift			134470	
SHORT HEAD ROOM with ET : 12 meter lift			145940	
SHORT HEAD ROOM with ET : 15 meter lift			155770	
SHORT HEAD ROOM with ET : 18 meter lift			164820	
SHORT HEAD ROOM with ET : 21 meter lift			182230	
SHORT HEAD ROOM with ET : 24 meter lift			192440	
Hoist with variable speed 1 : 10 (For hoist through VFD)			235160	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			23770	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			21770	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			24500	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			27210	
EPOXY PAINTING			9290	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			34140	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			31120	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			106890	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SPECIAL FEATURES FOR Indef iR-200-41				
SHORT HEAD ROOM with ET :`6 meter lift			143730	
SHORT HEAD ROOM with ET : 9 meter lift			158520	
SHORT HEAD ROOM with ET : 12 meter lift			173690	
SHORT HEAD ROOM with ET : 15 meter lift			187770	
SHORT HEAD ROOM with ET : 18 meter lift			202490	
SHORT HEAD ROOM with ET : 21 meter lift			218370	
SHORT HEAD ROOM with ET : 24 meter lift			233030	
Hoist with variable speed 1 : 10 (For hoist through VFD)			235160	
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			23770	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 211 - 360 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			21770	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 361 - 420 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			24500	
TROLLEY SUITABLE TO HIGHER FLANGE WIDTH : 421 - 540 MM *FURNISH BEAM SKETCH FOR ORDER BOOKING			27210	
EPOXY PAINTING			9290	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
OVERLOAD SAFETY ARRANGEMENT			5300	
TROLLEY SPEED OF 8.5 MPM.			6460	
TROLLEY SPEED OF 4.25 MPM.			6460	
TROLLEY SPEED OF 2.1 MPM.			6460	
TROLLEY SPEED OF 2.8 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR			3950	
CANOPY FOR CONTROL PANEL			3950	
CANOPY FOR TROLLEY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
HOIST D.C. BRAKE IN LIEU OF A.C. BRAKE			34140	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			3390	
ISOLATOR TPN SWITCH WITH DOOR INTERLOCKED			7100	
CONTROL PANEL WALL MOUNTED/J.B. ON HOIST			7380	
PILOT LAMP FOR PANEL AND PUSH BUTTON			8520	
PILOT LAMP ONLY FOR PANEL			3980	
PILOT LAMP ONLY FOR PENDENT			4630	
100VA TRANSFORMER IN PLACE OF STD 50VA			1780	
MPCB instead of MCB in hoist panel			31120	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
Hoist trolley with variable speed 1 : 10 (For trolley through VFD)			106890	
Over Load Safety Arrangement			21980	
Rotary Gear Limit Switch			18270	
Gravity Limit Switch			8820	
T Track Cable trailing system with PVC cables for stragith path(Travel length up to 20 meter is preferred, for curved path the actual beam path sketch required for estimation) Rate per mtr			4190	
EXTRA CHARGES FOR SHORT HEAD ROOM DESIGN FOR Indef - HW MODELS				
HW 2 H2			81520	
HW 2 H4			116520	
HW 3 H2			116520	
HW 3 H4			160060	
HW 4 H1			131330	
HW 4 H3			204270	
HW 4 H5			290880	
HW 5 H4			334670	
ACCESSORIES - EXTRA CHARGES FOR OPTIONAL FEATURES FOR Indef WIRE ROPE HOIST HW2L UPTO 3.2 T				
LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			12710	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
HOIST DC BRAKE IN LIEU OF AC			25410	
TROLLEY SPEED OF 8.5/4.25/2.8/2.1 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			960	
CANOPY FOR MOTOR / CONTROL PANEL			3950	
CANOPY FOR TROLLY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
SWITCH FUSE UNIT MOUNTED ON PANEL			5080	
SWITCH FUSE UNIT WITH DOOR INTERLOCKED MOUNTED ON PANEL			7100	
FOR PANEL AND PUSH BUTTON			8520	
R,Y,B PHASE INDICATION ON PANEL			3980	
CONTROL ON INDICATION IN PENDANT			4630	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
GEARED ROTARY LIMIT SWITCH FOR HOIST IN LIEU OF STD. **			21770	
AC BRAKE PETHE MAKE IN LIUE OF INDEF SYTCO BRAKE IN HOIST MOTOR			4140	

Notes :
ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION & IP-54 PROTECTION.
ALL MOTORS WILL BE PROVIDED WITH MCB & O/L RELAY PROTECTION.
** DELIVERY 4-6 WEEKS MORE THAN STANDARD.
* SKETCH OF BEAM IS MUST ALONG WITH ORDER FOR HIGHER FLANGE WIDTH OR NON STANDARD BEAM.

ACCESSORIES - EXTRA CHARGES FOR OPTIONAL FEATURES FOR Indef WIRE ROPE HOIST HW2L/HW3 (4T - 6T) & SMD 5T

LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			12710	
EPOXY PAINTING			4660	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
HOIST DC BRAKE IN LIEU OF AC			34140	
TROLLEY SPEED OF 8.5/4.25/2.8/2.1 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			1350	
CANOPY FOR HOIST MOTOR			4400	
CANOPY FOR CONTROL PANEL			4400	
CANOPY FOR TROLLY MOTOR			3450	
TROLLEY D.C. BRAKE			8520	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			5080	
SWITCH FUSE UNIT WITH DOOR INTERLOCKED MOUNTED ON PANEL			7100	
FOR PANEL AND PUSH BUTTON			8520	
R,Y,B PHASE INDICATION ON PANEL			3980	
CONTROL ON INDICATION IN PENDANT			4630	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
GEARED ROTARY LIMIT SWITCH FOR HOIST IN LIEU OF STD. **			21770	
AC BRAKE PETHE MAKE IN LIUE OF INDEF SYTCO BRAKE IN HOIST MOTOR			6620	

Notes :
ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION & IP-54 PROTECTION.
ALL MOTORS WILL BE PROVIDED WITH MCB & O/L RELAY PROTECTION.
** DELIVERY 4-6 WEEKS MORE THAN STANDARD.
* SKETCH OF BEAM IS MUST ALONG WITH ORDER FOR HIGHER FLANGE WIDTH OR NON STANDARD BEAM.

ACCESSORIES - EXTRA CHARGES FOR OPTIONAL FEATURES FOR Indef WIRE ROPE HOIST HW3(7.5T - 10T) & SMD 10T

LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			14600	
EPOXY PAINTING			5830	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
TROLLEY SPEED OF 8.5/4.25/2.8/2.1 MPM.			6460	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			1980	
CANOPY FOR HOIST MOTOR			4970	
CANOPY FOR CONTROL PANEL			4970	
CANOPY FOR TROLLY MOTOR			6870	
TROLLEY D.C. BRAKE			8520	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			5080	
SWITCH FUSE UNIT WITH DOOR INTERLOCKED MOUNTED ON PANEL			7100	
FOR PANEL AND PUSH BUTTON			8520	
R,Y,B PHASE INDICATION ON PANEL			3980	
CONTROL ON INDICATION IN PENDANT			4630	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
GEARED ROTARY LIMIT SWITCH FOR HOIST IN LIEU OF STD. **			21770	

ACCESSORIES - EXTRA CHARGES FOR OPTIONAL FEATURES FOR Indef WIRE ROPE HOIST HW4 (6T - 10T)

LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			21390	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
EPOXY PAINTING			9290	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
TROLLEY SPEED OF 8.5/4.25/2.8/2.1 MPM.			12870	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			3680	
CANOPY FOR HOIST MOTOR			5520	
CANOPY FOR CONTROL PANEL			5520	
CANOPY FOR TROLLY MOTOR			6870	
TROLLEY D.C. BRAKE			17030	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			14720	
SWITCH FUSE UNIT WITH DOOR INTERLOCKED MOUNTED ON PANEL			16070	
FOR PANEL AND PUSH BUTTON			8520	
R,Y,B PHASE INDICATION ON PANEL			3980	
CONTROL ON INDICATION IN PENDANT			4630	
EXTRA FOR STRAIGHT FLANGED WHEELS			4900	
GEARED ROTARY LIMIT SWITCH FOR HOIST IN LIEU OF STD **			21770	

Notes :
ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION & IP-54 PROTECTION
ALL MOTORS WILL BE PROVIDED WITH MCB & O/L RELAY PROTECTION.
** DELIVERY 4-6 WEEKS MORE THAN STANDARD.
* SKETCH OF BEAM IS MUST ALONG WITH ORDER FOR HIGHER FLANGE WIDTH OR NON STANDARD BEAM.

ACCESSORIES - EXTRA CHARGES FOR OPTIONAL FEATURES FOR Indef WIRE ROPE HOIST HW4 (12T - 20T) & SMD15T/25T

LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			23770	
EPOXY PAINTING			9290	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
TROLLEY SPEED OF 8.5/4.25/2.8/2.1 MPM.			12870	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			1980	
CANOPY FOR HOIST MOTOR			5520	
CANOPY FOR CONTROL PANEL			5520	
CANOPY FOR TROLLY MOTOR			6870	
TROLLEY D.C. BRAKE			17030	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			7380	
SWITCH FUSE UNIT WITH DOOR INTERLOCKED MOUNTED ON PANEL			12000	
FOR PANEL AND PUSH BUTTON			8520	
R,Y,B PHASE INDICATION ON PANEL			3980	
CONTROL ON INDICATION IN PENDANT			4630	
EXTRA FOR STRAIGHT FLANGED WHEELS			2230	
GEARED ROTARY LIMIT SWITCH FOR HOIST IN LIEU OF STD.**			21770	

Notes :
ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION & IP-54 PROTECTION.
ALL MOTORS WILL BE PROVIDED WITH MCB & O/L RELAY PROTECTION.
** DELIVERY 4-6 WEEKS MORE THAN STANDARD.
* SKETCH OF BEAM IS MUST ALONG WITH ORDER FOR HIGHER FLANGE WIDTH OR NON STANDARD BEAM.

ACCESSORIES - EXTRA CHARGES FOR OPTIONAL FEATURES FOR Indef WIRE ROPE HOIST HW5 25T/30T

LOCKABLE PUSH BUTTON			4230	
SWITCH FUSE UNIT WITH FUSES (LOOSE SUPPLY)			28790	
EPOXY PAINTING			9290	
EN-9 TROLLEY WHEELS IN LIEU OF STANDARD			11380	
TROLLEY SPEED OF 8.5/4.25/2.8/2.1 MPM.			12870	
LOCKING ARG. FOR PREVENTING SWIVELLING OF HOOK.			2530	
CANOPY FOR HOIST MOTOR			5520	
CANOPY FOR CONTROL PANEL			5520	
CANOPY FOR TROLLY MOTOR			6870	
TROLLEY D.C. BRAKE			17030	
ISOLATOR TPN SWITCH MOUNTED ON PANEL			11040	
SWITCH FUSE UNIT WITH DOOR INTERLOCKED MOUNTED ON PANEL			16070	
FOR PANEL AND PUSH BUTTON			8520	
R,Y,B PHASE INDICATION ON PANEL			3980	
CONTROL ON INDICATION IN PENDANT			4630	
EXTRA FOR STRAIGHT FLANGED WHEELS			4400	
GEARED ROTARY LIMIT SWITCH FOR HOIST IN LIEU OF STD. **			21770	

Notes :
ALL MOTORS WILL BE PROVIDED WITH 'F' CLASS INSULATION & IP-54 PROTECTION.
ALL MOTORS WILL BE PROVIDED WITH MCB & O/L RELAY PROTECTION.
** DELIVERY 4-6 WEEKS MORE THAN STANDARD.
* SKETCH OF BEAM IS MUST ALONG WITH ORDER FOR HIGHER FLANGE WIDTH OR NON STANDARD BEAM.

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
EXTRA CHARGES FOR SPECIAL FEATURES FOR INDEF WRH/HW/SMD MODELS				
VVFD COMPATABLE MOTOR FOR HOIST (EXTRA PRICE OVER STANDARD MOTOR)	WRH N0		4310	
	WRH N (2T/3T)		5380	
	WRH I		6460	
	WRH II/WRHN3-HL		7530	
	WRH III		8580	
	HW2(L)		6460	
	HW2		8580	
	HW3/SMD 5 T		10720	
	HW4/SMD 10T/15/20 T		12870	
	HW5		16070	
	FOR 1 MOTOR		6460	
	FOR 2 MOTORS		12870	
VVFD FOR HOIST MOTOR MAKE SCHNEIDER ALONG WITH OTHER REQUIRED ACCESSORIES	HW2(L)		85510	
	HW2		106890	
	HW3		181710	
	HW4		235160	
	HW5		309970	
VVFD FOR TROLLEY MOTOR MAKE SCHNEIDER ALONG WITH OTHER REQUIRED ACCESSORIES	FOR 1 MOTOR		64150	
	FOR 2 MOTORS		106890	
PENDENT TELEMECHANIC MAKE WITH EMERGENCY ON /OFF	4 WAY		13940	
	6 WAY		17130	
	8 WAY		21390	
SHOE BRAKE FOR HOIST BCH MAKE DC BRAKE	WRH NO		224470	
	WRH N 2T/3T		224470	
	WRH I		224470	
	WRH II/WRHN3-HL		224470	
	WRH III		224470	
	HW2(L)		224470	
	HW2		224470	
	HW3		280590	
	HW4		280590	
	HW5		280590	
EH THRUSTOR SHOE BRAKE FOR HOIST SOC MAKE	WRH N0		106890	
	WRH N (2T/3T)		106890	
	WRH I		106890	
	WRH II/WRHN3-HL		106890	
	WRH III		128270	
	HW2(L)		106890	
	HW2		128270	
	HW3		160360	
	HW4		181710	
	HW5		213780	
1/2 OF STD HOIST SPEED USING 750 RPM MOTOR	HW2(L)		10720	
	HW2		16700	
	HW3		20550	
	HW4		44310	
	HW5		64150	
2/3 OF STD HOIST SPEED USING 1000 RPM MOTOR	HW2(L)		10720	
	HW2		16070	
	HW3		20550	
	HW4		44310	
RADIO REMOTE WITH EMERGENCY ON/OFF SNT MAKE	2 WAY		53480	
	4 WAY		85510	
	6 WAY		106890	
	8 WAY		117600	
EXTRA CHARGES for NON-STANDARD ACCESSORIES				
Hoist control panel with incoming MCCB, 50KA for WRH-N,WRH-I, HW2L WRH-II, WRH-N3HL, CH-III,WRH-III, HW2, SMD5			17200	

DESCRIPTION	CAPACITY	CODES	MRP	LIFT
MPCB FOR MOTOR FEEDER for WRH-N,WRH-I, HW2L WRH-II, WRH-N3HL, CH-III, WRH-III, HW2, SMD5			7530	
Over Hoisting/Lowering, CT Limit Switches, 2No+2NC. INDEF for WRH-N,WRH-I, HW2L, WRH-II, WRH-N3HL, CH-III, WRH-III, HW2, SMD5			4780	
Hoist control panel with incoming MCCB, 50KA for HW3, CH-IV, SMD10			17200	
MPCB FOR MOTOR FEEDER for HW3, CH-IV, SMD10			9520	
Over Hoisting/Lowering, CT Limit Switches, 2No+2NC. INDEF for HW3, CH-IV, SMD10			4780	
Hoist control panel with incoming MCCB, 50KA for HW4, SMD15			21500	
MPCB FOR MOTOR FEEDER for HW4, SMD15			10750	
Over Hoisting/Lowering, CT Limit Switches, 2No+2NC. INDEF for HW4, SMD15			4780	
Hoist control panel with incoming MCCB, 50KA for HW5			23650	
MPCB FOR MOTOR FEEDER for HW5			12370	
Over Hoisting/Lowering, CT Limit Switches, 2No+2NC. INDEF for HW5			4780	
All bearing SKF/FAG for WRH I			9030	
Rubber Buffer for WRH I			3770	
All bearing SKF/FAG for WRH II			9760	
Rubber Buffer for WRH II			3770	
All bearing SKF/FAG for WRH III			10490	
Rubber Buffer for WRH III			3770	
All bearing SKF/FAG for WRH N3 HL			4470	
Rubber Buffer for WRH N3 HL			3770	
All bearing SKF/FAG for HW2/HW3			9430	
Rubber Buffer for HW2/HW3			3770	
All bearing SKF/FAG for HW4/HW5			26070	
Rubber Buffer for HW4/HW5			5380	
All bearing SKF/FAG for SMD5			1940	
Rubber Buffer for SMD5			3770	
All bearing SKF/FAG for SMD10			2130	
Rubber Buffer for SMD10			6450	
All bearing SKF/FAG for SMD15			2230	
Rubber Buffer for SMD15			6450	