




Figure_1_Design_Safeguards


**C** Participant-disjoint analysis

No participant contributes epochs to both training and outer test


Figure_3_PreCue_PostCue




Figure_2_Primary_Decoding




Figure_4_Physiology_Spatial



Figure_5_Robustness_Protocol




Figure_S10_Sampling_Duration




Figure_S1_Cohort_Eligibility

Cohort eligibility



Figure_S11_Comparator_Distributions


Comparator participant distributions




Figure_S2_Secondary_Metrics
Secondary metrics (prefer Table 2)

Metric	Value	Role
BAcc (primary)	0.618	primary
ROC-AUC	0.670	secondary
Macro-F1	0.609	secondary
Sensitivity	0.614	secondary
Specificity	0.622	secondary
Average precision	0.668	secondary
MCC	0.242	secondary
Accuracy	0.617	secondary


Figure_S3_Movement_Decoding
Movement-specific decoding



Figure_S4_Channel_ERD
Channel-level ERD




Figure_S5_Laterality
Laterality (secondary)




Figure_S6_Participant_Heterogeneity

Participant heterogeneity — EXPLORATORY




Figure_S7_Artifact_Sensitivity

Artifact-threshold sensitivity



Figure_S8_Rejection_Audit

Label-specific rejection audit



Figure_S9_E08_Diagnostics

E08 protocol/run-state diagnostics

